

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
23 September 2004 (23.09.2004)





PCT

(10) International Publication Number
WO 2004/080406 A2

- (51) International Patent Classification⁷: **A61K**
- (21) International Application Number: PCT/US2004/007070
- (22) International Filing Date: 8 March 2004 (08.03.2004)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
- | | | |
|------------|--------------------------------|----|
| 60/452,682 | 7 March 2003 (07.03.2003) | US |
| 60/454,265 | 12 March 2003 (12.03.2003) | US |
| 60/454,962 | 13 March 2003 (13.03.2003) | US |
| 60/455,050 | 13 March 2003 (13.03.2003) | US |
| 60/462,894 | 14 April 2003 (14.04.2003) | US |
| 60/463,772 | 17 April 2003 (17.04.2003) | US |
| 60/465,665 | 25 April 2003 (25.04.2003) | US |
| 60/465,802 | 25 April 2003 (25.04.2003) | US |
| 60/469,612 | 9 May 2003 (09.05.2003) | US |
| 60/493,986 | 8 August 2003 (08.08.2003) | US |
| 60/494,597 | 11 August 2003 (11.08.2003) | US |
| 60/506,341 | 26 September 2003 (26.09.2003) | US |
| 60/510,246 | 9 October 2003 (09.10.2003) | US |
| 60/510,318 | 10 October 2003 (10.10.2003) | US |
| 60/518,453 | 7 November 2003 (07.11.2003) | US |
- (71) Applicant (for all designated States except US): **ALNY-LAM PHARMACEUTICALS** [US/US]; 790 Memorial Drive,, Suite 202, Cambridge, MA 02139 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **MANOHARAN, Muthiah** [US/US]; 25 Circle Drive, Weston, MA 02493 (US). **BUMCROT, David** [US/US]; 30 Leicester Road, Belmont, MA 02478 (US).
- (74) Agent: **MYERS, Louis**; Fish & Richardson P.C., 225 Franklin Street, Boston, MA 02110-2804 (US).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),

[Continued on next page]

(54) Title: THERAPEUTIC COMPOSITIONS



(57) Abstract: Therapeutic sRNA agents and methods of making and using are enclosed.

WO 2004/080406 A2



Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

- *without international search report and to be republished upon receipt of that report*

THERAPEUTIC COMPOSITIONS

RELATED APPLICATIONS

The present application claims the benefit of Application No. 60/452,682, filed
5 March 7, 2003; Application No. 60/462,894, filed April 14, 2003; and Application
No. 60/465,665, filed April 25, 2003; Application No. 60/463,772, filed April 17, 2003;
Application No. 60/465,802, filed April 25, 2003; Application No. 60/493,986, filed
August 8, 2003; Application No. 60/494,597, filed August 11, 2003; Application No.
60/506,341, filed September 26, 2003; Application No. 60/518,453, filed November 7, 2003;
10 Application No. 60/454,265, filed March 12, 2003; Application No. 60/454,962, filed March
13, 2003; Application No. 60/455,050, filed March 13, 2003; Application No. 60/469,612,
filed May 9, 2003; Application No. 60/510,246, filed October 9, 2003; Application
No. 60/510,318, filed October 10, 2003. The contents of these provisional applications are
hereby incorporated by reference in their entirety.

15

TECHNICAL FIELD

The invention relates to RNAi and related methods, *e.g.*, methods of making and
using iRNA agents.

BACKGROUND

20 RNA interference or "RNAi" is a term initially coined by Fire and co-workers to
describe the observation that double-stranded RNA (dsRNA) can block gene expression
when it is introduced into worms (Fire *et al.* (1998) *Nature* 391, 806-811). Short dsRNA
directs gene-specific, post-transcriptional silencing in many organisms, including vertebrates,
and has provided a new tool for studying gene function. RNAi may involve mRNA
25 degradation.

SUMMARY

A number of advances related to the application of RNAi to the treatment of subjects are disclosed herein. For example, the invention features iRNA agents targeted to specific genes; palindromic iRNA agents; iRNA agents having non canonical monomer pairings; iRNA agents having particular structures or architectures e.g., the Z-X-Y or asymmetrical iRNA agents described herein; drug delivery conjugates for the delivery of iRNA agents; amphipathic substances for the delivery of iRNA agents, as well as iRNA agents having chemical modifications for optimizing a property of the iRNA agent. The invention features each of these advances broadly as well as in combinations. For example, an iRNA agent targeted to a specific gene can also include one or more of a palindrome, non canonical, Z-X-Y, or asymmetric structure. Other nonlimiting examples of combinations include an asymmetric structure combined with a chemical modification, or formulations or methods or routes of delivery combined with, e.g., chemical modifications or architectures described herein. The iRNA agents of the invention can include any one of these advances, or pairwise or higher order combinations of the separate advances.

In one aspect, the invention features iRNA agents that can target more than one RNA region, and methods of using and making the iRNA agents.

In another aspect, an iRNA agent includes a first and second sequence that are sufficiently complementary to each other to hybridize. The first sequence can be complementary to a first target RNA region and the second sequence can be complementary to a second target RNA region.

In one embodiment, the first and second sequences of the iRNA agent are on different RNA strands, and the mismatch between the first and second sequences is less than 50%, 40%, 30%, 20%, 10%, 5%, or 1%.

In another embodiment, the first and second sequences of the iRNA agent are on the same RNA strand, and in a related embodiment more than 50%, 60%, 70%, 80%, 90%, 95%, or 1% of the iRNA agent is in bimolecular form.

In another embodiment, the first and second sequences of the iRNA agent are fully complementary to each other.

In one embodiment, the first target RNA region is encoded by a first gene and the second target RNA region is encoded by a second gene, and in another embodiment, the first

and second target RNA regions are different regions of an RNA from a single gene. In another embodiment, the first and second sequences differ by at least 1 and no more than 6 nucleotides.

In certain embodiments, the first and second target RNA regions are on transcripts encoded by first and second sequence variants, e.g., first and second alleles, of a gene. The sequence variants can be mutations, or polymorphisms, for example.

In certain embodiments, the first target RNA region includes a nucleotide substitution, insertion, or deletion relative to the second target RNA region.

In other embodiments, the second target RNA region is a mutant or variant of the first target RNA region.

In certain embodiments, the first and second target RNA regions comprise viral, e.g., HCV, or human RNA regions. The first and second target RNA regions can also be on variant transcripts of an oncogene or include different mutations of a tumor suppressor gene transcript. In one embodiment, the oncogene, or tumor suppressor gene is expressed in the liver. In addition, the first and second target RNA regions correspond to hot-spots for genetic variation.

In another aspect, the invention features a mixture of varied iRNA agent molecules, including one iRNA agent that includes a first sequence and a second sequence sufficiently complementary to each other to hybridize, and where the first sequence is complementary to a first target RNA region and the second sequence is complementary to a second target RNA region. The mixture also includes at least one additional iRNA agent variety that includes a third sequence and a fourth sequence sufficiently complementary to each other to hybridize, and where the third sequence is complementary to a third target RNA region and the fourth sequence is complementary to a fourth target RNA region. In addition, the first or second sequence is sufficiently complementary to the third or fourth sequence to be capable of hybridizing to each other. In one embodiment, at least one, two, three or all four of the target RNA regions are expressed in the liver. Exemplary RNAs are transcribed from the apoB-100 gene, glucose-6-phosphatase gene, beta catenin gene, or an HCV gene.

In certain embodiments, the first and second sequences are on the same or different RNA strands, and the third and fourth sequences are on same or different RNA strands.

In one embodiment, the mixture further includes a third iRNA agent that is composed of the first or second sequence and the third or fourth sequence.

In one embodiment, the first sequence is identical to at least one of the second, third and fourth sequences, and in another embodiment, the first region differs by at least 1 but no
5 more than 6 nucleotides from at least one of the second, third and fourth regions.

In certain embodiments, the first target RNA region comprises a nucleotide substitution, insertion, or deletion relative to the second, third or fourth target RNA region.

The target RNA regions can be variant sequences of a viral or human RNA, and in certain embodiments, at least two of the target RNA regions can be on variant transcripts of
10 an oncogene or tumor suppressor gene. In one embodiment, the oncogene or tumor suppressor gene is expressed in the liver.

In certain embodiments, at least two of the target RNA regions correspond to hot-spots for genetic variation.

In one embodiment, the iRNA agents of the invention are formulated for
15 pharmaceutical use. In one aspect, the invention provides a container (*e.g.*, a vial, syringe, nebulizer, etc) to hold the iRNA agents described herein.

Another aspect of the invention features a method of making an iRNA agent. The method includes constructing an iRNA agent that has a first sequence complementary to a first target RNA region, and a second sequence complementary to a second target RNA
20 region. The first and second target RNA regions have been identified as being sufficiently complementary to each other to be capable of hybridizing. In one embodiment, the first and second target RNA regions are on transcripts expressed in the liver.

In certain embodiments, the first and second target RNA regions can correspond to two different regions encoded by one gene, or to regions encoded by two different genes.

25 Another aspect of the invention features a method of making an iRNA agent composition. The method includes obtaining or providing information about a region of an RNA of a target gene (*e.g.*, a viral or human gene, or an oncogene or tumor suppressor, *e.g.*, p53), where the region has high variability or mutational frequency (*e.g.*, in humans). In addition, information about a plurality of RNA targets within the region is obtained or
30 provided, where each RNA target corresponds to a different variant or mutant of the gene (*e.g.*, a region including the codon encoding p53 248Q and/or p53 249S). The iRNA agent is

constructed such that a first sequence is complementary to a first of the plurality of variant RNA targets (*e.g.*, encoding 249Q) and a second sequence is complementary to a second of the plurality of variant RNA targets (*e.g.*, encoding 249S). The first and second sequences are sufficiently complementary to hybridize. In certain embodiments, the target gene can be
5 a viral or human gene expressed in the liver.

In one embodiment, sequence analysis, *e.g.*, to identify common mutants in the target gene, is used to identify a region of the target gene that has high variability or mutational frequency. For example, sequence analysis can be used to identify regions of apoB-100 or beta catenin that have high variability or mutational frequency. In another embodiment, the
10 region of the target gene having high variability or mutational frequency is identified by obtaining or providing genotype information about the target gene from a population. In another embodiment, the genotype information can be from a population suffering from a liver disorder, such as hepatocellular carcinoma or hepatoblastoma.

Another aspect of the invention features a method of modulating expression, *e.g.*,
15 downregulating or silencing, a target gene, by providing an iRNA agent that has a first sequence and a second sequence sufficiently complementary to each other to hybridize. In addition, the first sequence is complementary to a first target RNA region and the second sequence is complementary to a second target RNA region.

In one embodiment, the iRNA agent is administered to a subject, *e.g.*, a human.

20 In another embodiment, the first and second sequences are between 15 and 30 nucleotides in length.

In one embodiment, the method of modulating expression of the target gene further includes providing a second iRNA agent that has a third sequence complementary to a third target RNA region. The third sequence can be sufficiently complementary to the first or
25 second sequence to be capable of hybridizing to either the first or second sequence.

Another aspect of the invention features a method of modulating expression, *e.g.*, downregulating or silencing, a plurality of target RNAs, each of the plurality of target RNAs corresponding to a different target gene. The method includes providing an iRNA agent selected by identifying a first region in a first target RNA of the plurality and a second region
30 in a second target RNA of the plurality, where the first and second regions are sufficiently complementary to each other to be capable of hybridizing.

In another aspect of the invention, an iRNA agent molecule includes a first sequence complementary to a first variant RNA target region and a second sequence complementary to a second variant RNA target region, and the first and second variant RNA target regions correspond to first and second variants or mutants of a target gene. In certain embodiments, the target gene is an apoB-100, beta catenin, or glucose-6 phosphatase gene.

In one embodiment, the target gene is a viral gene (*e.g.*, an HCV gene), tumor suppressor or oncogene.

In another embodiment, the first and second variant target RNA regions include allelic variants of the target gene.

In another embodiment, the first and second variant RNA target regions comprise mutations (*e.g.*, point mutations) or polymorphisms of the target gene.

In one embodiment, the first and second variant RNA target regions correspond to hot-spots for genetic variation.

Another aspect of the invention features a plurality (*e.g.*, a panel or bank) of iRNA agents. Each of the iRNA agents of the plurality includes a first sequence complementary to a first variant target RNA region and a second sequence complementary to a second variant target RNA region, where the first and second variant target RNA regions correspond to first and second variants of a target gene. In certain embodiments, the variants are allelic variants of the target gene.

Another aspect of the invention provides a method of identifying an iRNA agent for treating a subject. The method includes providing or obtaining information, *e.g.*, a genotype, about a target gene, providing or obtaining information about a plurality (*e.g.*, panel or bank) of iRNA agents, comparing the information about the target gene to information about the plurality of iRNA agents, and selecting one or more of the plurality of iRNA agents for treating the subject. Each of the plurality of iRNA agents includes a first sequence complementary to a first variant target RNA region and a second sequence complementary to a second variant target RNA region, and the first and second variant target RNA regions correspond to first and second variants of the target gene. The target gene can be an endogenous gene of the subject or a viral gene. The information about the plurality of iRNA agents can be the sequence of the first or second sequence of one or more of the plurality.

In certain embodiments, at least one of the selected iRNA agents includes a sequence capable of hybridizing to an RNA region corresponding to the target gene, and at least one of the selected iRNA agents comprises a sequence capable of hybridizing to an RNA region corresponding to a variant or mutant of the target gene.

5 In one aspect, the invention relates to compositions and methods for silencing genes expressed in the liver, e.g., to treat disorders of or related to the liver. An iRNA agent composition of the invention can be one which has been modified to alter distribution in favor of the liver.

10 In another aspect, the invention relates to iRNA agents that can target more than one RNA region, and methods of using and making the iRNA agents. In one embodiment, the RNA is from a gene that is active in the liver, e.g., apoB-100, glucose-6-phosphatase, beta-catenin, or Hepatitis C virus (HCV).

15 In another aspect, an iRNA agent includes a first and second sequence that are sufficiently complementary to each other to hybridize. The first sequence can be complementary to a first target RNA region and the second sequence can be complementary to a second target RNA region. For example, the first sequence can be complementary to a first target apoB-100 RNA region and the second sequence can be complementary to a second target apoB-100 RNA region.

20 In one embodiment, the first target RNA region is encoded by a first gene, e.g., a gene expressed in the liver, and the second target RNA region is encoded by a second gene, e.g., a second gene expressed in the liver. In another embodiment, the first and second target RNA regions are different regions of an RNA from a single gene, e.g., a single gene that is at least expressed in the liver. In another embodiment, the first and second sequences differ by at least one and no more than six nucleotides.

25 In another embodiment, sequence analysis, e.g., to identify common mutants in the target gene, is used to identify a region of the target gene that has high variability or mutational frequency. For example, sequence analysis can be used to identify regions of apoB-100 or beta catenin that have high variability or mutational frequency. In another embodiment, the region of the target gene having high variability or mutational frequency is
30 identified by obtaining or providing genotype information about the target gene from a

population. In particular, the genotype information can be from a population suffering from a liver disorder, such as hepatocellular carcinoma or hepatoblastoma.

In another aspect, the invention features a method for reducing apoB-100 levels in a subject, e.g., a mammal, such as a human. The method includes administering to a subject an iRNA agent which targets apoB-100. The iRNA agent can be one described here, and can be a dsRNA that has a sequence that is substantially identical to a sequence of the apoB-100 gene. The iRNA can be less than 30 nucleotides in length, e.g., 21-23 nucleotides. Preferably, the iRNA is 21 nucleotides in length. In one embodiment, the iRNA is 21 nucleotides in length, and the duplex region of the iRNA is 19 nucleotides. In another embodiment, the iRNA is greater than 30 nucleotides in length.

In a preferred embodiment, the subject is treated with an iRNA agent which targets one of the sequences listed in Tables 5 and 6. In a preferred embodiment it targets both sequences of a palindromic pair provided in Tables 5 and 6. The most preferred targets are listed in descending order of preferrability, in other words, the more preferred targets are listed earlier in Tables 5 and 6.

In a preferred embodiment the iRNA agent will include regions, or strands, which are complementary to a pair in Tables 5 and 6. In a preferred embodiment the iRNA agent will include regions complementary to the palindromic pairs of Tables 5 and 6 as a duplex region.

In a preferred embodiment the duplex region of the iRNA agent will target a sequence listed in Tables 5 and 6 but will not be perfectly complementary with the target sequence, e.g., it will not be complementary at at least 1 base pair. Preferably it will have no more than 1, 2, 3, 4, or 5 bases, in total, or per strand, which do not hybridize with the target sequence

In a preferred embodiment the iRNA agent includes overhangs, e.g., 3' or 5' overhangs, preferably one or more 3' overhangs. Overhangs are discussed in detail elsewhere herein but are preferably about 2 nucleotides in length. The overhangs can be complementary to the gene sequences being targeted or can be other sequence. TT is a preferred overhang sequence. The first and second iRNA agent sequences can also be joined, e.g., by additional bases to form a hairpin, or by other non-base linkers.

The iRNA agent that targets apoB-100 can be administered in an amount sufficient to reduce expression of apoB-100 mRNA. In one embodiment, the iRNA agent is administered in an amount sufficient to reduce expression of apoB-100 protein (e.g., by at least 2%, 4%,

6%, 10%, 15%, 20%). Preferably, the iRNA agent does not reduce expression of apoB-48 mRNA or protein. This can be effected, e.g., by selection of an iRNA agent which specifically targets the nucleotides subject to RNA editing in the apoB-100 transcript.

The iRNA agent that targets apoB-100 can be administered to a subject, wherein the
5 subject is suffering from a disorder characterized by elevated or otherwise unwanted
expression of apoB-100, elevated or otherwise unwanted levels of cholesterol, and/or
disregulation of lipid metabolism. The iRNA agent can be administered to an individual at
risk for the disorder to delay onset of the disorder or a symptom of the disorder. These
disorders include HDL/LDL cholesterol imbalance; dyslipidemias, e.g., familial combined
10 hyperlipidemia (FCHL), acquired hyperlipidemia; hypercholesterolemia; statin-resistant
hypercholesterolemia; coronary artery disease (CAD) coronary heart disease (CHD)
atherosclerosis. In one embodiment, the iRNA that targets apoB-100 is administered to a
subject suffering from statin-resistant hypercholesterolemia.

The apoB-100 iRNA agent can be administered in an amount sufficient to reduce
15 levels of serum LDL-C and/or HDL-C and/or total cholesterol in a subject. For example, the
iRNA is administered in an amount sufficient to decrease total cholesterol by at least 0.5%,
1%, 2.5%, 5%, 10% in the subject. In one embodiment, the iRNA agent is administered in
an amount sufficient to reduce the risk of myocardial infarction the subject.

In a preferred embodiment the iRNA agent is administered repeatedly.
20 Administration of an iRNA agent can be carried out over a range of time periods. It can be
administered daily, once every few days, weekly, or monthly. The timing of administration
can vary from patient to patient, depending on such factors as the severity of a patient's
symptoms. For example, an effective dose of an iRNA agent can be administered to a patient
once a month for an indefinite period of time, or until the patient no longer requires therapy.
25 In addition, sustained release compositions containing an iRNA agent can be used to
maintain a relatively constant dosage in the patient's blood.

In one embodiment, the iRNA agent can be targeted to the liver, and apoB expression
level are decreased in the liver following administration of the apoB iRNA agent. For
example, the iRNA agent can be complexed with a moiety that targets the liver, e.g., an
30 antibody or ligand that binds a receptor on the liver.

The iRNA agent, particularly an iRNA agent that targets apoB, beta-catenin or glucose-6-phosphatase RNA, can be targeted to the liver, for example by associating, e.g., conjugating the iRNA agent to a lipophilic moiety, e.g., a lipid, cholesterol, oleyl, retinyl, or cholesteryl residue (see Table 1). Other lipophilic moieties that can be associated, e.g.,
5 conjugated with the iRNA agent include cholic acid, adamantane acetic acid, 1-pyrene butyric acid, dihydrotestosterone, 1,3-Bis-O(hexadecyl)glycerol, geranyloxyhexyl group, hexadecylglycerol, borneol, menthol, 1,3-propanediol, heptadecyl group, palmitic acid, myristic acid, O3-(oleoyl)lithocholic acid, O3-(oleoyl)cholenic acid, dimethoxytrityl, or phenoxazine. In one embodiment, the iRNA agent can be targeted to the liver by associating,
10 e.g., conjugating, the iRNA agent to a low-density lipoprotein (LDL), e.g., a lactosylated LDL. In another embodiment, the iRNA agent can be targeted to the liver by associating, e.g., conjugating, the iRNA agent to a polymeric carrier complex with sugar residues.

In another embodiment, the iRNA agent can be targeted to the liver by associating, e.g., conjugating, the iRNA agent to a liposome complexed with sugar residues. A targeting
15 agent that incorporates a sugar, e.g., galactose and/or analogues thereof, is particularly useful. These agents target, in particular, the parenchymal cells of the liver (see Table 1). In a preferred embodiment, the targeting moiety includes more than one galactose moiety, preferably two or three. Preferably, the targeting moiety includes 3 galactose moieties, e.g., spaced about 15 angstroms from each other. The targeting moiety can be lactose. A lactose
20 is a glucose coupled to a galactose. Preferably, the targeting moiety includes three lactoses. The targeting moiety can also be N-Acetyl-Galactosamine, N-Ac-Glucosamine. A mannose, or mannose-6-phosphate targeting moiety can be used for macrophage targeting.

The targeting agent can be linked directly, e.g., covalently or non covalently, to the iRNA agent, or to another delivery or formulation modality, e.g., a liposome. E.g., the iRNA
25 agents with or without a targeting moiety can be incorporated into a delivery modality, e.g., a liposome, with or without a targeting moiety.

It is particularly preferred to use an iRNA conjugated to a lipophilic molecule to conjugate to an iRNA agent that targets apoB, beta-catenin or glucose-6-phosphatase iRNA targeting agent.

30 In one embodiment, the iRNA agent has been modified, or is associated with a delivery agent, e.g., a delivery agent described herein, e.g., a liposome, which has been

modified to alter distribution in favor of the liver. In one embodiment, the modification mediates association with a serum albumin (SA), e.g., a human serum albumin (HSA), or a fragment thereof.

The iRNA agent, particularly an iRNA agent that targets apoB, beta-catenin or glucose-6-phosphatase RNA, can be targeted to the liver, for example by associating, e.g., conjugating the iRNA agent to an SA molecule, e.g., an HSA molecule, or a fragment thereof. In one embodiment, the iRNA agent or composition thereof has an affinity for an SA, e.g., HSA, which is sufficiently high such that its levels in the liver are at least 10, 20, 30, 50, or 100% greater in the presence of SA, e.g., HSA, or is such that addition of exogenous SA will increase delivery to the liver. These criteria can be measured, e.g., by testing distribution in a mouse in the presence or absence of exogenous mouse or human SA.

The SA, e.g., HSA, targeting agent can be linked directly, e.g., covalently or non-covalently, to the iRNA agent, or to another delivery or formulation modality, e.g., a liposome. E.g., the iRNA agents with or without a targeting moiety can be incorporated into a delivery modality, e.g., a liposome, with or without a targeting moiety.

It is particularly preferred to use an iRNA conjugated to an SA, e.g., an HSA, molecule wherein the iRNA agent is an apoB, beta-catenin or glucose-6-phosphatase iRNA targeting agent.

In another aspect, the invention features, a method for reducing glucose-6-phosphatase levels in a subject, e.g., a mammal, such as a human. The method includes administering to a subject an iRNA agent which targets glucose-6-phosphatase. The iRNA agent can be a dsRNA that has a sequence that is substantially identical to a sequence of the glucose-6-phosphatase gene.

In a preferred embodiment, the subject is treated with an iRNA agent which targets one of the sequences listed in Table 7. In a preferred embodiment it targets both sequences of a palindromic pair provided in Table 7. The most preferred targets are listed in descending order of preferrability, in other words, the more preferred targets are listed earlier in Table 7.

In a preferred embodiment the iRNA agent will include regions, or strands, which are complementary to a pair in Table 7. In a preferred embodiment the iRNA agent will include regions complementary to the palindromic pairs of Table 7 as a duplex region.

In a preferred embodiment the duplex region of the iRNA agent will target a sequence listed in Table 7 but will not be perfectly complementary with the target sequence, e.g., it will not be complementary at at least 1 base pair. Preferably it will have no more than 1, 2, 3, 4, or 5 bases, in total, or per strand, which do not hybridize with the target sequence

5 In a preferred embodiment the iRNA agent includes overhangs, e.g., 3' or 5' overhangs, preferably one or more 3' overhangs. Overhangs are discussed in detail elsewhere herein but are preferably about 2 nucleotides in length. The overhangs can be complementary to the gene sequences being targeted or can be other sequence. TT is a preferred overhang sequence. The first and second iRNA agent sequences can also be joined, 10 e.g., by additional bases to form a hairpin, or by other non-base linkers.

Table 7 refers to sequences from human glucose-6-phosphatase. Table 8 refers to sequences from rat glucose-6-phosphatase. The sequences from table 8 can be used, e.g., in experiments with rats or cultured rat cells.

In a preferred embodiment iRNA agent can have any architecture, e.g., architecture 15 described herein. E.g., it can be incorporated into an iRNA agent having an overhang structure, overall length, hairpin vs. two-strand structure, as described herein. In addition, monomers other than naturally occurring ribonucleotides can be used in the selected iRNA agent.

The iRNA that targets glucose-6-phosphatase can be administered in an amount 20 sufficient to reduce expression of glucose-6-phosphatase mRNA.

The iRNA that targets glucose-6-phosphatase can be administered to a subject to inhibit hepatic glucose production, for the treatment of glucose-metabolism-related disorders, such as diabetes, e.g., type-2-diabetes mellitus. The iRNA agent can be administered to an individual at risk for the disorder to delay onset of the disorder or a symptom of the disorder.

25 In other embodiments, iRNA agents having sequence similarity to the following genes can also be used to inhibit hepatic glucose production. These other genes include "forkhead homologue in rhabdomyosarcoma (FKHR); glucagon; glucagon receptor; glycogen phosphorylase; PPAR-Gamma Coactivator (PGC-1); Fructose-1,6-bisphosphatase; glucose-6-phosphate locator; glucokinase inhibitory regulatory protein; and 30 phosphoenolpyruvate carboxykinase (PEPCK).

In one embodiment, the iRNA agent can be targeted to the liver, and RNA expression levels of the targeted genes are decreased in the liver following administration of the iRNA agent.

The iRNA agent can be one described herein, and can be a dsRNA that has a sequence that is substantially identical to a sequence of a target gene. The iRNA can be less than 30 nucleotides in length, e.g., 21-23 nucleotides. Preferably, the iRNA is 21 nucleotides in length. In one embodiment, the iRNA is 21 nucleotides in length, and the duplex region of the iRNA is 19 nucleotides. In another embodiment, the iRNA is greater than 30 nucleotides in length

In another aspect, the invention features a method for reducing beta-catenin levels in a subject, e.g., a mammal, such as a human. The method includes administering to a subject an iRNA agent that targets beta-catenin. The iRNA agent can be one described herein, and can be a dsRNA that has a sequence that is substantially identical to a sequence of the beta-catenin gene. The iRNA can be less than 30 nucleotides in length, e.g., 21-23 nucleotides. Preferably, the iRNA is 21 nucleotides in length. In one embodiment, the iRNA is 21 nucleotides in length, and the duplex region of the iRNA is 19 nucleotides. In another embodiment, the iRNA is greater than 30 nucleotides in length.

In a preferred embodiment, the subject is treated with an iRNA agent which targets one of the sequences listed in Table 9. In a preferred embodiment it targets both sequences of a palindromic pair provided in Table 9. The most preferred targets are listed in descending order of preferrability, in other words, the more preferred targets are listed earlier in Table 9.

In a preferred embodiment, the subject is treated with an iRNA agent which targets one of the sequences listed in Table 9. In a preferred embodiment it targets both sequences of a palindromic pair provided in Table 9. The most preferred targets are listed in descending order of preferrability, in other words, the more preferred targets are listed earlier in Table 9.

In a preferred embodiment the iRNA agent will include regions, or strands, which are complementary to a pair in Table 9. In a preferred embodiment the iRNA agent will include regions complementary to the palindromic pairs of Table 9 as a duplex region.

In a preferred embodiment the duplex region of the iRNA agent will target a sequence listed in Table 9 but will not be perfectly complementary with the target sequence, e.g., it will not be complementary at at least 1 base pair. Preferably it will have no more than 1, 2, 3, 4, or 5 bases, in total, or per strand, which do not hybridize with the target sequence

5 In a preferred embodiment the iRNA agent includes overhangs, e.g., 3' or 5' overhangs, preferably one or more 3' overhangs. Overhangs are discussed in detail elsewhere herein but are preferably about 2 nucleotides in length. The overhangs can be complementary to the gene sequences being targeted or can be other sequence. TT is a preferred overhang sequence. The first and second iRNA agent sequences can also be joined, 10 e.g., by additional bases to form a hairpin, or by other non-base linkers.

The iRNA agent that targets beta-catenin can be administered in an amount sufficient to reduce expression of beta-catenin mRNA. In one embodiment, the iRNA agent is administered in an amount sufficient to reduce expression of beta-catenin protein (e.g., by at least 2%, 4%, 6%, 10%, 15%, 20%).

15 The iRNA agent that targets beta-catenin can be administered to a subject, wherein the subject is suffering from a disorder characterized by unwanted cellular proliferation in the liver or of liver tissue, e.g., metastatic tissue originating from the liver. Examples include, a benign or malignant disorder, e.g., a cancer, e.g., a hepatocellular carcinoma (HCC), hepatic metastasis, or hepatoblastoma.

20 The iRNA agent can be administered to an individual at risk for the disorder to delay onset of the disorder or a symptom of the disorder

In a preferred embodiment the iRNA agent is administered repeatedly. Administration of an iRNA agent can be carried out over a range of time periods. It can be administered daily, once every few days, weekly, or monthly. The timing of administration 25 can vary from patient to patient, depending on such factors as the severity of a patient's symptoms. For example, an effective dose of an iRNA agent can be administered to a patient once a month for an indefinite period of time, or until the patient no longer requires therapy. In addition, sustained release compositions containing an iRNA agent can be used to maintain a relatively constant dosage in the patient's blood.

30 In one embodiment, the iRNA agent can be targeted to the liver, and beta-catenin expression level are decreased in the liver following administration of the beta-catenin iRNA

agent. For example, the iRNA agent can be complexed with a moiety that targets the liver, e.g., an antibody or ligand that binds a receptor on the liver.

In another aspect, the invention provides methods to treat liver disorders, e.g., disorders characterized by unwanted cell proliferation, hematological disorders, disorders characterized by inflammation disorders, and metabolic or viral diseases or disorders of the liver. A proliferation disorder of the liver can be, for example, a benign or malignant disorder, e.g., a cancer, e.g. a hepatocellular carcinoma (HCC), hepatic metastasis, or hepatoblastoma. A hepatic hematology or inflammation disorder can be a disorder involving clotting factors, a complement-mediated inflammation or a fibrosis, for example. Metabolic diseases of the liver can include dyslipidemias, and irregularities in glucose regulation. Viral diseases of the liver can include hepatitis C or hepatitis B. In one embodiment, a liver disorder is treated by administering one or more iRNA agents that have a sequence that is substantially identical to a sequence in a gene involved in the liver disorder.

In one embodiment an iRNA agent to treat a liver disorder has a sequence which is substantially identical to a sequence of the beta-catenin or c-jun gene. In another embodiment, such as for the treatment of hepatitis C or hepatitis B, the iRNA agent can have a sequence that is substantially identical to a sequence of a gene of the hepatitis C virus or the hepatitis B virus, respectively. For example, the iRNA agent can target the 5' core region of HCV. This region lies just downstream of the ribosomal toe-print straddling the initiator methionine. Alternatively, an iRNA agent of the invention can target any one of the nonstructural proteins of HCV: NS3, 4A, 4B, 5A, or 5B. For the treatment of hepatitis B, an iRNA agent can target the protein X (HBx) gene, for example.

In a preferred embodiment, the subject is treated with an iRNA agent which targets one of the sequences listed in Table 10. In a preferred embodiment it targets both sequences of a palindromic pair provided in Table 10. The most preferred targets are listed in descending order of preferrability, in other words, the more preferred targets are listed earlier in Table 10.

In a preferred embodiment the iRNA agent will include regions, or strands, which are complementary to a pair in Table 10. In a preferred embodiment the iRNA agent will include regions complementary to the palindromic pairs of Table 10 as a duplex region.

In a preferred embodiment the duplex region of the iRNA agent will target a sequence listed in Table 10, but will not be perfectly complementary with the target sequence, e.g., it will not be complementary at at least 1 base pair. Preferably it will have no more than 1, 2, 3, 4, or 5 bases, in total, or per strand, which do not hybridize with the target sequence

5 In a preferred embodiment the iRNA agent includes overhangs, e.g., 3' or 5' overhangs, preferably one or more 3' overhangs. Overhangs are discussed in detail elsewhere herein but are preferably about 2 nucleotides in length. The overhangs can be complementary to the gene sequences being targeted or can be other sequence. TT is a preferred overhang sequence. The first and second iRNA agent sequences can also be joined,
10 e.g., by additional bases to form a hairpin, or by other non-base linkers.

In another aspect, an iRNA agent can be administered to modulate blood clotting, e.g., to reduce the tendency to form a blood clot. In a preferred embodiment the iRNA agent targets Factor V expression, preferably in the liver. One or more iRNA agents can be used to target a wild type allele, a mutant allele, e.g., the Leiden Factor V allele, or both. Such
15 administration can be used to treat or prevent venous thrombosis, e.g., deep vein thrombosis or pulmonary embolism, or another disorder caused by elevated or otherwise unwanted expression of Factor V, in, e.g., the liver. In one embodiment the iRNA agent can treat a subject, e.g., a human who has Factor V Leiden or other genetic trait associated with an unwanted tendency to form blood clots.

20 In a preferred embodiment administration of an iRNA agent which targets Factor V is with the administration of a second treatment, e.g., a treatment which reduces the tendency of the blood to clot, e.g., the administration of heparin or of a low molecular weight heparin.

In one embodiment, the iRNA agent that targets Factor V can be used as a prophylaxis in patients, e.g., patients with Factor V Leiden, who are placed at risk for a
25 thrombosis, e.g., those about to undergo surgery, in particular those about to undergo high-risk surgical procedures known to be associated with formation of venous thrombosis, those about to undergo a prolonged period of relative inactivity, e.g., on a motor vehicle, train or airplane flight, e.g., a flight or other trip lasting more than three or five hours. Such a treatment can be an adjunct to the therapeutic use of low molecular weight (LMW) heparin
30 prophylaxis.

In another embodiment, the iRNA agent that targets Factor V can be administered to patients with Factor V Leiden to treat deep vein thrombosis (DVT) or pulmonary embolism (PE). Such a treatment can be an adjunct to (or can replace) therapeutic uses of heparin or coumadin. The treatment can be administered by inhalation or generally by pulmonary routes.

In a preferred embodiment, an iRNA agent administered to treat a liver disorder is targeted to the liver. For example, the iRNA agent can be complexed with a targeting moiety, e.g., an antibody or ligand that recognizes a liver-specific receptor.

The invention also includes preparations, including substantially pure or pharmaceutically acceptable preparations of iRNA agents which silence any of the genes discussed herein and in particular for any of apoB-100, glucose-6-phosphatase, beta-catenin, factor V, or any of the HVC genes discussed herein.

The methods and compositions of the invention, e.g., the methods and compositions to treat diseases and disorders of the liver described herein, can be used with any of the iRNA agents described. In addition, the methods and compositions of the invention can be used for the treatment of any disease or disorder described herein, and for the treatment of any subject, e.g., any animal, any mammal, such as any human.

In another aspect, the invention features, a method of selecting two sequences or strands for use in an iRNA agent. The method includes:

- providing a first candidate sequence and a second candidate sequence;
- determining the value of a parameter which is a function of the number of palindromic pairs between the first and second sequence, wherein a palindromic pair is a nucleotide on said first sequence which, when the sequences are aligned in anti-parallel orientation, will hybridize with a nucleotide on said second sequence;
- comparing the number with a predetermined reference value, and if the number has a predetermined relationship with the reference, e.g., if it is the same or greater, selecting the sequences for use in an iRNA agent. In most cases each of the two sequences will be completely complementary with a target sequence (though as described elsewhere herein that may not always be the case, there may not be perfect complementarity with one or both of the target sequences) and will have sufficient complementarity with each other to form a duplex. The parameter can be derived e.g., by directly determining the number of

palindromic pairs, e.g., by inspection or by the use of a computer program which compares or analyses sequence. The parameter can also be determined less directly, and include e.g., calculation of or measurement of the T_m or other value related to the free energy of association or dissociation of a duplex.

5 In a preferred embodiment the determination can be performed on a target sequence, e.g., a genomic sequence. In such embodiments the selected sequence is converted to its complement in the iRNA agent.

In a preferred embodiment the first and second sequences are selected from the sequence of a single target gene. In other embodiments the first sequence is selected from
10 the sequence of a first target gene and the second sequence is selected from the target of a second target gene.

In a preferred embodiment the method includes comparing blocks of sequence, e.g., blocks which are between 15 and 25 nucleotides in length, and preferably 19, 20, or 21, and most preferably 19 nucleotides in length, to determine if they are suitable for use, e.g., if they
15 possess sufficient palindromic pairs.

In a preferred embodiment the first and second sequences are divided into a plurality of regions, e.g., terminal regions and a middle region disposed between the terminal regions and where in the reference value, or the predetermined relationship to the reference value, is different for at least two regions. E.g., the first and second sequences, when aligned in anti-
20 parallel orientation, are divided into terminal regions each of a selected number of base pairs, e.g., 2, 3, 4, 5, or 6, and a middle region, and the reference value for the terminal regions is higher than for the middle regions. In other words, a higher number or proportion of palindromic pairs is required in the terminal regions.

In a preferred embodiment the first and second sequences are gene sequences thus the
25 complements of the sequences will be used in a iRNA agent.

In a preferred embodiment hybridize means a classical Watson-Crick pairing. In other embodiments hybridize can include non-Watson-Crick pairing, e.g., pairings seen in micro RNA precursors.

In a preferred embodiment the method includes the addition of nucleotides to form
30 overhangs, e.g., 3' or 5' overhangs, preferably one or more 3' overhangs. Overhangs are discussed in detail elsewhere herein but are preferably about 2 nucleotides in length. The

overhangs can be complementary to the gene sequences being targeted or can be other sequence. TT is a preferred overhang sequence. The first and second iRNA agent sequences can also be joined, e.g., by additional bases to form a hairpin, or by other non-base linkers.

In a preferred embodiment the method is used to select all or part of a iRNA agent.

5 The selected sequences can be incorporated into an iRNA agent having any architecture, e.g., an architecture described herein. E.g., it can be incorporated into an iRNA agent having an overhang structure, overall length, hairpin vs. two-strand structure, as described herein. In addition, monomers other than naturally occurring ribonucleotides can be used in the selected iRNA agent.

10 Preferred iRNA agents of this method will target genes expressed in the liver, e.g., one of the genes disclosed herein, e.g., apo B, Beta catenin, an HVC gene, or glucose 6 phosphatase.

In another aspect, the invention features, an iRNA agent, determined, made, or selected by a method described herein.

15 The methods and compositions of the invention, e.g., the methods and iRNA compositions to treat liver-based diseases described herein, can be used with any dosage and/or formulation described herein, as well as with any route of administration described herein.

The invention also provides for the use of an iRNA agent which includes monomers which can form other than a canonical Watson-Crick pairing with another monomer, e.g., a monomer on another strand.

The use of "other than canonical Watson-Crick pairing" between monomers of a duplex can be used to control, often to promote, melting of all or part of a duplex. The iRNA agent can include a monomer at a selected or constrained position that results in a first level of stability in the iRNA agent duplex (e.g., between the two separate molecules of a double stranded iRNA agent) and a second level of stability in a duplex between a sequence of an iRNA agent and another sequence molecule, e.g., a target or off-target sequence in a subject. In some cases the second duplex has a relatively greater level of stability, e.g., in a duplex between an anti-sense sequence of an iRNA agent and a target mRNA. In this case one or more of the monomers, the position of the monomers in the iRNA agent, and the target sequence (sometimes referred to herein as the selection or constraint parameters), are

25
30

selected such that the iRNA agent duplex is has a comparatively lower free energy of association (which while not wishing to be bound by mechanism or theory, is believed to contribute to efficacy by promoting disassociation of the duplex iRNA agent in the context of the RISC) while the duplex formed between an anti-sense targeting sequence and its target
5 sequence, has a relatively higher free energy of association (which while not wishing to be bound by mechanism or theory, is believed to contribute to efficacy by promoting association of the anti-sense sequence and the target RNA).

In other cases the second duplex has a relatively lower level of stability, e.g., in a duplex between a sense sequence of an iRNA agent and an off-target mRNA. In this case
10 one or more of the monomers, the position of the monomers in the iRNA agent, and an off-target sequence, are selected such that the iRNA agent duplex is has a comparatively higher free energy of association while the duplex formed between a sense targeting sequence and its off-target sequence, has a relatively lower free energy of association (which while not wishing to be bound by mechanism or theory, is believed to reduce the level of off-target
15 silencing by contribute to efficacy by promoting disassociation of the duplex formed by the sense strand and the off-target sequence).

Thus, inherent in the structure of the iRNA agent is the property of having a first stability for the intra-iRNA agent duplex and a second stability for a duplex formed between a sequence from the iRNA agent and another RNA, e.g., a target mRNA. As discussed
20 above, this can be accomplished by judicious selection of one or more of the monomers at a selected or constrained position, the selection of the position in the duplex to place the selected or constrained position, and selection of the sequence of a target sequence (e.g., the particular region of a target gene which is to be targeted). The iRNA agent sequences which satisfy these requirements are sometimes referred herein as constrained sequences. Exercise
25 of the constraint or selection parameters can be, e.g., by inspection, or by computer assisted methods. Exercise of the parameters can result in selection of a target sequence and of particular monomers to give a desired result in terms of the stability, or relative stability, of a duplex.

Thus, in one aspect, the invention features, an iRNA agent which includes: a first
30 sequence which targets a first target region and a second sequence which targets a second target region. The first and second sequences have sufficient complementarity to each other

to hybridize, e.g., under physiological conditions, e.g., under physiological conditions but not in contact with a helicase or other unwinding enzyme. In a duplex region of the iRNA agent, at a selected or constrained position, the first target region has a first monomer, and the second target region has a second monomer. The first and second monomers occupy
5 complementary or corresponding positions. One, and preferably both monomers are selected such that the stability of the pairing of the monomers contribute to a duplex between the first and second sequence will differ from the stability of the pairing between the first or second sequence with a target sequence.

Usually, the monomers will be selected (selection of the target sequence may be
10 required as well) such that they form a pairing in the iRNA agent duplex which has a lower free energy of dissociation, and a lower T_m , than will be possessed by the pairing of the monomer with its complementary monomer in a duplex between the iRNA agent sequence and a target RNA duplex.

The constraint placed upon the monomers can be applied at a selected site or at more
15 than one selected site. By way of example, the constraint can be applied at more than 1, but less than 3, 4, 5, 6, or 7 sites in an iRNA agent duplex.

A constrained or selected site can be present at a number of positions in the iRNA agent duplex. E.g., a constrained or selected site can be present within 3, 4, 5, or 6 positions from either end, 3' or 5' of a duplexed sequence. A constrained or selected site can be
20 present in the middle of the duplex region, e.g., it can be more than 3, 4, 5, or 6, positions from the end of a duplexed region.

The iRNA agent can be selected to target a broad spectrum of genes, including any of the genes described herein.

In a preferred embodiment the iRNA agent has an architecture (architecture refers to
25 one or more of overall length, length of a duplex region, the presence, number, location, or length of overhangs, single strand versus double strand form) described herein.

E.g., the iRNA agent can be less than 30 nucleotides in length, e.g., 21-23 nucleotides. Preferably, the iRNA is 21 nucleotides in length and there is a duplex region of about 19 pairs. In one embodiment, the iRNA is 21 nucleotides in length, and the duplex
30 region of the iRNA is 19 nucleotides. In another embodiment, the iRNA is greater than 30 nucleotides in length.

In some embodiment the duplex region of the iRNA agent will have, mismatches, in addition to the selected or constrained site or sites. Preferably it will have no more than 1, 2, 3, 4, or 5 bases, which do not form canonical Watson-Crick pairs or which do not hybridize. Overhangs are discussed in detail elsewhere herein but are preferably about 2 nucleotides in length. The overhangs can be complementary to the gene sequences being targeted or can be other sequence. TT is a preferred overhang sequence. The first and second iRNA agent sequences can also be joined, e.g., by additional bases to form a hairpin, or by other non-base linkers.

The monomers can be selected such that: first and second monomers are naturally occurring ribonucleotides, or modified ribonucleotides having naturally occurring bases, and when occupying complementary sites either do not pair and have no substantial level of H-bonding, or form a non canonical Watson-Crick pairing and form a non-canonical pattern of H bonding, which usually have a lower free energy of dissociation than seen in a canonical Watson-Crick pairing, or otherwise pair to give a free energy of association which is less than that of a preselected value or is less, e.g., than that of a canonical pairing. When one (or both) of the iRNA agent sequences duplexes with a target, the first (or second) monomer forms a canonical Watson-Crick pairing with the base in the complementary position on the target, or forms a non canonical Watson-Crick pairing having a higher free energy of dissociation and a higher T_m than seen in the pairing in the iRNA agent. The classical Watson-Crick pairings are as follows: A-T, G-C, and A-U. Non-canonical Watson-Crick pairings are known in the art and can include, U-U, G-G, G-Atrans, G-Acis, and GU.

The monomer in one or both of the sequences is selected such that, it does not pair, or forms a pair with its corresponding monomer in the other sequence which minimizes stability (e.g., the H bonding formed between the monomer at the selected site in the one sequence and its monomer at the corresponding site in the other sequence are less stable than the H bonds formed by the monomer one (or both) of the sequences with the respective target sequence. The monomer in one or both strands is also chosen to promote stability in one or both of the duplexes made by a strand and its target sequence. E.g., one or more of the monomers and the target sequences are selected such that at the selected or constrained position, there is are no H bonds formed, or a non canonical pairing is formed in the iRNA agent duplex, or otherwise they otherwise pair to give a free energy of association which is

less than that of a preselected value or is less, e.g., than that of a canonical pairing, but when one (or both) sequences form a duplex with the respective target, the pairing at the selected or constrained site is a canonical Watson-Crick pairing.

The inclusion of such a monomers will have one or more of the following effects: it
5 will destabilize the iRNA agent duplex, it will destabilize interactions between the sense sequence and unintended target sequences, sometimes referred to as off-target sequences, and duplex interactions between the a sequence and the intended target will not be destabilized.

By way of example:

the monomer at the selected site in the first sequence includes an A (or a modified
10 base which pairs with T), and the monomer in at the selected position in the second sequence is chosen from a monomer which will not pair or which will form a non-canonical pairing, e.g., G. These will be useful in applications wherein the target sequence for the first sequence has a T at the selected position. In embodiments where both target duplexes are stabilized it is useful wherein the target sequence for the second strand has a monomer which
15 will form a canonical Watson-Crick pairing with the monomer selected for the selected position in the second strand.

the monomer at the selected site in the first sequence includes U (or a modified base which pairs with A), and the monomer in at the selected position in the second sequence is chosen from a monomer which will not pair or which will form a non-canonical pairing, e.g.,
20 U or G. These will be useful in applications wherein the target sequence for the first sequence has a T at the selected position. In embodiments where both target duplexes are stabilized it is useful wherein the target sequence for the second strand has a monomer which will form a canonical Watson-Crick pairing with the monomer selected for the selected position in the second strand.

25 The monomer at the selected site in the first sequence includes a G (or a modified base which pairs with C), and the monomer in at the selected position in the second sequence is chosen from a monomer which will not pair or which will form a non-canonical pairing, e.g., G, Acis, Atrans, or U. These will be useful in applications wherein the target sequence for the first sequence has a T at the selected position. In embodiments where both target
30 duplexes are stabilized it is useful wherein the target sequence for the second strand has a

monomer which will form a canonical Watson-Crick pairing with the monomer selected for the selected position in the second strand.

The monomer at the selected site in the first sequence includes a C (or a modified base which pairs with G), and the monomer in at the selected position in the second sequence is chosen a monomer which will not pair or which will form a non-canonical pairing. These will be useful in applications wherein the target sequence for the first sequence has a T at the selected position. In embodiments where both target duplexes are stabilized it is useful wherein the target sequence for the second strand has a monomer which will form a canonical Watson-Crick pairing with the monomer selected for the selected position in the second strand.

In another embodiment a non-naturally occurring or modified monomer or monomers are chosen such that when a non-naturally occurring or modified monomer occupies a positions at the selected or constrained position in an iRNA agent they exhibit a first free energy of dissociation and when one (or both) of them pairs with a naturally occurring monomer, the pair exhibits a second free energy of dissociation, which is usually higher than that of the pairing of the first and second monomers. E.g., when the first and second monomers occupy complementary positions they either do not pair and have no substantial level of H-bonding, or form a weaker bond than one of them would form with a naturally occurring monomer, and reduce the stability of that duplex, but when the duplex dissociates at least one of the strands will form a duplex with a target in which the selected monomer will promote stability, e.g., the monomer will form a more stable pair with a naturally occurring monomer in the target sequence than the pairing it formed in the iRNA agent.

An example of such a pairing is 2-amino A and either of a 2-thio pyrimidine analog of U or T.

When placed in complementary positions of the iRNA agent these monomers will pair very poorly and will minimize stability. However, a duplex is formed between 2 amino A and the U of a naturally occurring target, or a duplex is between 2-thio U and the A of a naturally occurring target or 2-thio T and the A of a naturally occurring target will have a relatively higher free energy of dissociation and be more stable. This is shown in the FIG. 1.

The pair shown in FIG. 1 (the 2-amino A and the 2-s U and T) is exemplary. In another embodiment, the monomer at the selected position in the sense strand can be a

universal pairing moiety. A universal pairing agent will form some level of H bonding with more than one and preferably all other naturally occurring monomers. An example of a universal pairing moiety is a monomer which includes 3-nitro pyrrole. (Examples of other candidate universal base analogs can be found in the art, e.g., in Loakes, 2001, NAR 29: 2437-2447, hereby incorporated by reference. Examples can also be found in the section on Universal Bases below.) In these cases the monomer at the corresponding position of the anti-sense strand can be chosen for its ability to form a duplex with the target and can include, e.g., A, U, G, or C.

In another aspect, the invention features, an iRNA agent which includes: a sense sequence, which preferably does not target a sequence in a subject, and an anti-sense sequence, which targets a target gene in a subject. The sense and anti-sense sequences have sufficient complementarity to each other to hybridize hybridize, e.g., under physiological conditions, e.g., under physiological conditions but not in contact with a helicase or other unwinding enzyme. In a duplex region of the iRNA agent, at a selected or constrained position, the monomers are selected such that:

the monomer in the sense sequence is selected such that, it does not pair, or forms a pair with its corresponding monomer in the anti-sense strand which minimizes stability (e.g., the H bonding formed between the monomer at the selected site in the sense strand and its monomer at the corresponding site in the anti-sense strand are less stable than the H bonds formed by the monomer of the anti-sense sequence and its canonical Watson-Crick partner or, if the monomer in the anti-sense strand includes a modified base, the natural analog of the modified base and its canonical Watson-Crick partner);

the monomer in the corresponding position in the anti-sense strand is selected such that it maximizes the stability of a duplex it forms with the target sequence, e.g., it forms a canonical Watson-Crick paring with the monomer in the corresponding position on the target stand;

optionally, the monomer in the sense sequence is selected such that, it does not pair, or forms a pair with its corresponding monomer in the anti-sense strand which minimizes stability with an off-target sequence.

The inclusion of such a monomers will have one or more of the following effects: it will destabilize the iRNA agent duplex, it will destabilize interactions between the sense

sequence and unintended target sequences, sometimes referred to as off-target sequences, and duplex interactions between the anti-sense strand and the intended target will not be destabilized.

The constraint placed upon the monomers can be applied at a selected site or at more than one selected site. By way of example, the constraint can be applied at more than 1, but less than 3, 4, 5, 6, or 7 sites in an iRNA agent duplex.

A constrained or selected site can be present at a number of positions in the iRNA agent duplex. E.g., a constrained or selected site can be present within 3, 4, 5, or 6 positions from either end, 3' or 5' of a duplexed sequence. A constrained or selected site can be present in the middle of the duplex region, e.g., it can be more than 3, 4, 5, or 6, positions from the end of a duplexed region.

The iRNA agent can be selected to target a broad spectrum of genes, including any of the genes described herein.

In a preferred embodiment the iRNA agent has an architecture (architecture refers to one or more of overall length, length of a duplex region, the presence, number, location, or length of overhangs, sing strand versus double strand form) described herein.

E.g., the iRNA agent can be less than 30 nucleotides in length, *e.g.*, 21-23 nucleotides. Preferably, the iRNA is 21 nucleotides in length and there is a duplex region of about 19 pairs. In one embodiment, the iRNA is 21 nucleotides in length, and the duplex region of the iRNA is 19 nucleotides. In another embodiment, the iRNA is greater than 30 nucleotides in length.

In some embodiment the duplex region of the iRNA agent will have, mismatches, in addition to the selected or constrained site or sites. Preferably it will have no more than 1, 2, 3, 4, or 5 bases, which do not form canonical Watson-Crick pairs or which do not hybridize. Overhangs are discussed in detail elsewhere herein but are preferably about 2 nucleotides in length. The overhangs can be complementary to the gene sequences being targeted or can be other sequence. TT is a preferred overhang sequence. The first and second iRNA agent sequences can also be joined, *e.g.*, by additional bases to form a hairpin, or by other non-base linkers.

One or more selection or constraint parameters can be exercised such that: monomers at the selected site in the sense and anti-sense sequences are both naturally occurring

ribonucleotides, or modified ribonucleotides having naturally occurring bases, and when occupying complementary sites in the iRNA agent duplex either do not pair and have no substantial level of H-bonding, or form a non-canonical Watson-Crick pairing and thus form a non-canonical pattern of H bonding, which generally have a lower free energy of dissociation than seen in a Watson-Crick pairing, or otherwise pair to give a free energy of association which is less than that of a preselected value or is less, e.g., than that of a canonical pairing. When one, usually the anti-sense sequence of the iRNA agent sequences forms a duplex with another sequence, generally a sequence in the subject, and generally a target sequence, the monomer forms a classic Watson-Crick pairing with the base in the complementary position on the target, or forms a non-canonical Watson-Crick pairing having a higher free energy of dissociation and a higher T_m than seen in the pairing in the iRNA agent. Optionally, when the other sequence of the iRNA agent, usually the sense sequences forms a duplex with another sequence, generally a sequence in the subject, and generally an off-target sequence, the monomer fails to form a canonical Watson-Crick pairing with the base in the complementary position on the off target sequence, e.g., it forms or forms a non-canonical Watson-Crick pairing having a lower free energy of dissociation and a lower T_m.

By way of example:

the monomer at the selected site in the anti-sense strand includes an A (or a modified base which pairs with T), the corresponding monomer in the target is a T, and the sense strand is chosen from a base which will not pair or which will form a noncanonical pair, e.g., G;

the monomer at the selected site in the anti-sense strand includes a U (or a modified base which pairs with A), the corresponding monomer in the target is an A, and the sense strand is chosen from a monomer which will not pair or which will form a non-canonical pairing, e.g., U or G;

the monomer at the selected site in the anti-sense strand includes a C (or a modified base which pairs with G), the corresponding monomer in the target is a G, and the sense strand is chosen a monomer which will not pair or which will form a non-canonical pairing, e.g., G, A_{cis}, A_{trans}, or U; or

the monomer at the selected site in the anti-sense strand includes a G (or a modified base which pairs with C), the corresponding monomer in the target is a C, and the sense

strand is chosen from a monomer which will not pair or which will form a non-canonical pairing.

In another embodiment a non-naturally occurring or modified monomer or monomers is chosen such that when it occupies complementary a position in an iRNA agent they exhibit
5 a first free energy of dissociation and when one (or both) of them pairs with a naturally occurring monomer, the pair exhibits a second free energy of dissociation, which is usually higher than that of the pairing of the first and second monomers. E.g., when the first and second monomers occupy complementary positions they either do not pair and have no substantial level of H-bonding, or form a weaker bond than one of them would form with a
10 naturally occurring monomer, and reduce the stability of that duplex, but when the duplex dissociates at least one of the strands will form a duplex with a target in which the selected monomer will promote stability, e.g., the monomer will form a more stable pair with a naturally occurring monomer in the target sequence than the pairing it formed in the iRNA agent.

15 An example of such a pairing is 2-amino A and either of a 2-thio pyrimidine analog of U or T. As is discussed above, when placed in complementary positions of the iRNA agent these monomers will pair very poorly and will minimize stability. However, a duplex is formed between 2 amino A and the U of a naturally occurring target, or a duplex is formed between 2-thio U and the A of a naturally occurring target or 2-thio T and the A of a
20 naturally occurring target will have a relatively higher free energy of dissociation and be more stable.

The monomer at the selected position in the sense strand can be a universal pairing moiety. A universal pairing agent will form some level of H bonding with more than one and preferably all other naturally occurring monomers. An examples of a universal pairing
25 moiety is a monomer which includes 3-nitro pyrrole. Examples of other candidate universal base analogs can be found in the art, e.g., in Loakes, 2001, NAR 29: 2437-2447, hereby incorporated by reference. In these cases the monomer at the corresponding position of the anti-sense strand can be chosen for its ability to form a duplex with the target and can include, e.g., A, U, G, or C.

30 In another aspect, the invention features, an iRNA agent which includes:

a sense sequence, which preferably does not target a sequence in a subject, and an anti-sense sequence, which targets a plurality of target sequences in a subject, wherein the targets differ in sequence at only 1 or a small number, e.g., no more than 5, 4, 3 or 2 positions. The sense and anti-sense sequences have sufficient complementarity to each other to hybridize, e.g.,
5 under physiological conditions, e.g., under physiological conditions but not in contact with a helicase or other unwinding enzyme. In the sequence of the anti-sense strand of the iRNA agent is selected such that at one, some, or all of the positions which correspond to positions that differ in sequence between the target sequences, the anti-sense strand will include a monomer which will form H-bonds with at least two different target sequences. In a
10 preferred example the anti-sense sequence will include a universal or promiscuous monomer, e.g., a monomer which includes 5-nitro pyrrole, 2-amino A, 2-thio U or 2-thio T, or other universal base referred to herein.

In a preferred embodiment the iRNA agent targets repeated sequences (which differ at only one or a small number of positions from each other) in a single gene, a plurality of
15 genes, or a viral genome, e.g., the HCV genome.

An embodiment is illustrated in the FIGs. 2 and 3.

In another aspect, the invention features, determining, e.g., by measurement or calculation, the stability of a pairing between monomers at a selected or constrained position in the iRNA agent duplex, and preferably determining the stability for the corresponding
20 pairing in a duplex between a sequence from the iRNA agent and another RNA, e.g., a target sequence. The determinations can be compared. An iRNA agent thus analyzed can be used in the development of a further modified iRNA agent or can be administered to a subject. This analysis can be performed successively to refine or design optimized iRNA agents.

In another aspect, the invention features, a kit which includes one or more of the
25 following an iRNA described herein, a sterile container in which the iRNA agent is disclosed, and instructions for use.

In another aspect, the invention features, an iRNA agent containing a constrained sequence made by a method described herein. The iRNA agent can target one or more of the genes referred to herein.

30 iRNA agents having constrained or selected sites, e.g., as described herein, can be used in any way described herein. Accordingly, they iRNA agents having constrained or


selected sites, e.g., as described herein, can be used to silence a target, e.g., in any of the methods described herein and to target any of the genes described herein or to treat any of the disorders described herein. iRNA agents having constrained or selected sites, e.g., as described herein, can be incorporated into any of the formulations or preparations, e.g., pharmaceutical or sterile preparations described herein. iRNA agents having constrained or selected sites, e.g., as described herein, can be administered by any of the routes of administration described herein.

The term "other than canonical Watson-Crick pairing" as used herein, refers to a pairing between a first monomer in a first sequence and a second monomer at the corresponding position in a second sequence of a duplex in which one or more of the following is true: (1) there is essentially no pairing between the two, e.g., there is no significant level of H bonding between the monomers or binding between the monomers does not contribute in any significant way to the stability of the duplex; (2) the monomers are a non-canonical pairing of monomers having a naturally occurring bases, i.e., they are other than A-T, A-U, or G-C, and they form monomer-monomer H bonds, although generally the H bonding pattern formed is less strong than the bonds formed by a canonical pairing; or (3) at least one of the monomers includes a non-naturally occurring bases and the H bonds formed between the monomers is, preferably formed is less strong than the bonds formed by a canonical pairing, namely one or more of A-T, A-U, G-C.

The term "off-target" as used herein, refers to a sequence other than the sequence to be silenced.


Universal Bases: "wild-cards" ; shape-based complementarity

Bi-stranded, multisite replication of a base pair between difluorotoluene and adenine: confirmation by 'inverse' sequencing. Liu, D.; Moran, S.; Kool, E. T. *Chem. Biol.*, 1997, 4, 919-926)




(Importance of terminal base pair hydrogen-bonding in 3'-end proofreading by the Klenow fragment of DNA polymerase I. Morales, J. C.; Kool, E. T. *Biochemistry*, 2000, 39, 2626-2632)

- 5 (Selective and stable DNA base pairing without hydrogen bonds. Matray, T, J.; Kool, E. T. *J. Am. Chem. Soc.*, 1998, 120, 6191-6192)





(Difluorotoluene, a nonpolar isostere for thymine, codes specifically and efficiently for adenine in DNA replication. Moran, S. Ren, R. X.-F.; Rumney IV, S.; Kool, E. T. *J. Am. Chem. Soc.*, 1997, 119, 2056-

10 2057)




(Structure and base pairing properties of a replicable nonpolar isostere for deoxyadenosine. Guckian, K. M.; Morales, J. C.; Kool, E. T. *J. Org. Chem.*, 1998, 63, 9652-9656)




(

(Universal bases for hybridization, replication and chain termination. Berger, M.; Wu, Y.; Ogawa, A.

5 K.; McMinn, D. L.; Schultz, P. G.; Romesberg, F. E. *Nucleic Acids Res.*, **2000**, *28*, 2911-2914)



- 10 (1. Efforts toward the expansion of the genetic alphabet: Information storage and replication with unnatural hydrophobic base pairs. Ogawa, A. K.; Wu, Y.; McMinn, D. L.; Liu, J.; Schultz, P. G.; Romesberg, F. E. *J. Am. Chem. Soc.*, **2000**, *122*, 3274-3287. 2. Rational design of an unnatural base pair with increased kinetic selectivity. Ogawa, A. K.; Wu, Y.; Berger, M.; Schultz, P. G.; Romesberg, F. E. *J. Am. Chem. Soc.*, **2000**, *122*, 8803-8804)




(Efforts toward expansion of the genetic alphabet: replication of DNA with three base pairs. Tae, E. L.; Wu, Y.; Xia, G.; Schultz, P. G.; Romesberg, F. E. *J. Am. Chem. Soc.*, **2001**, *123*, 7439-7440)


- 5 (1. Efforts toward expansion of the genetic alphabet: Optimization of interbase hydrophobic interactions. Wu, Y.; Ogawa, A. K.; Berger, M.; McMinn, D. L.; Schultz, P. G.; Romesberg, F. E. *J. Am. Chem. Soc.*, **2000**, *122*, 7621-7632. 2. Efforts toward expansion of genetic alphabet: DNA polymerase recognition of a highly stable, self-pairing hydrophobic base. McMinn, D. L.; Ogawa, A. K.; Wu, Y.; Liu, J.; Schultz, P. G.; Romesberg, F. E. *J. Am. Chem. Soc.*, **1999**, *121*, 11585-11586).

- 10 (A stable DNA duplex containing a non-hydrogen-bonding and non-shape complementary base couple: Interstrand stacking as the stability determining factor. Brotschi, C.; Haberli, A.; Leumann, C. *J. Angew. Chem. Int. Ed.*, **2001**, *40*, 3012-3014)

- 15 (2,2'-Bipyridine Ligandose: A novel building block for modifying DNA with intra-duplex metal complexes. Weizman, H.; Tor, Y. *J. Am. Chem. Soc.*, **2001**, *123*, 3375-3376)




(Minor groove hydration is critical to the stability of DNA duplexes. Lan, T.; McLaughlin, L. W. *J. Am. Chem. Soc.*, **2000**, *122*, 6512-13)




- (Effect of the Universal base 3-nitropyrrole on the selectivity of neighboring natural bases. Oliver, J. S.; Parker, K. A.; Suggs, J. W. *Organic Lett.*, 2001, 3, 1977-1980. 2. Effect of the 1-(2'-deoxy-β-D-ribofuranosyl)-3-nitropyrrol residue on the stability of DNA duplexes and triplexes. Amosova, O.; George J.; Fresco, J. R. *Nucleic Acids Res.*, 1997, 25, 1930-1934. 3. Synthesis, structure and deoxyribonucleic acid sequencing with a universal nucleosides: 1-(2'-deoxy-β-D-ribofuranosyl)-3-nitropyrrole. Bergstrom, D. E.; Zhang, P.; Toma, P. H.; Andrews, P. C.; Nichols, R. *J. Am. Chem. Soc.*, 1995, 117, 1201-1209)

(




- 10 (Model studies directed toward a general triplex DNA recognition scheme: a novel DNA base that binds a CG base-pair in an organic solvent. Zimmerman, S. C.; Schmitt, P. *J. Am. Chem. Soc.*, 1995, 117, 10769-10770)




- (A universal, photocleavable DNA base: nitropiperonyl 2'-deoxyriboside. *J. Org. Chem.*, 2001, 66, 2067-2071)




15



- (Recognition of a single guanine bulge by 2-acylamino-1,8-naphthyridine. Nakatani, K.; Sando, S.; Saito, I. *J. Am. Chem. Soc.*, **2000**, *122*, 2172-2177. b. Specific binding of 2-amino-1,8-naphthyridine into single guanine bulge as evidenced by photooxidation of GC doublet, Nakatani, K.; Sando, S.; Yoshida, K.; Saito, I. *Bioorg. Med. Chem. Lett.*, **2001**, *11*, 335-337)



Other universal bases can have the following formulas:



wherein:

5

Q is N or CR⁴⁴;

Q' is N or CR⁴⁵;

Q'' is N or CR⁴⁷;

Q''' is N or CR⁴⁹;

Qiv is N or CR⁵⁰;

R^{44} is hydrogen, halo, hydroxy, nitro, protected hydroxy, NH_2 , NHR^b , or NR^bR^c , C_1 - C_6 alkyl, C_6 - C_{10} aryl, C_6 - C_{10} heteroaryl, C_3 - C_8 heterocyclyl, or when taken together with R^{45} forms $-OCH_2O-$;

R^{45} is hydrogen, halo, hydroxy, nitro, protected hydroxy, NH_2 , NHR^b , or NR^bR^c , C_1 - C_6 alkyl, C_6 - C_{10} aryl, C_6 - C_{10} heteroaryl, C_3 - C_8 heterocyclyl, or when taken together with R^{44} or R^{46} forms $-OCH_2O-$;

R^{46} is hydrogen, halo, hydroxy, nitro, protected hydroxy, NH_2 , NHR^b , or NR^bR^c , C_1 - C_6 alkyl, C_6 - C_{10} aryl, C_6 - C_{10} heteroaryl, C_3 - C_8 heterocyclyl, or when taken together with R^{45} or R^{47} forms $-OCH_2O-$;

R^{47} is hydrogen, halo, hydroxy, nitro, protected hydroxy, NH_2 , NHR^b , or NR^bR^c , C_1 - C_6 alkyl, C_6 - C_{10} aryl, C_6 - C_{10} heteroaryl, C_3 - C_8 heterocyclyl, or when taken together with R^{46} or R^{48} forms $-OCH_2O-$;

R^{48} is hydrogen, halo, hydroxy, nitro, protected hydroxy, NH_2 , NHR^b , or NR^bR^c , C_1 - C_6 alkyl, C_6 - C_{10} aryl, C_6 - C_{10} heteroaryl, C_3 - C_8 heterocyclyl, or when taken together with R^{47} forms $-OCH_2O-$;

R^{49} , R^{50} , R^{51} , R^{52} , R^{53} , R^{54} , R^{57} , R^{58} , R^{59} , R^{60} , R^{61} , R^{62} , R^{63} , R^{64} , R^{65} , R^{66} , R^{67} , R^{68} , R^{69} , R^{70} , R^{71} , and R^{72} are each independently selected from hydrogen, halo, hydroxy, nitro, protected hydroxy, NH_2 , NHR^b , or NR^bR^c , C_1 - C_6 alkyl, C_2 - C_6 alkynyl, C_6 - C_{10} aryl, C_6 - C_{10} heteroaryl, C_3 - C_8 heterocyclyl, $NC(O)R^{17}$, or $NC(O)R^0$;

R^{55} is hydrogen, halo, hydroxy, nitro, protected hydroxy, NH_2 , NHR^b , or NR^bR^c , C_1 - C_6 alkyl, C_2 - C_6 alkynyl, C_6 - C_{10} aryl, C_6 - C_{10} heteroaryl, C_3 - C_8 heterocyclyl, $NC(O)R^{17}$, or $NC(O)R^0$, or when taken together with R^{56} forms a fused aromatic ring which may be optionally substituted;

R^{56} is hydrogen, halo, hydroxy, nitro, protected hydroxy, NH_2 , NHR^b , or NR^bR^c , C_1 - C_6 alkyl, C_2 - C_6 alkynyl, C_6 - C_{10} aryl, C_6 - C_{10} heteroaryl, C_3 - C_8 heterocyclyl, $NC(O)R^{17}$, or $NC(O)R^0$, or when taken together with R^{55} forms a fused aromatic ring which may be optionally substituted;

R^{17} is halo, NH_2 , NHR^b , or NR^bR^c ;


R^b is C_1 - C_6 alkyl or a nitrogen protecting group;

R^c is C_1 - C_6 alkyl; and

R^o is alkyl optionally substituted with halo, hydroxy, nitro, protected hydroxy, NH₂, NHR^b, or NR^bR^c, C₁-C₆ alkyl, C₂-C₆ alkynyl, C₆-C₁₀ aryl, C₆-C₁₀ heteroaryl, C₃-C₈ heterocyclyl, NC(O)R¹⁷, or NC(O)R^o.

Examples of universal bases include:

5



10

In one aspect, the invention features methods of producing iRNA agents, *e.g.*, sRNA agents, *e.g.* an sRNA agent described herein, having the ability to mediate RNAi. These iRNA agents can be formulated for administration to a subject.

In another aspect, the invention features a method of administering an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, to a subject (*e.g.*, a human subject). The method includes administering a unit dose of the iRNA agent, *e.g.*, a sRNA agent, *e.g.*, double stranded sRNA agent that (a) the double-stranded part is 19-25 nucleotides (nt) long, preferably 21-23 nt, (b) is complementary to a target RNA (*e.g.*, an endogenous or pathogen target RNA), and, optionally, (c) includes at least one 3' overhang 1-5 nucleotide long. In one embodiment, the unit dose is less than 1.4 mg per kg of bodyweight, or less than 10, 5, 2, 1, 0.5, 0.1, 0.05, 0.01, 0.005, 0.001, 0.0005, 0.0001, 0.00005 or 0.00001 mg per kg of bodyweight, and less than 200 nmole of RNA agent (*e.g.* about 4.4×10^{16} copies) per kg of bodyweight, or less than 1500, 750, 300, 150, 75, 15, 7.5, 1.5, 0.75, 0.15, 0.075, 0.015, 0.0075, 0.0015, 0.00075, 0.00015 nmole of RNA agent per kg of bodyweight.

The defined amount can be an amount effective to treat or prevent a disease or disorder, *e.g.*, a disease or disorder associated with the target RNA. The unit dose, for example, can be administered by injection (*e.g.*, intravenous or intramuscular), an inhaled dose, or a topical application. Particularly preferred dosages are less than 2, 1, or 0.1 mg/kg of body weight.

In a preferred embodiment, the unit dose is administered less frequently than once a day, *e.g.*, less than every 2, 4, 8 or 30 days. In another embodiment, the unit dose is not administered with a frequency (*e.g.*, not a regular frequency). For example, the unit dose may be administered a single time.

In one embodiment, the effective dose is administered with other traditional therapeutic modalities. In one embodiment, the subject has a viral infection and the modality is an antiviral agent other than an iRNA agent, *e.g.*, other than a double-stranded iRNA agent, or sRNA agent. In another embodiment, the subject has atherosclerosis and the effective dose of an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, is administered in combination with, *e.g.*, after surgical intervention, *e.g.*, angioplasty.

In one embodiment, a subject is administered an initial dose and one or more maintenance doses of an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent,

(*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof). The maintenance dose or doses are generally lower than the initial dose, *e.g.*, one-half less of the initial dose. A maintenance regimen can include treating the subject
5 with a dose or doses ranging from 0.01 µg to 1.4 mg/kg of body weight per day, *e.g.*, 10, 1, 0.1, 0.01, 0.001, or 0.00001 mg per kg of bodyweight per day. The maintenance doses are preferably administered no more than once every 5, 10, or 30 days.

In one embodiment, the iRNA agent pharmaceutical composition includes a plurality of iRNA agent species. In another embodiment, the iRNA agent species has sequences that
10 are non-overlapping and non-adjacent to another species with respect to a naturally occurring target sequence. In another embodiment, the plurality of iRNA agent species is specific for different naturally occurring target genes. In another embodiment, the iRNA agent is allele specific.

The inventors have discovered that iRNA agents described herein can be administered
15 to mammals, particularly large mammals such as nonhuman primates or humans in a number of ways.

In one embodiment, the administration of the iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, composition is parenteral, *e.g.* intravenous (*e.g.*, as a bolus or as a diffusible infusion), intradermal, intraperitoneal, intramuscular, intrathecal, intraventricular,
20 intracranial, subcutaneous, transmucosal, buccal, sublingual, endoscopic, rectal, oral, vaginal, topical, pulmonary, intranasal, urethral or ocular. Administration can be provided by the subject or by another person, *e.g.*, a health care provider. The medication can be provided in measured doses or in a dispenser that delivers a metered dose. Selected modes of delivery are discussed in more detail below.

25 The invention provides methods, compositions, and kits, for rectal administration or delivery of iRNA agents described herein.

Accordingly, an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes a an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent,
30 or precursor thereof) described herein, *e.g.*, a therapeutically effective amount of a iRNA agent described herein, *e.g.*, a iRNA agent having a double stranded region of less than 40,

and preferably less than 30 nucleotides and having one or two 1-3 nucleotide single strand 3' overhangs can be administered rectally, *e.g.*, introduced through the rectum into the lower or upper colon. This approach is particularly useful in the treatment of, inflammatory disorders, disorders characterized by unwanted cell proliferation, *e.g.*, polyps, or colon cancer.

5 In some embodiments the medication is delivered to a site in the colon by introducing a dispensing device, *e.g.*, a flexible, camera-guided device similar to that used for inspection of the colon or removal of polyps, which includes means for delivery of the medication.

 In one embodiment, the rectal administration of the iRNA agent is by means of an enema. The iRNA agent of the enema can be dissolved in a saline or buffered solution.

10 In another embodiment, the rectal administration is by means of a suppository. The suppository can include other ingredients, *e.g.*, an excipient, *e.g.*, cocoa butter or hydropropylmethylcellulose.

 The invention also provides methods, compositions, and kits for oral delivery of iRNA agents described herein.

15 Accordingly, an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) described herein, *e.g.*, a therapeutically effective amount of a iRNA described herein, *e.g.*, a iRNA agent having a double stranded region of less than 40 and
20 preferably less than 30 nucleotides and having one or two 1-3 nucleotide single strand 3' overhangs can be administered orally.

 Oral administration can be in the form of tablets, capsules, gel capsules, lozenges, troches or liquid syrups. In a preferred embodiment the composition is applied topically to a surface of the oral cavity.

25 The invention also provides methods, compositions, and kits for buccal delivery of iRNA agents described herein.

 Accordingly, an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or
30 precursor thereof) described herein, *e.g.*, a therapeutically effective amount of iRNA agent having a double stranded region of less than 40 and preferably less than 30 nucleotides and

having one or two 1-3 nucleotide single strand 3' overhangs can be administered to the buccal cavity. The medication can be sprayed into the buccal cavity or applied directly, *e.g.*, in a liquid, solid, or gel form to a surface in the buccal cavity. This administration is particularly desirable for the treatment of inflammations of the buccal cavity, *e.g.*, the gums or tongue,
5 *e.g.*, in one embodiment, the buccal administration is by spraying into the cavity, *e.g.*, without inhalation, from a dispenser, *e.g.*, a metered dose spray dispenser that dispenses the pharmaceutical composition and a propellant.

The invention also provides methods, compositions, and kits for ocular delivery of iRNA agents described herein.

10 Accordingly, an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) described herein, *e.g.*, a therapeutically effective amount of a iRNA agent described herein, *e.g.*, a sRNA agent having a double stranded region of less than 40 and
15 preferably less than 30 nucleotides and having one or two 1-3 nucleotide single strand 3' overhangs can be administered to ocular tissue.

The medications can be applied to the surface of the eye or nearby tissue, *e.g.*, the inside of the eyelid. It can be applied topically, *e.g.*, by spraying, in drops, as an eyewash, or an ointment. Administration can be provided by the subject or by another person, *e.g.*, a
20 health care provider. The medication can be provided in measured doses or in a dispenser that delivers a metered dose.

The medication can also be administered to the interior of the eye, and can be introduced by a needle or other delivery device which can introduce it to a selected area or structure.

25 Ocular treatment is particularly desirable for treating inflammation of the eye or nearby tissue.

The invention also provides methods, compositions, and kits for delivery of iRNA agents described herein to or through the skin.

30 Accordingly, an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or

precursor thereof) described herein, *e.g.*, a therapeutically effective amount of a iRNA agent described herein, *e.g.*, a sRNA agent having a double stranded region of less than 40 and preferably less than 30 nucleotides and one or two 1-3 nucleotide single strand 3' overhangs can be administered directly to the skin.

5 The medication can be applied topically or delivered in a layer of the skin, *e.g.*, by the use of a microneedle or a battery of microneedles which penetrate into the skin, but preferably not into the underlying muscle tissue.

 In one embodiment, the administration of the iRNA agent composition is topical. In another embodiment, topical administration delivers the composition to the dermis or
10 epidermis of a subject. In other embodiments the topical administration is in the form of transdermal patches, ointments, lotions, creams, gels, drops, suppositories, sprays, liquids or powders. A composition for topical administration can be formulated as a liposome, micelle, emulsion, or other lipophilic molecular assembly.

 In another embodiment, the transdermal administration is applied with at least one
15 penetration enhancer. In other embodiments, the penetration can be enhanced with iontophoresis, phonophoresis, and sonophoresis. In another aspect, the invention provides methods, compositions, devices, and kits for pulmonary delivery of iRNA agents described herein.

 Accordingly, an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent,
20 (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) described herein, *e.g.*, a therapeutically effective amount of iRNA agent, *e.g.*, a sRNA agent having a double stranded region of less than 40, preferably less than 30 nucleotides and having one or two 1-3 nucleotide single strand 3' overhangs can be
25 administered to the pulmonary system. Pulmonary administration can be achieved by inhalation or by the introduction of a delivery device into the pulmonary system, *e.g.*, by introducing a delivery device which can dispense the medication.

 The preferred method of pulmonary delivery is by inhalation. The medication can be provided in a dispenser which delivers the medication, *e.g.*, wet or dry, in a form sufficiently
30 small such that it can be inhaled. The device can deliver a metered dose of medication. The subject, or another person, can administer the medication.

Pulmonary delivery is effective not only for disorders which directly affect pulmonary tissue, but also for disorders which affect other tissue.

iRNA agents can be formulated as a liquid or nonliquid, *e.g.*, a powder, crystal, or aerosol for pulmonary delivery.

5 In another aspect, the invention provides methods, compositions, devices, and kits for nasal delivery of iRNA agents described herein. Accordingly, an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) described herein, *e.g.*, a
10 therapeutically effective amount of iRNA agent, *e.g.*, a sRNA agent having a double stranded region of less than 40 and preferably less than 30 nucleotides and having one or two 1-3 nucleotide single strand 3' overhangs can be administered nasally. Nasal administration can be achieved by introduction of a delivery device into the nose, *e.g.*, by introducing a delivery device which can dispense the medication.

15 The preferred method of nasal delivery is by spray, aerosol, liquid, *e.g.*, by drops, of by topical administration to a surface of the nasal cavity. The medication can be provided in a dispenser which delivery of the medication, *e.g.*, wet or dry, in a form sufficiently small such that it can be inhaled. The device can deliver a metered dose of medication. The subject, or another person, can administer the medication.

20 Nasal delivery is effective not only for disorders which directly affect nasal tissue, but also for disorders which affect other tissue

iRNA agents can be formulated as a liquid or nonliquid, *e.g.*, a powder, crystal, or for nasal delivery.

25 In another embodiment, the iRNA agent is packaged in a viral natural capsid or in a chemically or enzymatically produced artificial capsid or structure derived therefrom.

In one aspect, of the invention, the dosage of a pharmaceutical composition including a iRNA agent is administered in order to alleviate the symptoms of a disease state, *e.g.*, cancer or a cardiovascular disease.

30 In another aspect, gene expression in a subject is modulated by administering a pharmaceutical composition including a iRNA agent. In other embodiments, a subject is

treated with the pharmaceutical composition by any of the methods mentioned above. In another embodiment, the subject has cancer.

An iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) composition can be administered as a liposome. For example, the composition can be prepared by a method that includes: (1) contacting a iRNA agent with an amphipathic cationic lipid conjugate in the presence of a detergent; and (2) removing the detergent to form a iRNA agent and cationic lipid complex. In one embodiment, the detergent is cholate, deoxycholate, lauryl sarcosine, octanoyl sucrose, CHAPS (3-[(3-cholamidopropyl)-di-methylamine]-2-hydroxyl-1-propane), novel- β -D-glucopyranoside, lauryl dimethylamine oxide, or octylglucoside. The iRNA agent can be an sRNA agent. The method can include preparing a composition that includes a plurality of iRNA agents, *e.g.*, specific for one or more different endogenous target RNAs. The method can include other features described herein.

In another aspect, a subject is treated by administering a defined amount of an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent) composition that is in a powdered form. In one embodiment, the powder is a collection of microparticles. In one embodiment, the powder is a collection of crystalline particles. The composition can include a plurality of iRNA agents, *e.g.*, specific for one or more different endogenous target RNAs. The method can include other features described herein.

In one aspect, a subject is treated by administering a defined amount of a iRNA agent composition that is prepared by a method that includes spray-drying, *i.e.* atomizing a liquid solution, emulsion, or suspension, immediately exposing the droplets to a drying gas, and collecting the resulting porous powder particles. The composition can include a plurality of iRNA agents, *e.g.*, specific for one or more different endogenous target RNAs. The method can include other features described herein.

In one aspect, the iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or

precursor thereof), is provided in a powdered, crystallized or other finely divided form, with or without a carrier, *e.g.*, a micro- or nano-particle suitable for inhalation or other pulmonary delivery. In one embodiment, this includes providing an aerosol preparation, *e.g.*, an aerosolized spray-dried composition. The aerosol composition can be provided in and/or
5 dispensed by a metered dose delivery device.

In another aspect, a subject is treated for a condition treatable by inhalation. In one embodiment, this method includes aerosolizing a spray-dried iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-
10 stranded iRNA agent, or sRNA agent, or precursor thereof) composition and inhaling the aerosolized composition. The iRNA agent can be an sRNA. The composition can include a plurality of iRNA agents, *e.g.*, specific for one or more different endogenous target RNAs. The method can include other features described herein.

In another aspect, the invention features a method of treating a subject that includes:
15 administering a composition including an effective/defined amount of an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof), wherein the composition is prepared by a method that includes spray-drying, lyophilization, vacuum drying,
20 evaporation, fluid bed drying, or a combination of these techniques

In another aspect, the invention features a method that includes: evaluating a parameter related to the abundance of a transcript in a cell of a subject; comparing the evaluated parameter to a reference value; and if the evaluated parameter has a preselected relationship to the reference value (*e.g.*, it is greater), administering a iRNA agent (or a
25 precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes a iRNA agent or precursor thereof) to the subject. In one embodiment, the iRNA agent includes a sequence that is complementary to the evaluated transcript. For example, the parameter can be a direct measure of transcript levels, a measure of a protein level, a disease or disorder symptom or characterization (*e.g.*, rate of cell proliferation and/or
30 tumor mass, viral load,)

In another aspect, the invention features a method that includes: administering a first amount of a composition that comprises an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) to a subject, wherein the iRNA agent includes a strand substantially complementary to a target nucleic acid; evaluating an activity associated with a protein encoded by the target nucleic acid; wherein the evaluation is used to determine if a second amount should be administered. In a preferred embodiment the method includes administering a second amount of the composition, wherein the timing of administration or dosage of the second amount is a function of the evaluating. The method can include other features described herein.

In another aspect, the invention features a method of administering a source of a double-stranded iRNA agent (ds iRNA agent) to a subject. The method includes administering or implanting a source of a ds iRNA agent, *e.g.*, a sRNA agent, that (a) includes a double-stranded region that is 19-25 nucleotides long, preferably 21-23 nucleotides, (b) is complementary to a target RNA (*e.g.*, an endogenous RNA or a pathogen RNA), and, optionally, (c) includes at least one 3' overhang 1-5 nt long. In one embodiment, the source releases ds iRNA agent over time, *e.g.* the source is a controlled or a slow release source, *e.g.*, a microparticle that gradually releases the ds iRNA agent. In another embodiment, the source is a pump, *e.g.*, a pump that includes a sensor or a pump that can release one or more unit doses.

In one aspect, the invention features a pharmaceutical composition that includes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) including a nucleotide sequence complementary to a target RNA, *e.g.*, substantially and/or exactly complementary. The target RNA can be a transcript of an endogenous human gene. In one embodiment, the iRNA agent (a) is 19-25 nucleotides long, preferably 21-23 nucleotides, (b) is complementary to an endogenous target RNA, and, optionally, (c) includes at least one 3' overhang 1-5 nt long. In one embodiment, the pharmaceutical composition can be an emulsion, microemulsion, cream, jelly, or liposome.

In one example the pharmaceutical composition includes an iRNA agent mixed with a topical delivery agent. The topical delivery agent can be a plurality of microscopic vesicles. The microscopic vesicles can be liposomes. In a preferred embodiment the liposomes are cationic liposomes.

5 In another aspect, the pharmaceutical composition includes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) admixed with a topical penetration enhancer. In one embodiment, the topical penetration enhancer is a fatty acid.
10 The fatty acid can be arachidonic acid, oleic acid, lauric acid, caprylic acid, capric acid, myristic acid, palmitic acid, stearic acid, linoleic acid, linolenic acid, dicaprate, tricaprate, monolein, dilaurin, glyceryl 1-monocaprate, 1-dodecylazacycloheptan-2-one, an acylcarnitine, an acylcholine, or a C₁₋₁₀ alkyl ester, monoglyceride, diglyceride or pharmaceutically acceptable salt thereof.

15 In another embodiment, the topical penetration enhancer is a bile salt. The bile salt can be cholic acid, dehydrocholic acid, deoxycholic acid, glucolic acid, glycholic acid, glycodeoxycholic acid, taurocholic acid, taurodeoxycholic acid, chenodeoxycholic acid, ursodeoxycholic acid, sodium tauro-24,25-dihydro-fusidate, sodium glycodihydrofusidate, polyoxyethylene-9-lauryl ether or a pharmaceutically acceptable salt thereof.

20 In another embodiment, the penetration enhancer is a chelating agent. The chelating agent can be EDTA, citric acid, a salicylate, a N-acyl derivative of collagen, laureth-9, an N-amino acyl derivative of a beta-diketone or a mixture thereof.

In another embodiment, the penetration enhancer is a surfactant, *e.g.*, an ionic or nonionic surfactant. The surfactant can be sodium lauryl sulfate, polyoxyethylene-9-lauryl
25 ether, polyoxyethylene-20-cetyl ether, a perfluorchemical emulsion or mixture thereof.

In another embodiment, the penetration enhancer can be selected from a group consisting of unsaturated cyclic ureas, 1-alkyl-alkones, 1-alkenylazacyclo-alakanones, steroidal anti-inflammatory agents and mixtures thereof. In yet another embodiment the penetration enhancer can be a glycol, a pyrrol, an azone, or a terpenes.

30 In one aspect, the invention features a pharmaceutical composition including an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a

larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) in a form suitable for oral delivery. In one embodiment, oral delivery can be used to deliver an iRNA agent composition to a cell or a region of the gastro-intestinal tract, *e.g.*, small intestine, colon (*e.g.*, to treat a colon cancer), and so forth. The oral delivery form can be tablets, capsules or gel capsules. In one embodiment, the iRNA agent of the pharmaceutical composition modulates expression of a cellular adhesion protein, modulates a rate of cellular proliferation, or has biological activity against eukaryotic pathogens or retroviruses. In another embodiment, the pharmaceutical composition includes an enteric material that substantially prevents dissolution of the tablets, capsules or gel capsules in a mammalian stomach. In a preferred embodiment the enteric material is a coating. The coating can be acetate phthalate, propylene glycol, sorbitan monoleate, cellulose acetate trimellitate, hydroxy propyl methylcellulose phthalate or cellulose acetate phthalate.

In another embodiment, the oral dosage form of the pharmaceutical composition includes a penetration enhancer. The penetration enhancer can be a bile salt or a fatty acid. The bile salt can be ursodeoxycholic acid, chenodeoxycholic acid, and salts thereof. The fatty acid can be capric acid, lauric acid, and salts thereof.

In another embodiment, the oral dosage form of the pharmaceutical composition includes an excipient. In one example the excipient is polyethyleneglycol. In another example the excipient is precirol.

In another embodiment, the oral dosage form of the pharmaceutical composition includes a plasticizer. The plasticizer can be diethyl phthalate, triacetin dibutyl sebacate, dibutyl phthalate or triethyl citrate.

In one aspect, the invention features a pharmaceutical composition including an iRNA agent and a delivery vehicle. In one embodiment, the iRNA agent is (a) is 19-25 nucleotides long, preferably 21-23 nucleotides, (b) is complementary to an endogenous target RNA, and, optionally, (c) includes at least one 3' overhang 1-5 nucleotides long.

In one embodiment, the delivery vehicle can deliver an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) to a cell by a topical route of

administration. The delivery vehicle can be microscopic vesicles. In one example the microscopic vesicles are liposomes. In a preferred embodiment the liposomes are cationic liposomes. In another example the microscopic vesicles are micelles.

In one aspect, the invention features a method for making a pharmaceutical composition, the method including: (1) contacting an iRNA agent, *e.g.*, a double-stranded
5 iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent) with an amphipathic cationic lipid conjugate in the presence of a detergent; and (2) removing the detergent to form a iRNA agent and cationic lipid complex.

In another aspect, the invention features a pharmaceutical composition produced by a
10 method including: (1) contacting an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent) with an amphipathic cationic lipid conjugate in the presence of a detergent; and
(2) removing the detergent to form a iRNA agent and cationic lipid complex. In one embodiment, the detergent is cholate, deoxycholate, lauryl sarcosine, octanoyl sucrose,
15 CHAPS (3-[(3-cholamidopropyl)-di-methylamine]-2-hydroxyl-1-propane), novel- β -D-glucopyranoside, lauryl dimethylamine oxide, or octylglucoside. In another embodiment, the amphipathic cationic lipid conjugate is biodegradable. In yet another embodiment the pharmaceutical composition includes a targeting ligand.

In one aspect, the invention features a pharmaceutical composition including an
20 iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) in an injectable dosage form. In one embodiment, the injectable dosage form of the pharmaceutical composition includes sterile aqueous solutions or dispersions and sterile
25 powders. In a preferred embodiment the sterile solution can include a diluent such as water; saline solution; fixed oils, polyethylene glycols, glycerin, or propylene glycol.

In one aspect, the invention features a pharmaceutical composition including an
iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an
30 iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) in oral dosage form. In one embodiment, the oral dosage form is selected from the group

consisting of tablets, capsules and gel capsules. In another embodiment, the pharmaceutical composition includes an enteric material that substantially prevents dissolution of the tablets, capsules or gel capsules in a mammalian stomach. In a preferred embodiment the enteric material is a coating. The coating can be acetate phthalate, propylene glycol, sorbitan
5 monoleate, cellulose acetate trimellitate, hydroxy propyl methyl cellulose phthalate or cellulose acetate phthalate. In one embodiment, the oral dosage form of the pharmaceutical composition includes a penetration enhancer, *e.g.*, a penetration enhancer described herein.

In another embodiment, the oral dosage form of the pharmaceutical composition includes an excipient. In one example the excipient is polyethyleneglycol. In another
10 example the excipient is precinol.

In another embodiment, the oral dosage form of the pharmaceutical composition includes a plasticizer. The plasticizer can be diethyl phthalate, triacetin dibutyl sebacate, dibutyl phthalate or triethyl citrate.

In one aspect, the invention features a pharmaceutical composition including an
15 iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) in a rectal dosage form. In one embodiment, the rectal dosage form is an enema. In another embodiment, the rectal dosage form is a suppository.

In one aspect, the invention features a pharmaceutical composition including an
20 iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) in a vaginal dosage form. In one embodiment, the vaginal dosage form is a suppository. In
25 another embodiment, the vaginal dosage form is a foam, cream, or gel.

In one aspect, the invention features a pharmaceutical composition including an
iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an
iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) in a
30 pulmonary or nasal dosage form. In one embodiment, the iRNA agent is incorporated into a particle, *e.g.*, a macroparticle, *e.g.*, a microsphere. The particle can be produced by spray

drying, lyophilization, evaporation, fluid bed drying, vacuum drying, or a combination thereof. The microsphere can be formulated as a suspension, a powder, or an implantable solid.

In one aspect, the invention features a spray-dried iRNA agent, *e.g.*, a double-
5 stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) composition suitable for inhalation by a subject, including: (a) a therapeutically effective amount of a iRNA agent suitable for treating a condition in the subject by inhalation; (b) a pharmaceutically
10 acceptable excipient selected from the group consisting of carbohydrates and amino acids; and (c) optionally, a dispersibility-enhancing amount of a physiologically-acceptable, water-soluble polypeptide.

In one embodiment, the excipient is a carbohydrate. The carbohydrate can be selected from the group consisting of monosaccharides, disaccharides, trisaccharides, and
15 polysaccharides. In a preferred embodiment the carbohydrate is a monosaccharide selected from the group consisting of dextrose, galactose, mannitol, D-mannose, sorbitol, and sorbose. In another preferred embodiment the carbohydrate is a disaccharide selected from the group consisting of lactose, maltose, sucrose, and trehalose.

In another embodiment, the excipient is an amino acid. In one embodiment, the
20 amino acid is a hydrophobic amino acid. In a preferred embodiment the hydrophobic amino acid is selected from the group consisting of alanine, isoleucine, leucine, methionine, phenylalanine, proline, tryptophan, and valine. In yet another embodiment the amino acid is a polar amino acid. In a preferred embodiment the amino acid is selected from the group consisting of arginine, histidine, lysine, cysteine, glycine, glutamine, serine, threonine,
25 tyrosine, aspartic acid and glutamic acid.

In one embodiment, the dispersibility-enhancing polypeptide is selected from the group consisting of human serum albumin, α -lactalbumin, trypsinogen, and polyalanine.

In one embodiment, the spray-dried iRNA agent composition includes particles having a mass median diameter (MMD) of less than 10 microns. In another embodiment,
30 the spray-dried iRNA agent composition includes particles having a mass median diameter of less than 5 microns. In yet another embodiment the spray-dried iRNA agent composition

includes particles having a mass median aerodynamic diameter (MMAD) of less than 5 microns.

In certain other aspects, the invention provides kits that include a suitable container containing a pharmaceutical formulation of an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed
5 into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof). In certain embodiments the individual components of the pharmaceutical formulation may be provided in one container. Alternatively, it may be desirable to provide the components of the pharmaceutical
10 formulation separately in two or more containers, *e.g.*, one container for an iRNA agent preparation, and at least another for a carrier compound. The kit may be packaged in a number of different configurations such as one or more containers in a single box. The different components can be combined, *e.g.*, according to instructions provided with the kit. The components can be combined according to a method described herein, *e.g.*, to prepare
15 and administer a pharmaceutical composition. The kit can also include a delivery device.

In another aspect, the invention features a device, *e.g.*, an implantable device, wherein the device can dispense or administer a composition that includes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a
20 double-stranded iRNA agent, or sRNA agent, or precursor thereof), *e.g.*, a iRNA agent that silences an endogenous transcript. In one embodiment, the device is coated with the composition. In another embodiment the iRNA agent is disposed within the device. In another embodiment, the device includes a mechanism to dispense a unit dose of the composition. In other embodiments the device releases the composition continuously, *e.g.*,
25 by diffusion. Exemplary devices include stents, catheters, pumps, artificial organs or organ components (*e.g.*, artificial heart, a heart valve, etc.), and sutures.

As used herein, the term "crystalline" describes a solid having the structure or characteristics of a crystal, *i.e.*, particles of three-dimensional structure in which the plane faces intersect at definite angles and in which there is a regular internal structure. The
30 compositions of the invention may have different crystalline forms. Crystalline forms can be prepared by a variety of methods, including, for example, spray drying.

As used herein, “specifically hybridizable” and “complementary” are terms which are used to indicate a sufficient degree of complementarity such that stable and specific binding occurs between a compound of the invention and a target RNA molecule. Specific binding requires a sufficient degree of complementarity to avoid non-specific binding of the oligomeric compound to non-target sequences under conditions in which specific binding is desired, *i.e.*, under physiological conditions in the case of *in vivo* assays or therapeutic treatment, or in the case of *in vitro* assays, under conditions in which the assays are performed. The non-target sequences typically differ by at least 5 nucleotides.

In one embodiment, an iRNA agent is “sufficiently complementary” to a target RNA, *e.g.*, a target mRNA, such that the iRNA agent silences production of protein encoded by the target mRNA. In another embodiment, the iRNA agent is “exactly complementary” to a target RNA, *e.g.*, the target RNA and the iRNA agent anneal, preferably to form a hybrid made exclusively of Watson-Crick basepairs in the region of exact complementarity. A “sufficiently complementary” target RNA can include an internal region (*e.g.*, of at least 10 nucleotides) that is exactly complementary to a target RNA. Moreover, in some embodiments, the iRNA agent specifically discriminates a single-nucleotide difference. In this case, the iRNA agent only mediates RNAi if exact complementarity is found in the region (*e.g.*, within 7 nucleotides of) the single-nucleotide difference.

As used herein, the term “oligonucleotide” refers to a nucleic acid molecule (RNA or DNA) preferably of length less than 100, 200, 300, or 400 nucleotides.

Unless otherwise defined, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this invention pertains. The materials, methods, and examples are illustrative only and not intended to be limiting. Although methods and materials similar or equivalent to those described herein can be used in the practice or testing of the present invention, useful methods and materials are described below. Other features and advantages of the invention will be apparent from the accompanying drawings and description, and from the claims. The contents of all references, pending patent applications and published patents, cited throughout this application are hereby expressly incorporated by reference. In case of conflict, the present specification, including definitions, will control.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a structural representation of base pairing in pseudocomplementary siRNA².

FIG. 2 is a schematic representation of dual targeting siRNAs designed to target the HCV genome.

5 FIG. 3 is a schematic representation of pseudocomplementary, bifunctional siRNAs designed to target the HCV genome.

FIG. 4 is a general synthetic scheme for incorporation of RRMS monomers into an oligonucleotide.

FIG. 5 is a table of representative RRMS carriers. Panel 1 shows pyrrolidine-based
10 RRMSs; panel 2 shows 3-hydroxyproline-based RRMSs; panel 3 shows piperidine-based RRMSs; panel 4 shows morpholine and piperazine-based RRMSs; and panel 5 shows decalin-based RRMSs. R1 is succinate or phosphoramidate and R2 is H or a conjugate ligand.

FIG. 6A. is a graph depicting levels of luciferase mRNA in livers of CMV-Luc mice
15 (Xanogen) following intravenous injection (iv) of buffer or siRNA into the tail vein. Each bar represents data from one mouse. RNA levels were quantified by QuantiGene Assay (Genospectra, Inc.; Fremont, CA)). The Y axis represents chemiluminescence values in counts per second (CPS).

FIG. 6B. is a graph depicting levels of luciferase mRNA in livers of CMV-Luc mice
20 (Xanogen). The values are averaged from the data depicted in FIG. 6A.

FIG. 7 is a graph depicting the pharmacokinetics of cholesterol-conjugated and unconjugated siRNA. The diamonds represent the amount of unconjugated ³³P-labeled siRNA (ALN-3000) in mouse plasma over time; the squares represent the amount of cholesterol-conjugated ³³P-labeled siRNA (ALN-3001) in mouse plasma over time. "L1163"
25 is equivalent to ALN3000; "L1163Chol" is equivalent to ALN-3001.

DETAILED DESCRIPTION

Double-stranded (dsRNA) directs the sequence-specific silencing of mRNA through a process known as RNA interference (RNAi). The process occurs in a wide variety of
30 organisms, including mammals and other vertebrates.

It has been demonstrated that 21-23 nt fragments of dsRNA are sequence-specific mediators of RNA silencing, *e.g.*, by causing RNA degradation. While not wishing to be bound by theory, it may be that a molecular signal, which may be merely the specific length of the fragments, present in these 21-23 nt fragments recruits cellular factors that mediate RNAi. Described herein are methods for preparing and administering these 21-23 nt fragments, and other iRNAs agents, and their use for specifically inactivating gene function. The use of iRNAs agents (or recombinantly produced or chemically synthesized oligonucleotides of the same or similar nature) enables the targeting of specific mRNAs for silencing in mammalian cells. In addition, longer dsRNA agent fragments can also be used, *e.g.*, as described below.

Although, in mammalian cells, long dsRNAs can induce the interferon response which is frequently deleterious, sRNAs do not trigger the interferon response, at least not to an extent that is deleterious to the cell and host. In particular, the length of the iRNA agent strands in an sRNA agent can be less than 31, 30, 28, 25, or 23 nt, *e.g.*, sufficiently short to avoid inducing a deleterious interferon response. Thus, the administration of a composition of sRNA agent (*e.g.*, formulated as described herein) to a mammalian cell can be used to silence expression of a target gene while circumventing the interferon response. Further, use of a discrete species of iRNA agent can be used to selectively target one allele of a target gene, *e.g.*, in a subject heterozygous for the allele.

Moreover, in one embodiment, a mammalian cell is treated with an iRNA agent that disrupts a component of the interferon response, *e.g.*, double stranded RNA (dsRNA)-activated protein kinase PKR. Such a cell can be treated with a second iRNA agent that includes a sequence complementary to a target RNA and that has a length that might otherwise trigger the interferon response.

In a typical embodiment, the subject is a mammal such as a cow, horse, mouse, rat, dog, pig, goat, or a primate. The subject can be a dairy mammal (*e.g.*, a cow, or goat) or other farmed animal (*e.g.*, a chicken, turkey, sheep, pig, fish, shrimp). In a much preferred embodiment, the subject is a human, *e.g.*, a normal individual or an individual that has, is diagnosed with, or is predicted to have a disease or disorder.

Further, because iRNA agent mediated silencing persists for several days after administering the iRNA agent composition, in many instances, it is possible to administer the

composition with a frequency of less than once per day, or, for some instances, only once for the entire therapeutic regimen. For example, treatment of some cancer cells may be mediated by a single bolus administration, whereas a chronic viral infection may require regular administration, *e.g.*, once per week or once per month.

5 A number of exemplary routes of delivery are described that can be used to administer an iRNA agent to a subject. In addition, the iRNA agent can be formulated according to an exemplary method described herein.

iRNA AGENT STRUCTURE

10

Described herein are isolated iRNA agents, *e.g.*, RNA molecules, (double-stranded; single-stranded) that mediate RNAi. The iRNA agents preferably mediate RNAi with respect to an endogenous gene of a subject or to a gene of a pathogen.

15 An "RNA agent" as used herein, is an unmodified RNA, modified RNA, or nucleoside surrogate, all of which are defined herein (see, *e.g.*, the section below entitled RNA Agents). While numerous modified RNAs and nucleoside surrogates are described, preferred examples include those which have greater resistance to nuclease degradation than do unmodified RNAs. Preferred examples include those which have a 2' sugar modification, a modification in a single strand overhang, preferably a 3' single strand overhang, or, particularly if single stranded, a 5' modification which includes one or more phosphate groups or one or more analogs of a phosphate group.

20 An "iRNA agent" as used herein, is an RNA agent which can, or which can be cleaved into an RNA agent which can, down regulate the expression of a target gene, preferably an endogenous or pathogen target RNA. While not wishing to be bound by theory, an iRNA agent may act by one or more of a number of mechanisms, including post-transcriptional cleavage of a target mRNA sometimes referred to in the art as RNAi, or pre-transcriptional or pre-translational mechanisms. An iRNA agent can include a single strand or can include more than one strands, *e.g.*, it can be a double stranded iRNA agent. If the iRNA agent is a single strand it is particularly preferred that it include a 5' modification

25 which includes one or more phosphate groups or one or more analogs of a phosphate group.

30 The iRNA agent should include a region of sufficient homology to the target gene, and be of sufficient length in terms of nucleotides, such that the iRNA agent, or a fragment

thereof, can mediate down regulation of the target gene. (For ease of exposition the term nucleotide or ribonucleotide is sometimes used herein in reference to one or more monomeric subunits of an RNA agent. It will be understood herein that the usage of the term “ribonucleotide” or “nucleotide”, herein can, in the case of a modified RNA or nucleotide surrogate, also refer to a modified nucleotide, or surrogate replacement moiety at one or more positions.) Thus, the iRNA agent is or includes a region which is at least partially, and in some embodiments fully, complementary to the target RNA. It is not necessary that there be perfect complementarity between the iRNA agent and the target, but the correspondence must be sufficient to enable the iRNA agent, or a cleavage product thereof, to direct sequence specific silencing, *e.g.*, by RNAi cleavage of the target RNA, *e.g.*, mRNA.

Complementarity, or degree of homology with the target strand, is most critical in the antisense strand. While perfect complementarity, particularly in the antisense strand, is often desired some embodiments can include, particularly in the antisense strand, one or more but preferably 6, 5, 4, 3, 2, or fewer mismatches (with respect to the target RNA). The mismatches, particularly in the antisense strand, are most tolerated in the terminal regions and if present are preferably in a terminal region or regions, *e.g.*, within 6, 5, 4, or 3 nucleotides of the 5' and/or 3' terminus. The sense strand need only be sufficiently complementary with the antisense strand to maintain the over all double strand character of the molecule.

As discussed elsewhere herein, an iRNA agent will often be modified or include nucleoside surrogates in addition to the RRMS. Single stranded regions of an iRNA agent will often be modified or include nucleoside surrogates, *e.g.*, the unpaired region or regions of a hairpin structure, *e.g.*, a region which links two complementary regions, can have modifications or nucleoside surrogates. Modification to stabilize one or more 3'- or 5'- terminus of an iRNA agent, *e.g.*, against exonucleases, or to favor the antisense sRNA agent to enter into RISC are also favored. Modifications can include C3 (or C6, C7, C12) amino linkers, thiol linkers, carboxyl linkers, non-nucleotidic spacers (C3, C6, C9, C12, abasic, triethylene glycol, hexaethylene glycol), special biotin or fluorescein reagents that come as phosphoramidites and that have another DMT-protected hydroxyl group, allowing multiple couplings during RNA synthesis.

iRNA agents include: molecules that are long enough to trigger the interferon response (which can be cleaved by Dicer (Bernstein *et al.* 2001. Nature, 409:363-366) and enter a RISC (RNAi-induced silencing complex)); and, molecules which are sufficiently short that they do not trigger the interferon response (which molecules can also be cleaved by Dicer and/or enter a RISC), *e.g.*, molecules which are of a size which allows entry into a RISC, *e.g.*, molecules which resemble Dicer-cleavage products. Molecules that are short enough that they do not trigger an interferon response are termed sRNA agents or shorter iRNA agents herein. "sRNA agent or shorter iRNA agent" as used herein, refers to an iRNA agent, *e.g.*, a double stranded RNA agent or single strand agent, that is sufficiently short that it does not induce a deleterious interferon response in a human cell, *e.g.*, it has a duplexed region of less than 60 but preferably less than 50, 40, or 30 nucleotide pairs. The sRNA agent, or a cleavage product thereof, can down regulate a target gene, *e.g.*, by inducing RNAi with respect to a target RNA, preferably an endogenous or pathogen target RNA.

Each strand of an sRNA agent can be equal to or less than 30, 25, 24, 23, 22, 21, or 20 nucleotides in length. The strand is preferably at least 19 nucleotides in length. For example, each strand can be between 21 and 25 nucleotides in length. Preferred sRNA agents have a duplex region of 17, 18, 19, 20, 21, 22, 23, 24, or 25 nucleotide pairs, and one or more overhangs, preferably one or two 3' overhangs, of 2- 3 nucleotides.

In addition to homology to target RNA and the ability to down regulate a target gene, an iRNA agent will preferably have one or more of the following properties:

- (1) it will be of the Formula 1, 2, 3, or 4 set out in the RNA Agent section below;
- (2) if single stranded it will have a 5' modification which includes one or more phosphate groups or one or more analogs of a phosphate group;
- (3) it will, despite modifications, even to a very large number, or all of the nucleosides, have an antisense strand that can present bases (or modified bases) in the proper three dimensional framework so as to be able to form correct base pairing and form a duplex structure with a homologous target RNA which is sufficient to allow down regulation of the target, *e.g.*, by cleavage of the target RNA;
- (4) it will, despite modifications, even to a very large number, or all of the nucleosides, still have "RNA-like" properties, *i.e.*, it will possess the overall structural, chemical and physical properties of an RNA molecule, even though not exclusively, or even

partly, of ribonucleotide-based content. For example, an iRNA agent can contain, *e.g.*, a sense and/or an antisense strand in which all of the nucleotide sugars contain *e.g.*, 2' fluoro in place of 2' hydroxyl. This deoxyribonucleotide-containing agent can still be expected to exhibit RNA-like properties. While not wishing to be bound by theory, the electronegative fluorine prefers an axial orientation when attached to the C2' position of ribose. This spatial preference of fluorine can, in turn, force the sugars to adopt a C_{3'}-*endo* pucker. This is the same puckering mode as observed in RNA molecules and gives rise to the RNA-characteristic A-family-type helix. Further, since fluorine is a good hydrogen bond acceptor, it can participate in the same hydrogen bonding interactions with water molecules that are known to stabilize RNA structures. (Generally, it is preferred that a modified moiety at the 2' sugar position will be able to enter into H-bonding which is more characteristic of the OH moiety of a ribonucleotide than the H moiety of a deoxyribonucleotide. A preferred iRNA agent will: exhibit a C_{3'}-*endo* pucker in all, or at least 50, 75, 80, 85, 90, or 95 % of its sugars; exhibit a C_{3'}-*endo* pucker in a sufficient amount of its sugars that it can give rise to a the RNA-characteristic A-family-type helix; will have no more than 20, 10, 5, 4, 3, 2, or 1 sugar which is not a C_{3'}-*endo* pucker structure. These limitations are particularly preferably in the antisense strand;

(5) regardless of the nature of the modification, and even though the RNA agent can contain deoxynucleotides or modified deoxynucleotides, particularly in overhang or other single strand regions, it is preferred that DNA molecules, or any molecule in which more than 50, 60, or 70 % of the nucleotides in the molecule, or more than 50, 60, or 70 % of the nucleotides in a duplexed region are deoxyribonucleotides, or modified deoxyribonucleotides which are deoxy at the 2' position, are excluded from the definition of RNA agent.

A "single strand iRNA agent" as used herein, is an iRNA agent which is made up of a single molecule. It may include a duplexed region, formed by intra-strand pairing, *e.g.*, it may be, or include, a hairpin or pan-handle structure. Single strand iRNA agents are preferably antisense with regard to the target molecule. In preferred embodiments single strand iRNA agents are 5' phosphorylated or include a phosphoryl analog at the 5' prime terminus. 5'-phosphate modifications include those which are compatible with RISC mediated gene silencing. Suitable modifications include: 5'-monophosphate ((HO)₂(O)P-O-

5'); 5'-diphosphate ((HO)₂(O)P-O-P(HO)(O)-O-5'); 5'-triphosphate ((HO)₂(O)P-O-(HO)(O)P-O-P(HO)(O)-O-5'); 5'-guanosine cap (7-methylated or non-methylated) (7m-G-O-5'-(HO)(O)P-O-(HO)(O)P-O-P(HO)(O)-O-5'); 5'-adenosine cap (Appp), and any modified or unmodified nucleotide cap structure (N-O-5'-(HO)(O)P-O-(HO)(O)P-O-P(HO)(O)-O-5'); 5'-
 5 monothiophosphate (phosphorothioate; (HO)₂(S)P-O-5'); 5'-monodithiophosphate (phosphorodithioate; (HO)(HS)(S)P-O-5'), 5'-phosphorothiolate ((HO)₂(O)P-S-5'); any additional combination of oxygen/sulfur replaced monophosphate, diphosphate and triphosphates (*e.g.* 5'-alpha-thiotriphosphate, 5'-gamma-thiotriphosphate, etc.), 5'-phosphoramidates ((HO)₂(O)P-NH-5', (HO)(NH₂)(O)P-O-5'), 5'-alkylphosphonates
 10 (R=alkyl=methyl, ethyl, isopropyl, propyl, etc., *e.g.* RP(OH)(O)-O-5', (OH)₂(O)P-5'-CH₂-), 5'-alkyletherphosphonates (R=alkylether=methoxymethyl (MeOCH₂-), ethoxymethyl, etc., *e.g.* RP(OH)(O)-O-5'-). (These modifications can also be used with the antisense strand of a double stranded iRNA.)

A single strand iRNA agent should be sufficiently long that it can enter the RISC and
 15 participate in RISC mediated cleavage of a target mRNA. A single strand iRNA agent is at least 14, and more preferably at least 15, 20, 25, 29, 35, 40, or 50 nucleotides in length. It is preferably less than 200, 100, or 60 nucleotides in length.

Hairpin iRNA agents will have a duplex region equal to or at least 17, 18, 19, 29, 21, 22, 23, 24, or 25 nucleotide pairs. The duplex region will preferably be equal to or less than
 20 200, 100, or 50, in length. Preferred ranges for the duplex region are 15-30, 17 to 23, 19 to 23, and 19 to 21 nucleotides pairs in length. The hairpin will preferably have a single strand overhang or terminal unpaired region, preferably the 3', and preferably of the antisense side of the hairpin. Preferred overhangs are 2-3 nucleotides in length.

A "double stranded (ds) iRNA agent" as used herein, is an iRNA agent which
 25 includes more than one, and preferably two, strands in which interchain hybridization can form a region of duplex structure.

The antisense strand of a double stranded iRNA agent should be equal to or at least, 14, 15, 16 17, 18, 19, 25, 29, 40, or 60 nucleotides in length. It should be equal to or less than 200, 100, or 50, nucleotides in length. Preferred ranges are 17 to 25, 19 to 23, and 19
 30 to 21 nucleotides in length.

The sense strand of a double stranded iRNA agent should be equal to or at least 14, 15, 16 17, 18, 19, 25, 29, 40, or 60 nucleotides in length. It should be equal to or less than 200, 100, or 50, nucleotides in length. Preferred ranges are 17 to 25, 19 to 23, and 19 to 21 nucleotides in length.

5 The double strand portion of a double stranded iRNA agent should be equal to or at least, 14, 15, 16 17, 18, 19, 20, 21, 22, 23, 24, 25, 29, 40, or 60 nucleotide pairs in length. It should be equal to or less than 200, 100, or 50, nucleotides pairs in length. Preferred ranges are 15-30, 17 to 23, 19 to 23, and 19 to 21 nucleotides pairs in length.

10 In many embodiments, the ds iRNA agent is sufficiently large that it can be cleaved by an endogenous molecule, *e.g.*, by Dicer, to produce smaller ds iRNA agents, *e.g.*, sRNAs agents

It may be desirable to modify one or both of the antisense and sense strands of a double strand iRNA agent. In some cases they will have the same modification or the same class of modification but in other cases the sense and antisense strand will have different
15 modifications, *e.g.*, in some cases it is desirable to modify only the sense strand. It may be desirable to modify only the sense strand, *e.g.*, to inactivate it, *e.g.*, the sense strand can be modified in order to inactivate the sense strand and prevent formation of an active sRNA/protein or RISC. This can be accomplished by a modification which prevents 5'-phosphorylation of the sense strand, *e.g.*, by modification with a 5'-O-methyl ribonucleotide
20 (see Nykänen *et al.*, (2001) ATP requirements and small interfering RNA structure in the RNA interference pathway. Cell 107, 309-321.) Other modifications which prevent phosphorylation can also be used, *e.g.*, simply substituting the 5'-OH by H rather than O-Me. Alternatively, a large bulky group may be added to the 5'-phosphate turning it into a phosphodiester linkage, though this may be less desirable as phosphodiesterases can cleave
25 such a linkage and release a functional sRNA 5'-end. Antisense strand modifications include 5' phosphorylation as well as any of the other 5' modifications discussed herein, particularly the 5' modifications discussed above in the section on single stranded iRNA molecules.

It is preferred that the sense and antisense strands be chosen such that the ds iRNA agent includes a single strand or unpaired region at one or both ends of the molecule. Thus, a
30 ds iRNA agent contains sense and antisense strands, preferable paired to contain an overhang, *e.g.*, one or two 5' or 3' overhangs but preferably a 3' overhang of 2-3

nucleotides. Most embodiments will have a 3' overhang. Preferred sRNA agents will have single-stranded overhangs, preferably 3' overhangs, of 1 or preferably 2 or 3 nucleotides in length at each end. The overhangs can be the result of one strand being longer than the other, or the result of two strands of the same length being staggered. 5' ends are preferably

5 phosphorylated.

Preferred lengths for the duplexed region is between 15 and 30, most preferably 18, 19, 20, 21, 22, and 23 nucleotides in length, *e.g.*, in the sRNA agent range discussed above. sRNA agents can resemble in length and structure the natural Dicer processed products from long dsRNAs. Embodiments in which the two strands of the sRNA agent are linked, *e.g.*,
10 covalently linked are also included. Hairpin, or other single strand structures which provide the required double stranded region, and preferably a 3' overhang are also within the invention.

The isolated iRNA agents described herein, including ds iRNA agents and sRNA agents can mediate silencing of a target RNA, *e.g.*, mRNA, *e.g.*, a transcript of a gene that
15 encodes a protein. For convenience, such mRNA is also referred to herein as mRNA to be silenced. Such a gene is also referred to as a target gene. In general, the RNA to be silenced is an endogenous gene or a pathogen gene. In addition, RNAs other than mRNA, *e.g.*, tRNAs, and viral RNAs, can also be targeted.

As used herein, the phrase "mediates RNAi" refers to the ability to silence, in a
20 sequence specific manner, a target RNA. While not wishing to be bound by theory, it is believed that silencing uses the RNAi machinery or process and a guide RNA, *e.g.*, an sRNA agent of 21 to 23 nucleotides.

As used herein, "specifically hybridizable" and "complementary" are terms which are used to indicate a sufficient degree of complementarity such that stable and specific binding
25 occurs between a compound of the invention and a target RNA molecule. Specific binding requires a sufficient degree of complementarity to avoid non-specific binding of the oligomeric compound to non-target sequences under conditions in which specific binding is desired, *i.e.*, under physiological conditions in the case of *in vivo* assays or therapeutic treatment, or in the case of *in vitro* assays, under conditions in which the assays are
30 performed. The non-target sequences typically differ by at least 5 nucleotides.

In one embodiment, an iRNA agent is "sufficiently complementary" to a target RNA, *e.g.*, a target mRNA, such that the iRNA agent silences production of protein encoded by the target mRNA. In another embodiment, the iRNA agent is "exactly complementary" (excluding the RRMS containing subunit(s)) to a target RNA, *e.g.*, the target RNA and the iRNA agent anneal, preferably to form a hybrid made exclusively of Watson-Crick basepairs in the region of exact complementarity. A "sufficiently complementary" target RNA can include an internal region (*e.g.*, of at least 10 nucleotides) that is exactly complementary to a target RNA. Moreover, in some embodiments, the iRNA agent specifically discriminates a single-nucleotide difference. In this case, the iRNA agent only mediates RNAi if exact complementary is found in the region (*e.g.*, within 7 nucleotides of) the single-nucleotide difference.

As used herein, the term "oligonucleotide" refers to a nucleic acid molecule (RNA or DNA) preferably of length less than 100, 200, 300, or 400 nucleotides.

RNA agents discussed herein include otherwise unmodified RNA as well as RNA which have been modified, *e.g.*, to improve efficacy, and polymers of nucleoside surrogates. Unmodified RNA refers to a molecule in which the components of the nucleic acid, namely sugars, bases, and phosphate moieties, are the same or essentially the same as that which occur in nature, preferably as occur naturally in the human body. The art has referred to rare or unusual, but naturally occurring, RNAs as modified RNAs, see, *e.g.*, Limbach *et al.*, (1994) Summary: the modified nucleosides of RNA, *Nucleic Acids Res.* 22: 2183-2196. Such rare or unusual RNAs, often termed modified RNAs (apparently because they are typically the result of a post transcriptionally modification) are within the term unmodified RNA, as used herein. Modified RNA as used herein refers to a molecule in which one or more of the components of the nucleic acid, namely sugars, bases, and phosphate moieties, are different from that which occur in nature, preferably different from that which occurs in the human body. While they are referred to as modified "RNAs," they will of course, because of the modification, include molecules which are not RNAs. Nucleoside surrogates are molecules in which the ribophosphate backbone is replaced with a non-ribophosphate construct that allows the bases to be presented in the correct spatial relationship such that hybridization is substantially similar to what is seen with a ribophosphate backbone, *e.g.*,

non-charged mimics of the ribophosphate backbone. Examples of all of the above are discussed herein.


Much of the discussion below refers to single strand molecules. In many embodiments of the invention a double stranded iRNA agent, *e.g.*, a partially double stranded iRNA agent, is required or preferred. Thus, it is understood that that double stranded structures (*e.g.* where two separate molecules are contacted to form the double stranded region or where the double stranded region is formed by intramolecular pairing (*e.g.*, a hairpin structure)) made of the single stranded structures described below are within the invention. Preferred lengths are described elsewhere herein.

As nucleic acids are polymers of subunits or monomers, many of the modifications described below occur at a position which is repeated within a nucleic acid, *e.g.*, a modification of a base, or a phosphate moiety, or the a non-linking O of a phosphate moiety. In some cases the modification will occur at all of the subject positions in the nucleic acid but in many, and infact in most cases it will not. By way of example, a modification may only occur at a 3' or 5' terminal position, may only occur in a terminal regions, *e.g.* at a position on a terminal nucleotide or in the last 2, 3, 4, 5, or 10 nucleotides of a strand. A modification may occur in a double strand region, a single strand region, or in both. A modification may occur only in the double strand region of an RNA or may only occur in a single strand region of an RNA. *E.g.*, a phosphorothioate modification at a non-linking O position may only occur at one or both termini, may only occur in a terminal regions, *e.g.*, at a position on a terminal nucleotide or in the last 2, 3, 4, 5, or 10 nucleotides of a strand, or may occur in double strand and single strand regions, particularly at termini. The 5' end or ends can be phosphorylated.

In some embodiments it is particularly preferred, *e.g.*, to enhance stability, to include particular bases in overhangs, or to include modified nucleotides or nucleotide surrogates, in single strand overhangs, *e.g.*, in a 5' or 3' overhang, or in both. *E.g.*, it can be desirable to include purine nucleotides in overhangs. In some embodiments all or some of the bases in a 3' or 5' overhang will be modified, *e.g.*, with a modification described herein. Modifications can include, *e.g.*, the use of modifications at the 2' OH group of the ribose sugar, *e.g.*, the use of deoxyribonucleotides, *e.g.*, deoxythymidine, instead of ribonucleotides, and modifications

in the phosphate group, *e.g.*, phosphothioate modifications. Overhangs need not be homologous with the target sequence.

Modifications and nucleotide surrogates are discussed below.



FORMULA 1

5

The scaffold presented above in Formula 1 represents a portion of a ribonucleic acid. The basic components are the ribose sugar, the base, the terminal phosphates, and phosphate internucleotide linkers. Where the bases are naturally occurring bases, *e.g.*, adenine, uracil, guanine or cytosine, the sugars are the unmodified 2' hydroxyl ribose sugar (as depicted) and W, X, Y, and Z are all O, Formula 1 represents a naturally occurring unmodified oligoribonucleotide.

Unmodified oligoribonucleotides may be less than optimal in some applications, *e.g.*, unmodified oligoribonucleotides can be prone to degradation by *e.g.*, cellular nucleases. Nucleases can hydrolyze nucleic acid phosphodiester bonds. However, chemical

15

modifications to one or more of the above RNA components can confer improved properties, and, *e.g.*, can render oligoribonucleotides more stable to nucleases. Unmodified oligoribonucleotides may also be less than optimal in terms of offering tethering points for attaching ligands or other moieties to an iRNA agent.

5 Modified nucleic acids and nucleotide surrogates can include one or more of:

(i) alteration, *e.g.*, replacement, of one or both of the non-linking (X and Y) phosphate oxygens and/or of one or more of the linking (W and Z) phosphate oxygens (When the phosphate is in the terminal position, one of the positions W or Z will not link the phosphate to an additional element in a naturally occurring ribonucleic acid. However, for simplicity of terminology, except where otherwise noted, the W position at the 5' end of a nucleic acid and the terminal Z position at the 3' end of a nucleic acid, are within the term "linking phosphate oxygens" as used herein.);

(ii) alteration, *e.g.*, replacement, of a constituent of the ribose sugar, *e.g.*, of the 2' hydroxyl on the ribose sugar, or wholesale replacement of the ribose sugar with a structure other than ribose, *e.g.*, as described herein;

15 (iii) wholesale replacement of the phosphate moiety (bracket I) with "dephospho" linkers;

(iv) modification or replacement of a naturally occurring base;

(v) replacement or modification of the ribose-phosphate backbone (bracket II);

20 (vi) modification of the 3' end or 5' end of the RNA, *e.g.*, removal, modification or replacement of a terminal phosphate group or conjugation of a moiety, *e.g.* a fluorescently labeled moiety, to either the 3' or 5' end of RNA.

The terms replacement, modification, alteration, and the like, as used in this context, do not imply any process limitation, *e.g.*, modification does not mean that one must start with a reference or naturally occurring ribonucleic acid and modify it to produce a modified ribonucleic acid but rather modified simply indicates a difference from a naturally occurring molecule.

It is understood that the actual electronic structure of some chemical entities cannot be adequately represented by only one canonical form (*i.e.* Lewis structure). While not wishing to be bound by theory, the actual structure can instead be some hybrid or weighted average of two or more canonical forms, known collectively as resonance forms or

structures. Resonance structures are not discrete chemical entities and exist only on paper. They differ from one another only in the placement or "localization" of the bonding and nonbonding electrons for a particular chemical entity. It can be possible for one resonance structure to contribute to a greater extent to the hybrid than the others. Thus, the written and graphical descriptions of the embodiments of the present invention are made in terms of what the art recognizes as the predominant resonance form for a particular species. For example, any phosphoroamidate (replacement of a nonlinking oxygen with nitrogen) would be represented by $X = O$ and $Y = N$ in the above figure.

Specific modifications are discussed in more detail below.

The Phosphate Group

The phosphate group is a negatively charged species. The charge is distributed equally over the two non-linking oxygen atoms (*i.e.*, X and Y in Formula 1 above). However, the phosphate group can be modified by replacing one of the oxygens with a different substituent. One result of this modification to RNA phosphate backbones can be increased resistance of the oligoribonucleotide to nucleolytic breakdown. Thus while not wishing to be bound by theory, it can be desirable in some embodiments to introduce alterations which result in either an uncharged linker or a charged linker with unsymmetrical charge distribution.

Examples of modified phosphate groups include phosphorothioate, phosphoroselenates, borano phosphates, borano phosphate esters, hydrogen phosphonates, phosphoroamidates, alkyl or aryl phosphonates and phosphotriesters. Phosphorodithioates have both non-linking oxygens replaced by sulfur. Unlike the situation where only one of X or Y is altered, the phosphorus center in the phosphorodithioates is achiral which precludes the formation of oligoribonucleotides diastereomers. Diastereomer formation can result in a preparation in which the individual diastereomers exhibit varying resistance to nucleases. Further, the hybridization affinity of RNA containing chiral phosphate groups can be lower relative to the corresponding unmodified RNA species. Thus, while not wishing to be bound by theory, modifications to both X and Y which eliminate the chiral center, *e.g.* phosphorodithioate formation, may be desirable in that they cannot produce diastereomer mixtures. Thus, X can be any one of S, Se, B, C, H, N, or OR (R is alkyl or aryl). Thus Y

can be any one of S, Se, B, C, H, N, or OR (R is alkyl or aryl). Replacement of X and/or Y with sulfur is preferred.

The phosphate linker can also be modified by replacement of a linking oxygen (*i.e.*, W or Z in Formula 1) with nitrogen (bridged phosphoramidates), sulfur (bridged phosphorothioates) and carbon (bridged methylenephosphonates). The replacement can occur at a terminal oxygen (position W (3') or position Z (5')). Replacement of W with carbon or Z with nitrogen is preferred.

Candidate agents can be evaluated for suitability as described below.

The Sugar Group

A modified RNA can include modification of all or some of the sugar groups of the ribonucleic acid. *E.g.*, the 2' hydroxyl group (OH) can be modified or replaced with a number of different "oxy" or "deoxy" substituents. While not being bound by theory, enhanced stability is expected since the hydroxyl can no longer be deprotonated to form a 2' alkoxide ion. The 2' alkoxide can catalyze degradation by intramolecular nucleophilic attack on the linker phosphorus atom. Again, while not wishing to be bound by theory, it can be desirable to some embodiments to introduce alterations in which alkoxide formation at the 2' position is not possible.

Examples of "oxy"-2' hydroxyl group modifications include alkoxy or aryloxy (OR, *e.g.*, R = H, alkyl, cycloalkyl, aryl, aralkyl, heteroaryl or sugar); polyethyleneglycols (PEG), O(CH₂CH₂O)_nCH₂CH₂OR; "locked" nucleic acids (LNA) in which the 2' hydroxyl is connected, *e.g.*, by a methylene bridge, to the 4' carbon of the same ribose sugar; O-AMINE (AMINE = NH₂; alkylamino, dialkylamino, heterocyclyl, arylamino, diaryl amino, heteroaryl amino, or diheteroaryl amino, ethylene diamine, polyamino) and aminoalkoxy, O(CH₂)_nAMINE, (*e.g.*, AMINE = NH₂; alkylamino, dialkylamino, heterocyclyl, arylamino, diaryl amino, heteroaryl amino, or diheteroaryl amino, ethylene diamine, polyamino). It is noteworthy that oligonucleotides containing only the methoxyethyl group (MOE), (OCH₂CH₂OCH₃, a PEG derivative), exhibit nuclease stabilities comparable to those modified with the robust phosphorothioate modification.

"Deoxy" modifications include hydrogen (*i.e.* deoxyribose sugars, which are of particular relevance to the overhang portions of partially ds RNA); halo (*e.g.*, fluoro); amino

(*e.g.* NH₂; alkylamino, dialkylamino, heterocyclyl, arylamino, diaryl amino, heteroaryl amino, diheteroaryl amino, or amino acid); NH(CH₂CH₂NH)_nCH₂CH₂-AMINE (AMINE = NH₂; alkylamino, dialkylamino, heterocyclyl, arylamino, diaryl amino, heteroaryl amino, or diheteroaryl amino), -NHC(O)R (R = alkyl, cycloalkyl, aryl, aralkyl, heteroaryl or sugar),
 5 cyano; mercapto; alkyl-thio-alkyl; thioalkoxy; and alkyl, cycloalkyl, aryl, alkenyl and alkynyl, which may be optionally substituted with *e.g.*, an amino functionality. Preferred substituents are 2'-methoxyethyl, 2'-OCH₃, 2'-O-allyl, 2'-C-allyl, and 2'-fluoro.

The sugar group can also contain one or more carbons that possess the opposite stereochemical configuration than that of the corresponding carbon in ribose. Thus, a
 10 modified RNA can include nucleotides containing *e.g.*, arabinose, as the sugar.

Modified RNA's can also include "abasic" sugars, which lack a nucleobase at C-1'. These abasic sugars can also be further contain modifications at one or more of the constituent sugar atoms.

To maximize nuclease resistance, the 2' modifications can be used in combination
 15 with one or more phosphate linker modifications (*e.g.*, phosphorothioate). The so-called "chimeric" oligonucleotides are those that contain two or more different modifications.

The modification can also entail the wholesale replacement of a ribose structure with another entity at one or more sites in the iRNA agent. These modifications are described in section entitled Ribose Replacements for RRMSs.

20 Candidate modifications can be evaluated as described below.

Replacement of the Phosphate Group

The phosphate group can be replaced by non-phosphorus containing connectors (*cf.* Bracket I in Formula 1 above). While not wishing to be bound by theory, it is believed that since the charged phosphodiester group is the reaction center in nucleolytic degradation, its
 25 replacement with neutral structural mimics should impart enhanced nuclease stability. Again, while not wishing to be bound by theory, it can be desirable, in some embodiment, to introduce alterations in which the charged phosphate group is replaced by a neutral moiety.

Examples of moieties which can replace the phosphate group include siloxane, carbonate, carboxymethyl, carbamate, amide, thioether, ethylene oxide linker, sulfonate,
 30 sulfonamide, thioformacetal, formacetal, oxime, methyleneimino, methylenemethylimino,

methylenehydrazo, methylenedimethylhydrazo and methyleneoxymethylimino. Preferred replacements include the methylenecarbonylamino and methylenemethylimino groups.

Candidate modifications can be evaluated as described below.

Replacement of Ribophosphate Backbone

5 Oligonucleotide- mimicking scaffolds can also be constructed wherein the phosphate linker and ribose sugar are replaced by nuclease resistant nucleoside or nucleotide surrogates (see Bracket II of Formula 1 above). While not wishing to be bound by theory, it is believed that the absence of a repetitively charged backbone diminishes binding to proteins that recognize polyanions (*e.g.* nucleases). Again, while not wishing to be bound by theory, it
10 can be desirable in some embodiment, to introduce alterations in which the bases are tethered by a neutral surrogate backbone.

Examples include the morpholino, cyclobutyl, pyrrolidine and peptide nucleic acid (PNA) nucleoside surrogates. A preferred surrogate is a PNA surrogate.

Candidate modifications can be evaluated as described below.

15 Terminal Modifications

The 3' and 5' ends of an oligonucleotide can be modified. Such modifications can be at the 3' end, 5' end or both ends of the molecule. They can include modification or replacement of an entire terminal phosphate or of one or more of the atoms of the phosphate group. *E.g.*, the 3' and 5' ends of an oligonucleotide can be conjugated to other functional
20 molecular entities such as labeling moieties, *e.g.*, fluorophores (*e.g.*, pyrene, TAMRA, fluorescein, Cy3 or Cy5 dyes) or protecting groups (based *e.g.*, on sulfur, silicon, boron or ester). The functional molecular entities can be attached to the sugar through a phosphate group and/or a spacer. The terminal atom of the spacer can connect to or replace the linking atom of the phosphate group or the C-3' or C-5' O, N, S or C group of the sugar.

25 Alternatively, the spacer can connect to or replace the terminal atom of a nucleotide surrogate (*e.g.*, PNAs). These spacers or linkers can include *e.g.*, $-(CH_2)_n-$, $-(CH_2)_nN-$, $-(CH_2)_nO-$, $-(CH_2)_nS-$, $O(CH_2CH_2O)_nCH_2CH_2OH$ (*e.g.*, $n = 3$ or 6), abasic sugars, amide, carboxy, amine, oxyamine, oximine, thioether, disulfide, thiourea, sulfonamide, or morpholino, or biotin and fluorescein reagents. When a spacer/phosphate-functional
30 molecular entity-spacer/phosphate array is interposed between two strands of iRNA agents,

this array can substitute for a hairpin RNA loop in a hairpin-type RNA agent. The 3' end can be an -OH group. While not wishing to be bound by theory, it is believed that conjugation of certain moieties can improve transport, hybridization, and specificity properties. Again, while not wishing to be bound by theory, it may be desirable to introduce terminal alterations that improve nuclease resistance. Other examples of terminal modifications include dyes, intercalating agents (*e.g.* acridines), cross-linkers (*e.g.* psoralene, mitomycin C), porphyrins (TPPC4, texaphyrin, Sapphyrin), polycyclic aromatic hydrocarbons (*e.g.*, phenazine, dihydrophenazine), artificial endonucleases (*e.g.* EDTA), lipophilic carriers (*e.g.*, cholesterol, cholic acid, adamantane acetic acid, 1-pyrene butyric acid, dihydrotestosterone, 1,3-Bis-O(hexadecyl)glycerol, geranyloxyhexyl group, hexadecylglycerol, borneol, menthol, 1,3-propanediol, heptadecyl group, palmitic acid, myristic acid, O3-(oleoyl)lithocholic acid, O3-(oleoyl)cholenic acid, dimethoxytrityl, or phenoxazine) and peptide conjugates (*e.g.*, antennapedia peptide, Tat peptide), alkylating agents, phosphate, amino, mercapto, PEG (*e.g.*, PEG-40K), MPEG, [MPEG]₂, polyamino, alkyl, substituted alkyl, radiolabeled markers, enzymes, haptens (*e.g.* biotin), transport/absorption facilitators (*e.g.*, aspirin, vitamin E, folic acid), synthetic ribonucleases (*e.g.*, imidazole, bisimidazole, histamine, imidazole clusters, acridine-imidazole conjugates, Eu³⁺ complexes of tetraazamacrocycles).

Terminal modifications can be added for a number of reasons, including as discussed elsewhere herein to modulate activity or to modulate resistance to degradation. Terminal modifications useful for modulating activity include modification of the 5' end with phosphate or phosphate analogs. *E.g.*, in preferred embodiments iRNA agents, especially antisense strands, are 5' phosphorylated or include a phosphoryl analog at the 5' prime terminus. 5'-phosphate modifications include those which are compatible with RISC mediated gene silencing. Suitable modifications include: 5'-monophosphate ((HO)₂(O)P-O-5'); 5'-diphosphate ((HO)₂(O)P-O-P(HO)(O)-O-5'); 5'-triphosphate ((HO)₂(O)P-O-(HO)(O)P-O-P(HO)(O)-O-5'); 5'-guanosine cap (7-methylated or non-methylated) (7m-G-O-5'-(HO)(O)P-O-(HO)(O)P-O-P(HO)(O)-O-5'); 5'-adenosine cap (Appp), and any modified or unmodified nucleotide cap structure (N-O-5'-(HO)(O)P-O-(HO)(O)P-O-P(HO)(O)-O-5'); 5'-monothiophosphate (phosphorothioate; (HO)₂(S)P-O-5'); 5'-monodithiophosphate (phosphorodithioate; (HO)(HS)(S)P-O-5'), 5'-phosphorothiolate ((HO)₂(O)P-S-5'); any additional combination of oxygen/sulfur replaced monophosphate, diphosphate and

triphosphates (*e.g.* 5'-alpha-thiotriphosphate, 5'-gamma-thiotriphosphate, etc.), 5'-phosphoramidates ((HO)₂(O)P-NH-5', (HO)(NH₂)(O)P-O-5'), 5'-alkylphosphonates (R=alkyl=methyl, ethyl, isopropyl, propyl, etc., *e.g.* RP(OH)(O)-O-5', (OH)₂(O)P-5'-CH₂-), 5'-alkyletherphosphonates (R=alkylether=methoxymethyl (MeOCH₂-), ethoxymethyl, etc., *e.g.* RP(OH)(O)-O-5'-).

Terminal modifications useful for increasing resistance to degradation include

Terminal modifications can also be useful for monitoring distribution, and in such cases the preferred groups to be added include fluorophores, *e.g.*, fluorescein or an Alexa dye, *e.g.*, Alexa 488. Terminal modifications can also be useful for enhancing uptake, useful modifications for this include cholesterol. Terminal modifications can also be useful for cross-linking an RNA agent to another moiety; modifications useful for this include mitomycin C.

Candidate modifications can be evaluated as described below.

The Bases

Adenine, guanine, cytosine and uracil are the most common bases found in RNA.

These bases can be modified or replaced to provide RNA's having improved properties.

E.g., nuclease resistant oligoribonucleotides can be prepared with these bases or with synthetic and natural nucleobases (*e.g.*, inosine, thymine, xanthine, hypoxanthine, nubularine, isoguanisine, or tubercidine) and any one of the above modifications.

Alternatively, substituted or modified analogs of any of the above bases, *e.g.*, "unusual bases" and "universal bases," can be employed. Examples include without limitation 2-aminoadenine, 6-methyl and other alkyl derivatives of adenine and guanine, 2-propyl and other alkyl derivatives of adenine and guanine, 5-halouracil and cytosine, 5-propynyl uracil and cytosine, 6-azo uracil, cytosine and thymine, 5-uracil (pseudouracil), 4-thiouracil, 5-halouracil, 5-(2-aminopropyl)uracil, 5-amino allyl uracil, 8-halo, amino, thiol, thioalkyl, hydroxyl and other 8-substituted adenines and guanines, 5-trifluoromethyl and other 5-substituted uracils and cytosines, 7-methylguanine, 5-substituted pyrimidines, 6-azapyrimidines and N-2, N-6 and O-6 substituted purines, including 2-aminopropyladenine, 5-propynyluracil and 5-propynylcytosine, dihydrouracil, 3-deaza-5-azacytosine, 2-aminopurine, 5-alkyluracil, 7-alkylguanine, 5-alkyl cytosine, 7-deazaadenine, N6, N6-dimethyladenine, 2,6-diaminopurine, 5-amino-allyl-uracil, N3-methyluracil, substituted

1,2,4-triazoles, 2-pyridinone, 5-nitroindole, 3-nitropyrrole, 5-methoxyuracil, uracil-5-oxyacetic acid, 5-methoxycarbonylmethyluracil, 5-methyl-2-thiouracil, 5-methoxycarbonylmethyl-2-thiouracil, 5-methylaminomethyl-2-thiouracil, 3-(3-amino-3carboxypropyl)uracil, 3-methylcytosine, 5-methylcytosine, N⁴-acetyl cytosine, 2-thiocytosine, N6-methyladenine, N6-isopentyladenine, 2-methylthio-N6-isopentenyladenine, N-methylguanines, or O-alkylated bases. Further purines and pyrimidines include those disclosed in U.S. Pat. No. 3,687,808, those disclosed in the Concise Encyclopedia Of Polymer Science And Engineering, pages 858-859, Kroschwitz, J. I., ed. John Wiley & Sons, 1990, and those disclosed by Englisch *et al.*, Angewandte Chemie, International Edition, 1991, 30, 613.

Generally, base changes are less preferred for promoting stability, but they can be useful for other reasons, *e.g.*, some, *e.g.*, 2,6-diaminopurine and 2 amino purine, are fluorescent. Modified bases can reduce target specificity. This should be taken into consideration in the design of iRNA agents.

Candidate modifications can be evaluated as described below.

Evaluation of Candidate RNA's

One can evaluate a candidate RNA agent, *e.g.*, a modified RNA, for a selected property by exposing the agent or modified molecule and a control molecule to the appropriate conditions and evaluating for the presence of the selected property. For example, resistance to a degradant can be evaluated as follows. A candidate modified RNA (and preferably a control molecule, usually the unmodified form) can be exposed to degradative conditions, *e.g.*, exposed to a milieu, which includes a degradative agent, *e.g.*, a nuclease. *E.g.*, one can use a biological sample, *e.g.*, one that is similar to a milieu, which might be encountered, in therapeutic use, *e.g.*, blood or a cellular fraction, *e.g.*, a cell-free homogenate or disrupted cells. The candidate and control could then be evaluated for resistance to degradation by any of a number of approaches. For example, the candidate and control could be labeled, preferably prior to exposure, with, *e.g.*, a radioactive or enzymatic label, or a fluorescent label, such as Cy3 or Cy5. Control and modified RNA's can be incubated with the degradative agent, and optionally a control, *e.g.*, an inactivated, *e.g.*, heat inactivated, degradative agent. A physical parameter, *e.g.*, size, of the modified and control molecules

are then determined. They can be determined by a physical method, *e.g.*, by polyacrylamide gel electrophoresis or a sizing column, to assess whether the molecule has maintained its original length, or assessed functionally. Alternatively, Northern blot analysis can be used to assay the length of an unlabeled modified molecule.

5 A functional assay can also be used to evaluate the candidate agent. A functional assay can be applied initially or after an earlier non-functional assay, (*e.g.*, assay for resistance to degradation) to determine if the modification alters the ability of the molecule to silence gene expression. For example, a cell, *e.g.*, a mammalian cell, such as a mouse or human cell, can be co-transfected with a plasmid expressing a fluorescent protein, *e.g.*, GFP,
10 and a candidate RNA agent homologous to the transcript encoding the fluorescent protein (see, *e.g.*, WO 00/44914). For example, a modified dsRNA homologous to the GFP mRNA can be assayed for the ability to inhibit GFP expression by monitoring for a decrease in cell fluorescence, as compared to a control cell, in which the transfection did not include the candidate dsRNA, *e.g.*, controls with no agent added and/or controls with a non-modified
15 RNA added. Efficacy of the candidate agent on gene expression can be assessed by comparing cell fluorescence in the presence of the modified and unmodified dsRNA agents.

 In an alternative functional assay, a candidate dsRNA agent homologous to an endogenous mouse gene, preferably a maternally expressed gene, such as *c-mos*, can be injected into an immature mouse oocyte to assess the ability of the agent to inhibit gene
20 expression *in vivo* (see, *e.g.*, WO 01/36646). A phenotype of the oocyte, *e.g.*, the ability to maintain arrest in metaphase II, can be monitored as an indicator that the agent is inhibiting expression. For example, cleavage of *c-mos* mRNA by a dsRNA agent would cause the oocyte to exit metaphase arrest and initiate parthenogenetic development (Colledge *et al.* Nature 370: 65-68, 1994; Hashimoto *et al.* Nature, 370:68-71, 1994). The effect of the
25 modified agent on target RNA levels can be verified by Northern blot to assay for a decrease in the level of target mRNA, or by Western blot to assay for a decrease in the level of target protein, as compared to a negative control. Controls can include cells in which with no agent is added and/or cells in which a non-modified RNA is added.

References

General References

The oligoribonucleotides and oligoribonucleosides used in accordance with this invention may be with solid phase synthesis, see for example "Oligonucleotide synthesis, a practical approach", Ed. M. J. Gait, IRL Press, 1984; "Oligonucleotides and Analogues, A Practical Approach", Ed. F. Eckstein, IRL Press, 1991 (especially Chapter 1, Modern machine-aided methods of oligodeoxyribonucleotide synthesis, Chapter 2, Oligoribonucleotide synthesis, Chapter 3, 2'-O--Methyloligoribonucleotide- s: synthesis and applications, Chapter 4, Phosphorothioate oligonucleotides, Chapter 5, Synthesis of oligonucleotide phosphorodithioates, Chapter 6, Synthesis of oligo-2'-deoxyribonucleoside methylphosphonates, and. Chapter 7, Oligodeoxynucleotides containing modified bases. Other particularly useful synthetic procedures, reagents, blocking groups and reaction conditions are described in Martin, P., *Helv. Chim. Acta*, **1995**, *78*, 486-504; Beaucage, S. L. and Iyer, R. P., *Tetrahedron*, **1992**, *48*, 2223-2311 and Beaucage, S. L. and Iyer, R. P., *Tetrahedron*, **1993**, *49*, 6123-6194, or references referred to therein.

Modification described in WO 00/44895, WO01/75164, or WO02/44321 can be used herein.

The disclosure of all publications, patents, and published patent applications listed herein are hereby incorporated by reference.

Phosphate Group References

The preparation of phosphinate oligoribonucleotides is described in U.S. Pat. No. 5,508,270. The preparation of alkyl phosphonate oligoribonucleotides is described in U.S. Pat. No. 4,469,863. The preparation of phosphoramidite oligoribonucleotides is described in U.S. Pat. No. 5,256,775 or U.S. Pat. No. 5,366,878. The preparation of phosphotriester oligoribonucleotides is described in U.S. Pat. No. 5,023,243. The preparation of borano phosphate oligoribonucleotide is described in U.S. Pat. Nos. 5,130,302 and 5,177,198. The preparation of 3'-Deoxy-3'-amino phosphoramidate oligoribonucleotides is described in U.S. Pat. No. 5,476,925. 3'-Deoxy-3'-methylenephosphonate oligoribonucleotides is described in An, H, *et al. J. Org. Chem.* **2001**, *66*, 2789-2801. Preparation of sulfur bridged nucleotides is

described in Sproat *et al. Nucleosides Nucleotides* **1988**, 7,651 and Crosstick *et al. Tetrahedron Lett.* **1989**, 30, 4693.

Sugar Group References

5 Modifications to the 2' modifications can be found in Verma, S. *et al. Annu. Rev. Biochem.* **1998**, 67, 99-134 and all references therein. Specific modifications to the ribose can be found in the following references: 2'-fluoro (Kawasaki *et. al., J. Med. Chem.*, **1993**, 36, 831-841), 2'-MOE (Martin, P. *Helv. Chim. Acta* **1996**, 79, 1930-1938), "LNA" (Wengel, J. *Acc. Chem. Res.* **1999**, 32, 301-310).

10

Replacement of the Phosphate Group References

Methylenemethylimino linked oligoribonucleosides, also identified herein as MMI linked oligoribonucleosides, methylenedimethylhydrazo linked oligoribonucleosides, also identified herein as MDH linked oligoribonucleosides, and methylenecarbonylamino linked
15 oligonucleosides, also identified herein as amide-3 linked oligoribonucleosides, and methyleneaminocarbonyl linked oligonucleosides, also identified herein as amide-4 linked oligoribonucleosides as well as mixed backbone compounds having, as for instance, alternating MMI and PO or PS linkages can be prepared as is described in U.S. Pat. Nos. 5,378,825, 5,386,023, 5,489,677 and in published PCT applications PCT/US92/04294 and
20 PCT/US92/04305 (published as WO 92/20822 WO and 92/20823, respectively). Formacetal and thioformacetal linked oligoribonucleosides can be prepared as is described in U.S. Pat. Nos. 5,264,562 and 5,264,564. Ethylene oxide linked oligoribonucleosides can be prepared as is described in U.S. Pat. No. 5,223,618. Siloxane replacements are described in
Cormier, J.F. *et al. Nucleic Acids Res.* **1988**, 16, 4583. Carbonate replacements are described
25 in Tittensor, J.R. *J. Chem. Soc. C* **1971**, 1933. Carboxymethyl replacements are described in Edge, M.D. *et al. J. Chem. Soc. Perkin Trans. 1* **1972**, 1991. Carbamate replacements are described in Stirchak, E.P. *Nucleic Acids Res.* **1989**, 17, 6129.

Replacement of the Phosphate-Ribose Backbone References

30 Cyclobutyl sugar surrogate compounds can be prepared as is described in U.S. Pat. No. 5,359,044. Pyrrolidine sugar surrogate can be prepared as is described in U.S. Pat. No.

5,519,134. Morpholino sugar surrogates can be prepared as is described in U.S. Pat. Nos. 5,142,047 and 5,235,033, and other related patent disclosures. Peptide Nucleic Acids (PNAs) are known per se and can be prepared in accordance with any of the various procedures referred to in Peptide Nucleic Acids (PNA): Synthesis, Properties and Potential Applications, 5 Bioorganic & Medicinal Chemistry, 1996, 4, 5-23. They may also be prepared in accordance with U.S. Pat. No. 5,539,083.

Terminal Modification References


Terminal modifications are described in Manoharan, M. *et al. Antisense and Nucleic* 10 *Acid Drug Development* 12, 103-128 (2002) and references therein.

Bases References

N-2 substituted purine nucleoside amidites can be prepared as is described in U.S. Pat. No. 5,459,255. 3-Deaza purine nucleoside amidites can be prepared as is described in U.S. 15 Pat. No. 5,457,191. 5,6-Substituted pyrimidine nucleoside amidites can be prepared as is described in U.S. Pat. No. 5,614,617. 5-Propynyl pyrimidine nucleoside amidites can be prepared as is described in U.S. Pat. No. 5,484,908. Additional references can be disclosed in the above section on base modifications.

Preferred iRNA Agents

Preferred RNA agents have the following structure (see Formula 2 below):



5


FORMULA 2

Referring to Formula 2 above, R^1 , R^2 , and R^3 are each, independently, H, (*i.e.* abasic nucleotides), adenine, guanine, cytosine and uracil, inosine, thymine, xanthine,
 10 hypoxanthine, nubularine, tubercidine, isoguanisine, 2-aminoadenine, 6-methyl and other alkyl derivatives of adenine and guanine, 2-propyl and other alkyl derivatives of adenine and guanine, 5-halouracil and cytosine, 5-propynyl uracil and cytosine, 6-azo uracil, cytosine and thymine, 5-uracil (pseudouracil), 4-thiouracil, 5-halouracil, 5-(2-aminopropyl)uracil, 5-amino allyl uracil, 8-halo, amino, thiol, thioalkyl, hydroxyl and other 8-substituted adenines and

guanines, 5-trifluoromethyl and other 5-substituted uracils and cytosines, 7-methylguanine, 5-substituted pyrimidines, 6-azapyrimidines and N-2, N-6 and O-6 substituted purines, including 2-aminopropyladenine, 5-propynyluracil and 5-propynylcytosine, dihydrouracil, 3-deaza-5-azacytosine, 2-aminopurine, 5-alkyluracil, 7-alkylguanine, 5-alkyl cytosine, 7-deazaadenine, 7-deazaguanine, N6, N6-dimethyladenine, 2,6-diaminopurine, 5-amino-allyl-uracil, N3-methyluracil, substituted 1,2,4-triazoles, 2-pyridinone, 5-nitroindole, 3-nitropyrrole, 5-methoxyuracil, uracil-5-oxyacetic acid, 5-methoxycarbonylmethyluracil, 5-methyl-2-thiouracil, 5-methoxycarbonylmethyl-2-thiouracil, 5-methylaminomethyl-2-thiouracil, 3-(3-amino-3carboxypropyl)uracil, 3-methylcytosine, 5-methylcytosine, N⁴-acetyl cytosine, 2-thiocytosine, N6-methyladenine, N6-isopentyladenine, 2-methylthio-N6-isopentenyladenine, N-methylguanines, or O-alkylated bases.

R⁴, R⁵, and R⁶ are each, independently, OR⁸, O(CH₂CH₂O)_mCH₂CH₂OR⁸; O(CH₂)_nR⁹; O(CH₂)_nOR⁹, H; halo; NH₂; NHR⁸; N(R⁸)₂; NH(CH₂CH₂NH)_mCH₂CH₂NHR⁹; NHC(O)R⁸; ; cyano; mercapto, SR⁸; alkyl-thio-alkyl; alkyl, aralkyl, cycloalkyl, aryl, heteroaryl, alkenyl, alkynyl, each of which may be optionally substituted with halo, hydroxy, oxo, nitro, haloalkyl, alkyl, alkaryl, aryl, aralkyl, alkoxy, aryloxy, amino, alkylamino, dialkylamino, heterocyclyl, arylamino, diaryl amino, heteroaryl amino, diheteroaryl amino, acylamino, alkylcarbamoyl, arylcarbamoyl, aminoalkyl, alkoxycarbonyl, carboxy, hydroxyalkyl, alkanesulfonyl, alkanesulfonamido, arenesulfonamido, aralkylsulfonamido, alkylcarbonyl, acyloxy, cyano, or ureido; or R⁴, R⁵, or R⁶ together combine with R⁷ to form an [-O-CH₂-] covalently bound bridge between the sugar 2' and 4' carbons.


A¹ is:




5 ; H; OH; OCH₃; W¹; an abasic nucleotide; or absent;

(a preferred A¹, especially with regard to anti-sense strands, is chosen from 5'-monophosphate ((HO)₂(O)P-O-5'), 5'-diphosphate ((HO)₂(O)P-O-P(HO)(O)-O-5'), 5'-triphosphate ((HO)₂(O)P-O-(HO)(O)P-O-P(HO)(O)-O-5'), 5'-guanosine cap (7-methylated or non-methylated) (7m-G-O-5'-(HO)(O)P-O-(HO)(O)P-O-P(HO)(O)-O-5'), 5'-adenosine cap (Appp), and any modified or unmodified nucleotide cap structure (N-O-5'-(HO)(O)P-O-(HO)(O)P-O-P(HO)(O)-O-5'), 5'-monothiophosphate (phosphorothioate; (HO)₂(S)P-O-5'), 5'-monodithiophosphate (phosphorodithioate; (HO)(HS)(S)P-O-5'), 5'-phosphorothiolate ((HO)₂(O)P-S-5'); any additional combination of oxygen/sulfur replaced monophosphate, diphosphate and triphosphates (e.g. 5'-alpha-thiotriphosphate, 5'-gamma-thiotriphosphate, etc.), 5'-phosphoramidates ((HO)₂(O)P-NH-5', (HO)(NH₂)(O)P-O-5'), 5'-alkylphosphonates (R=alkyl=methyl, ethyl, isopropyl, propyl, etc., e.g. RP(OH)(O)-O-5', (OH)₂(O)P-5'-CH₂-), 5'-alkyletherphosphonates (R=alkylether=methoxymethyl (MeOCH₂-), ethoxymethyl, etc., e.g. RP(OH)(O)-O-5'-)).


5

 A^2 is:

10

 A^3 is:

A⁴ is:



5

; H; Z⁴; an inverted nucleotide; an abasic nucleotide; or absent.

W¹ is OH, (CH₂)_nR¹⁰, (CH₂)_nNHR¹⁰, (CH₂)_nOR¹⁰, (CH₂)_nSR¹⁰; O(CH₂)_nR¹⁰; O(CH₂)_nOR¹⁰, O(CH₂)_nNR¹⁰, O(CH₂)_nSR¹⁰; O(CH₂)_nSS(CH₂)_nOR¹⁰, O(CH₂)_nC(O)OR¹⁰, NH(CH₂)_nR¹⁰; NH(CH₂)_nNR¹⁰; NH(CH₂)_nOR¹⁰, NH(CH₂)_nSR¹⁰; S(CH₂)_nR¹⁰, S(CH₂)_nNR¹⁰,
 10 S(CH₂)_nOR¹⁰, S(CH₂)_nSR¹⁰ O(CH₂CH₂O)_mCH₂CH₂OR¹⁰; O(CH₂CH₂O)_mCH₂CH₂NHR¹⁰, NH(CH₂CH₂NH)_mCH₂CH₂NHR¹⁰; Q-R¹⁰, O-Q-R¹⁰ N-Q-R¹⁰, S-Q-R¹⁰ or -O-. W⁴ is O, CH₂, NH, or S.

X¹, X², X³, and X⁴ are each, independently, O or S.

Y¹, Y², Y³, and Y⁴ are each, independently, OH, O⁻, OR⁸, S, Se, BH₃⁻, H, NHR⁹,
 15 N(R⁹)₂ alkyl, cycloalkyl, aralkyl, aryl, or heteroaryl, each of which may be optionally substituted.

Z¹, Z², and Z³ are each independently O, CH₂, NH, or S. Z⁴ is OH, (CH₂)_nR¹⁰, (CH₂)_nNHR¹⁰, (CH₂)_nOR¹⁰, (CH₂)_nSR¹⁰; O(CH₂)_nR¹⁰; O(CH₂)_nOR¹⁰, O(CH₂)_nNR¹⁰, O(CH₂)_nSR¹⁰, O(CH₂)_nSS(CH₂)_nOR¹⁰, O(CH₂)_nC(O)OR¹⁰; NH(CH₂)_nR¹⁰; NH(CH₂)_nNR¹⁰,
 20 ;NH(CH₂)_nOR¹⁰, NH(CH₂)_nSR¹⁰; S(CH₂)_nR¹⁰, S(CH₂)_nNR¹⁰, S(CH₂)_nOR¹⁰, S(CH₂)_nSR¹⁰

$O(CH_2CH_2O)_mCH_2CH_2OR^{10}$, $O(CH_2CH_2O)_mCH_2CH_2NHR^{10}$,
 $NH(CH_2CH_2NH)_mCH_2CH_2NHR^{10}$; $Q-R^{10}$, $O-Q-R^{10}$, $N-Q-R^{10}$, $S-Q-R^{10}$.

x is 5-100, chosen to comply with a length for an RNA agent described herein.


R^7 is H; or is together combined with R^4 , R^5 , or R^6 to form an $[-O-CH_2-]$ covalently
 5 bound bridge between the sugar 2' and 4' carbons.

R^8 is alkyl, cycloalkyl, aryl, aralkyl, heterocyclyl, heteroaryl, amino acid, or sugar; R^9
 is NH_2 , alkylamino, dialkylamino, heterocyclyl, arylamino, diaryl amino, heteroaryl amino,
 diheteroaryl amino, or amino acid; and R^{10} is H; fluorophore (pyrene, TAMRA, fluorescein,
 Cy3 or Cy5 dyes); sulfur, silicon, boron or ester protecting group; intercalating agents (*e.g.*
 10 acridines), cross-linkers (*e.g.* psoralene, mitomycin C), porphyrins (TPPC4, texaphyrin,
 Sapphyrin), polycyclic aromatic hydrocarbons (*e.g.*, phenazine, dihydrophenazine), artificial
 endonucleases (*e.g.* EDTA), lipophilic carriers (cholesterol, cholic acid, adamantane acetic
 acid, 1-pyrene butyric acid, dihydrotestosterone, 1,3-Bis-O(hexadecyl)glycerol,
 geranyloxyhexyl group, hexadecylglycerol, borneol, menthol, 1,3-propanediol, heptadecyl
 15 group, palmitic acid, myristic acid, O3-(oleoyl)lithocholic acid, O3-(oleoyl)cholenic acid,
 dimethoxytrityl, or phenoxazine) and peptide conjugates (*e.g.*, antennapedia peptide, Tat
 peptide), alkylating agents, phosphate, amino, mercapto, PEG (*e.g.*, PEG-40K), MPEG,
 [MPEG]₂, polyamino; alkyl, cycloalkyl, aryl, aralkyl, heteroaryl; radiolabelled markers,
 enzymes, haptens (*e.g.* biotin), transport/absorption facilitators (*e.g.*, aspirin, vitamin E, folic
 20 acid), synthetic ribonucleases (*e.g.*, imidazole, bisimidazole, histamine, imidazole clusters,
 acridine-imidazole conjugates, Eu³⁺ complexes of tetraazamacrocycles); or an RNA agent.
 m is 0-1,000,000, and n is 0-20. Q is a spacer selected from the group consisting of abasic
 sugar, amide, carboxy, oxyamine, oximine, thioether, disulfide, thiourea, sulfonamide, or
 morpholino, biotin or fluorescein reagents.

25

30

Preferred RNA agents in which the entire phosphate group has been replaced have the following structure (see Formula 3 below):



5

FORMULA 3

Referring to Formula 3, A^{10} - A^{40} is L-G-L; A^{10} and/or A^{40} may be absent, in which L is a linker, wherein one or both L may be present or absent and is selected from the group consisting of $CH_2(CH_2)_g$; $N(CH_2)_g$; $O(CH_2)_g$; $S(CH_2)_g$. G is a functional group selected from the group consisting of siloxane, carbonate, carboxymethyl, carbamate, amide, thioether, ethylene oxide linker, sulfonate, sulfonamide, thioformacetal, formacetal, oxime, methyleneimino, methylenemethylimino, methylenehydrazo, methylenedimethylhydrazo and methyleneoxymethylimino.

R^{10} , R^{20} , and R^{30} are each, independently, H, (*i.e.* abasic nucleotides), adenine, guanine, cytosine and uracil, inosine, thymine, xanthine, hypoxanthine, nubularine, tubercidine, isoguanisine, 2-aminoadenine, 6-methyl and other alkyl derivatives of adenine and guanine, 2-propyl and other alkyl derivatives of adenine and guanine, 5-halouracil and cytosine, 5-propynyl uracil and cytosine, 6-azo uracil, cytosine and thymine, 5-uracil (pseudouracil), 4-thiouracil, 5-halouracil, 5-(2-aminopropyl)uracil, 5-amino allyl uracil, 8-halo, amino, thiol, thioalkyl, hydroxyl and other 8-substituted adenines and guanines, 5-trifluoromethyl and other 5-substituted uracils and cytosines, 7-methylguanine, 5-substituted pyrimidines, 6-azapyrimidines and N-2, N-6 and O-6 substituted purines, including 2-aminopropyladenine, 5-propynyluracil and 5-propynylcytosine, dihydrouracil, 3-deaza-5-azacytosine, 2-aminopurine, 5-alkyluracil, 7-alkylguanine, 5-alkyl cytosine, 7-deazaadenine, 7-deazaguanine, N6, N6-dimethyladenine, 2,6-diaminopurine, 5-amino-allyl-uracil, N3-methyluracil substituted 1,2,4-triazoles, 2-pyridinone, 5-nitroindole, 3-nitropyrrole, 5-methoxyuracil, uracil-5-oxyacetic acid, 5-methoxycarbonylmethyluracil, 5-methyl-2-thiouracil, 5-methoxycarbonylmethyl-2-thiouracil, 5-methylaminomethyl-2-thiouracil, 3-(3-amino-3-carboxypropyl)uracil, 3-methylcytosine, 5-methylcytosine, N^4 -acetyl cytosine, 2-thiocytosine, N6-methyladenine, N6-isopentyladenine, 2-methylthio-N6-isopentenyladenine, N-methylguanines, or O-alkylated bases.

R^{40} , R^{50} , and R^{60} are each, independently, OR^8 , $O(CH_2CH_2O)_mCH_2CH_2OR^8$; $O(CH_2)_nR^9$; $O(CH_2)_nOR^9$, H; halo; NH_2 ; NHR^8 ; $N(R^8)_2$; $NH(CH_2CH_2NH)_mCH_2CH_2R^9$; $NHC(O)R^8$; cyano; mercapto, SR^7 ; alkyl-thio-alkyl; alkyl, aralkyl, cycloalkyl, aryl, heteroaryl, alkenyl, alkynyl, each of which may be optionally substituted with halo, hydroxy, oxo, nitro, haloalkyl, alkyl, alkaryl, aryl, aralkyl, alkoxy, aryloxy, amino, alkylamino, dialkylamino, heterocyclyl, arylamino, diaryl amino, heteroaryl amino, diheteroaryl amino, acylamino, alkylcarbonyl, arylcarbonyl, aminoalkyl, alkoxycarbonyl, carboxy, hydroxyalkyl, alkanesulfonyl, alkanesulfonamido, arenesulfonamido, aralkylsulfonamido, alkylcarbonyl, acyloxy, cyano, and ureido groups; or R^{40} , R^{50} , or R^{60} together combine with R^{70} to form an [-O-CH₂-] covalently bound bridge between the sugar 2' and 4' carbons.

x is 5-100 or chosen to comply with a length for an RNA agent described herein.

R^{70} is H; or is together combined with R^{40} , R^{50} , or R^{60} to form an [-O-CH₂-] covalently bound bridge between the sugar 2' and 4' carbons.

R^8 is alkyl, cycloalkyl, aryl, aralkyl, heterocyclyl, heteroaryl, amino acid, or sugar; and R^9 is NH_2 , alkylamino, dialkylamino, heterocyclyl, arylamino, diaryl amino, heteroaryl amino, diheteroaryl amino, or amino acid. m is 0-1,000,000, n is 0-20, and g is 0-2.

Preferred nucleoside surrogates have the following structure (see Formula 4 below):

5



FORMULA 4

S is a nucleoside surrogate selected from the group consisting of morpholino, cyclobutyl, pyrrolidine and peptide nucleic acid. L is a linker and is selected from the group consisting of $CH_2(CH_2)_g$; $N(CH_2)_g$; $O(CH_2)_g$; $S(CH_2)_g$; $-C(O)(CH_2)_n$ -or may be absent. M is an amide bond; sulfonamide; sulfinate; phosphate group; modified phosphate group as described herein; or may be absent.

R^{100} , R^{200} , and R^{300} are each, independently, H (*i.e.*, abasic nucleotides), adenine, guanine, cytosine and uracil, inosine, thymine, xanthine, hypoxanthine, nucleobase, tubercidine, isoguanisine, 2-aminoadenine, 6-methyl and other alkyl derivatives of adenine and guanine, 2-propyl and other alkyl derivatives of adenine and guanine, 5-halouracil and cytosine, 5-propynyl uracil and cytosine, 6-azo uracil, cytosine and thymine, 5-uracil (pseudouracil), 4-thiouracil, 5-halouracil, 5-(2-aminopropyl)uracil, 5-amino allyl uracil, 8-halo, amino, thiol, thioalkyl, hydroxyl and other 8-substituted adenines and guanines, 5-trifluoromethyl and other 5-substituted uracils and cytosines, 7-methylguanine, 5-substituted pyrimidines, 6-azapyrimidines and N-2, N-6 and O-6 substituted purines, including 2-aminopropyladenine, 5-propynyluracil and 5-propynylcytosine, dihydrouracil, 3-deaza-5-azacytosine, 2-aminopurine, 5-alkyluracil, 7-alkylguanine, 5-alkyl cytosine, 7-deazaadenine, 7-deazaguanine, N6, N6-dimethyladenine, 2,6-diaminopurine, 5-amino-allyl-uracil, N3-methyluracil substituted 1, 2, 4, triazoles, 2-pyridinones, 5-nitroindole, 3-nitropyrrole, 5-methoxyuracil, uracil-5-oxyacetic acid, 5-methoxycarbonylmethyluracil, 5-methyl-2-thiouracil, 5-methoxycarbonylmethyl-2-thiouracil, 5-methylaminomethyl-2-thiouracil, 3-(3-amino-3-carboxypropyl)uracil, 3-methylcytosine, 5-methylcytosine, N^4 -acetyl cytosine, 2-thiocytosine, N6-methyladenine, N6-isopentyladenine, 2-methylthio-N6-isopentenyladenine, N-methylguanines, or O-alkylated bases.

x is 5-100, or chosen to comply with a length for an RNA agent described herein; and g is 0-2.

Nuclease resistant monomers

5 In one aspect, the invention features a nuclease resistant monomer, or a an iRNA agent which incorporates a nuclease resistant monomer (NMR), such as those described herein and those described in copending, co-owned United States Provisional Application Serial No. 60/469,612 (Attorney Docket No. 14174-069P01), filed on May 9, 2003, which is hereby incorporated by reference.

10 In addition, the invention includes iRNA agents having a NMR and another element described herein. E.g., the invention includes an iRNA agent described herein, e.g., a palindromic iRNA agent, an iRNA agent having a non canonical pairing, an iRNA agent which targets a gene described herein, e.g., a gene active in the liver, an iRNA agent having an architecture or structure described herein, an iRNA associated with an amphipathic
15 delivery agent described herein, an iRNA associated with a drug delivery module described herein, an iRNA agent administered as described herein, or an iRNA agent formulated as described herein, which also incorporates a NMR.

An iRNA agent can include monomers which have been modified so as to inhibit degradation, e.g., by nucleases, e.g., endonucleases or exonucleases, found in the body of a
20 subject. These monomers are referred to herein as NRM's, or nuclease resistance promoting monomers or modifications. In many cases these modifications will modulate other properties of the iRNA agent as well, e.g., the ability to interact with a protein, e.g., a transport protein, e.g., serum albumin, or a member of the RISC (RNA-induced Silencing Complex), or the ability of the first and second sequences to form a duplex with one another
25 or to form a duplex with another sequence, e.g., a target molecule.

While not wishing to be bound by theory, it is believed that modifications of the sugar, base, and/or phosphate backbone in an iRNA agent can enhance endonuclease and exonuclease resistance, and can enhance interactions with transporter proteins and one or more of the functional components of the RISC complex. Preferred modifications are those
30 that increase exonuclease and endonuclease resistance and thus prolong the halflife of the iRNA agent prior to interaction with the RISC complex, but at the same time do not render

the iRNA agent resistant to endonuclease activity in the RISC complex. Again, while not wishing to be bound by any theory, it is believed that placement of the modifications at or near the 3' and/or 5' end of antisense strands can result in iRNA agents that meet the preferred nuclease resistance criteria delineated above. Again, still while not wishing to be bound by any theory, it is believed that placement of the modifications at e.g., the middle of a sense strand can result in iRNA agents that are relatively less likely to undergo off-targeting.

Modifications described herein can be incorporated into any double-standed RNA and RNA-like molecule described herein, e.g., an iRNA agent. An iRNA agent may include a duplex comprising a hybridized sense and antisense strand, in which the antisense strand and/or the sense strand may include one or more of the modifications described herein. The anti sense strand may include modifications at the 3' end and/or the 5' end and/or at one or more positions that occur 1-6 (e.g., 1-5, 1-4, 1-3, 1-2) nucleotides from either end of the strand. The sense strand may include modifications at the 3' end and/or the 5' end and/or at any one of the intervening positions between the two ends of the strand. The iRNA agent may also include a duplex comprising two hybridized antisense strands. The first and/or the second antisense strand may include one or more of the modifications described herein. Thus, one and/or both antisense strands may include modifications at the 3' end and/or the 5' end and/or at one or more positions that occur 1-6 (e.g., 1-5, 1-4, 1-3, 1-2) nucleotides from either end of the strand. Particular configurations are discussed below.

Modifications that can be useful for producing iRNA agents that meet the preferred nuclease resistance criteria delineated above can include one or more of the following chemical and/or stereochemical modifications of the sugar, base, and/or phosphate backbone:

- (i) chiral (S_P) thioates. Thus, preferred NRM's include nucleotide dimers with an enriched or pure for a particular chiral form of a modified phosphate group containing a heteroatom at the nonbridging position, e.g., S_P or R_P , at the position X, where this is the position normally occupied by the oxygen. The atom at X can also be S, Se, Nr_2 , or Br_3 . When X is S, enriched or chirally pure S_P linkage is preferred. Enriched means at least 70, 80, 90, 95, or 99% of the preferred form. Such NRM's are discussed in more detail below;
- (ii) attachment of one or more cationic groups to the sugar, base, and/or the phosphorus atom of a phosphate or modified phosphate backbone moiety. Thus, preferred NRM's include monomers at the terminal position derivitized at a cationic group. As the 5'

end of an antisense sequence should have a terminal -OH or phosphate group this NRM is preferably not used at the 5' end of an anti-sense sequence. The group should be attached at a position on the base which minimizes interference with H bond formation and hybridization, e.g., away from the face which interacts with the complementary base on the other strand, e.g., at the 5' position of a pyrimidine or a 7-position of a purine. These are discussed in more detail below;

(iii) nonphosphate linkages at the termini. Thus, preferred NRM's include Non-phosphate linkages, e.g., a linkage of 4 atoms which confers greater resistance to cleavage than does a phosphate bond. Examples include 3' CH₂-NCH₃-O-CH₂-5' and 3' CH₂-NH-(O=)-CH₂-5';

(iv) 3'-bridging thiophosphates and 5'-bridging thiophosphates. Thus, preferred NRM's can include these structures;

(v) L-RNA, 2'-5' linkages, inverted linkages, a-nucleosides. Thus, other preferred NRM's include: L nucleosides and dimeric nucleotides derived from L-nucleosides; 2'-5' phosphate, non-phosphate and modified phosphate linkages (e.g., thiophosphates, phosphoramidates and boronophosphates); dimers having inverted linkages, e.g., 3'-3' or 5'-5' linkages; monomers having an alpha linkage at the 1' site on the sugar, e.g., the structures described herein having an alpha linkage;

(vi) conjugate groups. Thus, preferred NRM's can include e.g., a targeting moiety or a conjugated ligand described herein conjugated with the monomer, e.g., through the sugar, base, or backbone ;

(vi) abasic linkages. Thus, preferred NRM's can include an abasic monomer, e.g., an abasic monomer as described herein (e.g., a nucleobaseless monomer); an aromatic or heterocyclic or polyheterocyclic aromatic monomer as described herein.; and

(vii) 5'-phosphonates and 5'-phosphate prodrugs. Thus, preferred NRM's include monomers, preferably at the terminal position, e.g., the 5' position, in which one or more atoms of the phosphate group is derivatized with a protecting group, which protecting group or groups, are removed as a result of the action of a component in the subject's body, e.g., a carboxyesterase or an enzyme present in the subject's body. E.g., a phosphate prodrug in which a carboxy esterase cleaves the protected molecule resulting in the production of a


thioate anion which attacks a carbon adjacent to the O of a phosphate and resulting in the production of an unprotected phosphate.

One or more different NRM modifications can be introduced into an iRNA agent or into a sequence of an iRNA agent. An NRM modification can be used more than once in a sequence or in an iRNA agent. As some NRM's interfere with hybridization the total number incorporated, should be such that acceptable levels of iRNA agent duplex formation are maintained.

In some embodiments NRM modifications are introduced into the terminal the cleavage site or in the cleavage region of a sequence (a sense strand or sequence) which does not target a desired sequence or gene in the subject. This can reduce off-target silencing.

Chiral S_P Thioates

A modification can include the alteration, *e.g.*, replacement, of one or both of the non-linking (X and Y) phosphate oxygens and/or of one or more of the linking (W and Z) phosphate oxygens. Formula X below depicts a phosphate moiety linking two sugar/sugar surrogate-base moities, SB₁ and SB₂.



FORMULA X

20

In certain embodiments, one of the non-linking phosphate oxygens in the phosphate backbone moiety (X and Y) can be replaced by any one of the following: S, Se, BR₃ (R is hydrogen, alkyl, aryl, etc.), C (i.e., an alkyl group, an aryl group, etc.), H, NR₂ (R is hydrogen, alkyl, aryl, etc.), or OR (R is alkyl or aryl). The phosphorus atom in an unmodified phosphate group is achiral. However, replacement of one of the non-linking


25

oxygens with one of the above atoms or groups of atoms renders the phosphorus atom chiral; in other words a phosphorus atom in a phosphate group modified in this way is a stereogenic center. The stereogenic phosphorus atom can possess either the "R" configuration (herein R_P) or the "S" configuration (herein S_P). Thus if 60% of a population of stereogenic
5 phosphorus atoms have the R_P configuration, then the remaining 40% of the population of stereogenic phosphorus atoms have the S_P configuration.


In some embodiments, iRNA agents, having phosphate groups in which a phosphate non-linking oxygen has been replaced by another atom or group of atoms, may contain a population of stereogenic phosphorus atoms in which at least about 50% of these atoms (e.g.,
10 at least about 60% of these atoms, at least about 70% of these atoms, at least about 80% of these atoms, at least about 90% of these atoms, at least about 95% of these atoms, at least about 98% of these atoms, at least about 99% of these atoms) have the S_P configuration. Alternatively, iRNA agents having phosphate groups in which a phosphate non-linking oxygen has been replaced by another atom or group of atoms may contain a population of
15 stereogenic phosphorus atoms in which at least about 50% of these atoms (e.g., at least about 60% of these atoms, at least about 70% of these atoms, at least about 80% of these atoms, at least about 90% of these atoms, at least about 95% of these atoms, at least about 98% of these atoms, at least about 99% of these atoms) have the R_P configuration. In other embodiments, the population of stereogenic phosphorus atoms may have the S_P
20 configuration and may be substantially free of stereogenic phosphorus atoms having the R_P configuration. In still other embodiments, the population of stereogenic phosphorus atoms may have the R_P configuration and may be substantially free of stereogenic phosphorus atoms having the S_P configuration. As used herein, the phrase "substantially free of stereogenic phosphorus atoms having the R_P configuration" means that moieties containing
25 stereogenic phosphorus atoms having the R_P configuration cannot be detected by conventional methods known in the art (chiral HPLC, 1H NMR analysis using chiral shift reagents, etc.). As used herein, the phrase "substantially free of stereogenic phosphorus atoms having the S_P configuration" means that moieties containing stereogenic phosphorus atoms having the S_P configuration cannot be detected by conventional methods known in the
30 art (chiral HPLC, 1H NMR analysis using chiral shift reagents, etc.).

In a preferred embodiment, modified iRNA agents contain a phosphorothioate group, i.e., a phosphate groups in which a phosphate non-linking oxygen has been replaced by a sulfur atom. In an especially preferred embodiment, the population of phosphorothioate stereogenic phosphorus atoms may have the S_P configuration and be substantially free of stereogenic phosphorus atoms having the R_P configuration.

Phosphorothioates may be incorporated into iRNA agents using dimers e.g., formulas X-1 and X-2. The former can be used to introduce phosphorothioate



X-1



X-2

at the 3' end of a strand, while the latter can be used to introduce this modification at the 5' end or at a position that occurs e.g., 1, 2, 3, 4, 5, or 6 nucleotides from either end of the strand. In the above formulas, Y can be 2-cyanoethoxy, W and Z can be O, $R_{2'}$ can be, e.g., a substituent that can impart the C-3' endo configuration to the sugar (e.g., OH, F, OCH_3), DMT is dimethoxytrityl, and "BASE" can be a natural, unusual, or a universal base.

X-1 and X-2 can be prepared using chiral reagents or directing groups that can result in phosphorothioate-containing dimers having a population of stereogenic phosphorus atoms having essentially only the R_P configuration (i.e., being substantially free of the S_P configuration) or only the S_P configuration (i.e., being substantially free of the R_P configuration). Alternatively, dimers can be prepared having a population of stereogenic phosphorus atoms in which about 50% of the atoms have the R_P configuration and about 50% of the atoms have the S_P configuration. Dimers having stereogenic phosphorus atoms with the R_P configuration can be identified and separated from dimers having stereogenic phosphorus atoms with the S_P configuration using e.g., enzymatic degradation and/or conventional chromatography techniques.

Cationic Groups

Modifications can also include attachment of one or more cationic groups to the sugar, base, and/or the phosphorus atom of a phosphate or modified phosphate backbone moiety. A cationic group can be attached to any atom capable of substitution on a natural, unusual or universal base. A preferred position is one that does not interfere with hybridization, i.e., does not interfere with the hydrogen bonding interactions needed for base pairing. A cationic group can be attached e.g., through the C2' position of a sugar or analogous position in a cyclic or acyclic sugar surrogate. Cationic groups can include e.g., protonated amino groups, derived from e.g., O-AMINE (AMINE = NH_2 ; alkylamino, dialkylamino, heterocyclyl, arylamino, diaryl amino, heteroaryl amino, or diheteroaryl amino, ethylene diamine, polyamino); aminoalkoxy, e.g., $O(CH_2)_n$ AMINE, (e.g., AMINE = NH_2 ; alkylamino, dialkylamino, heterocyclyl, arylamino, diaryl amino, heteroaryl amino, or diheteroaryl amino, ethylene diamine, polyamino); amino (e.g. NH_2 ; alkylamino, dialkylamino, heterocyclyl, arylamino, diaryl amino, heteroaryl amino, diheteroaryl amino, or amino acid); or $NH(CH_2CH_2NH)_nCH_2CH_2$ -AMINE (AMINE = NH_2 ; alkylamino, dialkylamino, heterocyclyl, arylamino, diaryl amino, heteroaryl amino, or diheteroaryl amino).

Nonphosphate Linkages

Modifications can also include the incorporation of nonphosphate linkages at the 5' and/or 3' end of a strand. Examples of nonphosphate linkages which can replace the

phosphate group include methyl phosphonate, hydroxylamino, siloxane, carbonate, carboxymethyl, carbamate, amide, thioether, ethylene oxide linker, sulfonate, sulfonamide, thioformacetal, formacetal, oxime, methyleneimino, methylenemethylimino, methylenehydrazo, methylenedimethylhydrazo and methyleneoxymethylimino. Preferred
 5 replacements include the methyl phosphonate and hydroxylamino groups.

3'-bridging thiophosphates and 5'-bridging thiophosphates; locked-RNA, 2'-5' linkages, inverted linkages, α -nucleosides; conjugate groups; abasic linkages; and 5'-phosphonates and 5'-phosphate prodrugs

10 Referring to formula X above, modifications can include replacement of one of the bridging or linking phosphate oxygens in the phosphate backbone moiety (W and Z). Unlike the situation where only one of X or Y is altered, the phosphorus center in the phosphorodithioates is achiral which precludes the formation of iRNA agents containing a stereogenic phosphorus atom..

15 Modifications can also include linking two sugars via a phosphate or modified phosphate group through the 2' position of a first sugar and the 5' position of a second sugar. Also contemplated are inverted linkages in which both a first and second sugar are each linked through the respective 3' positions. Modified RNA's can also include "abasic" sugars, which lack a nucleobase at C-1'. The sugar group can also contain one or more carbons that
 20 possess the opposite stereochemical configuration than that of the corresponding carbon in ribose. Thus, a modified iRNA agent can include nucleotides containing e.g., arabinose, as the sugar. In another subset of this modification, the natural, unusual, or universal base may have the α -configuration. Modifications can also include L-RNA.

25 Modifications can also include 5'-phosphonates, e.g., $P(O)(O^-)_2-X-C^{5'}\text{-sugar}$ ($X=CH_2, CF_2, CHF$ and 5'-phosphate prodrugs, e.g., $P(O)[OCH_2CH_2SC(O)R]_2CH_2C^{5'}\text{-sugar}$. In the latter case, the prodrug groups may be decomposed *via* reaction first with carboxy esterases. The remaining ethyl thiolate group via intramolecular S_N2 displacement can depart as episulfide to afford the underivatized phosphate group.

30 Modification can also include the addition of conjugating groups described elsewhere herein, which are preferably attached to an iRNA agent through any amino group available for conjugation.

Nuclease resistant modifications include some which can be placed only at the terminus and others which can go at any position. Generally the modifications that can inhibit hybridization so it is preferably to use them only in terminal regions, and preferable to not use them at the cleavage site or in the cleavage region of an sequence which targets a subject sequence or gene.. The can be used anywhere in a sense sequence, provided that sufficient hybridization between the two sequences of the iRNA agent is maintained. In some embodiments it is desirable to put the NRM at the cleavage site or in the cleavage region of a sequence which does not target a subject sequence or gene, as it can minimize off-target silencing.

10 In addition, an iRNA agent described herein can have an overhang which does not form a duplex structure with the other sequence of the iRNA agent—it is an overhang, but it does hybridize, either with itself, or with another nucleic acid, other than the other sequence of the iRNA agent.

In most cases, the nuclease-resistance promoting modifications will be distributed differently depending on whether the sequence will target a sequence in the subject (often referred to as an anti-sense sequence) or will not target a sequence in the subject (often referred to as a sense sequence). If a sequence is to target a sequence in the subject, modifications which interfere with or inhibit endonuclease cleavage should not be inserted in the region which is subject to RISC mediated cleavage, e.g., the cleavage site or the cleavage region (As described in Elbashir *et al.*, 2001, Genes and Dev. 15: 188, hereby incorporated by reference, cleavage of the target occurs about in the middle of a 20 or 21 nt guide RNA, or about 10 or 11 nucleotides upstream of the first nucleotide which is complementary to the guide sequence. As used herein cleavage site refers to the nucleotide on either side of the cleavage site, on the target or on the iRNA agent strand which hybridizes to it. Cleavage region means an nucleotide with 1, 2, or 3 nucleotides of the cleavage site, in either direction.)

25 Such modifications can be introduced into the terminal regions, e.g., at the terminal position or with 2, 3, 4, or 5 positions of the terminus, of a sequence which targets or a sequence which does not target a sequence in the subject.

An iRNA agent can have a first and a second strand chosen from the following:

30 a first strand which does not target a sequence and which has an NRM modification at or within 1, 2, 3, 4, 5, or 6 positions from the 3' end;

a first strand which does not target a sequence and which has an NRM modification at or within 1, 2, 3, 4, 5, or 6 positions from the 5' end;

a first strand which does not target a sequence and which has an NRM modification at or within 1, 2, 3, 4, 5, or 6 positions from the 3' end and which has a NRM modification at
5 or within 1, 2, 3, 4, 5, or 6 positions from the 5' end;

a first strand which does not target a sequence and which has an NRM modification at the cleavage site or in the cleavage region;

a first strand which does not target a sequence and which has an NRM modification at the cleavage site or in the cleavage region and one or more of an NRM modification at or
10 within 1, 2, 3, 4, 5, or 6 positions from the 3' end, a NRM modification at or within 1, 2, 3, 4, 5, or 6 positions from the 5' end, or NRM modifications at or within 1, 2, 3, 4, 5, or 6 positions from both the 3' and the 5' end; and

a second strand which targets a sequence and which has an NRM modification at or within 1, 2, 3, 4, 5, or 6 positions from the 3' end;

15 a second strand which targets a sequence and which has an NRM modification at or within 1, 2, 3, 4, 5, or 6 positions from the 5' end (5' end NRM modifications are preferentially not at the terminus but rather at a position 1, 2, 3, 4, 5, or 6 away from the 5' terminus of an antisense strand);

a second strand which targets a sequence and which has an NRM modification at or
20 within 1, 2, 3, 4, 5, or 6 positions from the 3' end and which has a NRM modification at or within 1, 2, 3, 4, 5, or 6 positions from the 5' end;

a second strand which targets a sequence and which preferably does not have an NRM modification at the cleavage site or in the cleavage region;

a second strand which targets a sequence and which does not have an NRM
25 modification at the cleavage site or in the cleavage region and one or more of an NRM modification at or within 1, 2, 3, 4, 5, or 6 positions from the 3' end, a NRM modification at or within 1, 2, 3, 4, 5, or 6 positions from the 5' end, or NRM modifications at or within 1, 2, 3, 4, 5, or 6 positions from both the 3' and the 5' end (5' end NRM modifications are preferentially not at the terminus but rather at a position 1, 2, 3, 4, 5, or 6 away from the 5'
30 terminus of an antisense strand).

An iRNA agent can also target two sequences and can have a first and second strand chosen from:

a first strand which targets a sequence and which has an NRM modification at or within 1, 2, 3, 4, 5 , or 6 positions from the 3' end;

5 a first strand which targets a sequence and which has an NRM modification at or within 1, 2, 3, 4, 5 , or 6 positions from the 5' end (5' end NRM modifications are preferentially not at the terminus but rather at a position 1, 2, 3, 4, 5 , or 6 away from the 5' terminus of an antisense strand);

a first strand which targets a sequence and which has an NRM modification at or within 1, 2, 3, 4, 5 , or 6 positions from the 3' end and which has a NRM modification at or within 1, 2, 3, 4, 5 , or 6 positions from the 5' end;

a first strand which targets a sequence and which preferably does not have an NRM modification at the cleavage site or in the cleavage region;

a first strand which targets a sequence and which does not have an NRM modification at the cleavage site or in the cleavage region and one or more of an NRM modification at or within 1, 2, 3, 4, 5 , or 6 positions from the 3' end, a NRM modification at or within 1, 2, 3, 4, 5 , or 6 positions from the 5' end, or NRM modifications at or within 1, 2, 3, 4, 5 , or 6 positions from both the 3' and the 5' end (5' end NRM modifications are preferentially not at the terminus but rather at a position 1, 2, 3, 4, 5 , or 6 away from the 5' terminus of an antisense strand) and

20 a second strand which targets a sequence and which has an NRM modification at or within 1, 2, 3, 4, 5 , or 6 positions from the 3' end;

a second strand which targets a sequence and which has an NRM modification at or within 1, 2, 3, 4, 5 , or 6 positions from the 5' end (5' end NRM modifications are preferentially not at the terminus but rather at a position 1, 2, 3, 4, 5 , or 6 away from the 5' terminus of an antisense strand);

a second strand which targets a sequence and which has an NRM modification at or within 1, 2, 3, 4, 5 , or 6 positions from the 3' end and which has a NRM modification at or within 1, 2, 3, 4, 5 , or 6 positions from the 5' end;

30 a second strand which targets a sequence and which preferably does not have an NRM modification at the cleavage site or in the cleavage region;

a second strand which targets a sequence and which does not have an NRM modification at the cleavage site or in the cleavage region and one or more of an NRM modification at or within 1, 2, 3, 4, 5, or 6 positions from the 3' end, a NRM modification at or within 1, 2, 3, 4, 5, or 6 positions from the 5' end, or NRM modifications at or within 1, 2, 3, 4, 5, or 6 positions from both the 3' and the 5' end (5' end NRM modifications are preferentially not at the terminus but rather at a position 1, 2, 3, 4, 5, or 6 away from the 5' terminus of an antisense strand).

Ribose Mimics


10 In one aspect, the invention features a ribose mimic, or an iRNA agent which incorporates a ribose mimic, such as those described herein and those described in copending co-owned United States Provisional Application Serial No. 60/454,962 (Attorney Docket No. 14174-064P01), filed on March 13, 2003, which is hereby incorporated by reference.

In addition, the invention includes iRNA agents having a ribose mimic and another
15 element described herein. E.g., the invention includes an iRNA agent described herein, e.g., a palindromic iRNA agent, an iRNA agent having a non canonical pairing, an iRNA agent which targets a gene described herein, e.g., a gene active in the liver, an iRNA agent having an architecture or structure described herein, an iRNA associated with an amphipathic delivery agent described herein, an iRNA associated with a drug delivery module described
20 herein, an iRNA agent administered as described herein, or an iRNA agent formulated as described herein, which also incorporates a ribose mimic.

Thus, an aspect of the invention features an iRNA agent that includes a secondary hydroxyl group, which can increase efficacy and/or confer nuclease resistance to the agent. Nucleases, e.g., cellular nucleases, can hydrolyze nucleic acid phosphodiester bonds,
25 resulting in partial or complete degradation of the nucleic acid. The secondary hydroxy group confers nuclease resistance to an iRNA agent by rendering the iRNA agent less prone to nuclease degradation relative to an iRNA which lacks the modification. While not wishing to be bound by theory, it is believed that the presence of a secondary hydroxyl group on the iRNA agent can act as a structural mimic of a 3' ribose hydroxyl group, thereby
30 causing it to be less susceptible to degradation.

The secondary hydroxyl group refers to an "OH" radical that is attached to a carbon atom substituted by two other carbons and a hydrogen. The secondary hydroxyl group that confers nuclease resistance as described above can be part of any acyclic carbon-containing group. The hydroxyl may also be part of any cyclic carbon-containing group, and preferably one or more of the following conditions is met (1) there is no ribose moiety between the hydroxyl group and the terminal phosphate group or (2) the hydroxyl group is not on a sugar moiety which is coupled to a base.. The hydroxyl group is located at least two bonds (e.g., at least three bonds away, at least four bonds away, at least five bonds away, at least six bonds away, at least seven bonds away, at least eight bonds away, at least nine bonds away, at least ten bonds away, etc.) from the terminal phosphate group phosphorus of the iRNA agent. In preferred embodiments, there are five intervening bonds between the terminal phosphate group phosphorus and the secondary hydroxyl group.

Preferred iRNA agent delivery modules with five intervening bonds between the terminal phosphate group phosphorus and the secondary hydroxyl group have the following structure (see formula Y below):



Referring to formula Y, A is an iRNA agent, including any iRNA agent described herein. The iRNA agent may be connected directly or indirectly (e.g., through a spacer or linker) to "W" of the phosphate group. These spacers or linkers can include e.g., $-(CH_2)_n-$, -

$(\text{CH}_2)_n\text{N}-$, $-(\text{CH}_2)_n\text{O}-$, $-(\text{CH}_2)_n\text{S}-$, $\text{O}(\text{CH}_2\text{CH}_2\text{O})_n\text{CH}_2\text{CH}_2\text{OH}$ (e.g., $n = 3$ or 6), abasic sugars, amide, carboxy, amine, oxyamine, oximine, thioether, disulfide, thiourea, sulfonamide, or morpholino, or biotin and fluorescein reagents.

The iRNA agents can have a terminal phosphate group that is unmodified (e.g., W, X, Y, and Z are O) or modified. In a modified phosphate group, W and Z can be independently NH, O, or S; and X and Y can be independently S, Se, BH_3^- , $\text{C}_1\text{-C}_6$ alkyl, $\text{C}_6\text{-C}_{10}$ aryl, H, O, O^- , alkoxy or amino (including alkylamino, arylamino, etc.). Preferably, W, X and Z are O and Y is S.

R_1 and R_3 are each, independently, hydrogen; or $\text{C}_1\text{-C}_{100}$ alkyl, optionally substituted with hydroxyl, amino, halo, phosphate or sulfate and/or may be optionally inserted with N, O, S, alkenyl or alkynyl.

R_2 is hydrogen; $\text{C}_1\text{-C}_{100}$ alkyl, optionally substituted with hydroxyl, amino, halo, phosphate or sulfate and/or may be optionally inserted with N, O, S, alkenyl or alkynyl; or, when n is 1, R_2 may be taken together with with R_4 or R_6 to form a ring of 5-12 atoms.

R_4 is hydrogen; $\text{C}_1\text{-C}_{100}$ alkyl, optionally substituted with hydroxyl, amino, halo, phosphate or sulfate and/or may be optionally inserted with N, O, S, alkenyl or alkynyl; or, when n is 1, R_4 may be taken together with with R_2 or R_5 to form a ring of 5-12 atoms.

R_5 is hydrogen, $\text{C}_1\text{-C}_{100}$ alkyl optionally substituted with hydroxyl, amino, halo, phosphate or sulfate and/or may be optionally inserted with N, O, S, alkenyl or alkynyl; or, when n is 1, R_5 may be taken together with with R_4 to form a ring of 5-12 atoms.

R_6 is hydrogen, $\text{C}_1\text{-C}_{100}$ alkyl, optionally substituted with hydroxyl, amino, halo, phosphate or sulfate and/or may be optionally inserted with N, O, S, alkenyl or alkynyl, or, when n is 1, R_6 may be taken together with with R_2 to form a ring of 6-10 atoms;

R_7 is hydrogen, $\text{C}_1\text{-C}_{100}$ alkyl, or $\text{C}(\text{O})(\text{CH}_2)_q\text{C}(\text{O})\text{NHR}_9$; T is hydrogen or a functional group; n and q are each independently 1-100; R_8 is $\text{C}_1\text{-C}_{10}$ alkyl or $\text{C}_6\text{-C}_{10}$ aryl; and R_9 is hydrogen, $\text{C}_1\text{-C}_{10}$ alkyl, $\text{C}_6\text{-C}_{10}$ aryl or a solid support agent.


Preferred embodiments may include one of more of the following subsets of iRNA agent delivery modules.

In one subset of RNAi agent delivery modules, A can be connected directly or indirectly through a terminal 3' or 5' ribose sugar carbon of the RNA agent.

In another subset of RNAi agent delivery modules, X, W, and Z are O and Y is S.

In still yet another subset of RNAi agent delivery modules, n is 1, and R_2 and R_6 are taken together to form a ring containing six atoms and R_4 and R_5 are taken together to form a ring containing six atoms. Preferably, the ring system is a *trans*-decalin. For example, the RNAi agent delivery module of this subset can include a compound of Formula (Y-1):

5



The functional group can be, for example, a targeting group (e.g., a steroid or a carbohydrate), a reporter group (e.g., a fluorophore), or a label (an isotopically labelled moiety). The targeting group can further include protein binding agents, endothelial cell
 10 targeting groups (e.g., RGD peptides and mimetics), cancer cell targeting groups (e.g., folate Vitamin B12, Biotin), bone cell targeting groups (e.g., bisphosphonates, polyglutamates, polyaspartates), multivalent mannose (for e.g., macrophage testing), lactose, galactose, N-acetyl-galactosamine, monoclonal antibodies, glycoproteins, lectins, melanotropin, or thyrotropin.

15 As can be appreciated by the skilled artisan, methods of synthesizing the compounds of the formulae herein will be evident to those of ordinary skill in the art. The synthesized compounds can be separated from a reaction mixture and further purified by a method such as column chromatography, high pressure liquid chromatography, or recrystallization. Additionally, the various synthetic steps may be performed in an alternate sequence or order
 20 to give the desired compounds. Synthetic chemistry transformations and protecting group methodologies (protection and deprotection) useful in synthesizing the compounds described herein are known in the art and include, for example, those such as described in R. Larock, *Comprehensive Organic Transformations*, VCH Publishers (1989); T.W. Greene and P.G.M. Wuts, *Protective Groups in Organic Synthesis*, 2d. Ed., John Wiley and Sons (1991); L.
 25 Fieser and M. Fieser, *Fieser and Fieser's Reagents for Organic Synthesis*, John Wiley and

Sons (1994); and L. Paquette, ed., *Encyclopedia of Reagents for Organic Synthesis*, John Wiley and Sons (1995), and subsequent editions thereof.

Ribose Replacement Monomer Subunits

5 iRNA agents can be modified in a number of ways which can optimize one or more characteristics of the iRNA agent. In one aspect, the invention features a ribose replacement monomer subunit (RRMS), or an iRNA agent which incorporates a RRMS, such as those described herein and those described in one or more of United States Provisional Application Serial No. 60/493,986 (Attorney Docket No. 14174-079P01), filed on August 8, 2003, which
10 is hereby incorporated by reference; United States Provisional Application Serial No. 60/494,597 (Attorney Docket No. 14174-080P01), filed on August 11, 2003, which is hereby incorporated by reference; United States Provisional Application Serial No. 60/506,341 (Attorney Docket No. 14174-080P02), filed on September 26, 2003, which is hereby incorporated by reference; and in United States Provisional Application Serial No.
15 60/158,453 (Attorney Docket No. 14174-080P03), filed on November 7, 2003, which is hereby incorporated by reference.

In addition, the invention includes iRNA agents having a RRMS and another element described herein. E.g., the invention includes an iRNA agent described herein, e.g., a palindromic iRNA agent, an iRNA agent having a non canonical pairing, an iRNA agent
20 which targets a gene described herein, e.g., a gene active in the liver, an iRNA agent having an architecture or structure described herein, an iRNA associated with an amphipathic delivery agent described herein, an iRNA associated with a drug delivery module described herein, an iRNA agent administered as described herein, or an iRNA agent formulated as described herein, which also incorporates a RRMS.


25 The ribose sugar of one or more ribonucleotide subunits of an iRNA agent can be replaced with another moiety, e.g., a non-carbohydrate (preferably cyclic) carrier. A ribonucleotide subunit in which the ribose sugar of the subunit has been so replaced is referred to herein as a ribose replacement modification subunit (RRMS). A cyclic carrier may be a carbocyclic ring system, i.e., all ring atoms are carbon atoms, or a heterocyclic ring
30 system, i.e., one or more ring atoms may be a heteroatom, e.g., nitrogen, oxygen, sulfur. The cyclic carrier may be a monocyclic ring system, or may contain two or more rings, e.g. fused

rings. The cyclic carrier may be a fully saturated ring system, or it may contain one or more double bonds.

The carriers further include (i) at least two "backbone attachment points" and (ii) at least one "tethering attachment point." A "backbone attachment point" as used herein refers to a functional group, e.g. a hydroxyl group, or generally, a bond available for, and that is suitable for incorporation of the carrier into the backbone, e.g., the phosphate, or modified phosphate, e.g., sulfur containing, backbone, of a ribonucleic acid. A "tethering attachment point" as used herein refers to a constituent ring atom of the cyclic carrier, e.g., a carbon atom or a heteroatom (distinct from an atom which provides a backbone attachment point), that connects a selected moiety. The moiety can be, e.g., a ligand, e.g., a targeting or delivery moiety, or a moiety which alters a physical property, e.g., lipophilicity, of an iRNA agent. Optionally, the selected moiety is connected by an intervening tether to the cyclic carrier. Thus, it will include a functional group, e.g., an amino group, or generally, provide a bond, that is suitable for incorporation or tethering of another chemical entity, e.g., a ligand to the constituent ring.

Incorporation of one or more RRMSs described herein into an RNA agent, e.g., an iRNA agent, particularly when tethered to an appropriate entity, can confer one or more new properties to the RNA agent and/or alter, enhance or modulate one or more existing properties in the RNA molecule. E.g., it can alter one or more of lipophilicity or nuclease resistance. Incorporation of one or more RRMSs described herein into an iRNA agent can, particularly when the RRMS is tethered to an appropriate entity, modulate, e.g., increase, binding affinity of an iRNA agent to a target mRNA, change the geometry of the duplex form of the iRNA agent, alter distribution or target the iRNA agent to a particular part of the body, or modify the interaction with nucleic acid binding proteins (e.g., during RISC formation and strand separation).

Accordingly, in one aspect, the invention features, an iRNA agent preferably comprising a first strand and a second strand, wherein at least one subunit having a formula (R-1) is incorporated into at least one of said strands.



(R-1)

Referring to formula (R-1), X is $N(CO)R^7$, NR^7 or CH_2 ; Y is NR^8 , O, S, CR^9R^{10} , or
 5 absent; and Z is $CR^{11}R^{12}$ or absent.


Each of R^1 , R^2 , R^3 , R^4 , R^9 , and R^{10} is, independently, H, OR^a , OR^b , $(CH_2)_nOR^a$, or
 $(CH_2)_nOR^b$, provided that at least one of R^1 , R^2 , R^3 , R^4 , R^9 , and R^{10} is OR^a or OR^b and that at
 least one of R^1 , R^2 , R^3 , R^4 , R^9 , and R^{10} is $(CH_2)_nOR^a$, or $(CH_2)_nOR^b$ (when the RRMS is
 terminal, one of R^1 , R^2 , R^3 , R^4 , R^9 , and R^{10} will include R^a and one will include R^b ; when the
 10 RRMS is internal, two of R^1 , R^2 , R^3 , R^4 , R^9 , and R^{10} will each include an R^b); further
 provided that preferably OR^a may only be present with $(CH_2)_nOR^b$ and $(CH_2)_nOR^a$ may only
 be present with OR^b .

Each of R^5 , R^6 , R^{11} , and R^{12} is, independently, H, C_1 - C_6 alkyl optionally substituted
 with 1-3 R^{13} , or $C(O)NHR^7$; or R^5 and R^{11} together are C_3 - C_8 cycloalkyl optionally
 15 substituted with R^{14} .

R^7 is C_1 - C_{20} alkyl substituted with NR^cR^d ; R^8 is C_1 - C_6 alkyl; R^{13} is hydroxy, C_1 - C_4
 alkoxy, or halo; and R^{14} is NR^cR^7 .


R^a is:

20



; and


R^b is:



Each of A and C is, independently, O or S.

B is OH, O⁻, or

5



R^c is H or C1-C6 alkyl; R^d is H or a ligand; and n is 1-4.

In a preferred embodiment the ribose is replaced with a pyrroline scaffold, and X is N(CO)R⁷ or NR⁷, Y is CR⁹R¹⁰, and Z is absent.

10 In other preferred embodiments the ribose is replaced with a piperidine scaffold, and X is N(CO)R⁷ or NR⁷, Y is CR⁹R¹⁰, and Z is CR¹¹R¹².

In other preferred embodiments the ribose is replaced with a piperazine scaffold, and X is N(CO)R⁷ or NR⁷, Y is NR⁸, and Z is CR¹¹R¹².

15 In other preferred embodiments the ribose is replaced with a morpholino scaffold, and X is N(CO)R⁷ or NR⁷, Y is O, and Z is CR¹¹R¹².

In other preferred embodiments the ribose is replaced with a decalin scaffold, and X is CH₂; Y is CR⁹R¹⁰; and Z is CR¹¹R¹²; and R⁵ and R¹¹ together are C⁶ cycloalkyl.

20 In other preferred embodiments the ribose is replaced with a decalin/indane scaffold and , and X is CH₂; Y is CR⁹R¹⁰; and Z is CR¹¹R¹²; and R⁵ and R¹¹ together are C⁵ cycloalkyl.

In other preferred embodiments, the ribose is replaced with a hydroxyproline scaffold.

RRMSs described herein may be incorporated into any double-stranded RNA-like molecule described herein, e.g., an iRNA agent. An iRNA agent may include a duplex

comprising a hybridized sense and antisense strand, in which the antisense strand and/or the sense strand may include one or more of the RRMSs described herein. An RRMS can be introduced at one or more points in one or both strands of a double-stranded iRNA agent. An RRMS can be placed at or near (within 1, 2, or 3 positions) of the 3' or 5' end of the sense strand or at near (within 2 or 3 positions of) the 3' end of the antisense strand. In some embodiments it is preferred to not have an RRMS at or near (within 1, 2, or 3 positions of) the 5' end of the antisense strand. An RRMS can be internal, and will preferably be positioned in regions not critical for antisense binding to the target.

In an embodiment, an iRNA agent may have an RRMS at (or within 1, 2, or 3 positions of) the 3' end of the antisense strand. In an embodiment, an iRNA agent may have an RRMS at (or within 1, 2, or 3 positions of) the 3' end of the antisense strand and at (or within 1, 2, or 3 positions of) the 3' end of the sense strand. In an embodiment, an iRNA agent may have an RRMS at (or within 1, 2, or 3 positions of) the 3' end of the antisense strand and an RRMS at the 5' end of the sense strand, in which both ligands are located at the same end of the iRNA agent.

In certain embodiments, two ligands are tethered, preferably, one on each strand and are hydrophobic moieties. While not wishing to be bound by theory, it is believed that pairing of the hydrophobic ligands can stabilize the iRNA agent *via* intermolecular van der Waals interactions.

In an embodiment, an iRNA agent may have an RRMS at (or within 1, 2, or 3 positions of) the 3' end of the antisense strand and an RRMS at the 5' end of the sense strand, in which both RRMSs may share the same ligand (e.g., cholic acid) via connection of their individual tethers to separate positions on the ligand. A ligand shared between two proximal RRMSs is referred to herein as a "hairpin ligand."

In other embodiments, an iRNA agent may have an RRMS at the 3' end of the sense strand and an RRMS at an internal position of the sense strand. An iRNA agent may have an RRMS at an internal position of the sense strand; or may have an RRMS at an internal position of the antisense strand; or may have an RRMS at an internal position of the sense strand and an RRMS at an internal position of the antisense strand.

In preferred embodiments the iRNA agent includes a first and second sequences, which are preferably two separate molecules as opposed to two sequences located on the

same strand, have sufficient complementarity to each other to hybridize (and thereby form a duplex region), e.g., under physiological conditions, e.g., under physiological conditions but not in contact with a helicase or other unwinding enzyme.

It is preferred that the first and second sequences be chosen such that the ds iRNA agent includes a single strand or unpaired region at one or both ends of the molecule. Thus, a ds iRNA agent contains first and second sequences, preferable paired to contain an overhang, e.g., one or two 5' or 3' overhangs but preferably a 3' overhang of 2-3 nucleotides. Most embodiments will have a 3' overhang. Preferred sRNA agents will have single-stranded overhangs, preferably 3' overhangs, of 1 or preferably 2 or 3 nucleotides in length at each end. The overhangs can be the result of one strand being longer than the other, or the result of two strands of the same length being staggered. 5' ends are preferably phosphorylated.

An RNA agent, e.g., an iRNA agent, containing a preferred, but nonlimiting RRMS is presented as formula (R-2) in FIG. 4. The carrier includes two "backbone attachment points" (hydroxyl groups), a "tethering attachment point," and a ligand, which is connected indirectly to the carrier via an intervening tether. The RRMS may be the 5' or 3' terminal subunit of the RNA molecule, i.e., one of the two "W" groups may be a hydroxyl group, and the other "W" group may be a chain of two or more unmodified or modified ribonucleotides. Alternatively, the RRMS may occupy an internal position, and both "W" groups may be one or more unmodified or modified ribonucleotides. More than one RRMS may be present in a RNA molecule, e.g., an iRNA agent.

The modified RNA molecule of formula (R-2) can be obtained using oligonucleotide synthetic methods known in the art. In a preferred embodiment, the modified RNA molecule of formula (II) can be prepared by incorporating one or more of the corresponding RRMS monomer compounds (RRMS monomers, see, e.g., A, B, and C in FIG. 4) into a growing sense or antisense strand, utilizing, e.g., phosphoramidite or H-phosphonate coupling strategies.

The RRMS monomers generally include two differently functionalized hydroxyl groups (OFG¹ and OFG² above), which are linked to the carrier molecule (see A in FIG. 4), and a tethering attachment point. As used herein, the term "functionalized hydroxyl group" means that the hydroxyl proton has been replaced by another substituent. As shown in representative structures B and C, one hydroxyl group (OFG¹) on the carrier is functionalized

with a protecting group (PG). The other hydroxyl group (OFG²) can be functionalized with either (1) a liquid or solid phase synthesis support reagent (solid circle) directly or indirectly through a linker, L, as in B, or (2) a phosphorus-containing moiety, e.g., a phosphoramidite as in C. The tethering attachment point may be connected to a hydrogen atom, a tether, or a
5 tethered ligand at the time that the monomer is incorporated into the growing sense or antisense strand (see R in Scheme 1). Thus, the tethered ligand can be, but need not be attached to the monomer at the time that the monomer is incorporated into the growing strand. In certain embodiments, the tether, the ligand or the tethered ligand may be linked to a "precursor" RRMS after a "precursor" RRMS monomer has been incorporated into the
10 strand.

The (OFG¹) protecting group may be selected as desired, e.g., from T.W. Greene and P.G.M. Wuts, *Protective Groups in Organic Synthesis*, 2d. Ed., John Wiley and Sons (1991). The protecting group is preferably stable under amidite synthesis conditions, storage conditions, and oligonucleotide synthesis conditions. Hydroxyl groups, -OH, are
15 nucleophilic groups (i.e., Lewis bases), which react through the oxygen with electrophiles (i.e., Lewis acids). Hydroxyl groups in which the hydrogen has been replaced with a protecting group, e.g., a triarylmethyl group or a trialkylsilyl group, are essentially unreactive as nucleophiles in displacement reactions. Thus, the protected hydroxyl group is useful in preventing e.g., homocoupling of compounds exemplified by structure C during
20 oligonucleotide synthesis. A preferred protecting group is the dimethoxytrityl group.


When the OFG² in B includes a linker, e.g., a long organic linker, connected to a soluble or insoluble support reagent, solution or solid phase synthesis techniques can be employed to build up a chain of natural and/or modified ribonucleotides once OFG¹ is deprotected and free to react as a nucleophile with another nucleoside or monomer
25 containing an electrophilic group (e.g., an amidite group). Alternatively, a natural or modified ribonucleotide or oligoribonucleotide chain can be coupled to monomer C via an amidite group or H-phosphonate group at OFG². Subsequent to this operation, OFG¹ can be deblocked, and the restored nucleophilic hydroxyl group can react with another nucleoside or monomer containing an electrophilic group (see FIG. 1). R' can be substituted or
30 unsubstituted alkyl or alkenyl. In preferred embodiments, R' is methyl, allyl or 2-

cyanoethyl. R'' may be a C₁-C₁₀ alkyl group, preferably it is a branched group containing three or more carbons, e.g., isopropyl.

OFG² in B can be hydroxyl functionalized with a linker, which in turn contains a liquid or solid phase synthesis support reagent at the other linker terminus. The support reagent can be any support medium that can support the monomers described herein. The monomer can be attached to an insoluble support via a linker, L, which allows the monomer (and the growing chain) to be solubilized in the solvent in which the support is placed. The solubilized, yet immobilized, monomer can react with reagents in the surrounding solvent; unreacted reagents and soluble by-products can be readily washed away from the solid support to which the monomer or monomer-derived products is attached. Alternatively, the monomer can be attached to a soluble support moiety, e.g., polyethylene glycol (PEG) and liquid phase synthesis techniques can be used to build up the chain. Linker and support medium selection is within skill of the art. Generally the linker may be -C(O)(CH₂)_qC(O)-, or -C(O)(CH₂)_qS-, preferably, it is oxalyl, succinyl or thioglycolyl. Standard control pore glass solid phase synthesis supports can not be used in conjunction with fluoride labile 5' silyl protecting groups because the glass is degraded by fluoride with a significant reduction in the amount of full-length product. Fluoride-stable polystyrene based supports or PEG are preferred.

Preferred carriers have the general formula (R-3) provided below. (In that structure preferred backbone attachment points can be chosen from R¹ or R²; R³ or R⁴; or R⁹ and R¹⁰ if Y is CR⁹R¹⁰ (two positions are chosen to give two backbone attachment points, e.g., R¹ and R⁴, or R⁴ and R⁹. Preferred tethering attachment points include R⁷; R⁵ or R⁶ when X is CH₂. The carriers are described below as an entity, which can be incorporated into a strand. Thus, it is understood that the structures also encompass the situations wherein one (in the case of a terminal position) or two (in the case of an internal position) of the attachment points, e.g., R¹ or R²; R³ or R⁴; or R⁹ or R¹⁰ (when Y is CR⁹R¹⁰), is connected to the phosphate, or modified phosphate, e.g., sulfur containing, backbone. E.g., one of the above-named R groups can be -CH₂-, wherein one bond is connected to the carrier and one to a backbone atom, e.g., a linking oxygen or a central phosphorus atom.)

30



(R-3)

5

X is $N(CO)R^7$, NR^7 or CH_2 ; Y is NR^8 , O, S, CR^9R^{10} ; and Z is $CR^{11}R^{12}$ or absent.

Each of R^1 , R^2 , R^3 , R^4 , R^9 , and R^{10} is, independently, H, OR^a , or $(CH_2)_nOR^b$, provided that at least two of R^1 , R^2 , R^3 , R^4 , R^9 , and R^{10} are OR^a and/or $(CH_2)_nOR^b$.

Each of R^5 , R^6 , R^{11} , and R^{12} is, independently, a ligand, H, C_1 - C_6 alkyl optionally substituted with 1-3 R^{13} , or $C(O)NHR^7$; or R^5 and R^{11} together are C_3 - C_8 cycloalkyl optionally substituted with R^{14} .


R^7 is H, a ligand, or C_1 - C_{20} alkyl substituted with NR^cR^d ; R^8 is H or C_1 - C_6 alkyl; R^{13} is hydroxy, C_1 - C_4 alkoxy, or halo; R^{14} is NR^eR^7 ; R^{15} is C_1 - C_6 alkyl optionally substituted with cyano, or C_2 - C_6 alkenyl; R^{16} is C_1 - C_{10} alkyl; and R^{17} is a liquid or solid phase support reagent.

L is $-C(O)(CH_2)_qC(O)-$, or $-C(O)(CH_2)_qS-$; R^a is CAr_3 ; R^b is $P(O)(O)H$, $P(OR^{15})N(R^{16})_2$ or $L-R^{17}$; R^c is H or C_1 - C_6 alkyl; and R^d is H or a ligand.

Each Ar is, independently, C_6 - C_{10} aryl optionally substituted with C_1 - C_4 alkoxy; n is 1-4; and q is 0-4.


Exemplary carriers include those in which, e.g., X is $N(CO)R^7$ or NR^7 , Y is CR^9R^{10} , and Z is absent; or X is $N(CO)R^7$ or NR^7 , Y is CR^9R^{10} , and Z is $CR^{11}R^{12}$; or X is $N(CO)R^7$ or NR^7 , Y is NR^8 , and Z is $CR^{11}R^{12}$; or X is $N(CO)R^7$ or NR^7 , Y is O, and Z is $CR^{11}R^{12}$; or X is CH_2 ; Y is CR^9R^{10} ; Z is $CR^{11}R^{12}$, and R^5 and R^{11} together form C_6 cycloalkyl (**H**, $z = 2$), or the indane ring system, e.g., X is CH_2 ; Y is CR^9R^{10} ; Z is $CR^{11}R^{12}$, and R^5 and R^{11} together form C_5 cycloalkyl (**H**, $z = 1$).

In certain embodiments, the carrier may be based on the pyrroline ring system or the 3-hydroxyproline ring system, e.g., X is $N(CO)R^7$ or NR^7 , Y is CR^9R^{10} , and Z is absent (**D**). OFG^1 is preferably attached to a primary carbon, e.g., an exocyclic alkylene

**D**


group, e.g., a methylene group, connected to one of the carbons in the five-membered ring ($-CH_2OFG^1$ in **D**). OFG^2 is preferably attached directly to one of the carbons in the five-membered ring ($-OFG^2$ in **D**). For the pyrroline-based carriers, $-CH_2OFG^1$ may be attached to C-2 and OFG^2 may be attached to C-3; or $-CH_2OFG^1$ may be attached to C-3 and OFG^2 may be attached to C-4. . In certain embodiments, CH_2OFG^1 and OFG^2 may be geminally substituted to one of the above-referenced carbons. For the 3-hydroxyproline-based carriers, $-CH_2OFG^1$ may be attached to C-2 and OFG^2 may be attached to C-4. The pyrroline- and 3-hydroxyproline-based monomers may therefore contain linkages (e.g., carbon-carbon bonds) wherein bond rotation is restricted about that particular linkage, e.g. restriction resulting from the presence of a ring. Thus, CH_2OFG^1 and OFG^2 may be *cis* or *trans* with respect to one another in any of the pairings delineated above. Accordingly, all *cis/trans* isomers are expressly included. The monomers may also contain one or more asymmetric centers and thus occur as racemates and racemic mixtures, single enantiomers, individual diastereomers and diastereomeric mixtures. All such isomeric forms of the monomers are expressly included. The tethering attachment point is preferably nitrogen.

In certain embodiments, the carrier may be based on the piperidine ring system (**E**), e.g., X is $N(CO)R^7$ or NR^7 , Y is CR^9R^{10} , and Z is $CR^{11}R^{12}$. OFG^1 is preferably




- attached to a primary carbon, e.g., an exocyclic alkylene group, e.g., a methylene group ($n=1$) or ethylene group ($n=2$), connected to one of the carbons in the six-membered ring [-(CH_2) $_n$ OFG¹ in E]. OFG² is preferably attached directly to one of the carbons in the six-membered ring (-OFG² in E). -(CH_2) $_n$ OFG¹ and OFG² may be disposed in a geminal manner on the ring, i.e., both groups may be attached to the same carbon, e.g., at C-2, C-3, or C-4. Alternatively, -(CH_2) $_n$ OFG¹ and OFG² may be disposed in a vicinal manner on the ring, i.e., both groups may be attached to adjacent ring carbon atoms, e.g., -(CH_2) $_n$ OFG¹ may be attached to C-2 and OFG² may be attached to C-3; -(CH_2) $_n$ OFG¹ may be attached to C-3 and OFG² may be attached to C-2; -(CH_2) $_n$ OFG¹ may be attached to C-3 and OFG² may be attached to C-4; or -(CH_2) $_n$ OFG¹ may be attached to C-4 and OFG² may be attached to C-3. The piperidine-based monomers may therefore contain linkages (e.g., carbon-carbon bonds) wherein bond rotation is restricted about that particular linkage, e.g. restriction resulting from the presence of a ring. Thus, -(CH_2) $_n$ OFG¹ and OFG² may be *cis* or *trans* with respect to one another in any of the pairings delineated above. Accordingly, all *cis/trans* isomers are expressly included. The monomers may also contain one or more asymmetric centers and thus occur as racemates and racemic mixtures, single enantiomers, individual diastereomers and diastereomeric mixtures. All such isomeric forms of the monomers are expressly included. The tethering attachment point is preferably nitrogen.

In certain embodiments, the carrier may be based on the piperazine ring system (F), e.g., X is N(CO)R⁷ or NR⁷, Y is NR⁸, and Z is CR¹¹R¹², or the morpholine ring system (G), e.g., X is N(CO)R⁷ or NR⁷, Y is O, and Z is CR¹¹R¹². OFG¹ is preferably



F



G


5

attached to a primary carbon, e.g., an exocyclic alkylene group, e.g., a methylene group, connected to one of the carbons in the six-membered ring (-CH₂OFG¹ in F or G). OFG² is preferably attached directly to one of the carbons in the six-membered rings (-OFG² in F or G). For both F and G, -CH₂OFG¹ may be attached to C-2 and OFG² may be attached to C-3; or *vice versa*. In certain embodiments, CH₂OFG¹ and OFG² may be geminally substituted to one of the above-referenced carbons. The piperazine- and morpholine-based monomers may therefore contain linkages (e.g., carbon-carbon bonds) wherein bond rotation is restricted about that particular linkage, e.g. restriction resulting from the presence of a ring. Thus, CH₂OFG¹ and OFG² may be *cis* or *trans* with respect to one another in any of the pairings delineated above. Accordingly, all *cis/trans* isomers are expressly included. The monomers may also contain one or more asymmetric centers and thus occur as racemates and racemic mixtures, single enantiomers, individual diastereomers and diastereomeric mixtures. All such isomeric forms of the monomers are expressly included. R''' can be, e.g., C₁-C₆ alkyl, preferably CH₃. The tethering attachment point is preferably nitrogen in both F and G.

20


In certain embodiments, the carrier may be based on the decalin ring system, e.g., X is CH₂; Y is CR⁹R¹⁰; Z is CR¹¹R¹², and R⁵ and R¹¹ together form C₆ cycloalkyl (**H**, z = 2), or the indane ring system, e.g., X is CH₂; Y is CR⁹R¹⁰; Z is CR¹¹R¹², and R⁵ and R¹¹ together form C₅ cycloalkyl (**H**, z = 1). OFG¹ is preferably attached to a primary carbon,

5



e.g., an exocyclic methylene group (n=1) or ethylene group (n=2) connected to one of C-2, C-3, C-4, or C-5 [-(CH₂)_nOFG¹ in **H**]. OFG² is preferably attached directly to one of C-2, C-3, C-4, or C-5 (-OFG² in **H**). -(CH₂)_nOFG¹ and OFG² may be disposed in a geminal manner on the ring, i.e., both groups may be attached to the same carbon, e.g., at C-2, C-3, C-4, or C-5. Alternatively, -(CH₂)_nOFG¹ and OFG² may be disposed in a vicinal manner on the ring, i.e., both groups may be attached to adjacent ring carbon atoms, e.g., -(CH₂)_nOFG¹ may be attached to C-2 and OFG² may be attached to C-3; -(CH₂)_nOFG¹ may be attached to C-3 and OFG² may be attached to C-2; -(CH₂)_nOFG¹ may be attached to C-3 and OFG² may be attached to C-4; or -(CH₂)_nOFG¹ may be attached to C-4 and OFG² may be attached to C-3; -(CH₂)_nOFG¹ may be attached to C-4 and OFG² may be attached to C-5; or -(CH₂)_nOFG¹ may be attached to C-5 and OFG² may be attached to C-4. The decalin or indane-based monomers may therefore contain linkages (e.g., carbon-carbon bonds) wherein bond rotation is restricted about that particular linkage, e.g. restriction resulting from the presence of a ring. Thus, -(CH₂)_nOFG¹ and OFG² may be *cis* or *trans* with respect to one another in any of the pairings delineated above. Accordingly, all *cis/trans* isomers are expressly included. The monomers may also contain one or more asymmetric centers and thus occur as racemates and racemic mixtures, single enantiomers, individual diastereomers and diastereomeric mixtures. All such isomeric forms of the monomers are expressly included. In a preferred embodiment, the substituents at C-1 and C-6 are *trans* with respect to one another. The tethering attachment point is preferably C-6 or C-7.

Other carriers may include those based on 3-hydroxyproline (J). Thus, $-(CH_2)_nOFG^1$ and OFG^2 may be *cis* or *trans* with respect to one another. Accordingly, all *cis/trans* isomers are expressly included. The monomers may also contain one or more asymmetric centers



and thus occur as racemates and racemic mixtures, single enantiomers, individual diastereomers and diastereomeric mixtures. All such isomeric forms of the monomers are expressly included. The tethering attachment point is preferably nitrogen.

Representative carriers are shown in FIG. 5.

In certain embodiments, a moiety, e.g., a ligand may be connected indirectly to the carrier *via* the intermediacy of an intervening tether. Tethers are connected to the carrier at the tethering attachment point (TAP) and may include any C_1 - C_{100} carbon-containing moiety, (e.g. C_1 - C_{75} , C_1 - C_{50} , C_1 - C_{20} , C_1 - C_{10} , C_1 - C_6), preferably having at least one nitrogen atom. In preferred embodiments, the nitrogen atom forms part of a terminal amino group on the tether, which may serve as a connection point for the ligand. Preferred tethers (underlined) include $TAP-(CH_2)_nNH_2$; $TAP-C(O)(CH_2)_nNH_2$; or $TAP-NR^{''''}(CH_2)_nNH_2$, in which n is 1-6 and $R^{''''}$ is C_1 - C_6 alkyl, and R^d is hydrogen or a ligand. In other embodiments, the nitrogen may form part of a terminal oxyamino group, e.g., $-ONH_2$, or hydrazino group, $-NHNH_2$. The tether may optionally be substituted, e.g., with hydroxy, alkoxy, perhaloalkyl, and/or optionally inserted with one or more additional heteroatoms, e.g., N, O, or S. Preferred tethered ligands may include, e.g., $TAP-(CH_2)_nNH(LIGAND)$, $TAP-C(O)(CH_2)_nNH(LIGAND)$, or $TAP-NR^{''''}(CH_2)_nNH(LIGAND)$; $TAP-(CH_2)_nONH(LIGAND)$, $TAP-C(O)(CH_2)_nONH(LIGAND)$, or $TAP-NR^{''''}(CH_2)_nONH(LIGAND)$; $TAP-(CH_2)_nNHNH_2(LIGAND)$, $TAP-C(O)(CH_2)_nNHNH_2(LIGAND)$, or $TAP-NR^{''''}(CH_2)_nNHNH_2(LIGAND)$.

In other embodiments the tether may include an electrophilic moiety, preferably at the terminal position of the tether. Preferred electrophilic moieties include, e.g., an aldehyde, alkyl halide, mesylate, tosylate, nosylate, or brosylate, or an activated carboxylic acid ester, e.g. an NHS ester, or a pentafluorophenyl ester. Preferred tethers (underlined) include TAP-
 5 (CH₂)_nCHO; TAP-C(O)(CH₂)_nCHO; or TAP-NR^{'''}(CH₂)_nCHO, in which n is 1-6 and R^{'''} is C₁-C₆ alkyl; or TAP-(CH₂)_nC(O)ONHS; TAP-C(O)(CH₂)_nC(O)ONHS; or TAP-NR^{'''}(CH₂)_nC(O)ONHS, in which n is 1-6 and R^{'''} is C₁-C₆ alkyl; TAP-(CH₂)_nC(O)OC₆F₅; TAP-C(O)(CH₂)_nC(O)OC₆F₅; or TAP-NR^{'''}(CH₂)_nC(O)OC₆F₅, in which n is 1-6 and R^{'''} is C₁-C₆ alkyl; or -(CH₂)_nCH₂LG; TAP-C(O)(CH₂)_nCH₂LG; or
 10 TAP-NR^{'''}(CH₂)_nCH₂LG, in which n is 1-6 and R^{'''} is C₁-C₆ alkyl (LG can be a leaving group, e.g., halide, mesylate, tosylate, nosylate, brosylate). Tethering can be carried out by coupling a nucleophilic group of a ligand, e.g., a thiol or amino group with an electrophilic group on the tether.

15 *Tethered Entities*

A wide variety of entities can be tethered to an iRNA agent, e.g., to the carrier of an RRMS. Examples are described below in the context of an RRMS but that is only preferred, entities can be coupled at other points to an iRNA agent.

Preferred moieties are ligands, which are coupled, preferably covalently, either
 20 directly or indirectly via an intervening tether, to the RRMS carrier. In preferred embodiments, the ligand is attached to the carrier *via* an intervening tether. As discussed above, the ligand or tethered ligand may be present on the RRMS monomer when the RRMS monomer is incorporated into the growing strand. In some embodiments, the ligand may be incorporated into a "precursor" RRMS after a "precursor" RRMS monomer has been
 25 incorporated into the growing strand. For example, an RRMS monomer having, e.g., an amino-terminated tether (i.e., having no associated ligand), e.g., TAP-(CH₂)_nNH₂ may be incorporated into a growing sense or antisense strand. In a subsequent operation, i.e., after incorporation of the precursor monomer into the strand, a ligand having an electrophilic group, e.g., a pentafluorophenyl ester or aldehyde group, can subsequently be attached to the
 30 precursor RRMS by coupling the electrophilic group of the ligand with the terminal nucleophilic group of the precursor RRMS tether.

In preferred embodiments, a ligand alters the distribution, targeting or lifetime of an iRNA agent into which it is incorporated. In preferred embodiments a ligand provides an enhanced affinity for a selected target, e.g, molecule, cell or cell type, compartment, e.g., a cellular or organ compartment, tissue, organ or region of the body, as, e.g., compared to a species absent such a ligand. Preferred ligands will not take part in duplex pairing in a duplexed nucleic acid.

Preferred ligands can improve transport, hybridization, and specificity properties and may also improve nuclease resistance of the resultant natural or modified oligoribonucleotide, or a polymeric molecule comprising any combination of monomers described herein and/or natural or modified ribonucleotides.

Ligands in general can include therapeutic modifiers, e.g., for enhancing uptake; diagnostic compounds or reporter groups e.g., for monitoring distribution; cross-linking agents; and nuclease-resistance conferring moieties. General examples include lipids, steroids, vitamins, sugars, proteins, peptides, polyamines, and peptide mimics.

Ligands can include a naturally occurring substance, such as a protein (e.g., human serum albumin (HSA), low-density lipoprotein (LDL), or globulin); carbohydrate (e.g., a dextran, pullulan, chitin, chitosan, inulin, cyclodextrin or hyaluronic acid); or a lipid. The ligand may also be a recombinant or synthetic molecule, such as a synthetic polymer, e.g., a synthetic polyamino acid. Examples of polyamino acids include polyamino acid is a polylysine (PLL), poly L-aspartic acid, poly L-glutamic acid, styrene-maleic acid anhydride copolymer, poly(L-lactide-co-glycolide) copolymer, divinyl ether-maleic anhydride copolymer, N-(2-hydroxypropyl)methacrylamide copolymer (HMPA), polyethylene glycol (PEG), polyvinyl alcohol (PVA), polyurethane, poly(2-ethylacrylic acid), N-isopropylacrylamide polymers, or polyphosphazene. Example of polyamines include: polyethylenimine, polylysine (PLL), spermine, spermidine, polyamine, pseudopeptide-polyamine, peptidomimetic polyamine, dendrimer polyamine, arginine, amidine, protamine, cationic lipid, cationic porphyrin, quaternary salt of a polyamine, or an alpha helical peptide.

Ligands can also include targeting groups, e.g., a cell or tissue targeting agent, e.g., a lectin, glycoprotein, lipid or protein, e.g., an antibody, that binds to a specified cell type such as a cancer cell, endothelial cell, bone cell. A targeting group can be a thyrotropin, melanotropin, lectin, glycoprotein, surfactant protein A, Mucin carbohydrate, multivalent

lactose, multivalent galactose, N-acetyl-galactosamine, N-acetyl-gulucosamine multivalent mannose, multivalent fucose, glycosylated polyaminoacids, multivalent galactose, transferrin, bisphosphonate, polyglutamate, polyaspartate, a lipid, cholesterol, a steroid, bile acid, folate, vitamin B12, biotin, or an RGD peptide or RGD peptide mimetic.

5 Other examples of ligands include dyes, intercalating agents (*e.g.* acridines), cross-linkers (*e.g.* psoralene, mitomycin C), porphyrins (TPPC4, texaphyrin, Sapphyrin), polycyclic aromatic hydrocarbons (*e.g.*, phenazine, dihydrophenazine), artificial endonucleases (*e.g.* EDTA), lipophilic molecules, *e.g.* cholesterol, cholic acid, adamantane acetic acid, 1-pyrene butyric acid, dihydrotestosterone, 1,3-Bis-O(hexadecyl)glycerol,
 10 geranyloxyhexyl group, hexadecylglycerol, borneol, menthol, 1,3-propanediol, heptadecyl group, palmitic acid, myristic acid, O3-(oleoyl)lithocholic acid, O3-(oleoyl)cholenic acid, dimethoxytrityl, or phenoxazine) and peptide conjugates (*e.g.*, antennapedia peptide, Tat peptide), alkylating agents, phosphate, amino, mercapto, PEG (*e.g.*, PEG-40K), MPEG, [MPEG]₂, polyamino, alkyl, substituted alkyl, radiolabeled markers, enzymes, haptens (*e.g.*
 15 biotin), transport/absorption facilitators (*e.g.*, aspirin, vitamin E, folic acid), synthetic ribonucleases (*e.g.*, imidazole, bisimidazole, histamine, imidazole clusters, acridine-imidazole conjugates, Eu³⁺ complexes of tetraazamacrocycles), dinitrophenyl, HRP, or AP.

Ligands can be proteins, *e.g.*, glycoproteins, or peptides, *e.g.*, molecules having a specific affinity for a co-ligand, or antibodies *e.g.*, an antibody, that binds to a specified cell
 20 type such as a cancer cell, endothelial cell, or bone cell. Ligands may also include hormones and hormone receptors. They can also include non-peptidic species, such as lipids, lectins, carbohydrates, vitamins, cofactors, multivalent lactose, multivalent galactose, N-acetyl-galactosamine, N-acetyl-gulucosamine multivalent mannose, or multivalent fucose. The ligand can be, for example, a lipopolysaccharide, an activator of p38 MAP kinase, or an
 25 activator of NF- κ B.

The ligand can be a substance, *e.g.*, a drug, which can increase the uptake of the iRNA agent into the cell, for example, by disrupting the cell's cytoskeleton, *e.g.*, by disrupting the cell's microtubules, microfilaments, and/or intermediate filaments. The drug can be, for example, taxon, vincristine, vinblastine, cytochalasin, nocodazole, japlakinolide, latrunculin
 30 A, phalloidin, swinholid A, indanocine, or myoservin.

The ligand can increase the uptake of the iRNA agent into the cell by activating an inflammatory response, for example. Exemplary ligands that would have such an effect include tumor necrosis factor alpha (TNFalpha), interleukin-1 beta, or gamma interferon.

In one aspect, the ligand is a lipid or lipid-based molecule. Such a lipid or lipid-based molecule preferably binds a serum protein, e.g., human serum albumin (HSA). An HSA binding ligand allows for distribution of the conjugate to a target tissue, e.g., a non-kidney target tissue of the body. Preferably, the target tissue is the liver, preferably parenchymal cells of the liver. Other molecules that can bind HSA can also be used as ligands. For example, neproxin or aspirin can be used. A lipid or lipid-based ligand can (a) increase resistance to degradation of the conjugate, (b) increase targeting or transport into a target cell or cell membrane, and/or (c) can be used to adjust binding to a seru protein, e.g., HSA.

A lipid based ligand can be used to modulate, e.g., control the binding of the conjugate to a target tissue. For example, a lipid or lipid-based ligand that binds to HSA more strongly will be less likely to be targeted to the kidney and therefore less likely to be cleared from the body. A lipid or lipid-based ligand that binds to HSA less strongly can be used to target the conjugate to the kidney.

In a preferred embodiment, the lipid based ligand binds HSA. Preferably, it binds HSA with a sufficient affinity such that the conjugate will be preferably distributed to a non-kidney tissue. However, it is preferred that the affinity not be so strong that the HSA-ligand binding cannot be reversed.

In another preferred embodiment, the lipid based ligand binds HSA weakly or not at all, such that the conjugate will be preferably distributed to the kidney. Other moieties that target to kidney cells can also be used in place of or in addition to the lipid based ligand.

In another aspect, the ligand is a moiety, e.g., a vitamin, which is taken up by a target cell, e.g., a proliferating cell. These are particularly useful for treating disorders characterized by unwanted cell proliferation, e.g., of the malignant or non-malignant type, e.g., cancer cells. Exemplary vitamins include vitamin A, E, and K. Other exemplary vitamins include are B vitamin, e.g., folic acid, B12, riboflavin, biotin, pyridoxal or other vitamins or nutrients taken up by cancer cells. Also included are HSA and low density lipoprotein (LDL).

In another aspect, the ligand is a cell-permeation agent, preferably a helical cell-permeation agent. Preferably, the agent is amphipathic. An exemplary agent is a peptide such as tat or antennopodia. If the agent is a peptide, it can be modified, including a peptidylmimetic, invertomers, non-peptide or pseudo-peptide linkages, and use of D-amino
5 acids. The helical agent is preferably an alpha-helical agent, which preferably has a lipophilic and a lipophobic phase.

The ligand can be a peptide or peptidomimetic. A peptidomimetic (also referred to herein as an oligopeptidomimetic) is a molecule capable of folding into a defined three-dimensional structure similar to a natural peptide. The attachment of peptide and
10 peptidomimetics to iRNA agents can affect pharmacokinetic distribution of the iRNA, such as by enhancing cellular recognition and absorption. The peptide or peptidomimetic moiety can be about 5-50 amino acids long, *e.g.*, about 5, 10, 15, 20, 25, 30, 35, 40, 45, or 50 amino acids long (see Table 1, for example).

Table 1. Exemplary Cell Permeation Peptides

Cell Permeation Peptide	Amino acid Sequence	Reference
Penetratin	RQIKIWFQNRRMKWKK (SEQ ID NO:6737)	Derossi <i>et al.</i> , J. Biol. Chem. 269:10444, 1994
Tat fragment (48-60)	GRKKRRQRRRPPQC (SEQ ID NO:6738)	Vives <i>et al.</i> , J. Biol. Chem., 272:16010, 1997
Signal Sequence-based peptide	GALFLGWLGAAGSTMGAWSQPKKKRKV (SEQ ID NO:6738)	Chaloin <i>et al.</i> , Biochem. Biophys. Res. Commun., 243:601, 1998
PVEC	LLIILRRRIRKQAHAAHSK (SEQ ID NO:6739)	Elmqvist <i>et al.</i> , Exp. Cell Res., 269:237, 2001
Transportan	GWTLNSAGYLLKINLKALAALAKKIL (SEQ ID NO:6740)	Pooga <i>et al.</i> , FASEB J., 12:67, 1998
Amphiphilic model peptide	KLALKLALKALKAALKLA (SEQ ID NO:6741)	Oehlke <i>et al.</i> , Mol. Ther., 2:339, 2000
Arg ₉	RRRRRRRRR (SEQ ID NO:6742)	Mitchell <i>et al.</i> , J. Pept. Res., 56:318, 2000
Bacterial cell wall permeating	KFFKFFKFFK (SEQ ID NO:6743)	
LL-37	LLGDFFRKSKEKIGKEFKRIVQRIKDFLRN LVPRTES (SEQ ID NO:6744)	
Cecropin P1	SWLSKTAKKLENSAKKRISGIAIAIQGGP R (SEQ ID NO:6745)	
α -defensin	ACYCRIPACIAGERRYGTCTYQGRLWAF C (SEQ ID NO:6746)	
b-defensin	DHYNCVSSGGQCLYSACPIFTKIQTGTCYR GKAKCCK (SEQ ID NO:6747)	
Bactenecin	RKCRIVVIRVCR (SEQ ID NO:6748)	
PR-39	RRRPRPPYLPRPRPPFPFPPRLPPRIPPGFPP RFPPRFPGKR-NH ₂ (SEQ ID NO:6749)	
Indolicidin	ILPWKWPWWPWRR-NH ₂ (SEQ ID NO:6750)	

A peptide or peptidomimetic can be, for example, a cell permeation peptide, cationic peptide, amphipathic peptide, or hydrophobic peptide (*e.g.*, consisting primarily of Tyr, Trp or Phe). The peptide moiety can be a dendrimer peptide, constrained peptide or crosslinked

peptide. In another alternative, the peptide moiety can include a hydrophobic membrane translocation sequence (MTS). An exemplary hydrophobic MTS-containing peptide is RFGF having the amino acid sequence AAVALLPAVLLALLAP (SEQ ID NO:6751). An RFGF analogue (*e.g.*, amino acid sequence AALLPVLLAAP (SEQ ID NO:6752))
5 containing a hydrophobic MTS can also be a targeting moiety. The peptide moiety can be a "delivery" peptide, which can carry large polar molecules including peptides, oligonucleotides, and protein across cell membranes. For example, sequences from the HIV Tat protein (GRKKRRQRRPPQ (SEQ ID NO:6753)) and the Drosophila Antennapedia protein (RQIKIWFQNRRMKWKK (SEQ ID NO:6754)) have been found to be capable of
10 functioning as delivery peptides. A peptide or peptidomimetic can be encoded by a random sequence of DNA, such as a peptide identified from a phage-display library, or one-bead-one-compound (OBOC) combinatorial library (Lam *et al.*, Nature, 354:82-84, 1991). Preferably the peptide or peptidomimetic tethered to an iRNA agent via an incorporated monomer unit is a cell targeting peptide such as an arginine-glycine-aspartic acid (RGD)-
15 peptide, or RGD mimic. A peptide moiety can range in length from about 5 amino acids to about 40 amino acids. The peptide moieties can have a structural modification, such as to increase stability or direct conformational properties. Any of the structural modifications described below can be utilized.

An RGD peptide moiety can be used to target a tumor cell, such as an endothelial
20 tumor cell or a breast cancer tumor cell (Zitzmann *et al.*, Cancer Res., 62:5139-43, 2002). An RGD peptide can facilitate targeting of an iRNA agent to tumors of a variety of other tissues, including the lung, kidney, spleen, or liver (Aoki *et al.*, Cancer Gene Therapy 8:783-787, 2001). The RGD peptide can be linear or cyclic, and can be modified, *e.g.*, glycosylated or methylated to facilitate targeting to specific tissues. For example, a glycosylated RGD
25 peptide can deliver an iRNA agent to a tumor cell expressing $\alpha_v\beta_3$ (Haubner *et al.*, Jour. Nucl. Med., 42:326-336, 2001).

Peptides that target markers enriched in proliferating cells can be used. *E.g.*, RGD containing peptides and peptidomimetics can target cancer cells, in particular cells that exhibit an $\alpha_v\beta_3$ integrin. Thus, one could use RGD peptides, cyclic peptides containing
30 RGD, RGD peptides that include D-amino acids, as well as synthetic RGD mimics. In addition to RGD, one can use other moieties that target the $\alpha_v\beta_3$ integrin ligand. Generally,

such ligands can be used to control proliferating cells and angiogenesis. Preferred conjugates of this type include an iRNA agent that targets PECAM-1, VEGF, or other cancer gene, e.g., a cancer gene described herein.

A "cell permeation peptide" is capable of permeating a cell, e.g., a microbial cell, such as a bacterial or fungal cell, or a mammalian cell, such as a human cell. A microbial cell-permeating peptide can be, for example, an α -helical linear peptide (e.g., LL-37 or Ceropin P1), a disulfide bond-containing peptide (e.g., α -defensin, β -defensin or bactenecin), or a peptide containing only one or two dominating amino acids (e.g., PR-39 or indolicidin). A cell permeation peptide can also include a nuclear localization signal (NLS). For example, a cell permeation peptide can be a bipartite amphipathic peptide, such as MPG, which is derived from the fusion peptide domain of HIV-1 gp41 and the NLS of SV40 large T antigen (Simeoni *et al.*, Nucl. Acids Res. 31:2717-2724, 2003).

In one embodiment, a targeting peptide tethered to an RRMS can be an amphipathic α -helical peptide. Exemplary amphipathic α -helical peptides include, but are not limited to, cecropins, lycotoxins, paradaxins, buforin, CPF, bombinin-like peptide (BLP), cathelicidins, ceratotoxins, *S. clava* peptides, hagfish intestinal antimicrobial peptides (HFIAPs), magainines, brevinins-2, dermaseptins, melittins, pleurocidin, H₂A peptides, *Xenopus* peptides, esculentinis-1, and caerins. A number of factors will preferably be considered to maintain the integrity of helix stability. For example, a maximum number of helix stabilization residues will be utilized (e.g., leu, ala, or lys), and a minimum number helix destabilization residues will be utilized (e.g., proline, or cyclic monomeric units. The capping residue will be considered (for example Gly is an exemplary N-capping residue and/or C-terminal amidation can be used to provide an extra H-bond to stabilize the helix. Formation of salt bridges between residues with opposite charges, separated by $i \pm 3$, or $i \pm 4$ positions can provide stability. For example, cationic residues such as lysine, arginine, homo-arginine, ornithine or histidine can form salt bridges with the anionic residues glutamate or aspartate.

Peptide and peptidomimetic ligands include those having naturally occurring or modified peptides, e.g., D or L peptides; α , β , or γ peptides; N-methyl peptides; azapeptides; peptides having one or more amide, i.e., peptide, linkages replaced with one or more urea, thiourea, carbamate, or sulfonyl urea linkages; or cyclic peptides.

Methods for making iRNA agents

iRNA agents can include modified or non-naturally occurring bases, e.g., bases described in copending and coowned United States Provisional Application Serial No. 60/463,772 (Attorney Docket No. 14174-070P01), filed on April 17, 2003, which is hereby
5 incorporated by reference and/or in copending and coowned United States Provisional Application Serial No. 60/465,802 (Attorney Docket No. 14174-074P01), filed on April 25, 2003, which is hereby incorporated by reference. Monomers and iRNA agents which include such bases can be made by the methods found in United States Provisional Application Serial
10 No. 60/463,772 (Attorney Docket No. 14174-070P01), filed on April 17, 2003, and/or in United States Provisional Application Serial No. 60/465,802 (Attorney Docket No. 14174-074P01), filed on April 25, 2003.

In addition, the invention includes iRNA agents having a modified or non-naturally occurring base and another element described herein. E.g., the invention includes an iRNA
15 agent described herein, e.g., a palindromic iRNA agent, an iRNA agent having a non canonical pairing, an iRNA agent which targets a gene described herein, e.g., a gene active in the liver, an iRNA agent having an architecture or structure described herein, an iRNA associated with an amphipathic delivery agent described herein, an iRNA associated with a drug delivery module described herein, an iRNA agent administered as described herein, or
20 an iRNA agent formulated as described herein, which also incorporates a modified or non-naturally occurring base.

The synthesis and purification of oligonucleotide peptide conjugates can be performed by established methods. See, for example, Trufert *et al.*, Tetrahedron, 52:3005, 1996; and Manoharan, "Oligonucleotide Conjugates in Antisense Technology," in Antisense
25 Drug Technology, ed. S.T. Crooke, Marcel Dekker, Inc., 2001.

In one embodiment of the invention, a peptidomimetic can be modified to create a constrained peptide that adopts a distinct and specific preferred conformation, which can increase the potency and selectivity of the peptide. For example, the constrained peptide can be an azapeptide (Gante, Synthesis, 405-413, 1989). An azapeptide is synthesized by
30 replacing the α -carbon of an amino acid with a nitrogen atom without changing the structure of the amino acid side chain. For example, the azapeptide can be synthesized by using

hydrazine in traditional peptide synthesis coupling methods, such as by reacting hydrazine with a "carbonyl donor," e.g., phenylchloroformate.

In one embodiment of the invention, a peptide or peptidomimetic (e.g., a peptide or peptidomimetic tethered to an RRMS) can be an N-methyl peptide. N-methyl peptides are composed of N-methyl amino acids, which provide an additional methyl group in the peptide backbone, thereby potentially providing additional means of resistance to proteolytic cleavage. N-methyl peptides can be synthesized by methods known in the art (see, for example, Lindgren *et al.*, Trends Pharmacol. Sci. 21:99, 2000; Cell Penetrating Peptides: Processes and Applications, Langel, ed., CRC Press, Boca Raton, FL, 2002; Fische *et al.*, Bioconjugate. Chem. 12: 825, 2001; Wander *et al.*, J. Am. Chem. Soc., 124:13382, 2002). For example, an Ant or Tat peptide can be an N-methyl peptide.

In one embodiment of the invention, a peptide or peptidomimetic (e.g., a peptide or peptidomimetic tethered to an RRMS) can be a β -peptide. β -peptides form stable secondary structures such as helices, pleated sheets, turns and hairpins in solutions. Their cyclic derivatives can fold into nanotubes in the solid state. β -peptides are resistant to degradation by proteolytic enzymes. β -peptides can be synthesized by methods known in the art. For example, an Ant or Tat peptide can be a β -peptide.

In one embodiment of the invention, a peptide or peptidomimetic (e.g., a peptide or peptidomimetic tethered to an RRMS) can be an oligocarbamate. Oligocarbamate peptides are internalized into a cell by a transport pathway facilitated by carbamate transporters. For example, an Ant or Tat peptide can be an oligocarbamate.

In one embodiment of the invention, a peptide or peptidomimetic (e.g., a peptide or peptidomimetic tethered to an RRMS) can be an oligourea conjugate (or an oligothiurea conjugate), in which the amide bond of a peptidomimetic is replaced with a urea moiety. Replacement of the amide bond provides increased resistance to degradation by proteolytic enzymes, e.g., proteolytic enzymes in the gastrointestinal tract. In one embodiment, an oligourea conjugate is tethered to an iRNA agent for use in oral delivery. The backbone in each repeating unit of an oligourea peptidomimetic can be extended by one carbon atom in comparison with the natural amino acid. The single carbon atom extension can increase peptide stability and lipophilicity, for example. An oligourea peptide can therefore be advantageous when an iRNA agent is directed for passage through a bacterial cell wall, or

when an iRNA agent must traverse the blood-brain barrier, such as for the treatment of a neurological disorder. In one embodiment, a hydrogen bonding unit is conjugated to the oligourea peptide, such as to create an increased affinity with a receptor. For example, an Ant or Tat peptide can be an oligourea conjugate (or an oligothiourea conjugate).

5 The siRNA peptide conjugates of the invention can be affiliated with, *e.g.*, tethered to, RRMSs occurring at various positions on an iRNA agent. For example, a peptide can be terminally conjugated, on either the sense or the antisense strand, or a peptide can be bisconjugated (one peptide tethered to each end, one conjugated to the sense strand, and one conjugated to the antisense strand). In another option, the peptide can be internally
10 conjugated, such as in the loop of a short hairpin iRNA agent. In yet another option, the peptide can be affiliated with a complex, such as a peptide-carrier complex.

 A peptide-carrier complex consists of at least a carrier molecule, which can encapsulate one or more iRNA agents (such as for delivery to a biological system and/or a cell), and a peptide moiety tethered to the outside of the carrier molecule, such as for
15 targeting the carrier complex to a particular tissue or cell type. A carrier complex can carry additional targeting molecules on the exterior of the complex, or fusogenic agents to aid in cell delivery. The one or more iRNA agents encapsulated within the carrier can be conjugated to lipophilic molecules, which can aid in the delivery of the agents to the interior of the carrier.

20 A carrier molecule or structure can be, for example, a micelle, a liposome (*e.g.*, a cationic liposome), a nanoparticle, a microsphere, or a biodegradable polymer. A peptide moiety can be tethered to the carrier molecule by a variety of linkages, such as a disulfide linkage, an acid labile linkage, a peptide-based linkage, an oxyamino linkage or a hydrazine linkage. For example, a peptide-based linkage can be a GFLG peptide. Certain linkages will
25 have particular advantages, and the advantages (or disadvantages) can be considered depending on the tissue target or intended use. For example, peptide based linkages are stable in the blood stream but are susceptible to enzymatic cleavage in the lysosomes.

Targeting

30 The iRNA agents of the invention are particularly useful when targeted to the liver. An iRNA agent can be targeted to the liver by incorporation of an RRMS containing a ligand

that targets the liver. For example, a liver-targeting agent can be a lipophilic moiety. Preferred lipophilic moieties include lipid, cholesterol, oleyl, retinyl, or cholesteryl residues. Other lipophilic moieties that can function as liver-targeting agents include cholic acid, adamantane acetic acid, 1-pyrene butyric acid, dihydrotestosterone, 1,3-Bis-
5 O(hexadecyl)glycerol, geranyloxyhexyl group, hexadecylglycerol, borneol, menthol, 1,3-propanediol, heptadecyl group, palmitic acid, myristic acid, O3-(oleoyl)lithocholic acid, O3-(oleoyl)cholenic acid, dimethoxytrityl, or phenoxazine.

An iRNA agent can also be targeted to the liver by association with a low-density lipoprotein (LDL), such as lactosylated LDL. Polymeric carriers complexed with sugar
10 residues can also function to target iRNA agents to the liver.

A targeting agent that incorporates a sugar, *e.g.*, galactose and/or analogues thereof, is particularly useful. These agents target, in particular, the parenchymal cells of the liver. For example, a targeting moiety can include more than one or preferably two or three galactose moieties, spaced about 15 angstroms from each other. The targeting moiety can alternatively
15 be lactose (*e.g.*, three lactose moieties), which is glucose coupled to a galactose. The targeting moiety can also be N-Acetyl-Galactosamine, N-Ac-Glucosamine. A mannose or mannose-6-phosphate targeting moiety can be used for macrophage targeting.

Conjugation of an iRNA agent with a serum albumin (SA), such as human serum albumin, can also be used to target the iRNA agent to the liver.

20 An iRNA agent targeted to the liver by an RRMS targeting moiety described herein can target a gene expressed in the liver. For example, the iRNA agent can target p21(WAF1/DIP1), P27(KIP1), the α -fetoprotein gene, beta-catenin, or c-MET, such as for treating a cancer of the liver. In another embodiment, the iRNA agent can target apoB-100, such as for the treatment of an HDL/LDL cholesterol imbalance; dyslipidemias, *e.g.*, familial
25 combined hyperlipidemia (FCHL), or acquired hyperlipidemia; hypercholesterolemia; statin-resistant hypercholesterolemia; coronary artery disease (CAD); coronary heart disease (CHD); or atherosclerosis. In another embodiment, the iRNA agent can target forkhead homologue in rhabdomyosarcoma (FKHR); glucagon; glucagon receptor; glycogen phosphorylase; PPAR-Gamma Coactivator (PGC-1); Fructose-1,6-bisphosphatase; glucose-
30 6-phosphatase; glucose-6-phosphate translocator; glucokinase inhibitory regulatory protein; or phosphoenolpyruvate carboxykinase (PEPCK), such as to inhibit hepatic glucose

production in a mammal, such as a human, such as for the treatment of diabetes. In another embodiment, an iRNA agent targeted to the liver can target Factor V, e.g., the Leiden Factor V allele, such as to reduce the tendency to form a blood clot. An iRNA agent targeted to the liver can include a sequence which targets hepatitis virus (e.g., Hepatitis A, B, C, D, E, F, G, or H). For example, an iRNA agent of the invention can target any one of the nonstructural proteins of HCV: NS3, 4A, 4B, 5A, or 5B. For the treatment of hepatitis B, an iRNA agent can target the protein X (HBx) gene, for example.

Preferred ligands on RRMSs include folic acid, glucose, cholesterol, cholic acid, Vitamin E, Vitamin K, or Vitamin A.

10 Definitions

The term "halo" refers to any radical of fluorine, chlorine, bromine or iodine.

The term "alkyl" refers to a hydrocarbon chain that may be a straight chain or branched chain, containing the indicated number of carbon atoms. For example, C₁-C₁₂ alkyl indicates that the group may have from 1 to 12 (inclusive) carbon atoms in it. The term
15 "haloalkyl" refers to an alkyl in which one or more hydrogen atoms are replaced by halo, and includes alkyl moieties in which all hydrogens have been replaced by halo (e.g., perfluoroalkyl). Alkyl and haloalkyl groups may be optionally inserted with O, N, or S. The terms "aralkyl" refers to an alkyl moiety in which an alkyl hydrogen atom is replaced by an aryl group. Aralkyl includes groups in which more than one hydrogen atom has been
20 replaced by an aryl group. Examples of "aralkyl" include benzyl, 9-fluorenyl, benzhydryl, and trityl groups.

The term "alkenyl" refers to a straight or branched hydrocarbon chain containing 2-8 carbon atoms and characterized in having one or more double bonds. Examples of a typical alkenyl include, but not limited to, allyl, propenyl, 2-butenyl, 3-hexenyl and 3-octenyl
25 groups. The term "alkynyl" refers to a straight or branched hydrocarbon chain containing 2-8 carbon atoms and characterized in having one or more triple bonds. Some examples of a typical alkynyl are ethynyl, 2-propynyl, and 3-methylbutynyl, and propargyl. The sp² and sp³ carbons may optionally serve as the point of attachment of the alkenyl and alkynyl groups, respectively.

The term "alkoxy" refers to an -O-alkyl radical. The term "aminoalkyl" refers to an alkyl substituted with an amino group. The term "mercapto" refers to an -SH radical. The term "thioalkoxy" refers to an -S-alkyl radical.

The term "alkylene" refers to a divalent alkyl (*i.e.*, -R-), e.g., -CH₂-, -CH₂CH₂-, and -CH₂CH₂CH₂-. The term "alkylenedioxy" refers to a divalent species of the structure -O-R-O-, in which R represents an alkylene.

The term "aryl" refers to an aromatic monocyclic, bicyclic, or tricyclic hydrocarbon ring system, wherein any ring atom capable of substitution can be substituted by a substituent. Examples of aryl moieties include, but are not limited to, phenyl, naphthyl, and anthracenyl.

The term "cycloalkyl" as employed herein includes saturated cyclic, bicyclic, tricyclic, or polycyclic hydrocarbon groups having 3 to 12 carbons, wherein any ring atom capable of substitution can be substituted by a substituent. The cycloalkyl groups herein described may also contain fused rings. Fused rings are rings that share a common carbon-carbon bond. Examples of cycloalkyl moieties include, but are not limited to, cyclohexyl, adamantyl, and norbornyl.

The term "heterocyclyl" refers to a nonaromatic 3-10 membered monocyclic, 8-12 membered bicyclic, or 11-14 membered tricyclic ring system having 1-3 heteroatoms if monocyclic, 1-6 heteroatoms if bicyclic, or 1-9 heteroatoms if tricyclic, said heteroatoms selected from O, N, or S (e.g., carbon atoms and 1-3, 1-6, or 1-9 heteroatoms of N, O, or S if monocyclic, bicyclic, or tricyclic, respectively), wherein any ring atom capable of substitution can be substituted by a substituent. The heterocyclyl groups herein described may also contain fused rings. Fused rings are rings that share a common carbon-carbon bond. Examples of heterocyclyl include, but are not limited to tetrahydrofuranyl, tetrahydropyranyl, piperidinyl, morpholino, pyrrolinyl and pyrrolidinyl.

The term "heteroaryl" refers to an aromatic 5-8 membered monocyclic, 8-12 membered bicyclic, or 11-14 membered tricyclic ring system having 1-3 heteroatoms if monocyclic, 1-6 heteroatoms if bicyclic, or 1-9 heteroatoms if tricyclic, said heteroatoms selected from O, N, or S (e.g., carbon atoms and 1-3, 1-6, or 1-9 heteroatoms of N, O, or S if monocyclic, bicyclic, or tricyclic, respectively), wherein any ring atom capable of substitution can be substituted by a substituent.

The term “oxo” refers to an oxygen atom, which forms a carbonyl when attached to carbon, an N-oxide when attached to nitrogen, and a sulfoxide or sulfone when attached to sulfur.

The term “acyl” refers to an alkylcarbonyl, cycloalkylcarbonyl, arylcarbonyl, heterocyclylcarbonyl, or heteroarylcarbonyl substituent, any of which may be further substituted by substituents.


The term “substituents” refers to a group “substituted” on an alkyl, cycloalkyl, alkenyl, alkynyl, heterocyclyl, heterocycloalkenyl, cycloalkenyl, aryl, or heteroaryl group at any atom of that group. Suitable substituents include, without limitation, alkyl, alkenyl, alkynyl, alkoxy, halo, hydroxy, cyano, nitro, amino, SO_3H , sulfate, phosphate, perfluoroalkyl, perfluoroalkoxy, methylenedioxy, ethylenedioxy, carboxyl, oxo, thioxo, imino (alkyl, aryl, aralkyl), $\text{S}(\text{O})_n$ alkyl (where n is 0-2), $\text{S}(\text{O})_n$ aryl (where n is 0-2), $\text{S}(\text{O})_n$ heteroaryl (where n is 0-2), $\text{S}(\text{O})_n$ heterocyclyl (where n is 0-2), amine (mono-, di-, alkyl, cycloalkyl, aralkyl, heteroaralkyl, and combinations thereof), ester (alkyl, aralkyl, heteroaralkyl), amide (mono-, di-, alkyl, aralkyl, heteroaralkyl, and combinations thereof), sulfonamide (mono-, di-, alkyl, aralkyl, heteroaralkyl, and combinations thereof), unsubstituted aryl, unsubstituted heteroaryl, unsubstituted heterocyclyl, and unsubstituted cycloalkyl. In one aspect, the substituents on a group are independently any one single, or any subset of the aforementioned substituents.

The terms “adeninyl, cytosinyl, guaninyl, thyminyl, and uracil” and the like refer to radicals of adenine, cytosine, guanine, thymine, and uracil.



As used herein, an “unusual” nucleobase can include any one of the following:

2-methyladeninyl,
N6-methyladeninyl,
2-methylthio-N6-methyladeninyl,
N6-isopentenyladeninyl,
2-methylthio-N6-isopentenyladeninyl,
N6-(cis-hydroxyisopentenyl)adeninyl,
2-methylthio-N6-(cis-hydroxyisopentenyl) adeninyl,
N6-glycinylocarbamoyladeninyl,
N6-threonylocarbamoyladeninyl,



2-methylthio-N6-threonyl carbamoyladeninyl,
N6-methyl-N6-threonylcarbamoyladeninyl,
N6-hydroxynorvalylcarbamoyladeninyl,
2-methylthio-N6-hydroxynorvalyl carbamoyladeninyl,
5
N6,N6-dimethyladeninyl,
3-methylcytosinyl,
5-methylcytosinyl,
2-thiocytosinyl,
5-formylcytosinyl,



,
N4-methylcytosinyl,
5-hydroxymethylcytosinyl,
15
1-methylguaninyl,
N2-methylguaninyl,
7-methylguaninyl,
N2,N2-dimethylguaninyl,



N2,7-dimethylguaninyl,



N2,N2,7-trimethylguaninyl,
1-methylguaninyl,
7-cyano-7-deazaguaninyl,
5 7-aminomethyl-7-deazaguaninyl,
pseudouracilyl,
dihydrouracilyl,
5-methyluracilyl,
1-methylpseudouracilyl,
10 2-thiouracilyl,
4-thiouracilyl,
2-thiothyminyl
5-methyl-2-thiouracilyl,
3-(3-amino-3-carboxypropyl)uracilyl,
15 5-hydroxyuracilyl,
5-methoxyuracilyl,
uracilyl 5-oxyacetic acid,
uracilyl 5-oxyacetic acid methyl ester,
5-(carboxyhydroxymethyl)uracilyl,
20 5-(carboxyhydroxymethyl)uracilyl methyl ester,
5-methoxycarbonylmethyluracilyl,
5-methoxycarbonylmethyl-2-thiouracilyl,
5-aminomethyl-2-thiouracilyl,
5-methylaminomethyluracilyl,
25 5-methylaminomethyl-2-thiouracilyl,
5-methylaminomethyl-2-selenouracilyl,
5-carbamoylmethyluracilyl,
5-carboxymethylaminomethyluracilyl,
5-carboxymethylaminomethyl-2-thiouracilyl,
30 3-methyluracilyl,
1-methyl-3-(3-amino-3-carboxypropyl) pseudouracilyl,

5-carboxymethyluracilyl,
5-methyldihydrouracilyl, or
3-methylpseudouracilyl.

5 Asymmetrical Modifications

In one aspect, the invention features an iRNA agent which can be asymmetrically modified as described herein.

In addition, the invention includes iRNA agents having asymmetrical modifications and another element described herein. E.g., the invention includes an iRNA agent described
10 herein, e.g., a palindromic iRNA agent, an iRNA agent having a non canonical pairing, an iRNA agent which targets a gene described herein, e.g., a gene active in the liver, an iRNA agent having an architecture or structure described herein, an iRNA associated with an amphipathic delivery agent described herein, an iRNA associated with a drug delivery module described herein, an iRNA agent administered as described herein, or an iRNA agent
15 formulated as described herein, which also incorporates an asymmetrical modification.

iRNA agents of the invention can be asymmetrically modified. An asymmetrically modified iRNA agent is one in which a strand has a modification which is not present on the other strand. An asymmetrical modification is a modification found on one strand but not on the other strand. Any modification, e.g., any modification described herein, can be present as
20 an asymmetrical modification. An asymmetrical modification can confer any of the desired properties associated with a modification, e.g., those properties discussed herein. E.g., an asymmetrical modification can: confer resistance to degradation, an alteration in half life; target the iRNA agent to a particular target, e.g., to a particular tissue; modulate, e.g., increase or decrease, the affinity of a strand for its complement or target sequence; or hinder
25 or promote modification of a terminal moiety, e.g., modification by a kinase or other enzymes involved in the RISC mechanism pathway. The designation of a modification as having one property does not mean that it has no other property, e.g., a modification referred to as one which promotes stabilization might also enhance targeting.

While not wishing to be bound by theory or any particular mechanistic model, it is
30 believed that asymmetrical modification allows an iRNA agent to be optimized in view of the different or "asymmetrical" functions of the sense and antisense strands. For example, both

strands can be modified to increase nuclease resistance, however, since some changes can inhibit RISC activity, these changes can be chosen for the sense strand. In addition, since some modifications, e.g., targeting moieties, can add large bulky groups that, e.g., can interfere with the cleavage activity of the RISC complex, such modifications are preferably placed on the sense strand. Thus, targeting moieties, especially bulky ones (e.g. cholesterol), are preferentially added to the sense strand. In one embodiment, an asymmetrical modification in which a phosphate of the backbone is substituted with S, e.g., a phosphorothioate modification, is present in the antisense strand, and a 2' modification, e.g., 2' OMe is present in the sense strand. A targeting moiety can be present at either (or both) the 5' or 3' end of the sense strand of the iRNA agent. In a preferred example, a P of the backbone is replaced with S in the antisense strand, 2'OMe is present in the sense strand, and a targeting moiety is added to either the 5' or 3' end of the sense strand of the iRNA agent.

In a preferred embodiment an asymmetrically modified iRNA agent has a modification on the sense strand which modification is not found on the antisense strand and the antisense strand has a modification which is not found on the sense strand.

Each strand can include one or more asymmetrical modifications. By way of example: one strand can include a first asymmetrical modification which confers a first property on the iRNA agent and the other strand can have a second asymmetrical modification which confers a second property on the iRNA. E.g., one strand, e.g., the sense strand can have a modification which targets the iRNA agent to a tissue, and the other strand, e.g., the antisense strand, has a modification which promotes hybridization with the target gene sequence.

In some embodiments both strands can be modified to optimize the same property, e.g., to increase resistance to nucleolytic degradation, but different modifications are chosen for the sense and the antisense strands, e.g., because the modifications affect other properties as well. E.g., since some changes can affect RISC activity these modifications are chosen for the sense strand.

In an embodiment one strand has an asymmetrical 2' modification, e.g., a 2' OMe modification, and the other strand has an asymmetrical modification of the phosphate backbone, e.g., a phosphorothioate modification. So, in one embodiment the antisense strand has an asymmetrical 2' OMe modification and the sense strand has an asymmetrical

phosphorothioate modification (or vice versa). In a particularly preferred embodiment the RNAi agent will have asymmetrical 2'-O alkyl, preferably, 2'-OMe modifications on the sense strand and asymmetrical backbone P modification, preferably a phosphothioate modification in the antisense strand. There can be one or multiple 2'-OMe modifications, e.g., at least 2, 3, 4, 5, or 6, of the subunits of the sense strand can be so modified. There can be one or multiple phosphorothioate modifications, e.g., at least 2, 3, 4, 5, or 6, of the subunits of the antisense strand can be so modified. It is preferable to have an iRNA agent wherein there are multiple 2'-OMe modifications on the sense strand and multiple phosphorothioate modifications on the antisense strand. All of the subunits on one or both strands can be so modified. A particularly preferred embodiment of multiple asymmetric modification on both strands has a duplex region about 20-21, and preferably 19, subunits in length and one or two 3' overhangs of about 2 subunits in length.

Asymmetrical modifications are useful for promoting resistance to degradation by nucleases, e.g., endonucleases. iRNA agents can include one or more asymmetrical modifications which promote resistance to degradation. In preferred embodiments the modification on the antisense strand is one which will not interfere with silencing of the target, e.g., one which will not interfere with cleavage of the target. Most if not all sites on a strand are vulnerable, to some degree, to degradation by endonucleases. One can determine sites which are relatively vulnerable and insert asymmetrical modifications which inhibit degradation. It is often desirable to provide asymmetrical modification of a UA site in an iRNA agent, and in some cases it is desirable to provide the UA sequence on both strands with asymmetrical modification. Examples of modifications which inhibit endonucleolytic degradation can be found herein. Particularly favored modifications include: 2' modification, e.g., provision of a 2' OMe moiety on the U, especially on a sense strand; modification of the backbone, e.g., with the replacement of an O with an S, in the phosphate backbone, e.g., the provision of a phosphorothioate modification, on the U or the A or both, especially on an antisense strand; replacement of the U with a C5 amino linker; replacement of the A with a G (sequence changes are preferred to be located on the sense strand and not the antisense strand); and modification of the at the 2', 6', 7', or 8' position. Preferred embodiments are those in which one or more of these modifications are present on the sense

but not the antisense strand, or embodiments where the antisense strand has fewer of such modifications.

Asymmetrical modification can be used to inhibit degradation by exonucleases. Asymmetrical modifications can include those in which only one strand is modified as well
5 as those in which both are modified. In preferred embodiments the modification on the antisense strand is one which will not interfere with silencing of the target, e.g., one which will not interfere with cleavage of the target. Some embodiments will have an asymmetrical modification on the sense strand, e.g., in a 3' overhang, e.g., at the 3' terminus, and on the antisense strand, e.g., in a 3' overhang, e.g., at the 3' terminus. If the modifications introduce
10 moieties of different size it is preferable that the larger be on the sense strand. If the modifications introduce moieties of different charge it is preferable that the one with greater charge be on the sense strand.

Examples of modifications which inhibit exonucleolytic degradation can be found herein. Particularly favored modifications include: 2' modification, e.g., provision of a 2'
15 OMe moiety in a 3' overhang, e.g., at the 3' terminus (3' terminus means at the 3' atom of the molecule or at the most 3' moiety, e.g., the most 3' P or 2' position, as indicated by the context); modification of the backbone, e.g., with the replacement of a P with an S, e.g., the provision of a phosphorothioate modification, or the use of a methylated P in a 3' overhang, e.g., at the 3' terminus; combination of a 2' modification, e.g., provision of a 2' O Me
20 moiety and modification of the backbone, e.g., with the replacement of a P with an S, e.g., the provision of a phosphorothioate modification, or the use of a methylated P, in a 3' overhang, e.g., at the 3' terminus; modification with a 3' alkyl; modification with an abasic pyrrolidine in a 3' overhang, e.g., at the 3' terminus; modification with naproxene, ibuprofen, or other moieties which inhibit degradation at the 3' terminus. Preferred embodiments are
25 those in which one or more of these modifications are present on the sense but not the antisense strand, or embodiments where the antisense strand has fewer of such modifications.

Modifications, e.g., those described herein, which affect targeting can be provided as asymmetrical modifications. Targeting modifications which can inhibit silencing, e.g., by inhibiting cleavage of a target, can be provided as asymmetrical modifications of the sense
30 strand. A biodistribution altering moiety, e.g., cholesterol, can be provided in one or more, e.g., two, asymmetrical modifications of the sense strand. Targeting modifications which

introduce moieties having a relatively large molecular weight, e.g., a molecular weight of more than 400, 500, or 1000 daltons, or which introduce a charged moiety (e.g., having more than one positive charge or one negative charge) can be placed on the sense strand.

Modifications, e.g., those described herein, which modulate, e.g., increase or
5 decrease, the affinity of a strand for its complement or target, can be provided as asymmetrical modifications. These include: 5 methyl U; 5 methyl C; pseudouridine, Locked nucleic acids, 2 thio U and 2-amino-A. In some embodiments one or more of these is provided on the antisense strand.

iRNA agents have a defined structure, with a sense strand and an antisense strand,
10 and in many cases short single strand overhangs, e.g., of 2 or 3 nucleotides are present at one or both 3' ends. Asymmetrical modification can be used to optimize the activity of such a structure, e.g., by being placed selectively within the iRNA. E.g., the end region of the iRNA agent defined by the 5' end of the sense strand and the 3' end of the antisense strand is important for function. This region can include the terminal 2, 3, or 4 paired nucleotides and
15 any 3' overhang. In preferred embodiments asymmetrical modifications which result in one or more of the following are used: modifications of the 5' end of the sense strand which inhibit kinase activation of the sense strand, including, e.g., attachments of conjugates which target the molecule or the use modifications which protect against 5' exonucleolytic degradation; or modifications of either strand, but preferably the sense strand, which enhance
20 binding between the sense and antisense strand and thereby promote a "tight" structure at this end of the molecule.

The end region of the iRNA agent defined by the 3' end of the sense strand and the 5' end of the antisense strand is also important for function. This region can include the terminal 2, 3, or 4 paired nucleotides and any 3' overhang. Preferred embodiments include
25 asymmetrical modifications of either strand, but preferably the sense strand, which decrease binding between the sense and antisense strand and thereby promote an "open" structure at this end of the molecule. Such modifications include placing conjugates which target the molecule or modifications which promote nuclease resistance on the sense strand in this region. Modification of the antisense strand which inhibit kinase activation are avoided in
30 preferred embodiments.

Exemplary modifications for asymmetrical placement in the sense strand include the following:

(a) backbone modifications, e.g., modification of a backbone P, including replacement of P with S, or P substituted with alkyl or allyl, e.g., Me, and dithioates (S-P=S);

5 these modifications can be used to promote nuclease resistance;

(b) 2'-O alkyl, e.g., 2'-OMe, 3'-O alkyl, e.g., 3'-OMe (at terminal and/or internal positions); these modifications can be used to promote nuclease resistance or to enhance binding of the sense to the antisense strand, the 3' modifications can be used at the 5' end of the sense strand to avoid sense strand activation by RISC;

10 (c) 2'-5' linkages (with 2'-H, 2'-OH and 2'-OMe and with P=O or P=S) these modifications can be used to promote nuclease resistance or to inhibit binding of the sense to the antisense strand, or can be used at the 5' end of the sense strand to avoid sense strand activation by RISC;

(d) L sugars (e.g., L ribose, L-arabinose with 2'-H, 2'-OH and 2'-OMe); these
15 modifications can be used to promote nuclease resistance or to inhibit binding of the sense to the antisense strand, or can be used at the 5' end of the sense strand to avoid sense strand activation by RISC;

(e) modified sugars (e.g., locked nucleic acids (LNA's), hexose nucleic acids (HNA's) and cyclohexene nucleic acids (CeNA's)); these modifications can be used to
20 promote nuclease resistance or to inhibit binding of the sense to the antisense strand, or can be used at the 5' end of the sense strand to avoid sense strand activation by RISC;

(f) nucleobase modifications (e.g., C-5 modified pyrimidines, N-2 modified purines, N-7 modified purines, N-6 modified purines), these modifications can be used to promote nuclease resistance or to enhance binding of the sense to the antisense strand;

25 (g) cationic groups and Zwitterionic groups (preferably at a terminus), these modifications can be used to promote nuclease resistance;

(h) conjugate groups (preferably at terminal positions), e.g., naproxen, biotin, cholesterol, ibuprofen, folic acid, peptides, and carbohydrates; these modifications can be used to promote nuclease resistance or to target the molecule, or can be used at the 5' end of
30 the sense strand to avoid sense strand activation by RISC.

Exemplary modifications for asymmetrical placement in the antisense strand include the following:

- (a) backbone modifications, e.g., modification of a backbone P, including replacement of P with S, or P substituted with alkyl or allyl, e.g., Me, and dithioates (S-P=S);
- 5 (b) 2'-O alkyl, e.g., 2'-OMe, (at terminal positions);
- (c) 2'-5' linkages (with 2'-H, 2'-OH and 2'-OMe) e.g., terminal at the 3' end); e.g., with P=O or P=S preferably at the 3'-end, these modifications are preferably excluded from the 5' end region as they may interfere with RISC enzyme activity such as kinase activity;
- (d) L sugars (e.g., L ribose, L-arabinose with 2'-H, 2'-OH and 2'-OMe); e.g., terminal
- 10 at the 3' end; e.g., with P=O or P=S preferably at the 3'-end, these modifications are preferably excluded from the 5' end region as they may interfere with kinase activity;
- (e) modified sugars (e.g., LNA's, HNA's and CeNA's); these modifications are preferably excluded from the 5' end region as they may contribute to unwanted enhancements of pairing between the sense and antisense strands, it is often preferred to have
- 15 a "loose" structure in the 5' region, additionally, they may interfere with kinase activity;
- (f) nucleobase modifications (e.g., C-5 modified pyrimidines, N-2 modified purines, N-7 modified purines, N-6 modified purines);
- (g) cationic groups and Zwitterionic groups (preferably at a terminus);
- conjugate groups (preferably at terminal positions), e.g., naproxen, biotin, cholesterol,
- 20 ibuprofen, folic acid, peptides, and carbohydrates, but bulky groups or generally groups which inhibit RISC activity should be less preferred.

The 5'-OH of the antisense strand should be kept free to promote activity. In some preferred embodiments modifications that promote nuclease resistance should be included at the 3' end, particularly in the 3' overhang.

- 25 In another aspect, the invention features a method of optimizing, e.g., stabilizing, an iRNA agent. The method includes selecting a sequence having activity, introducing one or more asymmetric modifications into the sequence, wherein the introduction of the asymmetric modification optimizes a property of the iRNA agent but does not result in a decrease in activity.

- 30 The decrease in activity can be less than a preselected level of decrease. In preferred embodiments decrease in activity means a decrease of less than 5, 10, 20, 40, or

50 % activity, as compared with an otherwise similar iRNA lacking the introduced modification. Activity can, e.g., be measured in vivo, or in vitro, with a result in either being sufficient to demonstrate the required maintenance of activity.

The optimized property can be any property described herein and in particular the
5 properties discussed in the section on asymmetrical modifications provided herein. The
modification can be any asymmetrical modification, e.g., an asymmetric modification
described in the section on asymmetrical modifications described herein. Particularly
preferred asymmetric modifications are 2'-O alkyl modifications, e.g., 2'-OMe
modifications, particularly in the sense sequence, and modifications of a backbone O,
10 particularly phosphorothioate modifications, in the antisense sequence.

In a preferred embodiment a sense sequence is selected and provided with an
asymmetrical modification, while in other embodiments an antisense sequence is selected
and provided with an asymmetrical modification. In some embodiments both sense and
antisense sequences are selected and each provided with one or more asymmetrical
15 modifications.

Multiple asymmetric modifications can be introduced into either or both of the sense
and antisense sequence. A sequence can have at least 2, 4, 6, 8, or more modifications and
all or substantially all of the monomers of a sequence can be modified.

Table: 2. Some examples of Asymmetric Modification

This table shows examples having strand I with a selected modification and strand II
 5 with a selected modification.

Strand I	Strand II
Nuclease Resistance (e.g. 2'-OMe)	Biodistribution (e.g., P=S)
Biodistribution conjugate (e.g. Lipophile)	Protein Binding Functionality (e.g. Naproxen)
Tissue Distribution Functionality (e.g. Carbohydrates)	Cell Targeting Functionality (e.g. Folate for cancer cells)
Tissue Distribution Functionality (e.g. Liver Cell Targeting Carbohydrates)	Fusogenic Functionality (e.g. Polyethylene imines)
Cancer Cell Targeting (e. g. RGD peptides and imines)	Fusogenic Functionality (e.g. peptides)
Nuclease Resistance (e.g. 2'-OMe)	Increase in binding Affinity (5-Me-C, 5-Me-U, 2- thio-U, 2-amino-A, G-clamp, LNA)
Tissue Distribution Functionality	RISC activity improving Functionality
Helical conformation changing Functionalities	Tissue Distribution Functionality (P=S; lipophile, carbohydrates)

Z-X-Y Architecture

In one aspect, the invention features an iRNA agent which can have a Z-X-Y
5 architecture or structure such as those described herein and those described in copending, co-
owned United States Provisional Application Serial No. 60/510,246 (Attorney Docket No.
14174-079P02), filed on October 9, 2003, which is hereby incorporated by reference, and in
copending, co-owned United States Provisional Application Serial No. 60/510,318 (Attorney
Docket No. 14174-079P03), filed on October 10, 2003, which is hereby incorporated by
10 reference.

In addition, the invention includes iRNA agents having a Z-X-Y structure and another
element described herein. E.g., the invention includes an iRNA agent described herein, e.g.,
a palindromic iRNA agent, an iRNA agent having a non canonical pairing, an iRNA agent
which targets a gene described herein, e.g., a gene active in the liver, an iRNA associated
15 with an amphipathic delivery agent described herein, an iRNA associated with a drug
delivery module described herein, an iRNA agent administered as described herein, or an
iRNA agent formulated as described herein, which also incorporates a Z-X-Y architecture.

The invention provides an iRNA agent having a first segment, the Z region, a second
segment, the X region, and optionally a third region, the Y region:

20

$$Z-X-Y.$$

It may be desirable to modify subunits in one or both of Z and/or Y on one hand and X
on the other hand. In some cases they will have the same modification or the same class of
25 modification but it will more often be the case that the modifications made in Z and/or Y will
differ from those made in X.

The Z region typically includes a terminus of an iRNA agent. The length of the Z
region can vary, but will typically be from 2-14, more preferably 2-10, subunits in length. It
typically is single stranded, i.e., it will not base pair with bases of another strand, though it
30 may in some embodiments self associate, e.g., to form a loop structure. Such structures can
be formed by the end of a strand looping back and forming an intrastrand duplex. E.g., 2, 3,

4, 5 or more intra-strand bases pairs can form, having a looped out or connecting region, typically of 2 or more subunits which do not pair. This can occur at one or both ends of a strand. A typical embodiment of a Z region is a single strand overhang, e.g., an over hang of the length described elsewhere herein. The Z region can thus be or include a 3' or 5' terminal single strand. It can be sense or antisense strand but if it is antisense it is preferred that it is a 3'-overhang. Typical inter-subunit bonds in the Z region include: P=O; P=S; S-P=S; P-NR₂; and P-BR₂. Chiral P=X, where X is S, N, or B) inter-subunit bonds can also be present. (These inter-subunit bonds are discussed in more detail elsewhere herein.) Other preferred Z region subunit modifications (also discussed elsewhere herein) can include: 3'-OR, 3'SR, 2'-OMe, 3'-OMe, and 2'OH modifications and moieties; alpha configuration bases; and 2' arabino modifications.

The X region will in most cases be duplexed, in the case of a single strand iRNA agent, with a corresponding region of the single strand, or in the case of a double stranded iRNA agent, with the corresponding region of the other strand. The length of the X region can vary but will typically be between 10-45 and more preferably between 15 and 35 subunits. Particularly preferred region X's will include 17, 18, 19, 29, 21, 22, 23, 24, or 25 nucleotide pairs, though other suitable lengths are described elsewhere herein and can be used. Typical X region subunits include 2'-OH subunits. In typical embodiments phosphate inter-subunit bonds are preferred while phosphorothioate or non-phosphate bonds are absent. Other modifications preferred in the X region include: modifications to improve binding, e.g., nucleobase modifications; cationic nucleobase modifications; and C-5 modified pyrimidines, e.g., allylamines. Some embodiments have 4 or more consecutive 2'OH subunits. While the use of phosphorothioate is sometimes non preferred they can be used if they connect less than 4 consecutive 2'OH subunits.

The Y region will generally conform to the the parameters set out for the Z regions. However, the X and Z regions need not be the same, different types and numbers of modifications can be present, and infact, one will usually be a 3' overhang and one will usually be a 5' overhang.

In a preferred embodiment the iRNA agent will have a Y and/or Z region each having ribonucleosides in which the 2'-OH is substituted, e.g., with 2'-OMe or other alkyl; and an X

region that includes at least four consecutive ribonucleoside subunits in which the 2'-OH remains unsubstituted.

The subunit linkages (the linkages between subunits) of an iRNA agent can be modified, e.g., to promote resistance to degradation. Numerous examples of such
5 modifications are disclosed herein, one example of which is the phosphorothioate linkage. These modifications can be provided between the subunits of any of the regions, Y, X, and Z. However, it is preferred that their occurrence is minimized and in particular it is preferred that consecutive modified linkages be avoided.

In a preferred embodiment the iRNA agent will have a Y and Z region each having
10 ribonucleosides in which the 2'-OH is substituted, e.g., with 2'-OMe; and an X region that includes at least four consecutive subunits, e.g., ribonucleoside subunits in which the 2'-OH remains unsubstituted.

As mentioned above, the subunit linkages of an iRNA agent can be modified, e.g., to promote resistance to degradation. These modifications can be provided between the
15 subunits of any of the regions, Y, X, and Z. However, it is preferred that they are minimized and in particular it is preferred that consecutive modified linkages be avoided.

Thus, in a preferred embodiment, not all of the subunit linkages of the iRNA agent are modified and more preferably the maximum number of consecutive subunits linked by other than a phosphodiester bond will be 2, 3, or 4. Particularly preferred iRNA agents will not
20 have four or more consecutive subunits, e.g., 2'-hydroxyl ribonucleoside subunits, in which each subunit is joined by modified linkages – i.e. linkages that have been modified to stabilize them from degradation as compared to the phosphodiester linkages that naturally occur in RNA and DNA.

It is particularly preferred to minimize the occurrence in region X. Thus, in preferred
25 embodiments each of the nucleoside subunit linkages in X will be phosphodiester linkages, or if subunit linkages in region X are modified, such modifications will be minimized. E.g., although the Y and/or Z regions can include inter subunit linkages which have been stabilized against degradation, such modifications will be minimized in the X region, and in particular consecutive modifications will be minimized. Thus, in preferred embodiments the
30 maximum number of consecutive subunits linked by other than a phosphodiester bond will be 2, 3, or 4. Particularly preferred X regions will not have four or more consecutive subunits,

e.g., 2'-hydroxyl ribonucleoside subunits, in which each subunits is joined by modified linkages – i.e. linkages that have been modified to stabilize them from degradation as compared to the phosphodiester linkages that naturally occur in RNA and DNA.

In a preferred embodiment Y and /or Z will be free of phosphorothioate linkages, though either or both may contain other modifications, e.g., other modifications of the subunit linkages.

In a preferred embodiment region X, or in some cases, the entire iRNA agent, has no more than 3 or no more than 4 subunits having identical 2' moieties.

In a preferred embodiment region X, or in some cases, the entire iRNA agent, has no more than 3 or no more than 4 subunits having identical subunit linkages.

In a preferred embodiment one or more phosphorothioate linkages (or other modifications of the subunit linkage) are present in Y and/or Z, but such modified linkages do not connect two adjacent subunits, e.g., nucleosides, having a 2' modification, e.g., a 2'-O-alkyl moiety. E.g., any adjacent 2'-O-alkyl moieties in the Y and/or Z, are connected by a linkage other than a phosphorothioate linkage.

In a preferred embodiment each of Y and/or Z independently has only one phosphorothioate linkage between adjacent subunits, e.g., nucleosides, having a 2' modification, e.g., 2'-O-alkyl nucleosides. If there is a second set of adjacent subunits, e.g., nucleosides, having a 2' modification, e.g., 2'-O-alkyl nucleosides, in Y and/or Z that second set is connected by a linkage other than a phosphorothioate linkage, e.g., a modified linkage other than a phosphorothioate linkage.

In a preferred embodiment each of Y and/or Z independently has more than one phosphorothioate linkage connecting adjacent pairs of subunits, e.g., nucleosides, having a 2' modification, e.g., 2'-O-alkyl nucleosides, but at least one pair of adjacent subunits, e.g., nucleosides, having a 2' modification, e.g., 2'-O-alkyl nucleosides, are be connected by a linkage other than a phosphorothioate linkage, e.g., a modified linkage other than a phosphorothioate linkage.

In a preferred embodiment one of the above recited limitation on adjacent subunits in Y and or Z is combined with a limitation on the subunits in X. E.g., one or more phosphorothioate linkages (or other modifications of the subunit linkage) are present in Y and/or Z, but such modified linkages do not connect two adjacent subunits, e.g., nucleosides,

having a 2' modification, e.g., a 2'-O-alkyl moiety. E.g., any adjacent 2'-O-alkyl moieties in the Y and/or Z, are connected by a linkage other than a phosphorothioate linkage. In addition, the X region has no more than 3 or no more than 4 identical subunits, e.g., subunits having identical 2' moieties or the X region has no more than 3 or no more than 4 subunits having identical subunit linkages.

A Y and/or Z region can include at least one, and preferably 2, 3 or 4 of a modification disclosed herein. Such modifications can be chosen, independently, from any modification described herein, e.g., from nuclease resistant subunits, subunits with modified bases, subunits with modified intersubunit linkages, subunits with modified sugars, and subunits linked to another moiety, e.g., a targeting moiety. In a preferred embodiment more than 1 of such subunits can be present but in some embodiments it is preferred that no more than 1, 2, 3, or 4 of such modifications occur, or occur consecutively. In a preferred embodiment the frequency of the modification will differ between Y and/or Z and X, e.g., the modification will be present one of Y and/or Z or X and absent in the other.

An X region can include at least one, and preferably 2, 3 or 4 of a modification disclosed herein. Such modifications can be chosen, independently, from any modification described herein, e.g., from nuclease resistant subunits, subunits with modified bases, subunits with modified intersubunit linkages, subunits with modified sugars, and subunits linked to another moiety, e.g., a targeting moiety. In a preferred embodiment more than 1 of such subunits can be present but in some embodiments it is preferred that no more than 1, 2, 3, or 4 of such modifications occur, or occur consecutively.

An RRMS (described elsewhere herein) can be introduced at one or more points in one or both strands of a double-stranded iRNA agent. An RRMS can be placed in a Y and/or Z region, at or near (within 1, 2, or 3 positions) of the 3' or 5' end of the sense strand or at near (within 2 or 3 positions of) the 3' end of the antisense strand. In some embodiments it is preferred to not have an RRMS at or near (within 1, 2, or 3 positions of) the 5' end of the antisense strand. An RRMS can be positioned in the X region, and will preferably be positioned in the sense strand or in an area of the antisense strand not critical for antisense binding to the target.

30

Differential Modification of Terminal Duplex Stability

In one aspect, the invention features an iRNA agent which can have differential modification of terminal duplex stability (DMTDS).

5 In addition, the invention includes iRNA agents having DMTDS and another element described herein. E.g., the invention includes an iRNA agent described herein, e.g., a palindromic iRNA agent, an iRNA agent having a non canonical pairing, an iRNA agent which targets a gene described herein, e.g., a gene active in the liver, an iRNA agent having an architecture or structure described herein, an iRNA associated with an amphipathic
10 delivery agent described herein, an iRNA associated with a drug delivery module described herein, an iRNA agent administered as described herein, or an iRNA agent formulated as described herein, which also incorporates DMTDS.

iRNA agents can be optimized by increasing the propensity of the duplex to disassociate or melt (decreasing the free energy of duplex association), in the region of the 5'
15 end of the antisense strand duplex. This can be accomplished, e.g., by the inclusion of subunits which increase the propensity of the duplex to disassociate or melt in the region of the 5' end of the antisense strand. It can also be accomplished by the attachment of a ligand that increases the propensity of the duplex to disassociate or melt in the region of the 5' end. While not wishing to be bound by theory, the effect may be due to promoting the effect of an
20 enzyme such as helicase, for example, promoting the effect of the enzyme in the proximity of the 5' end of the antisense strand.

The inventors have also discovered that iRNA agents can be optimized by decreasing the propensity of the duplex to disassociate or melt (increasing the free energy of duplex association), in the region of the 3' end of the antisense strand duplex. This can be
25 accomplished, e.g., by the inclusion of subunits which decrease the propensity of the duplex to disassociate or melt in the region of the 3' end of the antisense strand. It can also be accomplished by the attachment of ligand that decreases the propensity of the duplex to disassociate or melt in the region of the 5' end.

Modifications which increase the tendency of the 5' end of the duplex to dissociate
30 can be used alone or in combination with other modifications described herein, e.g., with modifications which decrease the tendency of the 3' end of the duplex to dissociate.

Likewise, modifications which decrease the tendency of the 3' end of the duplex to dissociate can be used alone or in combination with other modifications described herein, e.g., with modifications which increase the tendency of the 5' end of the duplex to dissociate.

Decreasing the stability of the AS 5' end of the duplex

5 Subunit pairs can be ranked on the basis of their propensity to promote dissociation or melting (e.g., on the free energy of association or dissociation of a particular pairing, the simplest approach is to examine the pairs on an individual pair basis, though next neighbor or similar analysis can also be used). In terms of promoting dissociation:

10 A:U is preferred over G:C;
 G:U is preferred over G:C;
 I:C is preferred over G:C (I=inosine);
 mismatches, e.g., non-canonical or other than canonical pairings (as described elsewhere herein) are preferred over canonical (A:T, A:U, G:C) pairings;
 15 pairings which include a universal base are preferred over canonical pairings.

A typical ds iRNA agent can be diagrammed as follows:

20 S 5' R₁ N₁N₂N₃N₄N₅ [N] N₅ N₄ N₃ N₂ N₁ R₂ 3'
 AS 3' R₃ N₁N₂N₃N₄N₅ [N] N₅ N₄ N₃ N₂ N₁ R₄ 5'
 S:AS P₁ P₂ P₃ P₄ P₅ [N] P₅P₄P₃P₂P₁ 5'

25 S indicates the sense strand; AS indicates antisense strand; R₁ indicates an optional (and nonpreferred) 5' sense strand overhang; R₂ indicates an optional (though preferred) 3' sense overhang; R₃ indicates an optional (though preferred) 3' antisense sense overhang; R₄ indicates an optional (and nonpreferred) 5' antisense overhang; N indicates subunits; [N] indicates that additional subunit pairs may be present; and P_x indicates a pairing of sense N_x and antisense N_x. Overhangs are not shown in the P diagram. In some embodiments a 3' AS
 30 overhang corresponds to region Z, the duplex region corresponds to region X, and the 3' S strand overhang corresponds to region Y, as described elsewhere herein. (The diagram is not

meant to imply maximum or minimum lengths, on which guidance is provided elsewhere herein.)

It is preferred that pairings which decrease the propensity to form a duplex are used at 1 or more of the positions in the duplex at the 5' end of the AS strand. The terminal pair (the most 5' pair in terms of the AS strand) is designated as P₋₁, and the subsequent pairing positions (going in the 3' direction in terms of the AS strand) in the duplex are designated, P₋₂, P₋₃, P₋₄, P₋₅, and so on. The preferred region in which to modify to modulate duplex formation is at P₋₅ through P₋₁, more preferably P₋₄ through P₋₁, more preferably P₋₃ through P₋₁. Modification at P₋₁, is particularly preferred, alone or with modification(s) other position(s), e.g., any of the positions just identified. It is preferred that at least 1, and more preferably 2, 3, 4, or 5 of the pairs of one of the recited regions be chosen independently from the group of:

A:U
G:U
I:C

mismatched pairs, e.g., non-canonical or other than canonical pairings or pairings which include a universal base.

In preferred embodiments the change in subunit needed to achieve a pairing which promotes dissociation will be made in the sense strand, though in some embodiments the change will be made in the antisense strand.

In a preferred embodiment the at least 2, or 3, of the pairs in P₋₁, through P₋₄, are pairs which promote dissociation.

In a preferred embodiment the at least 2, or 3, of the pairs in P₋₁, through P₋₄, are A:U.

In a preferred embodiment the at least 2, or 3, of the pairs in P₋₁, through P₋₄, are G:U.

In a preferred embodiment the at least 2, or 3, of the pairs in P₋₁, through P₋₄, are I:C.

In a preferred embodiment the at least 2, or 3, of the pairs in P₋₁, through P₋₄, are mismatched pairs, e.g., non-canonical or other than canonical pairings pairings.

In a preferred embodiment the at least 2, or 3, of the pairs in P₋₁, through P₋₄, are pairings which include a universal base.

Increasing the stability of the AS 3' end of the duplex

Subunit pairs can be ranked on the basis of their propensity to promote stability and inhibit dissociation or melting (e.g., on the free energy of association or dissociation of a particular pairing, the simplest approach is to examine the pairs on an individual pair basis, though next neighbor or similar analysis can also be used). In terms of promoting duplex stability:

G:C is preferred over A:U

Watson-Crick matches (A:T, A:U, G:C) are preferred over non-canonical or other than canonical pairings

analogs that increase stability are preferred over Watson-Crick matches (A:T, A:U, G:C)

2-amino-A:U is preferred over A:U

2-thio U or 5 Me-thio-U:A are preferred over U:A

G-clamp (an analog of C having 4 hydrogen bonds):G is preferred over C:G
guanadinium-G-clamp:G is preferred over C:G

psuedo uridine:A is preferred over U:A

sugar modifications, e.g., 2' modifications, e.g., 2'F, ENA, or LNA, which enhance binding are preferred over non-modified moieties and can be present on one or both strands to enhance stability of the duplex. It is preferred that pairings which increase the propensity to form a duplex are used at 1 or more of the positions in the duplex at the 3' end of the AS strand. The terminal pair (the most 3' pair in terms of the AS strand) is designated as P₁, and the subsequent pairing positions (going in the 5' direction in terms of the AS strand) in the duplex are designated, P₂, P₃, P₄, P₅, and so on. The preferred region in which to modify to modulate duplex formation is at P₅ through P₁, more preferably P₄ through P₁, more preferably P₃ through P₁. Modification at P₁, is particularly preferred, alone or with modification(s) at other position(s), e.g., any of the positions just identified. It is preferred that at least 1, and more preferably 2, 3, 4, or 5 of the pairs of the recited regions be chosen independently from the group of:

G:C

a pair having an analog that increases stability over Watson-Crick matches (A:T, A:U, G:C)

2-amino-A:U

2-thio U or 5 Me-thio-U:A

5 G-clamp (an analog of C having 4 hydrogen bonds):G

guanadinium-G-clamp:G

psuedo uridine:A

a pair in which one or both subunits has a sugar modification, e.g., a 2' modification, e.g., 2'F, ENA, or LNA, which enhance binding.

10

In a preferred embodiment the at least 2, or 3, of the pairs in P₁, through P₄, are pairs which promote duplex stability.

In a preferred embodiment the at least 2, or 3, of the pairs in P₁, through P₄, are G:C.

15 In a preferred embodiment the at least 2, or 3, of the pairs in P₁, through P₄, are a pair having an analog that increases stability over Watson-Crick matches.

In a preferred embodiment the at least 2, or 3, of the pairs in P₁, through P₄, are 2-amino-A:U.

In a preferred embodiment the at least 2, or 3, of the pairs in P₁, through P₄, are 2-thio U or 5 Me-thio-U:A.

20 In a preferred embodiment the at least 2, or 3, of the pairs in P₁, through P₄, are G-clamp:G.

In a preferred embodiment the at least 2, or 3, of the pairs in P₁, through P₄, are guanadinium-G-clamp:G.

25 In a preferred embodiment the at least 2, or 3, of the pairs in P₁, through P₄, are psuedo uridine:A.

In a preferred embodiment the at least 2, or 3, of the pairs in P₁, through P₄, are a pair in which one or both subunits has a sugar modification, e.g., a 2' modification, e.g., 2'F, ENA, or LNA, which enhances binding.

G-clamps and guanidinium G-clamps are discussed in the following references:

30 Holmes and Gait, "The Synthesis of 2'-O-Methyl G-Clamp Containing Oligonucleotides and Their Inhibition of the HIV-1 Tat-TAR Interaction," Nucleosides, Nucleotides & Nucleic

Acids, 22:1259-1262, 2003; Holmes *et al.*, "Steric inhibition of human immunodeficiency virus type-1 Tat-dependent trans-activation in vitro and in cells by oligonucleotides containing 2'-O-methyl G-clamp ribonucleoside analogues," *Nucleic Acids Research*, 31:2759-2768, 2003; Wilds, *et al.*, "Structural basis for recognition of guanosine by a synthetic tricyclic cytosine analogue: Guanidinium G-clamp," *Helvetica Chimica Acta*, 86:966-978, 2003; Rajeev, *et al.*, "High-Affinity Peptide Nucleic Acid Oligomers Containing Tricyclic Cytosine Analogues," *Organic Letters*, 4:4395-4398, 2002; Ausin, *et al.*, "Synthesis of Amino- and Guanidino-G-Clamp PNA Monomers," *Organic Letters*, 4:4073-4075, 2002; Maier *et al.*, "Nuclease resistance of oligonucleotides containing the tricyclic cytosine analogues phenoxazine and 9-(2-aminoethoxy)-phenoxazine ("G-clamp") and origins of their nuclease resistance properties," *Biochemistry*, 41:1323-7, 2002; Flanagan, *et al.*, "A cytosine analog that confers enhanced potency to antisense oligonucleotides," *Proceedings Of The National Academy Of Sciences Of The United States Of America*, 96:3513-8, 1999.

15

Simultaneously decreasing the stability of the AS 5' end of the duplex and increasing the stability of the AS 3' end of the duplex

As is discussed above, an iRNA agent can be modified to both decrease the stability of the AS 5' end of the duplex and increase the stability of the AS 3' end of the duplex. This can be effected by combining one or more of the stability decreasing modifications in the AS 5' end of the duplex with one or more of the stability increasing modifications in the AS 3' end of the duplex. Accordingly a preferred embodiment includes modification in P₅ through P₁, more preferably P₄ through P₁ and more preferably P₃ through P₁. Modification at P₁, is particularly preferred, alone or with other position, e.g., the positions just identified. It is preferred that at least 1, and more preferably 2, 3, 4, or 5 of the pairs of one of the recited regions of the AS 5' end of the duplex region be chosen independently from the group of:

30 A:U
 G:U
 I:C

mismatched pairs, e.g., non-canonical or other than canonical pairings which include a universal base; and

a modification in P₅ through P₁, more preferably P₄ through P₁ and more preferably P₃ through P₁. Modification at P₁, is particularly preferred, alone or with other position, e.g., the positions just identified. It is preferred that at least 1, and more preferably 2, 3, 4, or 5 of the pairs of one of the recited regions of the AS 3' end of the duplex region be chosen independently from the group of:

10 G:C

a pair having an analog that increases stability over Watson-Crick matches (A:T, A:U, G:C)

2-amino-A:U

2-thio U or 5 Me-thio-U:A

15 G-clamp (an analog of C having 4 hydrogen bonds):G

guanadinium-G-clamp:G

psuedo uridine:A

a pair in which one or both subunits has a sugar modification, e.g., a 2' modification, e.g., 2'F, ENA, or LNA, which enhance binding.

20

The invention also includes methods of selecting and making iRNA agents having DMTDS. E.g., when screening a target sequence for candidate sequences for use as iRNA agents one can select sequences having a DMTDS property described herein or one which can be modified, preferably with as few changes as possible, especially to the

25 AS strand, to provide a desired level of DMTDS.

The invention also includes, providing a candidate iRNA agent sequence, and modifying at least one P in P₅ through P₁ and/or at least one P in P₃ through P₁ to provide a DMTDS iRNA agent.

DMTDS iRNA agents can be used in any method described herein, e.g., to silence any gene disclosed herein, to treat any disorder described herein, in any formulation described herein, and generally in and/or with the methods and compositions described

30

elsewhere herein. DMTDS iRNA agents can incorporate other modifications described herein, e.g., the attachment of targeting agents or the inclusion of modifications which enhance stability, e.g., the inclusion of nuclease resistant monomers or the inclusion of single strand overhangs (e.g., 3' AS overhangs and/or 3' S strand overhangs) which self associate to form intrastrand duplex structure.

Preferably these iRNA agents will have an architecture described herein.

Other Embodiments

In vivo Delivery

An iRNA agent can be linked, e.g., noncovalently linked to a polymer for the efficient delivery of the iRNA agent to a subject, e.g., a mammal, such as a human. The iRNA agent can, for example, be complexed with cyclodextrin. Cyclodextrins have been used as delivery vehicles of therapeutic compounds. Cyclodextrins can form inclusion complexes with drugs that are able to fit into the hydrophobic cavity of the cyclodextrin. In other examples, cyclodextrins form non-covalent associations with other biologically active molecules such as oligonucleotides and derivatives thereof. The use of cyclodextrins creates a water-soluble drug delivery complex, that can be modified with targeting or other functional groups. Cyclodextrin cellular delivery system for oligonucleotides described in U.S. Pat. No. 5,691,316, which is hereby incorporated by reference, are suitable for use in methods of the invention. In this system, an oligonucleotide is noncovalently complexed with a cyclodextrin, or the oligonucleotide is covalently bound to adamantine which in turn is non-covalently associated with a cyclodextrin.

The delivery molecule can include a linear cyclodextrin copolymer or a linear oxidized cyclodextrin copolymer having at least one ligand bound to the cyclodextrin copolymer. Delivery systems, as described in U.S. Patent No. 6,509,323, herein incorporated by reference, are suitable for use in methods of the invention. An iRNA agent can be bound to the linear cyclodextrin copolymer and/or a linear oxidized cyclodextrin copolymer. Either or both of the cyclodextrin or oxidized cyclodextrin copolymers can be crosslinked to another polymer and/or bound to a ligand.

A composition for iRNA delivery can employ an "inclusion complex," a molecular compound having the characteristic structure of an adduct. In this structure, the "host

molecule" spatially encloses at least part of another compound in the delivery vehicle. The enclosed compound (the "guest molecule") is situated in the cavity of the host molecule without affecting the framework structure of the host. A "host" is preferably cyclodextrin, but can be any of the molecules suggested in U.S. Patent Publ. 2003/0008818, herein
5 incorporated by reference.

Cyclodextrins can interact with a variety of ionic and molecular species, and the resulting inclusion compounds belong to the class of "host-guest" complexes. Within the host-guest relationship, the binding sites of the host and guest molecules should be complementary in the stereoelectronic sense. A composition of the invention can contain at
10 least one polymer and at least one therapeutic agent, generally in the form of a particulate composite of the polymer and therapeutic agent, *e.g.*, the iRNA agent. The iRNA agent can contain one or more complexing agents. At least one polymer of the particulate composite can interact with the complexing agent in a host-guest or a guest-host interaction to form an inclusion complex between the polymer and the complexing agent. The polymer and, more
15 particularly, the complexing agent can be used to introduce functionality into the composition. For example, at least one polymer of the particulate composite has host functionality and forms an inclusion complex with a complexing agent having guest functionality. Alternatively, at least one polymer of the particulate composite has guest functionality and forms an inclusion complex with a complexing agent having host
20 functionality. A polymer of the particulate composite can also contain both host and guest functionalities and form inclusion complexes with guest complexing agents and host complexing agents. A polymer with functionality can, for example, facilitate cell targeting and/or cell contact (*e.g.*, targeting or contact to a liver cell), intercellular trafficking, and/or cell entry and release.

25 Upon forming the particulate composite, the iRNA agent may or may not retain its biological or therapeutic activity. Upon release from the therapeutic composition, specifically, from the polymer of the particulate composite, the activity of the iRNA agent is restored. Accordingly, the particulate composite advantageously affords the iRNA agent protection against loss of activity due to, for example, degradation and offers enhanced
30 bioavailability. Thus, a composition may be used to provide stability, particularly storage or solution stability, to an iRNA agent or any active chemical compound. The iRNA agent may

be further modified with a ligand prior to or after particulate composite or therapeutic composition formation. The ligand can provide further functionality. For example, the ligand can be a targeting moiety.

5 Physiological Effects

The iRNA agents described herein can be designed such that determining therapeutic toxicity is made easier by the complementarity of the iRNA agent with both a human and a non-human animal sequence. By these methods, an iRNA agent can consist of a sequence that is fully complementary to a nucleic acid sequence from a human and a nucleic acid
10 sequence from at least one non-human animal, *e.g.*, a non-human mammal, such as a rodent, ruminant or primate. For example, the non-human mammal can be a mouse, rat, dog, pig, goat, sheep, cow, monkey, *Pan paniscus*, *Pan troglodytes*, *Macaca mulatto*, or *Cynomolgus* monkey. The sequence of the iRNA agent could be complementary to sequences within homologous genes, *e.g.*, oncogenes or tumor suppressor genes, of the non-human mammal
15 and the human. By determining the toxicity of the iRNA agent in the non-human mammal, one can extrapolate the toxicity of the iRNA agent in a human. For a more strenuous toxicity test, the iRNA agent can be complementary to a human and more than one, *e.g.*, two or three or more, non-human animals.

The methods described herein can be used to correlate any physiological effect of an iRNA
20 agent on a human, *e.g.*, any unwanted effect, such as a toxic effect, or any positive, or desired effect.

Delivery Module

In one aspect, the invention features a drug delivery conjugate or module, such as
25 those described herein and those described in copending, co-owned United States Provisional Application Serial No. 60/454,265, filed on March 12, 2003, which is hereby incorporated by reference.

In addition, the invention includes iRNA agents described herein, *e.g.*, a palindromic iRNA agent, an iRNA agent having a non canonical pairing, an iRNA agent which targets a
30 gene described herein, *e.g.*, a gene active in the liver, an iRNA agent having a chemical modification described herein, *e.g.*, a modification which enhances resistance to degradation,

an iRNA agent having an architecture or structure described herein, an iRNA agent administered as described herein, or an iRNA agent formulated as described herein, combined with, associated with, and delivered by such a drug delivery conjugate or module.

The iRNA agents can be complexed to a delivery agent that features a modular
5 complex. The complex can include a carrier agent linked to one or more of (preferably two or more, more preferably all three of): (a) a condensing agent (*e.g.*, an agent capable of attracting, *e.g.*, binding, a nucleic acid, *e.g.*, through ionic or electrostatic interactions); (b) a fusogenic agent (*e.g.*, an agent capable of fusing and/or being transported through a cell membrane, *e.g.*, an endosome membrane); and (c) a targeting group, *e.g.*, a cell or tissue
10 targeting agent, *e.g.*, a lectin, glycoprotein, lipid or protein, *e.g.*, an antibody, that binds to a specified cell type such as a cancer cell, endothelial cell or bone cell.

An iRNA agent, *e.g.*, iRNA agent or sRNA agent described herein, can be linked, *e.g.*, coupled or bound, to the modular complex. The iRNA agent can interact with the condensing agent of the complex, and the complex can be used to deliver an iRNA agent to a
15 cell, *e.g.*, *in vitro* or *in vivo*. For example, the complex can be used to deliver an iRNA agent to a subject in need thereof, *e.g.*, to deliver an iRNA agent to a subject having a disorder, *e.g.*, a disorder described herein, such as a disease or disorder of the liver.

The fusogenic agent and the condensing agent can be different agents or the one and the same agent. For example, a polyamino chain, *e.g.*, polyethyleneimine (PEI), can be the
20 fusogenic and/or the condensing agent.

The delivery agent can be a modular complex. For example, the complex can include a carrier agent linked to one or more of (preferably two or more, more preferably all three of):

(a) a condensing agent (*e.g.*, an agent capable of attracting, *e.g.*, binding, a nucleic
25 acid, *e.g.*, through ionic interaction),

(b) a fusogenic agent (*e.g.*, an agent capable of fusing and/or being transported through a cell membrane, *e.g.*, an endosome membrane), and

(c) a targeting group, *e.g.*, a cell or tissue targeting agent, *e.g.*, a lectin, glycoprotein, lipid or protein, *e.g.*, an antibody, that binds to a specified cell type such as a cancer cell,
30 endothelial cell, bone cell. A targeting group can be a thyrotropin, melanotropin, lectin, glycoprotein, surfactant protein A, Mucin carbohydrate, multivalent lactose, multivalent

galactose, N-acetyl-galactosamine, N-acetyl-gulucosamine multivalent mannose, multivalent fucose, glycosylated polyaminoacids, multivalent galactose, transferrin, bisphosphonate, polyglutamate, polyaspartate, a lipid, cholesterol, a steroid, bile acid, folate, vitamin B12, biotin, Neproxin, or an RGD peptide or RGD peptide mimetic.

5

Carrier agents

The carrier agent of a modular complex described herein can be a substrate for attachment of one or more of: a condensing agent, a fusogenic agent, and a targeting group. The carrier agent would preferably lack an endogenous enzymatic activity. The agent would preferably be a biological molecule, preferably a macromolecule. Polymeric biological carriers are preferred. It would also be preferred that the carrier molecule be biodegradable..

The carrier agent can be a naturally occurring substance, such as a protein (*e.g.*, human serum albumin (HSA), low-density lipoprotein (LDL), or globulin); carbohydrate (*e.g.*, a dextran, pullulan, chitin, chitosan, inulin, cyclodextrin or hyaluronic acid); or lipid.

15 The carrier molecule can also be a recombinant or synthetic molecule, such as a synthetic polymer, *e.g.*, a synthetic polyamino acid. Examples of polyamino acids include polylysine (PLL), poly L-aspartic acid, poly L-glutamic acid, styrene-maleic acid anhydride copolymer, poly(L-lactide-co-glycolid) copolymer, divinyl ether-maleic anhydride copolymer, N-(2-hydroxypropyl)methacrylamide copolymer (HMPA), polyethylene glycol (PEG), polyvinyl

20 alcohol (PVA), polyurethane, poly(2-ethylacrylic acid), N-isopropylacrylamide polymers, or polyphosphazine. Other useful carrier molecules can be identified by routine methods.

A carrier agent can be characterized by one or more of: (a) is at least 1 Da in size; (b) has at least 5 charged groups, preferably between 5 and 5000 charged groups; (c) is present in the complex at a ratio of at least 1:1 carrier agent to fusogenic agent; (d) is present in the

25 complex at a ratio of at least 1:1 carrier agent to condensing agent; (e) is present in the complex at a ratio of at least 1:1 carrier agent to targeting agent.

Fusogenic agents

A fusogenic agent of a modular complex described herein can be an agent that is

30 responsive to, *e.g.*, changes charge depending on, the pH environment. Upon encountering the pH of an endosome, it can cause a physical change, *e.g.*, a change in osmotic properties

which disrupts or increases the permeability of the endosome membrane. Preferably, the fusogenic agent changes charge, *e.g.*, becomes protonated, at pH lower than physiological range. For example, the fusogenic agent can become protonated at pH 4.5-6.5. The fusogenic agent can serve to release the iRNA agent into the cytoplasm of a cell after the
5 complex is taken up, *e.g.*, via endocytosis, by the cell, thereby increasing the cellular concentration of the iRNA agent in the cell.

In one embodiment, the fusogenic agent can have a moiety, *e.g.*, an amino group, which, when exposed to a specified pH range, will undergo a change, *e.g.*, in charge, *e.g.*, protonation. The change in charge of the fusogenic agent can trigger a change, *e.g.*, an
10 osmotic change, in a vesicle, *e.g.*, an endocytic vesicle, *e.g.*, an endosome. For example, the fusogenic agent, upon being exposed to the pH environment of an endosome, will cause a solubility or osmotic change substantial enough to increase the porosity of (preferably, to rupture) the endosomal membrane.

The fusogenic agent can be a polymer, preferably a polyamino chain, *e.g.*,
15 polyethyleneimine (PEI). The PEI can be linear, branched, synthetic or natural. The PEI can be, *e.g.*, alkyl substituted PEI, or lipid substituted PEI.

In other embodiments, the fusogenic agent can be polyhistidine, polyimidazole, polypyridine, polypropyleneimine, mellitin, or a polyacetal substance, *e.g.*, a cationic polyacetal. In some embodiment, the fusogenic agent can have an alpha helical structure.
20 The fusogenic agent can be a membrane disruptive agent, *e.g.*, mellittin.

A fusogenic agent can have one or more of the following characteristics: (a) is at least 1Da in size; (b) has at least 10 charged groups, preferably between 10 and 5000 charged groups, more preferably between 50 and 1000 charged groups; (c) is present in the complex at a ratio of at least 1:1 fusogenic agent to carrier agent; (d) is present in the complex at a
25 ratio of at least 1:1 fusogenic agent to condensing agent; (e) is present in the complex at a ratio of at least 1:1 fusogenic agent to targeting agent.

Other suitable fusogenic agents can be tested and identified by a skilled artisan. The ability of a compound to respond to, *e.g.*, change charge depending on, the pH environment can be tested by routine methods, *e.g.*, in a cellular assay. For example, a test compound is
30 combined or contacted with a cell, and the cell is allowed to take up the test compound, *e.g.*, by endocytosis. An endosome preparation can then be made from the contacted cells and the

endosome preparation compared to an endosome preparation from control cells. A change, *e.g.*, a decrease, in the endosome fraction from the contacted cell vs. the control cell indicates that the test compound can function as a fusogenic agent. Alternatively, the contacted cell and control cell can be evaluated, *e.g.*, by microscopy, *e.g.*, by light or electron microscopy, to determine a difference in endosome population in the cells. The test compound can be labeled. In another type of assay, a modular complex described herein is constructed using one or more test or putative fusogenic agents. The modular complex can be constructed using a labeled nucleic acid instead of the iRNA. The ability of the fusogenic agent to respond to, *e.g.*, change charge depending on, the pH environment, once the modular complex is taken up by the cell, can be evaluated, *e.g.*, by preparation of an endosome preparation, or by microscopy techniques, as described above. A two-step assay can also be performed, wherein a first assay evaluates the ability of a test compound alone to respond to, *e.g.*, change charge depending on, the pH environment; and a second assay evaluates the ability of a modular complex that includes the test compound to respond to, *e.g.*, change charge depending on, the pH environment.

Condensing agent

The condensing agent of a modular complex described herein can interact with (*e.g.*, attracts, holds, or binds to) an iRNA agent and act to (a) condense, *e.g.*, reduce the size or charge of the iRNA agent and/or (b) protect the iRNA agent, *e.g.*, protect the iRNA agent against degradation. The condensing agent can include a moiety, *e.g.*, a charged moiety, that can interact with a nucleic acid, *e.g.*, an iRNA agent, *e.g.*, by ionic interactions. The condensing agent would preferably be a charged polymer, *e.g.*, a polycationic chain. The condensing agent can be a polylysine (PLL), spermine, spermidine, polyamine, pseudopeptide-polyamine, peptidomimetic polyamine, dendrimer polyamine, arginine, amidine, protamine, cationic lipid, cationic porphyrin, quaternary salt of a polyamine, or an alpha helical peptide.

A condensing agent can have the following characteristics: (a) at least 1Da in size; (b) has at least 2 charged groups, preferably between 2 and 100 charged groups; (c) is present in the complex at a ratio of at least 1:1 condensing agent to carrier agent; (d) is present in the

complex at a ratio of at least 1:1 condensing agent to fusogenic agent; (e) is present in the complex at a ratio of at least 1:1 condensing agent to targeting agent.

Other suitable condensing agents can be tested and identified by a skilled artisan, *e.g.*, by evaluating the ability of a test agent to interact with a nucleic acid, *e.g.*, an iRNA agent.

5 The ability of a test agent to interact with a nucleic acid, *e.g.*, an iRNA agent, *e.g.*, to condense or protect the iRNA agent, can be evaluated by routine techniques. In one assay, a test agent is contacted with a nucleic acid, and the size and/or charge of the contacted nucleic acid is evaluated by a technique suitable to detect changes in molecular mass and/or charge. Such techniques include non-denaturing gel electrophoresis, immunological methods, *e.g.*,
10 immunoprecipitation, gel filtration, ionic interaction chromatography, and the like. A test agent is identified as a condensing agent if it changes the mass and/or charge (preferably both) of the contacted nucleic acid, compared to a control. A two-step assay can also be performed, wherein a first assay evaluates the ability of a test compound alone to interact with, *e.g.*, bind to, *e.g.*, condense the charge and/or mass of, a nucleic acid; and a second assay
15 evaluates the ability of a modular complex that includes the test compound to interact with, *e.g.*, bind to, *e.g.*, condense the charge and/or mass of, a nucleic acid.

Amphipathic Delivery Agents

In one aspect, the invention features an amphipathic delivery conjugate or module,
20 such as those described herein and those described in copending, co-owned United States Provisional Application Serial No. 60/455,050 (Attorney Docket No. 14174-065P01), filed on March 13, 2003, which is hereby incorporated by reference.

In addition, the invention include an iRNA agent described herein, *e.g.*, a palindromic iRNA agent, an iRNA agent having a non canonical pairing, an iRNA agent which targets a
25 gene described herein, *e.g.*, a gene active in the liver, an iRNA agent having a chemical modification described herein, *e.g.*, a modification which enhances resistance to degradation, an iRNA agent having an architecture or structure described herein, an iRNA agent administered as described herein, or an iRNA agent formulated as described herein, combined with, associated with, and delivered by such an amphipathic delivery conjugate.

30 An amphipathic molecule is a molecule having a hydrophobic and a hydrophilic region. Such molecules can interact with (*e.g.*, penetrate or disrupt) lipids, *e.g.*, a lipid

bylayer of a cell. As such, they can serve as delivery agent for an associated (e.g., bound) iRNA (e.g., an iRNA or sRNA described herein). A preferred amphipathic molecule to be used in the compositions described herein (e.g., the amphipathic iRNA constructs described herein) is a polymer. The polymer may have a secondary structure, e.g., a repeating
5 secondary structure.

One example of an amphipathic polymer is an amphipathic polypeptide, e.g., a polypeptide having a secondary structure such that the polypeptide has a hydrophilic and a hydrophobic face. The design of amphipathic peptide structures (e.g., alpha-helical polypeptides) is routine to one of skill in the art. For example, the following references
10 provide guidance: Grell et al. (2001) *Protein design and folding: template trapping of self-assembled helical bundles* J Pept Sci 7(3):146-51; Chen et al. (2002) *Determination of stereochemistry stability coefficients of amino acid side-chains in an amphipathic alpha-helix* J Pept Res 59(1):18-33; Iwata et al. (1994) *Design and synthesis of amphipathic 3(10)-helical peptides and their interactions with phospholipid bilayers and ion channel formation* J Biol
15 Chem 269(7):4928-33; Cornut et al. (1994) *The amphipathic alpha-helix concept. Application to the de novo design of ideally amphipathic Leu, Lys peptides with hemolytic activity higher than that of melittin* FEBS Lett 349(1):29-33; Negrete et al. (1998) *Deciphering the structural code for proteins: helical propensities in domain classes and statistical multiresidue information in alpha-helices*. Protein Sci 7(6):1368-79.

Another example of an amphipathic polymer is a polymer made up of two or more amphipathic subunits, e.g., two or more subunits containing cyclic moieties (e.g., a cyclic moiety having one or more hydrophilic groups and one or more hydrophobic groups). For example, the subunit may contain a steroid, e.g., cholic acid; or an aromatic moiety. Such moieties preferably can exhibit atropisomerism, such that they can form opposing
20 hydrophobic and hydrophilic faces when in a polymer structure.

The ability of a putative amphipathic molecule to interact with a lipid membrane, e.g., a cell membrane, can be tested by routine methods, e.g., in a cell free or cellular assay. For example, a test compound is combined or contacted with a synthetic lipid bilayer, a cellular membrane fraction, or a cell, and the test compound is evaluated for its ability to interact
30 with, penetrate or disrupt the lipid bilayer, cell membrane or cell. The test compound can be labeled in order to detect the interaction with the lipid bilayer, cell membrane or cell. In

another type of assay, the test compound is linked to a reporter molecule or an iRNA agent (e.g., an iRNA or sRNA described herein) and the ability of the reporter molecule or iRNA agent to penetrate the lipid bilayer, cell membrane or cell is evaluated. A two-step assay can also be performed, wherein a first assay evaluates the ability of a test compound alone to
5 interact with a lipid bilayer, cell membrane or cell; and a second assay evaluates the ability of a construct (e.g., a construct described herein) that includes the test compound and a reporter or iRNA agent to interact with a lipid bilayer, cell membrane or cell.

An amphipathic polymer useful in the compositions described herein has at least 2, preferably at least 5, more preferably at least 10, 25, 50, 100, 200, 500, 1000, 2000, 50000 or
10 more subunits (e.g., amino acids or cyclic subunits). A single amphipathic polymer can be linked to one or more, e.g., 2, 3, 5, 10 or more iRNA agents (e.g., iRNA or sRNA agents described herein). In some embodiments, an amphipathic polymer can contain both amino acid and cyclic subunits, e.g., aromatic subunits.

The invention features a composition that includes an iRNA agent (e.g., an iRNA or
15 sRNA described herein) in association with an amphipathic molecule. Such compositions may be referred to herein as "amphipathic iRNA constructs." Such compositions and constructs are useful in the delivery or targeting of iRNA agents, e.g., delivery or targeting of iRNA agents to a cell. While not wanting to be bound by theory, such compositions and constructs can increase the porosity of, e.g., can penetrate or disrupt, a lipid (e.g., a lipid
20 bilayer of a cell), e.g., to allow entry of the iRNA agent into a cell.

In one aspect, the invention relates to a composition comprising an iRNA agent (e.g., an iRNA or sRNA agent described herein) linked to an amphipathic molecule. The iRNA agent and the amphipathic molecule may be held in continuous contact with one another by either covalent or noncovalent linkages.


25 The amphipathic molecule of the composition or construct is preferably other than a phospholipid, e.g., other than a micelle, membrane or membrane fragment.

The amphipathic molecule of the composition or construct is preferably a polymer. The polymer may include two or more amphipathic subunits. One or more hydrophilic groups and one or more hydrophobic groups may be present on the polymer. The polymer
30 may have a repeating secondary structure as well as a first face and a second face. The distribution of the hydrophilic groups and the hydrophobic groups along the repeating

secondary structure can be such that one face of the polymer is a hydrophilic face and the other face of the polymer is a hydrophobic face.

The amphipathic molecule can be a polypeptide, e.g., a polypeptide comprising an α -helical conformation as its secondary structure.

5 In one embodiment, the amphipathic polymer includes one or more subunits containing one or more cyclic moiety (e.g., a cyclic moiety having one or more hydrophilic groups and/or one or more hydrophobic groups). In one embodiment, the polymer is a polymer of cyclic moieties such that the moieties have alternating hydrophobic and hydrophilic groups. For example, the subunit may contain a steroid, e.g., cholic acid. In
10 another example, the subunit may contain an aromatic moiety. The aromatic moiety may be one that can exhibit atropisomerism, e.g., a 2,2'-bis(substituted)-1-1'-binaphthyl or a 2,2'-bis(substituted) biphenyl. A subunit may include an aromatic moiety of Formula (M):



(M)

15 The invention features a composition that includes an iRNA agent (e.g., an iRNA or sRNA described herein) in association with an amphipathic molecule. Such compositions may be referred to herein as "amphipathic iRNA constructs." Such compositions and constructs are useful in the delivery or targeting of iRNA agents, e.g., delivery or targeting
20 of iRNA agents to a cell. While not wanting to be bound by theory, such compositions and

constructs can increase the porosity of, e.g., can penetrate or disrupt, a lipid (e.g., a lipid bilayer of a cell), e.g., to allow entry of the iRNA agent into a cell.


In one aspect, the invention relates to a composition comprising an iRNA agent (e.g., an iRNA or sRNA agent described herein) linked to an amphipathic molecule. The iRNA
5 agent and the amphipathic molecule may be held in continuous contact with one another by either covalent or noncovalent linkages.

The amphipathic molecule of the composition or construct is preferably other than a phospholipid, e.g., other than a micelle, membrane or membrane fragment.

The amphipathic molecule of the composition or construct is preferably a polymer.
10 The polymer may include two or more amphipathic subunits. One or more hydrophilic groups and one or more hydrophobic groups may be present on the polymer. The polymer may have a repeating secondary structure as well as a first face and a second face. The distribution of the hydrophilic groups and the hydrophobic groups along the repeating secondary structure can be such that one face of the polymer is a hydrophilic face and the
15 other face of the polymer is a hydrophobic face.

The amphipathic molecule can be a polypeptide, e.g., a polypeptide comprising an α -helical conformation as its secondary structure.

In one embodiment, the amphipathic polymer includes one or more subunits containing one or more cyclic moiety (e.g., a cyclic moiety having one or more hydrophilic
20 groups and/or one or more hydrophobic groups). In one embodiment, the polymer is a polymer of cyclic moieties such that the moieties have alternating hydrophobic and hydrophilic groups. For example, the subunit may contain a steroid, e.g., cholic acid. In another example, the subunit may contain an aromatic moiety. The aromatic moiety may be one that can exhibit atropisomerism, e.g., a 2,2'-bis(substituted)-1-1'-binaphthyl or a 2,2'-
25 bis(substituted) biphenyl. A subunit may include an aromatic moiety of Formula (M):



(M)

5

Referring to Formula M, R_1 is C_1 - C_{100} alkyl optionally substituted with aryl, alkenyl, alkynyl, alkoxy or halo and/or optionally inserted with O, S, alkenyl or alkynyl; C_1 - C_{100} perfluoroalkyl; or OR_5 .

R_2 is hydroxy; nitro; sulfate; phosphate; phosphate ester; sulfonic acid; OR_6 ; or C_1 - C_{100} alkyl optionally substituted with hydroxy, halo, nitro, aryl or alkyl sulfinyl, aryl or alkyl sulfonyl, sulfate, sulfonic acid, phosphate, phosphate ester, substituted or unsubstituted aryl, carboxyl, carboxylate, amino carbonyl, or alkoxy carbonyl, and/or optionally inserted with O, NH, S, S(O), SO_2 , alkenyl, or alkynyl.

R_3 is hydrogen, or when taken together with R_4 forms a fused phenyl ring.

R_4 is hydrogen, or when taken together with R_3 forms a fused phenyl ring.

R_5 is C_1 - C_{100} alkyl optionally substituted with aryl, alkenyl, alkynyl, alkoxy or halo and/or optionally inserted with O, S, alkenyl or alkynyl; or C_1 - C_{100} perfluoroalkyl; and R_6 is C_1 - C_{100} alkyl optionally substituted with hydroxy, halo, nitro, aryl or alkyl sulfinyl, aryl or alkyl sulfonyl, sulfate, sulfonic acid, phosphate, phosphate ester, substituted or unsubstituted

aryl, carboxyl, carboxylate, amino carbonyl, or alkoxycarbonyl, and/or optionally inserted with O, NH, S, S(O), SO₂, alkenyl, or alkynyl.

Increasing cellular uptake of dsRNAs

5 A method of the invention that can include the administration of an iRNA agent and a drug that affects the uptake of the iRNA agent into the cell. The drug can be administered before, after, or at the same time that the iRNA agent is administered. The drug can be covalently linked to the iRNA agent. The drug can be, for example, a lipopolysaccharide, an activator of p38 MAP kinase, or an activator of NF- κ B. The drug can have a transient effect
10 on the cell.

 The drug can increase the uptake of the iRNA agent into the cell, for example, by disrupting the cell's cytoskeleton, *e.g.*, by disrupting the cell's microtubules, microfilaments, and/or intermediate filaments. The drug can be, for example, taxon, vincristine, vinblastine, cytochalasin, nocodazole, japlakinolide, latrunculin A, phalloidin, swinholide A, indanocine,
15 or myoservin.

 The drug can also increase the uptake of the iRNA agent into the cell by activating an inflammatory response, for example. Exemplary drug's that would have such an effect include tumor necrosis factor alpha (TNFalpha), interleukin-1 beta, or gamma interferon.

20 iRNA conjugates

 An iRNA agent can be coupled, *e.g.*, covalently coupled, to a second agent. For example, an iRNA agent used to treat a particular disorder can be coupled to a second therapeutic agent, *e.g.*, an agent other than the iRNA agent. The second therapeutic agent can be one which is directed to the treatment of the same disorder. For example, in the case
25 of an iRNA used to treat a disorder characterized by unwanted cell proliferation, *e.g.*, cancer, the iRNA agent can be coupled to a second agent which has an anti-cancer effect. For example, it can be coupled to an agent which stimulates the immune system, *e.g.*, a CpG motif, or more generally an agent that activates a toll-like receptor and/or increases the production of gamma interferon.

30

iRNA Production

An iRNA can be produced, *e.g.*, in bulk, by a variety of methods. Exemplary methods include: organic synthesis and RNA cleavage, *e.g.*, *in vitro* cleavage.

5 Organic Synthesis

An iRNA can be made by separately synthesizing each respective strand of a double-stranded RNA molecule. The component strands can then be annealed.

A large bioreactor, *e.g.*, the OligoPilot II from Pharmacia Biotec AB (Uppsala Sweden), can be used to produce a large amount of a particular RNA strand for a given
10 iRNA. The OligoPilotII reactor can efficiently couple a nucleotide using only a 1.5 molar excess of a phosphoramidite nucleotide. To make an RNA strand, ribonucleotides amidites are used. Standard cycles of monomer addition can be used to synthesize the 21 to 23 nucleotide strand for the iRNA. Typically, the two complementary strands are produced separately and then annealed, *e.g.*, after release from the solid support and deprotection.

15 Organic synthesis can be used to produce a discrete iRNA species. The complementary of the species to a particular target gene can be precisely specified. For example, the species may be complementary to a region that includes a polymorphism, *e.g.*, a single nucleotide polymorphism. Further the location of the polymorphism can be precisely defined. In some embodiments, the polymorphism is located in an internal region, *e.g.*, at
20 least 4, 5, 7, or 9 nucleotides from one or both of the termini.

dsRNA Cleavage

iRNAs can also be made by cleaving a larger ds iRNA. The cleavage can be mediated *in vitro* or *in vivo*. For example, to produce iRNAs by cleavage *in vitro*, the following method can be used:

25 *In vitro* transcription. dsRNA is produced by transcribing a nucleic acid (DNA) segment in both directions. For example, the HiScribe™ RNAi transcription kit (New England Biolabs) provides a vector and a method for producing a dsRNA for a nucleic acid segment that is cloned into the vector at a position flanked on either side by a T7 promoter. Separate templates are generated for T7 transcription of the two complementary strands for
30 the dsRNA. The templates are transcribed *in vitro* by addition of T7 RNA polymerase and

dsRNA is produced. Similar methods using PCR and/or other RNA polymerases (*e.g.*, T3 or SP6 polymerase) can also be used. In one embodiment, RNA generated by this method is carefully purified to remove endotoxins that may contaminate preparations of the recombinant enzymes.

5 *In vitro* cleavage. dsRNA is cleaved *in vitro* into iRNAs, for example, using a Dicer or comparable RNase III-based activity. For example, the dsRNA can be incubated in an *in vitro* extract from *Drosophila* or using purified components, *e.g.* a purified RNase or RISC complex (RNA-induced silencing complex). See, *e.g.*, Ketting *et al. Genes Dev* 2001 Oct 15;15(20):2654-9. and Hammond *Science* 2001 Aug 10;293(5532):1146-50.

10 dsRNA cleavage generally produces a plurality of iRNA species, each being a particular 21 to 23 nt fragment of a source dsRNA molecule. For example, iRNAs that include sequences complementary to overlapping regions and adjacent regions of a source dsRNA molecule may be present.

 Regardless of the method of synthesis, the iRNA preparation can be prepared in a solution (*e.g.*, an aqueous and/or organic solution) that is appropriate for formulation. For
15 example, the iRNA preparation can be precipitated and redissolved in pure double-distilled water, and lyophilized. The dried iRNA can then be resuspended in a solution appropriate for the intended formulation process.

 Synthesis of modified and nucleotide surrogate iRNA agents is discussed below.

20 FORMULATION

 The iRNA agents described herein can be formulated for administration to a subject

 For ease of exposition the formulations, compositions and methods in this section are discussed largely with regard to unmodified iRNA agents. It should be understood, however, that these formulations, compositions and methods can be practiced with other iRNA agents,
25 *e.g.*, modified iRNA agents, and such practice is within the invention.

 A formulated iRNA composition can assume a variety of states. In some examples, the composition is at least partially crystalline, uniformly crystalline, and/or anhydrous (*e.g.*, less than 80, 50, 30, 20, or 10% water). In another example, the iRNA is in an aqueous phase, *e.g.*, in a solution that includes water.

30 The aqueous phase or the crystalline compositions can, *e.g.*, be incorporated into a delivery vehicle, *e.g.*, a liposome (particularly for the aqueous phase) or a particle (*e.g.*, a

microparticle as can be appropriate for a crystalline composition). Generally, the iRNA composition is formulated in a manner that is compatible with the intended method of administration (see, below).

In particular embodiments, the composition is prepared by at least one of the following methods: spray drying, lyophilization, vacuum drying, evaporation, fluid bed drying, or a combination of these techniques; or sonication with a lipid, freeze-drying, condensation and other self-assembly.

A iRNA preparation can be formulated in combination with another agent, *e.g.*, another therapeutic agent or an agent that stabilizes a iRNA, *e.g.*, a protein that complexes with iRNA to form an iRNP. Still other agents include chelators, *e.g.*, EDTA (*e.g.*, to remove divalent cations such as Mg^{2+}), salts, RNase inhibitors (*e.g.*, a broad specificity RNase inhibitor such as RNasin) and so forth.

In one embodiment, the iRNA preparation includes another iRNA agent, *e.g.*, a second iRNA that can mediated RNAi with respect to a second gene, or with respect to the same gene. Still other preparation can include at least 3, 5, ten, twenty, fifty, or a hundred or more different iRNA species. Such iRNAs can mediated RNAi with respect to a similar number of different genes.

In one embodiment, the iRNA preparation includes at least a second therapeutic agent (*e.g.*, an agent other than an RNA or a DNA). For example, a iRNA composition for the treatment of a viral disease, *e.g.* HIV, might include a known antiviral agent (*e.g.*, a protease inhibitor or reverse transcriptase inhibitor). In another example, a iRNA composition for the treatment of a cancer might further comprise a chemotherapeutic agent.

Exemplary formulations are discussed below:

Liposomes

For ease of exposition the formulations, compositions and methods in this section are discussed largely with regard to unmodified iRNA agents. It should be understood, however, that these formulations, compositions and methods can be practiced with other iRNA agents, *e.g.*, modified iRNA s agents, and such practice is within the invention. An iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) preparation can be

formulated for delivery in a membranous molecular assembly, *e.g.*, a liposome or a micelle. As used herein, the term "liposome" refers to a vesicle composed of amphiphilic lipids arranged in at least one bilayer, *e.g.*, one bilayer or a plurality of bilayers. Liposomes include unilamellar and multilamellar vesicles that have a membrane formed from a lipophilic material and an aqueous interior. The aqueous portion contains the iRNA composition. The lipophilic material isolates the aqueous interior from an aqueous exterior, which typically does not include the iRNA composition, although in some examples, it may. Liposomes are useful for the transfer and delivery of active ingredients to the site of action. Because the liposomal membrane is structurally similar to biological membranes, when liposomes are applied to a tissue, the liposomal bilayer fuses with bilayer of the cellular membranes. As the merging of the liposome and cell progresses, the internal aqueous contents that include the iRNA are delivered into the cell where the iRNA can specifically bind to a target RNA and can mediate RNAi. In some cases the liposomes are also specifically targeted, *e.g.*, to direct the iRNA to particular cell types.

15 A liposome containing a iRNA can be prepared by a variety of methods.

In one example, the lipid component of a liposome is dissolved in a detergent so that micelles are formed with the lipid component. For example, the lipid component can be an amphipathic cationic lipid or lipid conjugate. The detergent can have a high critical micelle concentration and may be nonionic. Exemplary detergents include cholate, CHAPS, octylglucoside, deoxycholate, and lauroyl sarcosine. The iRNA preparation is then added to the micelles that include the lipid component. The cationic groups on the lipid interact with the iRNA and condense around the iRNA to form a liposome. After condensation, the detergent is removed, *e.g.*, by dialysis, to yield a liposomal preparation of iRNA.

25 If necessary a carrier compound that assists in condensation can be added during the condensation reaction, *e.g.*, by controlled addition. For example, the carrier compound can be a polymer other than a nucleic acid (*e.g.*, spermine or spermidine). pH can also adjusted to favor condensation.

Further description of methods for producing stable polynucleotide delivery vehicles, which incorporate a polynucleotide/cationic lipid complex as structural components of the delivery vehicle, are described in, *e.g.*, WO 96/37194. Liposome formation can also include one or more aspects of exemplary methods described in Felgner, P. L. *et al.*, *Proc. Natl.*

Acad. Sci., USA 8:7413-7417, 1987; U.S. Pat. No. 4,897,355; U.S. Pat. No. 5,171,678; Bangham, *et al. M. Mol. Biol.* 23:238, 1965; Olson, *et al. Biochim. Biophys. Acta* 557:9, 1979; Szoka, *et al. Proc. Natl. Acad. Sci.* 75: 4194, 1978; Mayhew, *et al. Biochim. Biophys. Acta* 775:169, 1984; Kim, *et al. Biochim. Biophys. Acta* 728:339, 1983; and Fukunaga, *et al. Endocrinol.* 115:757, 1984. Commonly used techniques for preparing lipid aggregates of appropriate size for use as delivery vehicles include sonication and freeze-thaw plus extrusion (see, *e.g.*, Mayer, *et al. Biochim. Biophys. Acta* 858:161, 1986). Microfluidization can be used when consistently small (50 to 200 nm) and relatively uniform aggregates are desired (Mayhew, *et al. Biochim. Biophys. Acta* 775:169, 1984). These methods are readily adapted to packaging iRNA preparations into liposomes.

Liposomes that are pH-sensitive or negatively-charged, entrap nucleic acid molecules rather than complex with them. Since both the nucleic acid molecules and the lipid are similarly charged, repulsion rather than complex formation occurs. Nevertheless, some nucleic acid molecules are entrapped within the aqueous interior of these liposomes. pH-sensitive liposomes have been used to deliver DNA encoding the thymidine kinase gene to cell monolayers in culture. Expression of the exogenous gene was detected in the target cells (Zhou *et al.*, *Journal of Controlled Release*, 19, (1992) 269-274).

One major type of liposomal composition includes phospholipids other than naturally-derived phosphatidylcholine. Neutral liposome compositions, for example, can be formed from dimyristoyl phosphatidylcholine (DMPC) or dipalmitoyl phosphatidylcholine (DPPC). Anionic liposome compositions generally are formed from dimyristoyl phosphatidylglycerol, while anionic fusogenic liposomes are formed primarily from dioleoyl phosphatidylethanolamine (DOPE). Another type of liposomal composition is formed from phosphatidylcholine (PC) such as, for example, soybean PC, and egg PC. Another type is formed from mixtures of phospholipid and/or phosphatidylcholine and/or cholesterol.

Examples of other methods to introduce liposomes into cells *in vitro* and *in vivo* include U.S. Pat. No. 5,283,185; U.S. Pat. No. 5,171,678; WO 94/00569; WO 93/24640; WO 91/16024; Felgner, *J. Biol. Chem.* 269:2550, 1994; Nabel, *Proc. Natl. Acad. Sci.* 90:11307, 1993; Nabel, *Human Gene Ther.* 3:649, 1992; Gershon, *Biochem.* 32:7143, 1993; and Strauss *EMBO J.* 11:417, 1992.

In one embodiment, cationic liposomes are used. Cationic liposomes possess the advantage of being able to fuse to the cell membrane. Non-cationic liposomes, although not able to fuse as efficiently with the plasma membrane, are taken up by macrophages *in vivo* and can be used to deliver iRNAs to macrophages.

5 Further advantages of liposomes include: liposomes obtained from natural phospholipids are biocompatible and biodegradable; liposomes can incorporate a wide range of water and lipid soluble drugs; liposomes can protect encapsulated iRNAs in their internal compartments from metabolism and degradation (Rosoff, in "Pharmaceutical Dosage Forms," Lieberman, Rieger and Banker (Eds.), 1988, volume 1, p. 245). Important
10 considerations in the preparation of liposome formulations are the lipid surface charge, vesicle size and the aqueous volume of the liposomes.

A positively charged synthetic cationic lipid, N-[1-(2,3-dioleyloxy)propyl]-N,N,N-trimethylammonium chloride (DOTMA) can be used to form small liposomes that interact spontaneously with nucleic acid to form lipid-nucleic acid complexes which are capable of
15 fusing with the negatively charged lipids of the cell membranes of tissue culture cells, resulting in delivery of iRNA (see, *e.g.*, Felgner, P. L. *et al.*, Proc. Natl. Acad. Sci., USA 8:7413-7417, 1987 and U.S. Pat. No. 4,897,355 for a description of DOTMA and its use with DNA).

A DOTMA analogue, 1,2-bis(oleoyloxy)-3-(trimethylammonia)propane (DOTAP)
20 can be used in combination with a phospholipid to form DNA-complexing vesicles. Lipofectin™ (Bethesda Research Laboratories, Gaithersburg, Md.) is an effective agent for the delivery of highly anionic nucleic acids into living tissue culture cells that comprise positively charged DOTMA liposomes which interact spontaneously with negatively charged polynucleotides to form complexes. When enough positively charged liposomes are used,
25 the net charge on the resulting complexes is also positive. Positively charged complexes prepared in this way spontaneously attach to negatively charged cell surfaces, fuse with the plasma membrane, and efficiently deliver functional nucleic acids into, for example, tissue culture cells. Another commercially available cationic lipid, 1,2-bis(oleoyloxy)-3,3-(trimethylammonia)propane ("DOTAP") (Boehringer Mannheim, Indianapolis, Indiana)
30 differs from DOTMA in that the oleoyl moieties are linked by ester, rather than ether linkages.

Other reported cationic lipid compounds include those that have been conjugated to a variety of moieties including, for example, carboxyspermine which has been conjugated to one of two types of lipids and includes compounds such as 5-carboxyspermylglycine dioctaoyleamide ("DOGS") (Transfectam™, Promega, Madison, Wisconsin) and
5 dipalmitoylphosphatidylethanolamine 5-carboxyspermyl-amide ("DPPEs") (see, e.g., U.S. Pat. No. 5,171,678).

Another cationic lipid conjugate includes derivatization of the lipid with cholesterol ("DC-Chol") which has been formulated into liposomes in combination with DOPE (See, Gao, X. and Huang, L., *Biochim. Biophys. Res. Commun.* 179:280, 1991). Lipopolylysine,
10 made by conjugating polylysine to DOPE, has been reported to be effective for transfection in the presence of serum (Zhou, X. *et al.*, *Biochim. Biophys. Acta* 1065:8, 1991). For certain cell lines, these liposomes containing conjugated cationic lipids, are said to exhibit lower toxicity and provide more efficient transfection than the DOTMA-containing compositions. Other commercially available cationic lipid products include DMRIE and DMRIE-HP
15 (Vical, La Jolla, California) and Lipofectamine (DOSPA) (Life Technology, Inc., Gaithersburg, Maryland). Other cationic lipids suitable for the delivery of oligonucleotides are described in WO 98/39359 and WO 96/37194.

Liposomal formulations are particularly suited for topical administration, liposomes present several advantages over other formulations. Such advantages include reduced side
20 effects related to high systemic absorption of the administered drug, increased accumulation of the administered drug at the desired target, and the ability to administer iRNA, into the skin. In some implementations, liposomes are used for delivering iRNA to epidermal cells and also to enhance the penetration of iRNA into dermal tissues, e.g., into skin. For example, the liposomes can be applied topically. Topical delivery of drugs formulated as liposomes to
25 the skin has been documented (see, e.g., Weiner *et al.*, *Journal of Drug Targeting*, 1992, vol. 2, 405-410 and du Plessis *et al.*, *Antiviral Research*, 18, 1992, 259-265; Mannino, R. J. and Fould-Fogerite, S., *Biotechniques* 6:682-690, 1988; Itani, T. *et al.* *Gene* 56:267-276, 1987; Nicolau, C. *et al.* *Meth. Enz.* 149:157-176, 1987; Straubinger, R. M. and Papahadjopoulos, D. *Meth. Enz.* 101:512-527, 1983; Wang, C. Y. and Huang, L., *Proc. Natl. Acad. Sci. USA*
30 84:7851-7855, 1987).

Non-ionic liposomal systems have also been examined to determine their utility in the delivery of drugs to the skin, in particular systems comprising non-ionic surfactant and cholesterol. Non-ionic liposomal formulations comprising Novasome I (glyceryl dilaurate/cholesterol/polyoxyethylene-10-stearyl ether) and Novasome II (glyceryl distearate/cholesterol/polyoxyethylene-10-stearyl ether) were used to deliver a drug into the dermis of mouse skin. Such formulations with iRNA are useful for treating a dermatological disorder.

Liposomes that include iRNA can be made highly deformable. Such deformability can enable the liposomes to penetrate through pore that are smaller than the average radius of the liposome. For example, transfersomes are a type of deformable liposomes.

Transfersomes can be made by adding surface edge activators, usually surfactants, to a standard liposomal composition. Transfersomes that include iRNA can be delivered, for example, subcutaneously by infection in order to deliver iRNA to keratinocytes in the skin. In order to cross intact mammalian skin, lipid vesicles must pass through a series of fine pores, each with a diameter less than 50 nm, under the influence of a suitable transdermal gradient. In addition, due to the lipid properties, these transfersomes can be self-optimizing (adaptive to the shape of pores, *e.g.*, in the skin), self-repairing, and can frequently reach their targets without fragmenting, and often self-loading. The iRNA agents can include an RRMS tethered to a moiety which improves association with a liposome.

Surfactants

For ease of exposition the formulations, compositions and methods in this section are discussed largely with regard to unmodified iRNA agents. It should be understood, however, that these formulations, compositions and methods can be practiced with other iRNA agents, *e.g.*, modified iRNA agents, and such practice is within the invention. Surfactants find wide application in formulations such as emulsions (including microemulsions) and liposomes (see above). iRNA (or a precursor, *e.g.*, a larger dsRNA which can be processed into a iRNA, or a DNA which encodes a iRNA or precursor) compositions can include a surfactant. In one embodiment, the iRNA is formulated as an emulsion that includes a surfactant. The most common way of classifying and ranking the properties of the many different types of surfactants, both natural and synthetic, is by the use of the hydrophile/lipophile balance (HLB). The nature of the hydrophilic group provides the most useful means for categorizing

the different surfactants used in formulations (Rieger, in "Pharmaceutical Dosage Forms," Marcel Dekker, Inc., New York, NY, 1988, p. 285).

If the surfactant molecule is not ionized, it is classified as a nonionic surfactant. Nonionic surfactants find wide application in pharmaceutical products and are usable over a wide range of pH values. In general their HLB values range from 2 to about 18 depending on their structure. Nonionic surfactants include nonionic esters such as ethylene glycol esters, propylene glycol esters, glyceryl esters, polyglyceryl esters, sorbitan esters, sucrose esters, and ethoxylated esters. Nonionic alkanolamides and ethers such as fatty alcohol ethoxylates, propoxylated alcohols, and ethoxylated/propoxylated block polymers are also included in this class. The polyoxyethylene surfactants are the most popular members of the nonionic surfactant class.

If the surfactant molecule carries a negative charge when it is dissolved or dispersed in water, the surfactant is classified as anionic. Anionic surfactants include carboxylates such as soaps, acyl lactylates, acyl amides of amino acids, esters of sulfuric acid such as alkyl sulfates and ethoxylated alkyl sulfates, sulfonates such as alkyl benzene sulfonates, acyl isethionates, acyl taurates and sulfosuccinates, and phosphates. The most important members of the anionic surfactant class are the alkyl sulfates and the soaps.

If the surfactant molecule carries a positive charge when it is dissolved or dispersed in water, the surfactant is classified as cationic. Cationic surfactants include quaternary ammonium salts and ethoxylated amines. The quaternary ammonium salts are the most used members of this class.

If the surfactant molecule has the ability to carry either a positive or negative charge, the surfactant is classified as amphoteric. Amphoteric surfactants include acrylic acid derivatives, substituted alkylamides, N-alkylbetaines and phosphatides.

The use of surfactants in drug products, formulations and in emulsions has been reviewed (Rieger, in "Pharmaceutical Dosage Forms," Marcel Dekker, Inc., New York, NY, 1988, p. 285).

Micelles and other Membranous Formulations

For ease of exposition the micelles and other formulations, compositions and methods in this section are discussed largely with regard to unmodified iRNA agents. It should be understood, however, that these micelles and other formulations, compositions and methods

can be practiced with other iRNA agents, *e.g.*, modified iRNA agents, and such practice is within the invention. The iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof)) composition can be provided as a micellar formulation. "Micelles" are defined herein as a particular type of molecular assembly in which amphipathic molecules are arranged in a spherical structure such that all the hydrophobic portions of the molecules are directed inward, leaving the hydrophilic portions in contact with the surrounding aqueous phase. The converse arrangement exists if the environment is hydrophobic.

10 A mixed micellar formulation suitable for delivery through transdermal membranes may be prepared by mixing an aqueous solution of the iRNA composition, an alkali metal C₈ to C₂₂ alkyl sulphate, and a micelle forming compounds. Exemplary micelle forming compounds include lecithin, hyaluronic acid, pharmaceutically acceptable salts of hyaluronic acid, glycolic acid, lactic acid, chamomile extract, cucumber extract, oleic acid, linoleic acid, 15 linolenic acid, monoolein, monooleates, monolaurates, borage oil, evening of primrose oil, menthol, trihydroxy oxo cholanyl glycine and pharmaceutically acceptable salts thereof, glycerin, polyglycerin, lysine, polylysine, triolein, polyoxyethylene ethers and analogues thereof, polidocanol alkyl ethers and analogues thereof, chenodeoxycholate, deoxycholate, and mixtures thereof. The micelle forming compounds may be added at the same time or 20 after addition of the alkali metal alkyl sulphate. Mixed micelles will form with substantially any kind of mixing of the ingredients but vigorous mixing is preferred in order to provide smaller size micelles.

In one method a first micellar composition is prepared which contains the iRNA composition and at least the alkali metal alkyl sulphate. The first micellar composition is then 25 mixed with at least three micelle forming compounds to form a mixed micellar composition. In another method, the micellar composition is prepared by mixing the iRNA composition, the alkali metal alkyl sulphate and at least one of the micelle forming compounds, followed by addition of the remaining micelle forming compounds, with vigorous mixing.

Phenol and/or m-cresol may be added to the mixed micellar composition to stabilize 30 the formulation and protect against bacterial growth. Alternatively, phenol and/or m-cresol

may be added with the micelle forming ingredients. An isotonic agent such as glycerin may also be added after formation of the mixed micellar composition.

For delivery of the micellar formulation as a spray, the formulation can be put into an aerosol dispenser and the dispenser is charged with a propellant. The propellant, which is
5 under pressure, is in liquid form in the dispenser. The ratios of the ingredients are adjusted so that the aqueous and propellant phases become one, *i.e.* there is one phase. If there are two phases, it is necessary to shake the dispenser prior to dispensing a portion of the contents, *e.g.* through a metered valve. The dispensed dose of pharmaceutical agent is propelled from the metered valve in a fine spray.

10 The preferred propellants are hydrogen-containing chlorofluorocarbons, hydrogen-containing fluorocarbons, dimethyl ether and diethyl ether. Even more preferred is HFA 134a (1,1,1,2 tetrafluoroethane).

The specific concentrations of the essential ingredients can be determined by relatively straightforward experimentation. For absorption through the oral cavities, it is
15 often desirable to increase, *e.g.* at least double or triple, the dosage for through injection or administration through the gastrointestinal tract.

The iRNA agents can include an RRMS tethered to a moiety which improves association with a micelle or other membranous formulation.

Particles

20 For ease of exposition the particles, formulations, compositions and methods in this section are discussed largely with regard to unmodified iRNA agents. It should be understood, however, that these particles, formulations, compositions and methods can be practiced with other iRNA agents, *e.g.*, modified iRNA agents, and such practice is within the invention. In another embodiment, an iRNA agent, *e.g.*, a double-stranded iRNA agent,
25 or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) preparations may be incorporated into a particle, *e.g.*, a microparticle. Microparticles can be produced by spray-drying, but may also be produced by other methods including lyophilization, evaporation, fluid bed drying, vacuum drying, or a
30 combination of these techniques. See below for further description.

Sustained -Release Formulations. An iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) described herein can be formulated for
5 controlled, *e.g.*, slow release. Controlled release can be achieved by disposing the iRNA within a structure or substance which impedes its release. *E.g.*, iRNA can be disposed within a porous matrix or in an erodable matrix, either of which allow release of the iRNA over a period of time.

Polymeric particles, *e.g.*, polymeric in microparticles can be used as a sustained-
10 release reservoir of iRNA that is taken up by cells only released from the microparticle through biodegradation. The polymeric particles in this embodiment should therefore be large enough to preclude phagocytosis (*e.g.*, larger than 10 μm and preferably larger than 20 μm). Such particles can be produced by the same methods to make smaller particles, but with less vigorous mixing of the first and second emulsions. That is to say, a lower
15 homogenization speed, vortex mixing speed, or sonication setting can be used to obtain particles having a diameter around 100 μm rather than 10 μm . The time of mixing also can be altered.

Larger microparticles can be formulated as a suspension, a powder, or an implantable solid, to be delivered by intramuscular, subcutaneous, intradermal, intravenous, or
20 intraperitoneal injection; via inhalation (intranasal or intrapulmonary); orally; or by implantation. These particles are useful for delivery of any iRNA when slow release over a relatively long term is desired. The rate of degradation, and consequently of release, varies with the polymeric formulation.

Microparticles preferably include pores, voids, hollows, defects or other interstitial
25 spaces that allow the fluid suspension medium to freely permeate or perfuse the particulate boundary. For example, the perforated microstructures can be used to form hollow, porous spray dried microspheres.

Polymeric particles containing iRNA (*e.g.*, a sRNA) can be made using a double emulsion technique, for instance. First, the polymer is dissolved in an organic solvent. A
30 preferred polymer is polylactic-co-glycolic acid (PLGA), with a lactic/glycolic acid weight ratio of 65:35, 50:50, or 75:25. Next, a sample of nucleic acid suspended in aqueous solution

is added to the polymer solution and the two solutions are mixed to form a first emulsion. The solutions can be mixed by vortexing or shaking, and in a preferred method, the mixture can be sonicated. Most preferable is any method by which the nucleic acid receives the least amount of damage in the form of nicking, shearing, or degradation, while still allowing the formation of an appropriate emulsion. For example, acceptable results can be obtained with a
5 Vibra-cell model VC-250 sonicator with a 1/8" microtip probe, at setting #3.

Spray-Drying. An iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof)) can be prepared by spray drying. Spray dried iRNA can be administered to a subject or be subjected to further formulation. A pharmaceutical composition of iRNA can be prepared by spray drying a homogeneous aqueous mixture that includes a iRNA under conditions sufficient to provide a dispersible powdered composition, *e.g.*, a pharmaceutical composition. The material for spray drying can also include one or more of: a
10 pharmaceutically acceptable excipient, or a dispersibility-enhancing amount of a physiologically acceptable, water-soluble protein. The spray-dried product can be a dispersible powder that includes the iRNA.

Spray drying is a process that converts a liquid or slurry material to a dried particulate form. Spray drying can be used to provide powdered material for various administrative routes including inhalation. See, for example, M. Sacchetti and M. M. Van Oort in:
20 Inhalation Aerosols: Physical and Biological Basis for Therapy, A. J. Hickey, ed. Marcel Dekkar, New York, 1996.

Spray drying can include atomizing a solution, emulsion, or suspension to form a fine mist of droplets and drying the droplets. The mist can be projected into a drying chamber
25 (*e.g.*, a vessel, tank, tubing, or coil) where it contacts a drying gas. The mist can include solid or liquid pore forming agents. The solvent and pore forming agents evaporate from the droplets into the drying gas to solidify the droplets, simultaneously forming pores throughout the solid. The solid (typically in a powder, particulate form) then is separated from the drying gas and collected.

30 Spray drying includes bringing together a highly dispersed liquid, and a sufficient volume of air (*e.g.*, hot air) to produce evaporation and drying of the liquid droplets. The

preparation to be spray dried can be any solution, course suspension, slurry, colloidal dispersion, or paste that may be atomized using the selected spray drying apparatus.

Typically, the feed is sprayed into a current of warm filtered air that evaporates the solvent and conveys the dried product to a collector. The spent air is then exhausted with the solvent.

5 Several different types of apparatus may be used to provide the desired product. For example, commercial spray dryers manufactured by Buchi Ltd. or Niro Corp. can effectively produce particles of desired size.

Spray-dried powdered particles can be approximately spherical in shape, nearly uniform in size and frequently hollow. There may be some degree of irregularity in shape
10 depending upon the incorporated medicament and the spray drying conditions. In many instances the dispersion stability of spray-dried microspheres appears to be more effective if an inflating agent (or blowing agent) is used in their production. Particularly preferred embodiments may comprise an emulsion with an inflating agent as the disperse or continuous phase (the other phase being aqueous in nature). An inflating agent is preferably dispersed
15 with a surfactant solution, using, for instance, a commercially available microfluidizer at a pressure of about 5000 to 15,000 psi. This process forms an emulsion, preferably stabilized by an incorporated surfactant, typically comprising submicron droplets of water immiscible blowing agent dispersed in an aqueous continuous phase. The formation of such dispersions using this and other techniques are common and well known to those in the art. The blowing
20 agent is preferably a fluorinated compound (*e.g.* perfluorohexane, perfluorooctyl bromide, perfluorodecalin, perfluorobutyl ethane) which vaporizes during the spray-drying process, leaving behind generally hollow, porous aerodynamically light microspheres. As will be discussed in more detail below, other suitable blowing agents include chloroform, freons, and hydrocarbons. Nitrogen gas and carbon dioxide are also contemplated as a suitable blowing
25 agent.

Although the perforated microstructures are preferably formed using a blowing agent as described above, it will be appreciated that, in some instances, no blowing agent is required and an aqueous dispersion of the medicament and surfactant(s) are spray dried directly. In such cases, the formulation may be amenable to process conditions (*e.g.*, elevated
30 temperatures) that generally lead to the formation of hollow, relatively porous microparticles. Moreover, the medicament may possess special physicochemical properties (*e.g.*, high

crystallinity, elevated melting temperature, surface activity, etc.) that make it particularly suitable for use in such techniques.

The perforated microstructures may optionally be associated with, or comprise, one or more surfactants. Moreover, miscible surfactants may optionally be combined with the suspension medium liquid phase. It will be appreciated by those skilled in the art that the use of surfactants may further increase dispersion stability, simplify formulation procedures or increase bioavailability upon administration. Of course combinations of surfactants, including the use of one or more in the liquid phase and one or more associated with the perforated microstructures are contemplated as being within the scope of the invention. By “associated with or comprise” it is meant that the structural matrix or perforated microstructure may incorporate, adsorb, absorb, be coated with or be formed by the surfactant.

Surfactants suitable for use include any compound or composition that aids in the formation and maintenance of the stabilized respiratory dispersions by forming a layer at the interface between the structural matrix and the suspension medium. The surfactant may comprise a single compound or any combination of compounds, such as in the case of co-surfactants. Particularly preferred surfactants are substantially insoluble in the propellant, nonfluorinated, and selected from the group consisting of saturated and unsaturated lipids, nonionic detergents, nonionic block copolymers, ionic surfactants, and combinations of such agents. It should be emphasized that, in addition to the aforementioned surfactants, suitable (*i.e.* biocompatible) fluorinated surfactants are compatible with the teachings herein and may be used to provide the desired stabilized preparations.

Lipids, including phospholipids, from both natural and synthetic sources may be used in varying concentrations to form a structural matrix. Generally, compatible lipids comprise those that have a gel to liquid crystal phase transition greater than about 40° C. Preferably, the incorporated lipids are relatively long chain (*i.e.* C₆-C₂₂) saturated lipids and more preferably comprise phospholipids. Exemplary phospholipids useful in the disclosed stabilized preparations comprise egg phosphatidylcholine, dilauroylphosphatidylcholine, dioleoylphosphatidylcholine, dipalmitoylphosphatidylcholine, disteoylphosphatidylcholine, short-chain phosphatidylcholines, phosphatidylethanolamine, dioleoylphosphatidylethanolamine, phosphatidylserine, phosphatidylglycerol,

phosphatidylinositol, glycolipids, ganglioside GM1, sphingomyelin, phosphatidic acid, cardiolipin; lipids bearing polymer chains such as, polyethylene glycol, chitin, hyaluronic acid, or polyvinylpyrrolidone; lipids bearing sulfonated mono-, di-, and polysaccharides; fatty acids such as palmitic acid, stearic acid, and oleic acid; cholesterol, cholesterol esters, and cholesterol hemisuccinate. Due to their excellent biocompatibility characteristics, phospholipids and combinations of phospholipids and poloxamers are particularly suitable for use in the stabilized dispersions disclosed herein.

Compatible nonionic detergents comprise: sorbitan esters including sorbitan trioleate (Spans™ 85), sorbitan sesquioleate, sorbitan monooleate, sorbitan monolaurate, polyoxyethylene (20) sorbitan monolaurate, and polyoxyethylene (20) sorbitan monooleate, oleyl polyoxyethylene (2) ether, stearyl polyoxyethylene (2) ether, lauryl polyoxyethylene (4) ether, glycerol esters, and sucrose esters. Other suitable nonionic detergents can be easily identified using McCutcheon's Emulsifiers and Detergents (McPublishing Co., Glen Rock, N.J.). Preferred block copolymers include diblock and triblock copolymers of polyoxyethylene and polyoxypropylene, including poloxamer 188 (Pluronic.RTM. F68), poloxamer 407 (Pluronic.RTM. F-127), and poloxamer 338. Ionic surfactants such as sodium sulfosuccinate, and fatty acid soaps may also be utilized. In preferred embodiments, the microstructures may comprise oleic acid or its alkali salt.

In addition to the aforementioned surfactants, cationic surfactants or lipids are preferred especially in the case of delivery of an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof). Examples of suitable cationic lipids include: DOTMA, N-[-(2,3-dioleyloxy)propyl]-N,N,N-trimethylammonium-chloride; DOTAP, 1,2-dioleyloxy-3-(trimethylammonio)propane; and DOTB, 1,2-dioleyl-3-(4'-trimethylammonio)butanoyl-sn-glycerol. Polycationic amino acids such as polylysine, and polyarginine are also contemplated.

For the spraying process, such spraying methods as rotary atomization, pressure atomization and two-fluid atomization can be used. Examples of the devices used in these processes include "Parubisu [phonetic rendering] Mini-Spray GA-32" and "Parubisu Spray Drier DL-41", manufactured by Yamato Chemical Co., or "Spray Drier CL-8," "Spray Drier

L-8," "Spray Drier FL-12," "Spray Drier FL-16" or "Spray Drier FL-20," manufactured by Okawara Kakoki Co., can be used for the method of spraying using rotary-disk atomizer.

While no particular restrictions are placed on the gas used to dry the sprayed material, it is recommended to use air, nitrogen gas or an inert gas. The temperature of the inlet of the gas used to dry the sprayed materials such that it does not cause heat deactivation of the sprayed material. The range of temperatures may vary between about 50°C to about 200°C, preferably between about 50°C and 100°C. The temperature of the outlet gas used to dry the sprayed material, may vary between about 0°C and about 150°C, preferably between 0°C and 90°C, and even more preferably between 0°C and 60°C.

The spray drying is done under conditions that result in substantially amorphous powder of homogeneous constitution having a particle size that is respirable, a low moisture content and flow characteristics that allow for ready aerosolization. Preferably the particle size of the resulting powder is such that more than about 98% of the mass is in particles having a diameter of about 10 µm or less with about 90% of the mass being in particles having a diameter less than 5 µm. Alternatively, about 95% of the mass will have particles with a diameter of less than 10 µm with about 80% of the mass of the particles having a diameter of less than 5 µm.

The dispersible pharmaceutical-based dry powders that include the iRNA preparation may optionally be combined with pharmaceutical carriers or excipients which are suitable for respiratory and pulmonary administration. Such carriers may serve simply as bulking agents when it is desired to reduce the iRNA concentration in the powder which is being delivered to a patient, but may also serve to enhance the stability of the iRNA compositions and to improve the dispersibility of the powder within a powder dispersion device in order to provide more efficient and reproducible delivery of the iRNA and to improve handling characteristics of the iRNA such as flowability and consistency to facilitate manufacturing and powder filling.

Such carrier materials may be combined with the drug prior to spray drying, *i.e.*, by adding the carrier material to the purified bulk solution. In that way, the carrier particles will be formed simultaneously with the drug particles to produce a homogeneous powder. Alternatively, the carriers may be separately prepared in a dry powder form and combined with the dry powder drug by blending. The powder carriers will usually be crystalline (to

avoid water absorption), but might in some cases be amorphous or mixtures of crystalline and amorphous. The size of the carrier particles may be selected to improve the flowability of the drug powder, typically being in the range from 25 μm to 100 μm . A preferred carrier material is crystalline lactose having a size in the above-stated range.

5 Powders prepared by any of the above methods will be collected from the spray dryer in a conventional manner for subsequent use. For use as pharmaceuticals and other purposes, it will frequently be desirable to disrupt any agglomerates which may have formed by screening or other conventional techniques. For pharmaceutical uses, the dry powder formulations will usually be measured into a single dose, and the single dose sealed into a
10 package. Such packages are particularly useful for dispersion in dry powder inhalers, as described in detail below. Alternatively, the powders may be packaged in multiple-dose containers.

Methods for spray drying hydrophobic and other drugs and components are described in U.S. Pat. Nos. 5,000,888; 5,026,550; 4,670,419, 4,540,602; and 4,486,435. Bloch and
15 Speison (1983) Pharm. Acta Helv 58:14-22 teaches spray drying of hydrochlorothiazide and chlorthalidone (lipophilic drugs) and a hydrophilic adjuvant (pentaerythritol) in azeotropic solvents of dioxane-water and 2-ethoxyethanol-water. A number of Japanese Patent application Abstracts relate to spray drying of hydrophilic-hydrophobic product combinations, including JP 806766; JP 7242568; JP 7101884; JP 7101883; JP 71018982; JP
20 7101881; and JP 4036233. Other foreign patent publications relevant to spray drying hydrophilic-hydrophobic product combinations include FR 2594693; DE 2209477; and WO 88/07870.

LYOPHILIZATION.

25 An iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) preparation can be made by lyophilization. Lyophilization is a freeze-drying process in which water is sublimed from the composition after it is frozen. The
30 particular advantage associated with the lyophilization process is that biologicals and pharmaceuticals that are relatively unstable in an aqueous solution can be dried without

elevated temperatures (thereby eliminating the adverse thermal effects), and then stored in a dry state where there are few stability problems. With respect to the instant invention such techniques are particularly compatible with the incorporation of nucleic acids in perforated microstructures without compromising physiological activity. Methods for providing lyophilized particulates are known to those of skill in the art and it would clearly not require undue experimentation to provide dispersion compatible microstructures in accordance with the teachings herein. Accordingly, to the extent that lyophilization processes may be used to provide microstructures having the desired porosity and size, they are in conformance with the teachings herein and are expressly contemplated as being within the scope of the instant invention.

Targeting

For ease of exposition the formulations, compositions and methods in this section are discussed largely with regard to unmodified iRNAs. It should be understood, however, that these formulations, compositions and methods can be practiced with other iRNA agents, *e.g.*, modified iRNA agents, and such practice is within the invention.

In some embodiments, an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) is targeted to a particular cell. For example, a liposome or particle or other structure that includes a iRNA can also include a targeting moiety that recognizes a specific molecule on a target cell. The targeting moiety can be a molecule with a specific affinity for a target cell. Targeting moieties can include antibodies directed against a protein found on the surface of a target cell, or the ligand or a receptor-binding portion of a ligand for a molecule found on the surface of a target cell. For example, the targeting moiety can recognize a cancer-specific antigen (*e.g.*, CA15-3, CA19-9, CEA, or HER2/neu.) or a viral antigen, thus delivering the iRNA to a cancer cell or a virus-infected cell. Exemplary targeting moieties include antibodies (such as IgM, IgG, IgA, IgD, and the like, or a functional portions thereof), ligands for cell surface receptors (*e.g.*, ectodomains thereof).

Table 3 provides a number of antigens which can be used to target selected cells.

Table 3.

ANTIGEN	Exemplary tumor tissue
CEA (carcinoembryonic antigen)	colon, breast, lung
PSA (prostate specific antigen)	prostate cancer
CA-125	ovarian cancer
CA 15-3	breast cancer
CA 19-9	breast cancer
HER2/neu	breast cancer
α -feto protein	testicular cancer, hepatic cancer
β -HCG (human chorionic gonadotropin)	testicular cancer, choriocarcinoma
MUC-1	breast cancer
Estrogen receptor	breast cancer, uterine cancer
Progesterone receptor	breast cancer, uterine cancer
EGFr (epidermal growth factor receptor)	bladder cancer

5

In one embodiment, the targeting moiety is attached to a liposome. For example, US 6,245,427 describes a method for targeting a liposome using a protein or peptide. In another example, a cationic lipid component of the liposome is derivatized with a targeting moiety. For example, WO 96/37194 describes converting N-glutaryl dioleoylphosphatidyl ethanolamine to a N-hydroxysuccinimide activated ester. The product was then coupled to an RGD peptide.

10

GENES AND DISEASES

In one aspect, the invention features, a method of treating a subject at risk for or afflicted with unwanted cell proliferation, *e.g.*, malignant or nonmalignant cell proliferation.

15 The method includes:

providing an iRNA agent, *e.g.*, an sRNA or iRNA agent described herein, *e.g.*, an iRNA having a structure described herein, where the iRNA is homologous to and can silence, *e.g.*, by cleavage, a gene which promotes unwanted cell proliferation;

administering an iRNA agent, *e.g.*, an sRNA or iRNA agent described herein to a subject, preferably a human subject, thereby treating the subject.

20

In a preferred embodiment the gene is a growth factor or growth factor receptor gene, a kinase, *e.g.*, a protein tyrosine, serine or threonine kinase gene, an adaptor protein gene, a gene encoding a G protein superfamily molecule, or a gene encoding a transcription factor.

In a preferred embodiment the iRNA agent silences the PDGF beta gene, and thus can
5 be used to treat a subject having or at risk for a disorder characterized by unwanted PDGF beta expression, *e.g.*, testicular and lung cancers.

In another preferred embodiment the iRNA agent silences the Erb-B gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted Erb-B expression, *e.g.*, breast cancer.

10 In a preferred embodiment the iRNA agent silences the Src gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted Src expression, *e.g.*, colon cancers.

In a preferred embodiment the iRNA agent silences the CRK gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted CRK
15 expression, *e.g.*, colon and lung cancers.

In a preferred embodiment the iRNA agent silences the GRB2 gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted GRB2 expression, *e.g.*, squamous cell carcinoma.

In another preferred embodiment the iRNA agent silences the RAS gene, and thus can
20 be used to treat a subject having or at risk for a disorder characterized by unwanted RAS expression, *e.g.*, pancreatic, colon and lung cancers, and chronic leukemia.

In another preferred embodiment the iRNA agent silences the MEKK gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted MEKK expression, *e.g.*, squamous cell carcinoma, melanoma or leukemia.

25 In another preferred embodiment the iRNA agent silences the JNK gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted JNK expression, *e.g.*, pancreatic or breast cancers.

In a preferred embodiment the iRNA agent silences the RAF gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted RAF
30 expression, *e.g.*, lung cancer or leukemia.

In a preferred embodiment the iRNA agent silences the Erk1/2 gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted Erk1/2 expression, *e.g.*, lung cancer.

5 In another preferred embodiment the iRNA agent silences the PCNA(p21) gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted PCNA expression, *e.g.*, lung cancer.

In a preferred embodiment the iRNA agent silences the MYB gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted MYB expression, *e.g.*, colon cancer or chronic myelogenous leukemia.

10 In a preferred embodiment the iRNA agent silences the c-MYC gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted c-MYC expression, *e.g.*, Burkitt's lymphoma or neuroblastoma.

In another preferred embodiment the iRNA agent silences the JUN gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted JUN
15 expression, *e.g.*, ovarian, prostate or breast cancers.

In another preferred embodiment the iRNA agent silences the FOS gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted FOS expression, *e.g.*, skin or prostate cancers.

20 In a preferred embodiment the iRNA agent silences the BCL-2 gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted BCL-2 expression, *e.g.*, lung or prostate cancers or Non-Hodgkin lymphoma.

In a preferred embodiment the iRNA agent silences the Cyclin D gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted Cyclin D expression, *e.g.*, esophageal and colon cancers.

25 In a preferred embodiment the iRNA agent silences the VEGF gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted VEGF expression, *e.g.*, esophageal and colon cancers.

In a preferred embodiment the iRNA agent silences the EGFR gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted EGFR
30 expression, *e.g.*, breast cancer.

In another preferred embodiment the iRNA agent silences the Cyclin A gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted Cyclin A expression, *e.g.*, lung and cervical cancers.

In another preferred embodiment the iRNA agent silences the Cyclin E gene, and thus
5 can be used to treat a subject having or at risk for a disorder characterized by unwanted Cyclin E expression, *e.g.*, lung and breast cancers.

In another preferred embodiment the iRNA agent silences the WNT-1 gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted WNT-1 expression, *e.g.*, basal cell carcinoma.

10 In another preferred embodiment the iRNA agent silences the beta-catenin gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted beta-catenin expression, *e.g.*, adenocarcinoma or hepatocellular carcinoma.

In another preferred embodiment the iRNA agent silences the c-MET gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted c-
15 MET expression, *e.g.*, hepatocellular carcinoma.

In another preferred embodiment the iRNA agent silences the PKC gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted PKC expression, *e.g.*, breast cancer.

In a preferred embodiment the iRNA agent silences the NFkB gene, and thus can be
20 used to treat a subject having or at risk for a disorder characterized by unwanted NFkB expression, *e.g.*, breast cancer.

In a preferred embodiment the iRNA agent silences the STAT3 gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted STAT3 expression, *e.g.*, prostate cancer.

25 In another preferred embodiment the iRNA agent silences the survivin gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted survivin expression, *e.g.*, cervical or pancreatic cancers.

In another preferred embodiment the iRNA agent silences the Her2/Neu gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted
30 Her2/Neu expression, *e.g.*, breast cancer.

In another preferred embodiment the iRNA agent silences the topoisomerase I gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted topoisomerase I expression, *e.g.*, ovarian and colon cancers.

In a preferred embodiment the iRNA agent silences the topoisomerase II alpha gene,
5 and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted topoisomerase II expression, *e.g.*, breast and colon cancers.

In a preferred embodiment the iRNA agent silences mutations in the p73 gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted p73 expression, *e.g.*, colorectal adenocarcinoma.

10 In a preferred embodiment the iRNA agent silences mutations in the p21(WAF1/CIP1) gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted p21(WAF1/CIP1) expression, *e.g.*, liver cancer.

In a preferred embodiment the iRNA agent silences mutations in the p27(KIP1) gene, and thus can be used to treat a subject having or at risk for a disorder characterized by
15 unwanted p27(KIP1) expression, *e.g.*, liver cancer.

In a preferred embodiment the iRNA agent silences mutations in the PPM1D gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted PPM1D expression, *e.g.*, breast cancer.

In a preferred embodiment the iRNA agent silences mutations in the RAS gene, and
20 thus can be used to treat a subject having or at risk for a disorder characterized by unwanted RAS expression, *e.g.*, breast cancer.

In another preferred embodiment the iRNA agent silences mutations in the caveolin I gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted caveolin I expression, *e.g.*, esophageal squamous cell carcinoma.

25 In another preferred embodiment the iRNA agent silences mutations in the MIB I gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted MIB I expression, *e.g.*, male breast carcinoma (MBC).

In another preferred embodiment the iRNA agent silences mutations in the MTAI gene, and thus can be used to treat a subject having or at risk for a disorder characterized by
30 unwanted MTAI expression, *e.g.*, ovarian carcinoma.

In another preferred embodiment the iRNA agent silences mutations in the M68 gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted M68 expression, *e.g.*, human adenocarcinomas of the esophagus, stomach, colon, and rectum.

5 In preferred embodiments the iRNA agent silences mutations in tumor suppressor genes, and thus can be used as a method to promote apoptotic activity in combination with chemotherapeutics.

In a preferred embodiment the iRNA agent silences mutations in the p53 tumor suppressor gene, and thus can be used to treat a subject having or at risk for a disorder
10 characterized by unwanted p53 expression, *e.g.*, gall bladder, pancreatic and lung cancers.

In a preferred embodiment the iRNA agent silences mutations in the p53 family member DN-p63, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted DN-p63 expression, *e.g.*, squamous cell carcinoma

In a preferred embodiment the iRNA agent silences mutations in the pRb tumor
15 suppressor gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted pRb expression, *e.g.*, oral squamous cell carcinoma

In a preferred embodiment the iRNA agent silences mutations in the APC1 tumor suppressor gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted APC1 expression, *e.g.*, colon cancer.

20 In a preferred embodiment the iRNA agent silences mutations in the BRCA1 tumor suppressor gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted BRCA1 expression, *e.g.*, breast cancer.

In a preferred embodiment the iRNA agent silences mutations in the PTEN tumor suppressor gene, and thus can be used to treat a subject having or at risk for a disorder
25 characterized by unwanted PTEN expression, *e.g.*, hamartomas, gliomas, and prostate and endometrial cancers.

In a preferred embodiment the iRNA agent silences MLL fusion genes, *e.g.*, MLL-AF9, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted MLL fusion gene expression, *e.g.*, acute leukemias.

In another preferred embodiment the iRNA agent silences the BCR/ABL fusion gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted BCR/ABL fusion gene expression, *e.g.*, acute and chronic leukemias.

5 In another preferred embodiment the iRNA agent silences the TEL/AML1 fusion gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted TEL/AML1 fusion gene expression, *e.g.*, childhood acute leukemia.

In another preferred embodiment the iRNA agent silences the EWS/FLI1 fusion gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted EWS/FLI1 fusion gene expression, *e.g.*, Ewing Sarcoma.

10 In another preferred embodiment the iRNA agent silences the TLS/FUS1 fusion gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted TLS/FUS1 fusion gene expression, *e.g.*, Myxoid liposarcoma.

In another preferred embodiment the iRNA agent silences the PAX3/FKHR fusion gene, and thus can be used to treat a subject having or at risk for a disorder characterized by
15 unwanted PAX3/FKHR fusion gene expression, *e.g.*, Myxoid liposarcoma.

In another preferred embodiment the iRNA agent silences the AML1/ETO fusion gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted AML1/ETO fusion gene expression, *e.g.*, acute leukemia.

20 In another aspect, the invention features, a method of treating a subject, *e.g.*, a human, at risk for or afflicted with a disease or disorder that may benefit by angiogenesis inhibition *e.g.*, cancer. The method includes:

providing an iRNA agent, *e.g.*, an iRNA agent having a structure described herein, which iRNA agent is homologous to and can silence, *e.g.*, by cleavage, a gene which mediates angiogenesis;

25 administering the iRNA agent to a subject,
thereby treating the subject.

In a preferred embodiment the iRNA agent silences the alpha v-integrin gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted alpha V integrin, *e.g.*, brain tumors or tumors of epithelial origin.

In a preferred embodiment the iRNA agent silences the Flt-1 receptor gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted Flt-1 receptors, eg. Cancer and rheumatoid arthritis.

5 In a preferred embodiment the iRNA agent silences the tubulin gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted tubulin, eg. Cancer and retinal neovascularization.

In a preferred embodiment the iRNA agent silences the tubulin gene, and thus can be used to treat a subject having or at risk for a disorder characterized by unwanted tubulin, eg. Cancer and retinal neovascularization.

10 In another aspect, the invention features a method of treating a subject infected with a virus or at risk for or afflicted with a disorder or disease associated with a viral infection. The method includes:

providing an iRNA agent, *e.g.*, and iRNA agent having a structure described herein, which iRNA agent is homologous to and can silence, *e.g.*, by cleavage, a viral gene of a
15 cellular gene which mediates viral function, *e.g.*, entry or growth;
administering the iRNA agent to a subject, preferably a human subject,
thereby treating the subject.

Thus, the invention provides for a method of treating patients infected by the Human Papilloma Virus (HPV) or at risk for or afflicted with a disorder mediated by HPV, *e.g.*,
20 cervical cancer. HPV is linked to 95% of cervical carcinomas and thus an antiviral therapy is an attractive method to treat these cancers and other symptoms of viral infection.

In a preferred embodiment, the expression of a HPV gene is reduced. In another preferred embodiment, the HPV gene is one of the group of E2, E6, or E7.

In a preferred embodiment the expression of a human gene that is required for HPV
25 replication is reduced.

The invention also includes a method of treating patients infected by the Human Immunodeficiency Virus (HIV) or at risk for or afflicted with a disorder mediated by HIV, *e.g.*, Acquired Immune Deficiency Syndrome (AIDS).

In a preferred embodiment, the expression of a HIV gene is reduced. In another
30 preferred embodiment, the HIV gene is CCR5, Gag, or Rev.

In a preferred embodiment the expression of a human gene that is required for HIV replication is reduced. In another preferred embodiment, the gene is CD4 or Tsg101.

The invention also includes a method for treating patients infected by the Hepatitis B Virus (HBV) or at risk for or afflicted with a disorder mediated by HBV, *e.g.*, cirrhosis and
5 hepatocellular carcinoma.

In a preferred embodiment, the expression of a HBV gene is reduced. In another preferred embodiment, the targeted HBV gene encodes one of the group of the tail region of the HBV core protein, the pre-c region (pre-c), or the c region (c). In another preferred embodiment, a targeted HBV-RNA sequence is comprised of the poly(A) tail.

10 In preferred embodiment the expression of a human gene that is required for HBV replication is reduced.

The invention also provides for a method of treating patients infected by the Hepatitis A Virus (HAV), or at risk for or afflicted with a disorder mediated by HAV.

In a preferred embodiment the expression of a human gene that is required for HAV
15 replication is reduced.

The present invention provides for a method of treating patients infected by the Hepatitis C Virus (HCV), or at risk for or afflicted with a disorder mediated by HCV, *e.g.*, cirrhosis

In a preferred embodiment, the expression of a HCV gene is reduced.

20 In another preferred embodiment the expression of a human gene that is required for HCV replication is reduced.

The present invention also provides for a method of treating patients infected by the any of the group of Hepatitis Viral strains comprising hepatitis D, E, F, G, or H, or patients at risk for or afflicted with a disorder mediated by any of these strains of hepatitis.

25 In a preferred embodiment, the expression of a Hepatitis, D, E, F, G, or H gene is reduced.

In another preferred embodiment the expression of a human gene that is required for hepatitis D, E, F, G or H replication is reduced.

Methods of the invention also provide for treating patients infected by the
30 Respiratory Syncytial Virus (RSV) or at risk for or afflicted with a disorder mediated by

RSV, *e.g.*, lower respiratory tract infection in infants and childhood asthma, pneumonia and other complications, *e.g.*, in the elderly.

In a preferred embodiment, the expression of a RSV gene is reduced. In another preferred embodiment, the targeted HBV gene encodes one of the group of genes N, L, or P.

5 In a preferred embodiment the expression of a human gene that is required for RSV replication is reduced.

Methods of the invention provide for treating patients infected by the Herpes Simplex Virus (HSV) or at risk for or afflicted with a disorder mediated by HSV, *e.g.*, genital herpes and cold sores as well as life-threatening or sight-impairing disease mainly in
10 immunocompromised patients.

In a preferred embodiment, the expression of a HSV gene is reduced. In another preferred embodiment, the targeted HSV gene encodes DNA polymerase or the helicase-primase.

In a preferred embodiment the expression of a human gene that is required for HSV
15 replication is reduced.

The invention also provides a method for treating patients infected by the herpes Cytomegalovirus (CMV) or at risk for or afflicted with a disorder mediated by CMV, *e.g.*, congenital virus infections and morbidity in immunocompromised patients.

In a preferred embodiment, the expression of a CMV gene is reduced.

20 In a preferred embodiment the expression of a human gene that is required for CMV replication is reduced.

Methods of the invention also provide for a method of treating patients infected by the herpes Epstein Barr Virus (EBV) or at risk for or afflicted with a disorder mediated by EBV, *e.g.*, NK/T-cell lymphoma, non-Hodgkin lymphoma, and Hodgkin disease.

25 In a preferred embodiment, the expression of a EBV gene is reduced.

In a preferred embodiment the expression of a human gene that is required for EBV replication is reduced.

Methods of the invention also provide for treating patients infected by Kaposi's Sarcoma-associated Herpes Virus (KSHV), also called human herpesvirus 8, or patients at
30 risk for or afflicted with a disorder mediated by KSHV, *e.g.*, Kaposi's sarcoma, multicentric Castleman's disease and AIDS-associated primary effusion lymphoma.

In a preferred embodiment, the expression of a KSHV gene is reduced.

In a preferred embodiment the expression of a human gene that is required for KSHV replication is reduced.

The invention also includes a method for treating patients infected by the JC Virus (JCV) or a disease or disorder associated with this virus, *e.g.*, progressive multifocal leukoencephalopathy (PML).

In a preferred embodiment, the expression of a JCV gene is reduced.

In preferred embodiment the expression of a human gene that is required for JCV replication is reduced.

10 Methods of the invention also provide for treating patients infected by the myxovirus or at risk for or afflicted with a disorder mediated by myxovirus, *e.g.*, influenza.

In a preferred embodiment, the expression of a myxovirus gene is reduced.

In a preferred embodiment the expression of a human gene that is required for myxovirus replication is reduced.

15 Methods of the invention also provide for treating patients infected by the rhinovirus or at risk for or afflicted with a disorder mediated by rhinovirus, *e.g.*, the common cold.

In a preferred embodiment, the expression of a rhinovirus gene is reduced.

In preferred embodiment the expression of a human gene that is required for rhinovirus replication is reduced.

20 Methods of the invention also provide for treating patients infected by the coronavirus or at risk for or afflicted with a disorder mediated by coronavirus, *e.g.*, the common cold.

In a preferred embodiment, the expression of a coronavirus gene is reduced.

In preferred embodiment the expression of a human gene that is required for coronavirus replication is reduced.

25 Methods of the invention also provide for treating patients infected by the flavivirus West Nile or at risk for or afflicted with a disorder mediated by West Nile Virus.

In a preferred embodiment, the expression of a West Nile Virus gene is reduced. In another preferred embodiment, the West Nile Virus gene is one of the group comprising E, NS3, or NS5.

30 In a preferred embodiment the expression of a human gene that is required for West Nile Virus replication is reduced.

Methods of the invention also provide for treating patients infected by the St. Louis Encephalitis flavivirus, or at risk for or afflicted with a disease or disorder associated with this virus, *e.g.*, viral haemorrhagic fever or neurological disease.

In a preferred embodiment, the expression of a St. Louis Encephalitis gene is reduced.

5 In a preferred embodiment the expression of a human gene that is required for St. Louis Encephalitis virus replication is reduced.

Methods of the invention also provide for treating patients infected by the Tick-borne encephalitis flavivirus, or at risk for or afflicted with a disorder mediated by Tick-borne encephalitis virus, *e.g.*, viral haemorrhagic fever and neurological disease.

10 In a preferred embodiment, the expression of a Tick-borne encephalitis virus gene is reduced.

In a preferred embodiment the expression of a human gene that is required for Tick-borne encephalitis virus replication is reduced.

15 Methods of the invention also provide for methods of treating patients infected by the Murray Valley encephalitis flavivirus, which commonly results in viral haemorrhagic fever and neurological disease.

In a preferred embodiment, the expression of a Murray Valley encephalitis virus gene is reduced.

20 In a preferred embodiment the expression of a human gene that is required for Murray Valley encephalitis virus replication is reduced.

The invention also includes methods for treating patients infected by the dengue flavivirus, or a disease or disorder associated with this virus, *e.g.*, dengue haemorrhagic fever.

In a preferred embodiment, the expression of a dengue virus gene is reduced.

25 In a preferred embodiment the expression of a human gene that is required for dengue virus replication is reduced.

Methods of the invention also provide for treating patients infected by the Simian Virus 40 (SV40) or at risk for or afflicted with a disorder mediated by SV40, *e.g.*, tumorigenesis.

30 In a preferred embodiment, the expression of a SV40 gene is reduced.

In a preferred embodiment the expression of a human gene that is required for SV40 replication is reduced.

The invention also includes methods for treating patients infected by the Human T Cell Lymphotropic Virus (HTLV), or a disease or disorder associated with this virus, *e.g.*,
5 leukemia and myelopathy.

In a preferred embodiment, the expression of a HTLV gene is reduced. In another preferred embodiment the HTLV1 gene is the Tax transcriptional activator.

In a preferred embodiment the expression of a human gene that is required for HTLV replication is reduced.

10 Methods of the invention also provide for treating patients infected by the Moloney-Murine Leukemia Virus (Mo-MuLV) or at risk for or afflicted with a disorder mediated by Mo-MuLV, *e.g.*, T-cell leukemia.

In a preferred embodiment, the expression of a Mo-MuLV gene is reduced.

In a preferred embodiment the expression of a human gene that is required for Mo-
15 MuLV replication is reduced.

Methods of the invention also provide for treating patients infected by the encephalomyocarditis virus (EMCV) or at risk for or afflicted with a disorder mediated by EMCV, *e.g.* myocarditis. EMCV leads to myocarditis in mice and pigs and is capable of infecting human myocardial cells. This virus is therefore a concern for patients undergoing
20 xenotransplantation.

In a preferred embodiment, the expression of a EMCV gene is reduced.

In a preferred embodiment the expression of a human gene that is required for EMCV replication is reduced.

The invention also includes a method for treating patients infected by the measles
25 virus (MV) or at risk for or afflicted with a disorder mediated by MV, *e.g.* measles.

In a preferred embodiment, the expression of a MV gene is reduced.

In a preferred embodiment the expression of a human gene that is required for MV replication is reduced.

The invention also includes a method for treating patients infected by the Varicella
30 zoster virus (VZV) or at risk for or afflicted with a disorder mediated by VZV, *e.g.* chicken pox or shingles (also called zoster).

In a preferred embodiment, the expression of a VZV gene is reduced.

In a preferred embodiment the expression of a human gene that is required for VZV replication is reduced.

5 The invention also includes a method for treating patients infected by an adenovirus or at risk for or afflicted with a disorder mediated by an adenovirus, *e.g.* respiratory tract infection.

In a preferred embodiment, the expression of an adenovirus gene is reduced.

In a preferred embodiment the expression of a human gene that is required for adenovirus replication is reduced.

10 The invention includes a method for treating patients infected by a yellow fever virus (YFV) or at risk for or afflicted with a disorder mediated by a YFV, *e.g.* respiratory tract infection.

In a preferred embodiment, the expression of a YFV gene is reduced. In another preferred embodiment, the preferred gene is one of a group that includes the E, NS2A, or
15 NS3 genes.

In a preferred embodiment the expression of a human gene that is required for YFV replication is reduced.

Methods of the invention also provide for treating patients infected by the poliovirus or at risk for or afflicted with a disorder mediated by poliovirus, *e.g.*, polio.

20 In a preferred embodiment, the expression of a poliovirus gene is reduced.

In a preferred embodiment the expression of a human gene that is required for poliovirus replication is reduced.

Methods of the invention also provide for treating patients infected by a poxvirus or at risk for or afflicted with a disorder mediated by a poxvirus, *e.g.*, smallpox

25 In a preferred embodiment, the expression of a poxvirus gene is reduced.

In a preferred embodiment the expression of a human gene that is required for poxvirus replication is reduced.

In another, aspect the invention features methods of treating a subject infected with a pathogen, *e.g.*, a bacterial, amoebic, parasitic, or fungal pathogen. The method includes:

30 providing a iRNA agent, *e.g.*, a siRNA having a structure described herein, where siRNA is homologous to and can silence, *e.g.*, by cleavage of a pathogen gene;

administering the iRNA agent to a subject, preferably a human subject, thereby treating the subject.

The target gene can be one involved in growth, cell wall synthesis, protein synthesis, transcription, energy metabolism, *e.g.*, the Krebs cycle, or toxin production.

5 Thus, the present invention provides for a method of treating patients infected by a plasmodium that causes malaria.

In a preferred embodiment, the expression of a plasmodium gene is reduced. In another preferred embodiment, the gene is apical membrane antigen 1 (AMA1).

10 In a preferred embodiment the expression of a human gene that is required for plasmodium replication is reduced.

The invention also includes methods for treating patients infected by the *Mycobacterium ulcerans*, or a disease or disorder associated with this pathogen, *e.g.* Buruli ulcers.

15 In a preferred embodiment, the expression of a *Mycobacterium ulcerans* gene is reduced.

In a preferred embodiment the expression of a human gene that is required for *Mycobacterium ulcerans* replication is reduced.

20 The invention also includes methods for treating patients infected by the *Mycobacterium tuberculosis*, or a disease or disorder associated with this pathogen, *e.g.* tuberculosis.

In a preferred embodiment, the expression of a *Mycobacterium tuberculosis* gene is reduced.

In a preferred embodiment the expression of a human gene that is required for *Mycobacterium tuberculosis* replication is reduced.

25 The invention also includes methods for treating patients infected by the *Mycobacterium leprae*, or a disease or disorder associated with this pathogen, *e.g.* leprosy.

In a preferred embodiment, the expression of a *Mycobacterium leprae* gene is reduced.

30 In a preferred embodiment the expression of a human gene that is required for *Mycobacterium leprae* replication is reduced.

The invention also includes methods for treating patients infected by the bacteria *Staphylococcus aureus*, or a disease or disorder associated with this pathogen, *e.g.* infections of the skin and muscous membranes.

In a preferred embodiment, the expression of a *Staphylococcus aureus* gene is
5 reduced.

In a preferred embodiment the expression of a human gene that is required for *Staphylococcus aureus* replication is reduced.

The invention also includes methods for treating patients infected by the bacteria *Streptococcus pneumoniae*, or a disease or disorder associated with this pathogen, *e.g.*
10 pneumonia or childhood lower respiratory tract infection.

In a preferred embodiment, the expression of a *Streptococcus pneumoniae* gene is reduced.

In a preferred embodiment the expression of a human gene that is required for *Streptococcus pneumoniae* replication is reduced.

The invention also includes methods for treating patients infected by the bacteria *Streptococcus pyogenes*, or a disease or disorder associated with this pathogen, *e.g.* Strep
15 throat or Scarlet fever.

In a preferred embodiment, the expression of a *Streptococcus pyogenes* gene is reduced.

In a preferred embodiment the expression of a human gene that is required for *Streptococcus pyogenes* replication is reduced.

The invention also includes methods for treating patients infected by the bacteria *Chlamydia pneumoniae*, or a disease or disorder associated with this pathogen, *e.g.*
20 pneumonia or childhood lower respiratory tract infection

In a preferred embodiment, the expression of a *Chlamydia pneumoniae* gene is
25 reduced.

In a preferred embodiment the expression of a human gene that is required for *Chlamydia pneumoniae* replication is reduced.

The invention also includes methods for treating patients infected by the bacteria *Mycoplasma pneumoniae*, or a disease or disorder associated with this pathogen, *e.g.*
30 pneumonia or childhood lower respiratory tract infection

In a preferred embodiment, the expression of a *Mycoplasma pneumoniae* gene is reduced.

In a preferred embodiment the expression of a human gene that is required for *Mycoplasma pneumoniae* replication is reduced.

5 In one aspect, the invention features, a method of treating a subject, *e.g.*, a human, at risk for or afflicted with a disease or disorder characterized by an unwanted immune response, *e.g.*, an inflammatory disease or disorder, or an autoimmune disease or disorder. The method includes:

providing an iRNA agent, *e.g.*, an iRNA agent having a structure described herein,
10 which iRNA agent is homologous to and can silence, *e.g.*, by cleavage, a gene which mediates an unwanted immune response;
administering the iRNA agent to a subject,
thereby treating the subject.

In a preferred embodiment the disease or disorder is an ischemia or reperfusion
15 injury, *e.g.*, ischemia or reperfusion injury associated with acute myocardial infarction, unstable angina, cardiopulmonary bypass, surgical intervention *e.g.*, angioplasty, *e.g.*, percutaneous transluminal coronary angioplasty, the response to a transplanted organ or tissue, *e.g.*, transplanted cardiac or vascular tissue; or thrombolysis.

In a preferred embodiment the disease or disorder is restenosis, *e.g.*, restenosis
20 associated with surgical intervention *e.g.*, angioplasty, *e.g.*, percutaneous transluminal coronary angioplasty.

In a preferred embodiment the disease or disorder is Inflammatory Bowel Disease, *e.g.*, Crohn Disease or Ulcerative Colitis.

In a preferred embodiment the disease or disorder is inflammation associated with an
25 infection or injury.

In a preferred embodiment the disease or disorder is asthma, lupus, multiple sclerosis, diabetes, *e.g.*, type II diabetes, arthritis, *e.g.*, rheumatoid or psoriatic.

In particularly preferred embodiments the iRNA agent silences an integrin or co-ligand thereof, *e.g.*, VLA4, VCAM, ICAM.

30 In particularly preferred embodiments the iRNA agent silences a selectin or co-ligand thereof, *e.g.*, P-selectin, E-selectin (ELAM), I-selectin, P-selectin glycoprotein-1 (PSGL-1).

In particularly preferred embodiments the iRNA agent silences a component of the complement system, *e.g.*, C3, C5, C3aR, C5aR, C3 convertase, C5 convertase.

In particularly preferred embodiments the iRNA agent silences a chemokine or receptor thereof, *e.g.*, TNFI, TNFJ, IL-1I, IL-1J, IL -2, IL-2R, IL-4, IL-4R, IL-5, IL-6, IL-8,
5 TNFRI, TNFRII, IgE, SCYA11, CCR3.

In other embodiments the iRNA agent silences GCSF, Gro1, Gro2, Gro3, PF4, MIG, Pro-Platelet Basic Protein (PPBP), MIP-1I, MIP-1J, RANTES, MCP-1, MCP-2, MCP-3, CMBKR1, CMBKR2, CMBKR3, CMBKR5, AIF-1, I-309.

In one aspect, the invention features, a method of treating a subject, *e.g.*, a human, at
10 risk for or afflicted with acute pain or chronic pain. The method includes:

providing an iRNA agent, which iRNA is homologous to and can silence, *e.g.*, by cleavage, a gene which mediates the processing of pain;

administering the iRNA to a subject,

thereby treating the subject.

15 In particularly preferred embodiments the iRNA agent silences a component of an ion channel.

In particularly preferred embodiments the iRNA agent silences a neurotransmitter receptor or ligand.

In one aspect, the invention features, a method of treating a subject, *e.g.*, a human, at
20 risk for or afflicted with a neurological disease or disorder. The method includes:

providing an iRNA agent which iRNA is homologous to and can silence, *e.g.*, by cleavage, a gene which mediates a neurological disease or disorder;

administering the to a subject,

thereby treating the subject.

25 In a preferred embodiment the disease or disorder is Alzheimer Disease or Parkinson Disease.

In particularly preferred embodiments the iRNA agent silences an amyloid-family gene, *e.g.*, APP; a presenilin gene, *e.g.*, PSEN1 and PSEN2, or I-synuclein.

In a preferred embodiment the disease or disorder is a neurodegenerative trinucleotide
30 repeat disorder, *e.g.*, Huntington disease, dentatorubral pallidoluysian atrophy or a spinocerebellar ataxia, *e.g.*, SCA1, SCA2, SCA3 (Machado-Joseph disease), SCA7 or SCA8.

In particularly preferred embodiments the iRNA agent silences HD, DRPLA, SCA1, SCA2, MJD1, CACNL1A4, SCA7, SCA8.

The loss of heterozygosity (LOH) can result in hemizyosity for sequence, *e.g.*, genes, in the area of LOH. This can result in a significant genetic difference between normal and disease-state cells, *e.g.*, cancer cells, and provides a useful difference between normal and disease-state cells, *e.g.*, cancer cells. This difference can arise because a gene or other sequence is heterozygous in euploid cells but is hemizygous in cells having LOH. The regions of LOH will often include a gene, the loss of which promotes unwanted proliferation, *e.g.*, a tumor suppressor gene, and other sequences including, *e.g.*, other genes, in some cases a gene which is essential for normal function, *e.g.*, growth. Methods of the invention rely, in part, on the specific cleavage or silencing of one allele of an essential gene with an iRNA agent of the invention. The iRNA agent is selected such that it targets the single allele of the essential gene found in the cells having LOH but does not silence the other allele, which is present in cells which do not show LOH. In essence, it discriminates between the two alleles, preferentially silencing the selected allele. In essence polymorphisms, *e.g.*, SNPs of essential genes that are affected by LOH, are used as a target for a disorder characterized by cells having LOH, *e.g.*, cancer cells having LOH.

E.g., one of ordinary skill in the art can identify essential genes which are in proximity to tumor suppressor genes, and which are within a LOH region which includes the tumor suppressor gene. The gene encoding the large subunit of human RNA polymerase II, POLR2A, a gene located in close proximity to the tumor suppressor gene p53, is such a gene. It frequently occurs within a region of LOH in cancer cells. Other genes that occur within LOH regions and are lost in many cancer cell types include the group comprising replication protein A 70-kDa subunit, replication protein A 32-kD, ribonucleotide reductase, thymidilate synthase, TATA associated factor 2H, ribosomal protein S14, eukaryotic initiation factor 5A, alanyl tRNA synthetase, cysteinyl tRNA synthetase, NaK ATPase, alpha-1 subunit, and transferrin receptor.

Accordingly, the invention features, a method of treating a disorder characterized by LOH, *e.g.*, cancer. The method includes:

optionally, determining the genotype of the allele of a gene in the region of LOH and preferably determining the genotype of both alleles of the gene in a normal cell;

providing an iRNA agent which preferentially cleaves or silences the allele found in the LOH cells;

administering the iRNA to the subject,
thereby treating the disorder.

5 The invention also includes a iRNA agent disclosed herein, *e.g.*, an iRNA agent which can preferentially silence, *e.g.*, cleave, one allele of a polymorphic gene

In another aspect, the invention provides a method of cleaving or silencing more than one gene with an iRNA agent. In these embodiments the iRNA agent is selected so that it has sufficient homology to a sequence found in more than one gene. For example, the
10 sequence AAGCTGGCCCTGGACATGGAGAT (SEQ ID NO:6736) is conserved between mouse lamin B1, lamin B2, keratin complex 2-gene 1 and lamin A/C. Thus an iRNA agent targeted to this sequence would effectively silence the entire collection of genes.

The invention also includes an iRNA agent disclosed herein, which can silence more than one gene.

15 ROUTE OF DELIVERY

For ease of exposition the formulations, compositions and methods in this section are discussed largely with regard to unmodified iRNA agents. It should be understood, however, that these formulations, compositions and methods can be practiced with other iRNA agents, *e.g.*, modified iRNA agents, and such practice is within the invention. A composition that
20 includes a iRNA can be delivered to a subject by a variety of routes. Exemplary routes include: intravenous, topical, rectal, anal, vaginal, nasal, pulmonary, ocular.

The iRNA molecules of the invention can be incorporated into pharmaceutical compositions suitable for administration. Such compositions typically include one or more species of iRNA and a pharmaceutically acceptable carrier. As used herein the language
25 "pharmaceutically acceptable carrier" is intended to include any and all solvents, dispersion media, coatings, antibacterial and antifungal agents, isotonic and absorption delaying agents, and the like, compatible with pharmaceutical administration. The use of such media and agents for pharmaceutically active substances is well known in the art. Except insofar as any conventional media or agent is incompatible with the active compound, use thereof in the

compositions is contemplated. Supplementary active compounds can also be incorporated into the compositions.

The pharmaceutical compositions of the present invention may be administered in a number of ways depending upon whether local or systemic treatment is desired and upon the area to be treated. Administration may be topical (including ophthalmic, vaginal, rectal, intranasal, transdermal), oral or parenteral. Parenteral administration includes intravenous drip, subcutaneous, intraperitoneal or intramuscular injection, or intrathecal or intraventricular administration.

The route and site of administration may be chosen to enhance targeting. For example, to target muscle cells, intramuscular injection into the muscles of interest would be a logical choice. Lung cells might be targeted by administering the iRNA in aerosol form. The vascular endothelial cells could be targeted by coating a balloon catheter with the iRNA and mechanically introducing the DNA.

Formulations for topical administration may include transdermal patches, ointments, lotions, creams, gels, drops, suppositories, sprays, liquids and powders. Conventional pharmaceutical carriers, aqueous, powder or oily bases, thickeners and the like may be necessary or desirable. Coated condoms, gloves and the like may also be useful.

Compositions for oral administration include powders or granules, suspensions or solutions in water, syrups, elixirs or non-aqueous media, tablets, capsules, lozenges, or troches. In the case of tablets, carriers that can be used include lactose, sodium citrate and salts of phosphoric acid. Various disintegrants such as starch, and lubricating agents such as magnesium stearate, sodium lauryl sulfate and talc, are commonly used in tablets. For oral administration in capsule form, useful diluents are lactose and high molecular weight polyethylene glycols. When aqueous suspensions are required for oral use, the nucleic acid compositions can be combined with emulsifying and suspending agents. If desired, certain sweetening and/or flavoring agents can be added.

Compositions for intrathecal or intraventricular administration may include sterile aqueous solutions which may also contain buffers, diluents and other suitable additives.

Formulations for parenteral administration may include sterile aqueous solutions which may also contain buffers, diluents and other suitable additives. Intraventricular injection may be facilitated by an intraventricular catheter, for example, attached to a

reservoir. For intravenous use, the total concentration of solutes should be controlled to render the preparation isotonic.

For ocular administration, ointments or droppable liquids may be delivered by ocular delivery systems known to the art such as applicators or eye droppers. Such compositions can
5 include mucomimetics such as hyaluronic acid, chondroitin sulfate, hydroxypropyl methylcellulose or poly(vinyl alcohol), preservatives such as sorbic acid, EDTA or benzylchromium chloride, and the usual quantities of diluents and/or carriers.

Topical Delivery

For ease of exposition the formulations, compositions and methods in this section are
10 discussed largely with regard to unmodified iRNA agents. It should be understood, however, that these formulations, compositions and methods can be practiced with other iRNA agents, *e.g.*, modified iRNA agents, and such practice is within the invention. In a preferred embodiment, an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA
15 which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) is delivered to a subject via topical administration. "Topical administration" refers to the delivery to a subject by contacting the formulation directly to a surface of the subject. The most common form of topical delivery is to the skin, but a composition disclosed herein can also be directly applied to other surfaces of the body, *e.g.*,
20 to the eye, a mucous membrane, to surfaces of a body cavity or to an internal surface. As mentioned above, the most common topical delivery is to the skin. The term encompasses several routes of administration including, but not limited to, topical and transdermal. These modes of administration typically include penetration of the skin's permeability barrier and efficient delivery to the target tissue or stratum. Topical administration can be used as a
25 means to penetrate the epidermis and dermis and ultimately achieve systemic delivery of the composition. Topical administration can also be used as a means to selectively deliver oligonucleotides to the epidermis or dermis of a subject, or to specific strata thereof, or to an underlying tissue.

The term "skin," as used herein, refers to the epidermis and/or dermis of an animal.
30 Mammalian skin consists of two major, distinct layers. The outer layer of the skin is called the epidermis. The epidermis is comprised of the stratum corneum, the stratum granulosum,

the stratum spinosum, and the stratum basale, with the stratum corneum being at the surface of the skin and the stratum basale being the deepest portion of the epidermis. The epidermis is between 50 μm and 0.2 mm thick, depending on its location on the body.

Beneath the epidermis is the dermis, which is significantly thicker than the epidermis.
5 The dermis is primarily composed of collagen in the form of fibrous bundles. The collagenous bundles provide support for, inter alia, blood vessels, lymph capillaries, glands, nerve endings and immunologically active cells.

One of the major functions of the skin as an organ is to regulate the entry of substances into the body. The principal permeability barrier of the skin is provided by the
10 stratum corneum, which is formed from many layers of cells in various states of differentiation. The spaces between cells in the stratum corneum is filled with different lipids arranged in lattice-like formations that provide seals to further enhance the skins permeability barrier.

The permeability barrier provided by the skin is such that it is largely impermeable to
15 molecules having molecular weight greater than about 750 Da. For larger molecules to cross the skin's permeability barrier, mechanisms other than normal osmosis must be used.

Several factors determine the permeability of the skin to administered agents. These factors include the characteristics of the treated skin, the characteristics of the delivery agent, interactions between both the drug and delivery agent and the drug and skin, the dosage of
20 the drug applied, the form of treatment, and the post treatment regimen. To selectively target the epidermis and dermis, it is sometimes possible to formulate a composition that comprises one or more penetration enhancers that will enable penetration of the drug to a preselected stratum.

Transdermal delivery is a valuable route for the administration of lipid soluble
25 therapeutics. The dermis is more permeable than the epidermis and therefore absorption is much more rapid through abraded, burned or denuded skin. Inflammation and other physiologic conditions that increase blood flow to the skin also enhance transdermal adsorption. Absorption via this route may be enhanced by the use of an oily vehicle (inunction) or through the use of one or more penetration enhancers. Other effective ways to
30 deliver a composition disclosed herein via the transdermal route include hydration of the skin and the use of controlled release topical patches. The transdermal route provides a

potentially effective means to deliver a composition disclosed herein for systemic and/or local therapy.

In addition, iontophoresis (transfer of ionic solutes through biological membranes under the influence of an electric field) (Lee *et al.*, Critical Reviews in Therapeutic Drug Carrier Systems, 1991, p. 163), phonophoresis or sonophoresis (use of ultrasound to enhance the absorption of various therapeutic agents across biological membranes, notably the skin and the cornea) (Lee *et al.*, Critical Reviews in Therapeutic Drug Carrier Systems, 1991, p. 166), and optimization of vehicle characteristics relative to dose position and retention at the site of administration (Lee *et al.*, Critical Reviews in Therapeutic Drug Carrier Systems, 1991, p. 168) may be useful methods for enhancing the transport of topically applied compositions across skin and mucosal sites.

The compositions and methods provided may also be used to examine the function of various proteins and genes *in vitro* in cultured or preserved dermal tissues and in animals. The invention can be thus applied to examine the function of any gene. The methods of the invention can also be used therapeutically or prophylactically. For example, for the treatment of animals that are known or suspected to suffer from diseases such as psoriasis, lichen planus, toxic epidermal necrolysis, erythema multiforme, basal cell carcinoma, squamous cell carcinoma, malignant melanoma, Paget's disease, Kaposi's sarcoma, pulmonary fibrosis, Lyme disease and viral, fungal and bacterial infections of the skin.

Pulmonary Delivery

For ease of exposition the formulations, compositions and methods in this section are discussed largely with regard to unmodified iRNA agents. It should be understood, however, that these formulations, compositions and methods can be practiced with other iRNA agents, *e.g.*, modified iRNA agents, and such practice is within the invention. A composition that includes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) can be administered to a subject by pulmonary delivery. Pulmonary delivery compositions can be delivered by inhalation by the patient of a dispersion so that the composition, preferably iRNA, within the dispersion can reach the lung where it can be

readily absorbed through the alveolar region directly into blood circulation. Pulmonary delivery can be effective both for systemic delivery and for localized delivery to treat diseases of the lungs.

Pulmonary delivery can be achieved by different approaches, including the use of nebulized, aerosolized, micellular and dry powder-based formulations. Delivery can be achieved with liquid nebulizers, aerosol-based inhalers, and dry powder dispersion devices. Metered-dose devices are preferred. One of the benefits of using an atomizer or inhaler is that the potential for contamination is minimized because the devices are self contained. Dry powder dispersion devices, for example, deliver drugs that may be readily formulated as dry powders. A iRNA composition may be stably stored as lyophilized or spray-dried powders by itself or in combination with suitable powder carriers. The delivery of a composition for inhalation can be mediated by a dosing timing element which can include a timer, a dose counter, time measuring device, or a time indicator which when incorporated into the device enables dose tracking, compliance monitoring, and/or dose triggering to a patient during administration of the aerosol medicament.

The term "powder" means a composition that consists of finely dispersed solid particles that are free flowing and capable of being readily dispersed in an inhalation device and subsequently inhaled by a subject so that the particles reach the lungs to permit penetration into the alveoli. Thus, the powder is said to be "respirable." Preferably the average particle size is less than about 10 μm in diameter preferably with a relatively uniform spheroidal shape distribution. More preferably the diameter is less than about 7.5 μm and most preferably less than about 5.0 μm . Usually the particle size distribution is between about 0.1 μm and about 5 μm in diameter, particularly about 0.3 μm to about 5 μm .

The term "dry" means that the composition has a moisture content below about 10% by weight (% w) water, usually below about 5% w and preferably less it than about 3% w. A dry composition can be such that the particles are readily dispersible in an inhalation device to form an aerosol.

The term "therapeutically effective amount" is the amount present in the composition that is needed to provide the desired level of drug in the subject to be treated to give the anticipated physiological response.

The term "physiologically effective amount"⁵ is that amount delivered to a subject to give the desired palliative or curative effect.

The term "pharmaceutically acceptable carrier" means that the carrier can be taken into the lungs with no significant adverse toxicological effects on the lungs.

5 The types of pharmaceutical excipients that are useful as carrier include stabilizers such as human serum albumin (HSA), bulking agents such as carbohydrates, amino acids and polypeptides; pH adjusters or buffers; salts such as sodium chloride; and the like. These carriers may be in a crystalline or amorphous form or may be a mixture of the two.

Bulking agents that are particularly valuable include compatible carbohydrates,
10 polypeptides, amino acids or combinations thereof. Suitable carbohydrates include monosaccharides such as galactose, D-mannose, sorbose, and the like; disaccharides, such as lactose, trehalose, and the like; cyclodextrins, such as 2-hydroxypropyl-.beta.-cyclodextrin; and polysaccharides, such as raffinose, maltodextrins, dextrans, and the like; alditols, such as mannitol, xylitol, and the like. A preferred group of carbohydrates includes lactose,
15 threhalose, raffinose maltodextrins, and mannitol. Suitable polypeptides include aspartame. Amino acids include alanine and glycine, with glycine being preferred.

Additives, which are minor components of the composition of this invention, may be included for conformational stability during spray drying and for improving dispersibility of the powder. These additives include hydrophobic amino acids such as tryptophan, tyrosine,
20 leucine, phenylalanine, and the like.

Suitable pH adjusters or buffers include organic salts prepared from organic acids and bases, such as sodium citrate, sodium ascorbate, and the like; sodium citrate is preferred.

Pulmonary administration of a micellar iRNA formulation may be achieved through metered dose spray devices with propellants such as tetrafluoroethane, heptafluoroethane,
25 dimethylfluoropropane, tetrafluoropropane, butane, isobutane, dimethyl ether and other non-CFC and CFC propellants.

Oral or Nasal Delivery

For ease of exposition the formulations, compositions and methods in this section are discussed largely with regard to unmodified iRNA agents. It should be understood, however,
30 that these formulations, compositions and methods can be practiced with other iRNA agents, *e.g.*, modified iRNA agents, and such practice is within the invention. Both the oral and

nasal membranes offer advantages over other routes of administration. For example, drugs administered through these membranes have a rapid onset of action, provide therapeutic plasma levels, avoid first pass effect of hepatic metabolism, and avoid exposure of the drug to the hostile gastrointestinal (GI) environment. Additional advantages include easy access
5 to the membrane sites so that the drug can be applied, localized and removed easily.

In oral delivery, compositions can be targeted to a surface of the oral cavity, *e.g.*, to sublingual mucosa which includes the membrane of ventral surface of the tongue and the floor of the mouth or the buccal mucosa which constitutes the lining of the cheek. The sublingual mucosa is relatively permeable thus giving rapid absorption and acceptable
10 bioavailability of many drugs. Further, the sublingual mucosa is convenient, acceptable and easily accessible.

The ability of molecules to permeate through the oral mucosa appears to be related to molecular size, lipid solubility and peptide protein ionization. Small molecules, less than 1000 daltons appear to cross mucosa rapidly. As molecular size increases, the permeability
15 decreases rapidly. Lipid soluble compounds are more permeable than non-lipid soluble molecules. Maximum absorption occurs when molecules are un-ionized or neutral in electrical charges. Therefore charged molecules present the biggest challenges to absorption through the oral mucosae.

A pharmaceutical composition of iRNA may also be administered to the buccal cavity
20 of a human being by spraying into the cavity, without inhalation, from a metered dose spray dispenser, a mixed micellar pharmaceutical formulation as described above and a propellant. In one embodiment, the dispenser is first shaken prior to spraying the pharmaceutical formulation and propellant into the buccal cavity.

Devices

25 For ease of exposition the devices, formulations, compositions and methods in this section are discussed largely with regard to unmodified iRNA agents. It should be understood, however, that these devices, formulations, compositions and methods can be practiced with other iRNA agents, *e.g.*, modified iRNA agents, and such practice is within the invention. An iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a
30 precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or

precursor thereof) can be disposed on or in a device, *e.g.*, a device which implanted or otherwise placed in a subject. Exemplary devices include devices which are introduced into the vasculature, *e.g.*, devices inserted into the lumen of a vascular tissue, or which devices themselves form a part of the vasculature, including stents, catheters, heart valves, and other
5 vascular devices. These devices, *e.g.*, catheters or stents, can be placed in the vasculature of the lung, heart, or leg.

Other devices include non-vascular devices, *e.g.*, devices implanted in the peritoneum, or in organ or glandular tissue, *e.g.*, artificial organs. The device can release a therapeutic substance in addition to a iRNA, *e.g.*, a device can release insulin.

10 Other devices include artificial joints, *e.g.*, hip joints, and other orthopedic implants.

In one embodiment, unit doses or measured doses of a composition that includes iRNA are dispensed by an implanted device. The device can include a sensor that monitors a parameter within a subject. For example, the device can include pump, *e.g.*, and, optionally, associated electronics.

15 Tissue, *e.g.*, cells or organs can be treated with An iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) , ex vivo and then administered or implanted in a subject.

20 The tissue can be autologous, allogeneic, or xenogeneic tissue. *E.g.*, tissue can be treated to reduce graft v. host disease. In other embodiments, the tissue is allogeneic and the tissue is treated to treat a disorder characterized by unwanted gene expression in that tissue. *E.g.*, tissue, *e.g.*, hematopoietic cells, *e.g.*, bone marrow hematopoietic cells, can be treated to inhibit unwanted cell proliferation.

25 Introduction of treated tissue, whether autologous or transplant, can be combined with other therapies.

In some implementations, the iRNA treated cells are insulated from other cells, *e.g.*, by a semi-permeable porous barrier that prevents the cells from leaving the implant, but enables molecules from the body to reach the cells and molecules produced by the cells to
30 enter the body. In one embodiment, the porous barrier is formed from alginate.

In one embodiment, a contraceptive device is coated with or contains an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof). Exemplary
5 devices include condoms, diaphragms, IUD (implantable uterine devices, sponges, vaginal sheaths, and birth control devices. In one embodiment, the iRNA is chosen to inactive sperm or egg. In another embodiment, the iRNA is chosen to be complementary to a viral or pathogen RNA, *e.g.*, an RNA of an STD. In some instances, the iRNA composition can include a spermicide.

10 DOSAGE

In one aspect, the invention features a method of administering an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, to a subject (*e.g.*, a human subject). The method includes administering a unit dose of the iRNA agent, *e.g.*, a sRNA agent, *e.g.*, double stranded sRNA agent that (a) the double-stranded part is 19-25 nucleotides (nt) long,
15 preferably 21-23 nt, (b) is complementary to a target RNA (*e.g.*, an endogenous or pathogen target RNA), and, optionally, (c) includes at least one 3' overhang 1-5 nucleotide long. In one embodiment, the unit dose is less than 1.4 mg per kg of bodyweight, or less than 10, 5, 2, 1, 0.5, 0.1, 0.05, 0.01, 0.005, 0.001, 0.0005, 0.0001, 0.00005 or 0.00001 mg per kg of bodyweight, and less than 200 nmole of RNA agent (*e.g.* about 4.4×10^{16} copies) per kg of
20 bodyweight, or less than 1500, 750, 300, 150, 75, 15, 7.5, 1.5, 0.75, 0.15, 0.075, 0.015, 0.0075, 0.0015, 0.00075, 0.00015 nmole of RNA agent per kg of bodyweight.

The defined amount can be an amount effective to treat or prevent a disease or disorder, *e.g.*, a disease or disorder associated with the target RNA. The unit dose, for example, can be administered by injection (*e.g.*, intravenous or intramuscular), an inhaled
25 dose, or a topical application. Particularly preferred dosages are less than 2, 1, or 0.1 mg/kg of body weight.

In a preferred embodiment, the unit dose is administered less frequently than once a day, *e.g.*, less than every 2, 4, 8 or 30 days. In another embodiment, the unit dose is not administered with a frequency (*e.g.*, not a regular frequency). For example, the unit dose
30 may be administered a single time.

In one embodiment, the effective dose is administered with other traditional therapeutic modalities. In one embodiment, the subject has a viral infection and the modality is an antiviral agent other than an iRNA agent, *e.g.*, other than a double-stranded iRNA agent, or sRNA agent,. In another embodiment, the subject has atherosclerosis and the effective dose of an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, is administered in combination with, *e.g.*, after surgical intervention, *e.g.*, angioplasty.

In one embodiment, a subject is administered an initial dose and one or more maintenance doses of an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof). The maintenance dose or doses are generally lower than the initial dose, *e.g.*, one-half less of the initial dose. A maintenance regimen can include treating the subject with a dose or doses ranging from 0.01 μ g to 1.4 mg/kg of body weight per day, *e.g.*, 10, 1, 0.1, 0.01, 0.001, or 0.00001 mg per kg of bodyweight per day. The maintenance doses are preferably administered no more than once every 5, 10, or 30 days. Further, the treatment regimen may last for a period of time which will vary depending upon the nature of the particular disease, its severity and the overall condition of the patient. In preferred embodiments the dosage may be delivered no more than once per day, *e.g.*, no more than once per 24, 36, 48, or more hours, *e.g.*, no more than once for every 5 or 8 days. Following treatment, the patient can be monitored for changes in his condition and for alleviation of the symptoms of the disease state. The dosage of the compound may either be increased in the event the patient does not respond significantly to current dosage levels, or the dose may be decreased if an alleviation of the symptoms of the disease state is observed, if the disease state has been ablated, or if undesired side-effects are observed.

The effective dose can be administered in a single dose or in two or more doses, as desired or considered appropriate under the specific circumstances. If desired to facilitate repeated or frequent infusions, implantation of a delivery device, *e.g.*, a pump, semi-permanent stent (*e.g.*, intravenous, intraperitoneal, intracisternal or intracapsular), or reservoir may be advisable.

In one embodiment, the iRNA agent pharmaceutical composition includes a plurality of iRNA agent species. In another embodiment, the iRNA agent species has sequences that

are non-overlapping and non-adjacent to another species with respect to a naturally occurring target sequence. In another embodiment, the plurality of iRNA agent species is specific for different naturally occurring target genes. In another embodiment, the iRNA agent is allele specific.

5 In some cases, a patient is treated with a iRNA agent in conjunction with other therapeutic modalities. For example, a patient being treated for a viral disease, *e.g.* an HIV associated disease (*e.g.*, AIDS), may be administered a iRNA agent specific for a target gene essential to the virus in conjunction with a known antiviral agent (*e.g.*, a protease inhibitor or reverse transcriptase inhibitor). In another example, a patient being treated for cancer may be
10 administered a iRNA agent specific for a target essential for tumor cell proliferation in conjunction with a chemotherapy.

Following successful treatment, it may be desirable to have the patient undergo maintenance therapy to prevent the recurrence of the disease state, wherein the compound of the invention is administered in maintenance doses, ranging from 0.01 μ g to 100 g per kg of
15 body weight (see US 6,107,094).

The concentration of the iRNA agent composition is an amount sufficient to be effective in treating or preventing a disorder or to regulate a physiological condition in humans. The concentration or amount of iRNA agent administered will depend on the parameters determined for the agent and the method of administration, *e.g.* nasal, buccal,
20 pulmonary. For example, nasal formulations tend to require much lower concentrations of some ingredients in order to avoid irritation or burning of the nasal passages. It is sometimes desirable to dilute an oral formulation up to 10-100 times in order to provide a suitable nasal formulation.

Certain factors may influence the dosage required to effectively treat a subject,
25 including but not limited to the severity of the disease or disorder, previous treatments, the general health and/or age of the subject, and other diseases present. Moreover, treatment of a subject with a therapeutically effective amount of an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-
30 stranded iRNA agent, or sRNA agent, or precursor thereof) can include a single treatment or, preferably, can include a series of treatments. It will also be appreciated that the effective

dosage of a iRNA agent such as a sRNA agent used for treatment may increase or decrease over the course of a particular treatment. Changes in dosage may result and become apparent from the results of diagnostic assays as described herein. For example, the subject can be monitored after administering a iRNA agent composition. Based on information from the
5 monitoring, an additional amount of the iRNA agent composition can be administered.

Dosing is dependent on severity and responsiveness of the disease condition to be treated, with the course of treatment lasting from several days to several months, or until a cure is effected or a diminution of disease state is achieved. Optimal dosing schedules can be calculated from measurements of drug accumulation in the body of the patient. Persons of
10 ordinary skill can easily determine optimum dosages, dosing methodologies and repetition rates. Optimum dosages may vary depending on the relative potency of individual compounds, and can generally be estimated based on EC50s found to be effective in *in vitro* and *in vivo* animal models. In some embodiments, the animal models include transgenic animals that express a human gene, *e.g.* a gene that produces a target RNA. The transgenic
15 animal can be deficient for the corresponding endogenous RNA. In another embodiment, the composition for testing includes a iRNA agent that is complementary, at least in an internal region, to a sequence that is conserved between the target RNA in the animal model and the target RNA in a human.

The inventors have discovered that iRNA agents described herein can be administered
20 to mammals, particularly large mammals such as nonhuman primates or humans in a number of ways.

In one embodiment, the administration of the iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, composition is parenteral, *e.g.* intravenous (*e.g.*, as a bolus or as a diffusible infusion), intradermal, intraperitoneal, intramuscular, intrathecal, intraventricular,
25 intracranial, subcutaneous, transmucosal, buccal, sublingual, endoscopic, rectal, oral, vaginal, topical, pulmonary, intranasal, urethral or ocular. Administration can be provided by the subject or by another person, *e.g.*, a health care provider. The medication can be provided in measured doses or in a dispenser which delivers a metered dose. Selected modes of delivery are discussed in more detail below.

30

The invention provides methods, compositions, and kits, for rectal administration or delivery of iRNA agents described herein.

Accordingly, an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes a an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) described herein, *e.g.*, a therapeutically effective amount of a iRNA agent described herein, *e.g.*, a iRNA agent having a double stranded region of less than 40, and preferably less than 30 nucleotides and having one or two 1-3 nucleotide single strand 3' overhangs can be administered rectally, *e.g.*, introduced through the rectum into the lower or upper colon. This approach is particularly useful in the treatment of, inflammatory disorders, disorders characterized by unwanted cell proliferation, *e.g.*, polyps, or colon cancer.

The medication can be delivered to a site in the colon by introducing a dispensing device, *e.g.*, a flexible, camera-guided device similar to that used for inspection of the colon or removal of polyps, which includes means for delivery of the medication.

The rectal administration of the iRNA agent is by means of an enema. The iRNA agent of the enema can be dissolved in a saline or buffered solution. The rectal administration can also by means of a suppository, which can include other ingredients, *e.g.*, an excipient, *e.g.*, cocoa butter or hydropropylmethylcellulose.

Any of the iRNA agents described herein can be administered orally, *e.g.*, in the form of tablets, capsules, gel capsules, lozenges, troches or liquid syrups. Further, the composition can be applied topically to a surface of the oral cavity.

Any of the iRNA agents described herein can be administered buccally. For example, the medication can be sprayed into the buccal cavity or applied directly, *e.g.*, in a liquid, solid, or gel form to a surface in the buccal cavity. This administration is particularly desirable for the treatment of inflammations of the buccal cavity, *e.g.*, the gums or tongue, *e.g.*, in one embodiment, the buccal administration is by spraying into the cavity, *e.g.*, without inhalation, from a dispenser, *e.g.*, a metered dose spray dispenser that dispenses the pharmaceutical composition and a propellant.

Any of the iRNA agents described herein can be administered to ocular tissue. For example, the medications can be applied to the surface of the eye or nearby tissue, *e.g.*, the inside of the eyelid. They can be applied topically, *e.g.*, by spraying, in drops, as an

eyewash, or an ointment. Administration can be provided by the subject or by another person, *e.g.*, a health care provider. The medication can be provided in measured doses or in a dispenser which delivers a metered dose. The medication can also be administered to the interior of the eye, and can be introduced by a needle or other delivery device which can
5 introduce it to a selected area or structure. Ocular treatment is particularly desirable for treating inflammation of the eye or nearby tissue.

Any of the iRNA agents described herein can be administered directly to the skin. For example, the medication can be applied topically or delivered in a layer of the skin, *e.g.*, by the use of a microneedle or a battery of microneedles which penetrate into the skin, but
10 preferably not into the underlying muscle tissue. Administration of the iRNA agent composition can be topical. Topical applications can, for example, deliver the composition to the dermis or epidermis of a subject. Topical administration can be in the form of transdermal patches, ointments, lotions, creams, gels, drops, suppositories, sprays, liquids or powders. A composition for topical administration can be formulated as a liposome, micelle,
15 emulsion, or other lipophilic molecular assembly. The transdermal administration can be applied with at least one penetration enhancer, such as iontophoresis, phonophoresis, and sonophoresis.

Any of the iRNA agents described herein can be administered to the pulmonary system. Pulmonary administration can be achieved by inhalation or by the introduction of a delivery device into the pulmonary system, *e.g.*, by introducing a delivery device which can
20 dispense the medication. A preferred method of pulmonary delivery is by inhalation. The medication can be provided in a dispenser which delivers the medication, *e.g.*, wet or dry, in a form sufficiently small such that it can be inhaled. The device can deliver a metered dose of medication. The subject, or another person, can administer the medication.

25 Pulmonary delivery is effective not only for disorders which directly affect pulmonary tissue, but also for disorders which affect other tissue.

iRNA agents can be formulated as a liquid or nonliquid, *e.g.*, a powder, crystal, or aerosol for pulmonary delivery.

Any of the iRNA agents described herein can be administered nasally. Nasal
30 administration can be achieved by introduction of a delivery device into the nose, *e.g.*, by introducing a delivery device which can dispense the medication. Methods of nasal delivery

include spray, aerosol, liquid, *e.g.*, by drops, or by topical administration to a surface of the nasal cavity. The medication can be provided in a dispenser with delivery of the medication, *e.g.*, wet or dry, in a form sufficiently small such that it can be inhaled. The device can deliver a metered dose of medication. The subject, or another person, can administer the
5 medication.

Nasal delivery is effective not only for disorders which directly affect nasal tissue, but also for disorders which affect other tissue

iRNA agents can be formulated as a liquid or nonliquid, *e.g.*, a powder, crystal, or for nasal delivery.

10 An iRNA agent can be packaged in a viral natural capsid or in a chemically or enzymatically produced artificial capsid or structure derived therefrom.

The dosage of a pharmaceutical composition including a iRNA agent can be administered in order to alleviate the symptoms of a disease state, *e.g.*, cancer or a cardiovascular disease. A subject can be treated with the pharmaceutical composition by any
15 of the methods mentioned above.

Gene expression in a subject can be modulated by administering a pharmaceutical composition including an iRNA agent.

A subject can be treated by administering a defined amount of an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent
20 which can be processed into a sRNA agent) composition that is in a powdered form, *e.g.*, a collection of microparticles, such as crystalline particles. The composition can include a plurality of iRNA agents, *e.g.*, specific for one or more different endogenous target RNAs. The method can include other features described herein.

A subject can be treated by administering a defined amount of an iRNA agent
25 composition that is prepared by a method that includes spray-drying, *i.e.* atomizing a liquid solution, emulsion, or suspension, immediately exposing the droplets to a drying gas, and collecting the resulting porous powder particles. The composition can include a plurality of iRNA agents, *e.g.*, specific for one or more different endogenous target RNAs. The method can include other features described herein.

30 The iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA

which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof), can be provided in a powdered, crystallized or other finely divided form, with or without a carrier, *e.g.*, a micro- or nano-particle suitable for inhalation or other pulmonary delivery. This can include providing an aerosol preparation, *e.g.*, an aerosolized spray-dried composition. The aerosol composition can be provided in and/or dispensed by a metered dose delivery device.

The subject can be treated for a condition treatable by inhalation, *e.g.*, by aerosolizing a spray-dried iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) composition and inhaling the aerosolized composition. The iRNA agent can be an sRNA. The composition can include a plurality of iRNA agents, *e.g.*, specific for one or more different endogenous target RNAs. The method can include other features described herein.

A subject can be treated by, for example, administering a composition including an effective/defined amount of an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof), wherein the composition is prepared by a method that includes spray-drying, lyophilization, vacuum drying, evaporation, fluid bed drying, or a combination of these techniques

In another aspect, the invention features a method that includes: evaluating a parameter related to the abundance of a transcript in a cell of a subject; comparing the evaluated parameter to a reference value; and if the evaluated parameter has a preselected relationship to the reference value (*e.g.*, it is greater), administering a iRNA agent (or a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes a iRNA agent or precursor thereof) to the subject. In one embodiment, the iRNA agent includes a sequence that is complementary to the evaluated transcript. For example, the parameter can be a direct measure of transcript levels, a measure of a protein level, a disease or disorder symptom or characterization (*e.g.*, rate of cell proliferation and/or tumor mass, viral load,)

In another aspect, the invention features a method that includes: administering a first amount of a composition that comprises an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) to a subject, wherein the iRNA agent includes a strand substantially complementary to a target nucleic acid; evaluating an activity associated with a protein encoded by the target nucleic acid; wherein the evaluation is used to determine if a second amount should be administered. In a preferred embodiment the method includes administering a second amount of the composition, wherein the timing of administration or dosage of the second amount is a function of the evaluating. The method can include other features described herein.

In another aspect, the invention features a method of administering a source of a double-stranded iRNA agent (ds iRNA agent) to a subject. The method includes administering or implanting a source of a ds iRNA agent, *e.g.*, a sRNA agent, that (a) includes a double-stranded region that is 19-25 nucleotides long, preferably 21-23 nucleotides, (b) is complementary to a target RNA (*e.g.*, an endogenous RNA or a pathogen RNA), and, optionally, (c) includes at least one 3' overhang 1-5 nt long. In one embodiment, the source releases ds iRNA agent over time, *e.g.* the source is a controlled or a slow release source, *e.g.*, a microparticle that gradually releases the ds iRNA agent. In another embodiment, the source is a pump, *e.g.*, a pump that includes a sensor or a pump that can release one or more unit doses.

In one aspect, the invention features a pharmaceutical composition that includes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) including a nucleotide sequence complementary to a target RNA, *e.g.*, substantially and/or exactly complementary. The target RNA can be a transcript of an endogenous human gene. In one embodiment, the iRNA agent (a) is 19-25 nucleotides long, preferably 21-23 nucleotides, (b) is complementary to an endogenous target RNA, and, optionally, (c) includes at least one 3' overhang 1-5 nt long. In one embodiment, the pharmaceutical composition can be an emulsion, microemulsion, cream, jelly, or liposome.

In one example the pharmaceutical composition includes an iRNA agent mixed with a topical delivery agent. The topical delivery agent can be a plurality of microscopic vesicles. The microscopic vesicles can be liposomes. In a preferred embodiment the liposomes are cationic liposomes.

5 In another aspect, the pharmaceutical composition includes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) admixed with a topical penetration enhancer. In one embodiment, the topical penetration enhancer is a fatty acid.
10 The fatty acid can be arachidonic acid, oleic acid, lauric acid, caprylic acid, capric acid, myristic acid, palmitic acid, stearic acid, linoleic acid, linolenic acid, dicaprate, tricaprate, monolein, dilaurin, glyceryl 1-monocaprate, 1-dodecylazacycloheptan-2-one, an acylcarnitine, an acylcholine, or a C₁₋₁₀ alkyl ester, monoglyceride, diglyceride or pharmaceutically acceptable salt thereof.

15 In another embodiment, the topical penetration enhancer is a bile salt. The bile salt can be cholic acid, dehydrocholic acid, deoxycholic acid, glucolic acid, glycholic acid, glycodeoxycholic acid, taurocholic acid, taurodeoxycholic acid, chenodeoxycholic acid, ursodeoxycholic acid, sodium tauro-24,25-dihydro-fusidate, sodium glycodihydrofusidate, polyoxyethylene-9-lauryl ether or a pharmaceutically acceptable salt thereof.

20 In another embodiment, the penetration enhancer is a chelating agent. The chelating agent can be EDTA, citric acid, a salicylate, a N-acyl derivative of collagen, laureth-9, an N-amino acyl derivative of a beta-diketone or a mixture thereof.

In another embodiment, the penetration enhancer is a surfactant, *e.g.*, an ionic or nonionic surfactant. The surfactant can be sodium lauryl sulfate, polyoxyethylene-9-lauryl
25 ether, polyoxyethylene-20-cetyl ether, a perfluorchemical emulsion or mixture thereof.

In another embodiment, the penetration enhancer can be selected from a group consisting of unsaturated cyclic ureas, 1-alkyl-alkones, 1-alkenylazacyclo-alakanones, steroidal anti-inflammatory agents and mixtures thereof. In yet another embodiment the penetration enhancer can be a glycol, a pyrrol, an azone, or a terpenes.

30 In one aspect, the invention features a pharmaceutical composition including an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a

larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) in a form suitable for oral delivery. In one embodiment, oral delivery can be used to deliver an iRNA agent composition to a cell or a region of the gastro-intestinal tract, *e.g.*, small intestine, colon (*e.g.*, to treat a colon cancer), and so forth. The oral delivery form can be tablets, capsules or gel capsules. In one embodiment, the iRNA agent of the pharmaceutical composition modulates expression of a cellular adhesion protein, modulates a rate of cellular proliferation, or has biological activity against eukaryotic pathogens or retroviruses. In another embodiment, the pharmaceutical composition includes an enteric material that substantially prevents dissolution of the tablets, capsules or gel capsules in a mammalian stomach. In a preferred embodiment the enteric material is a coating. The coating can be acetate phthalate, propylene glycol, sorbitan monoleate, cellulose acetate trimellitate, hydroxy propyl methylcellulose phthalate or cellulose acetate phthalate.

In another embodiment, the oral dosage form of the pharmaceutical composition includes a penetration enhancer. The penetration enhancer can be a bile salt or a fatty acid. The bile salt can be ursodeoxycholic acid, chenodeoxycholic acid, and salts thereof. The fatty acid can be capric acid, lauric acid, and salts thereof.

In another embodiment, the oral dosage form of the pharmaceutical composition includes an excipient. In one example the excipient is polyethyleneglycol. In another example the excipient is precirol.

In another embodiment, the oral dosage form of the pharmaceutical composition includes a plasticizer. The plasticizer can be diethyl phthalate, triacetin dibutyl sebacate, dibutyl phthalate or triethyl citrate.

In one aspect, the invention features a pharmaceutical composition including an iRNA agent and a delivery vehicle. In one embodiment, the iRNA agent is (a) is 19-25 nucleotides long, preferably 21-23 nucleotides, (b) is complementary to an endogenous target RNA, and, optionally, (c) includes at least one 3' overhang 1-5 nucleotides long.

In one embodiment, the delivery vehicle can deliver an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) to a cell by a topical route of

administration. The delivery vehicle can be microscopic vesicles. In one example the microscopic vesicles are liposomes. In a preferred embodiment the liposomes are cationic liposomes. In another example the microscopic vesicles are micelles. In one aspect, the invention features a pharmaceutical composition including an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) in an injectable dosage form. In one embodiment, the injectable dosage form of the pharmaceutical composition includes sterile aqueous solutions or dispersions and sterile powders. In a preferred embodiment the sterile solution can include a diluent such as water; saline solution; fixed oils, polyethylene glycols, glycerin, or propylene glycol.

In one aspect, the invention features a pharmaceutical composition including an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) in oral dosage form. In one embodiment, the oral dosage form is selected from the group consisting of tablets, capsules and gel capsules. In another embodiment, the pharmaceutical composition includes an enteric material that substantially prevents dissolution of the tablets, capsules or gel capsules in a mammalian stomach. In a preferred embodiment the enteric material is a coating. The coating can be acetate phthalate, propylene glycol, sorbitan monoleate, cellulose acetate trimellitate, hydroxy propyl methyl cellulose phthalate or cellulose acetate phthalate. In one embodiment, the oral dosage form of the pharmaceutical composition includes a penetration enhancer, *e.g.*, a penetration enhancer described herein.

In another embodiment, the oral dosage form of the pharmaceutical composition includes an excipient. In one example the excipient is polyethyleneglycol. In another example the excipient is precirol.

In another embodiment, the oral dosage form of the pharmaceutical composition includes a plasticizer. The plasticizer can be diethyl phthalate, triacetin dibutyl sebacate, dibutyl phthalate or triethyl citrate.

In one aspect, the invention features a pharmaceutical composition including an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a

larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) in a rectal dosage form. In one embodiment, the rectal dosage form is an enema. In another embodiment, the rectal dosage form is a suppository.

5 In one aspect, the invention features a pharmaceutical composition including an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) in a vaginal dosage form. In one embodiment, the vaginal dosage form is a suppository. In
10 another embodiment, the vaginal dosage form is a foam, cream, or gel.

In one aspect, the invention features a pharmaceutical composition including an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) in a
15 pulmonary or nasal dosage form. In one embodiment, the iRNA agent is incorporated into a particle, *e.g.*, a macroparticle, *e.g.*, a microsphere. The particle can be produced by spray drying, lyophilization, evaporation, fluid bed drying, vacuum drying, or a combination thereof. The microsphere can be formulated as a suspension, a powder, or an implantable solid.

20 In one aspect, the invention features a spray-dried iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof) composition suitable for inhalation by a subject, including: (a) a therapeutically effective amount of a iRNA agent
25 suitable for treating a condition in the subject by inhalation; (b) a pharmaceutically acceptable excipient selected from the group consisting of carbohydrates and amino acids; and (c) optionally, a dispersibility-enhancing amount of a physiologically-acceptable, water-soluble polypeptide.

In one embodiment, the excipient is a carbohydrate. The carbohydrate can be
30 selected from the group consisting of monosaccharides, disaccharides, trisaccharides, and polysaccharides. In a preferred embodiment the carbohydrate is a monosaccharide selected

from the group consisting of dextrose, galactose, mannitol, D-mannose, sorbitol, and sorbose. In another preferred embodiment the carbohydrate is a disaccharide selected from the group consisting of lactose, maltose, sucrose, and trehalose.

In another embodiment, the excipient is an amino acid. In one embodiment, the amino acid is a hydrophobic amino acid. In a preferred embodiment the hydrophobic amino acid is selected from the group consisting of alanine, isoleucine, leucine, methionine, phenylalanine, proline, tryptophan, and valine. In yet another embodiment the amino acid is a polar amino acid. In a preferred embodiment the amino acid is selected from the group consisting of arginine, histidine, lysine, cysteine, glycine, glutamine, serine, threonine, tyrosine, aspartic acid and glutamic acid.

In one embodiment, the dispersibility-enhancing polypeptide is selected from the group consisting of human serum albumin, α -lactalbumin, trypsinogen, and polyalanine.

In one embodiment, the spray-dried iRNA agent composition includes particles having a mass median diameter (MMD) of less than 10 microns. In another embodiment, the spray-dried iRNA agent composition includes particles having a mass median diameter of less than 5 microns. In yet another embodiment the spray-dried iRNA agent composition includes particles having a mass median aerodynamic diameter (MMAD) of less than 5 microns.

In certain other aspects, the invention provides kits that include a suitable container containing a pharmaceutical formulation of an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof). In certain embodiments the individual components of the pharmaceutical formulation may be provided in one container.

Alternatively, it may be desirable to provide the components of the pharmaceutical formulation separately in two or more containers, *e.g.*, one container for an iRNA agent preparation, and at least another for a carrier compound. The kit may be packaged in a number of different configurations such as one or more containers in a single box. The different components can be combined, *e.g.*, according to instructions provided with the kit. The components can be combined according to a method described herein, *e.g.*, to prepare and administer a pharmaceutical composition. The kit can also include a delivery device.

In another aspect, the invention features a device, *e.g.*, an implantable device, wherein the device can dispense or administer a composition that includes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, (*e.g.*, a precursor, *e.g.*, a larger iRNA agent which can be processed into a sRNA agent, or a DNA which encodes an iRNA agent, *e.g.*, a double-stranded iRNA agent, or sRNA agent, or precursor thereof), *e.g.*, a iRNA agent that silences an endogenous transcript. In one embodiment, the device is coated with the composition. In another embodiment the iRNA agent is disposed within the device. In another embodiment, the device includes a mechanism to dispense a unit dose of the composition. In other embodiments the device releases the composition continuously, *e.g.*, by diffusion. Exemplary devices include stents, catheters, pumps, artificial organs or organ components (*e.g.*, artificial heart, a heart valve, etc.), and sutures.

As used herein, the term "crystalline" describes a solid having the structure or characteristics of a crystal, *i.e.*, particles of three-dimensional structure in which the plane faces intersect at definite angles and in which there is a regular internal structure. The compositions of the invention may have different crystalline forms. Crystalline forms can be prepared by a variety of methods, including, for example, spray drying.

The invention is further illustrated by the following examples, which should not be construed as further limiting.

20

EXAMPLES

Example 1: Inhibition of endogenous ApoM gene expression in mice

Apolipoprotein M (ApoM) is a human apolipoprotein predominantly present in high-density lipoprotein (HDL) in plasma. ApoM is reported to be expressed exclusively in liver and in kidney (Xu N *et al.*, Biochem J Biol Chem 1999 Oct 29;274(44):31286-90). Mouse ApoM is a 21kD membrane associated protein, and, in serum, the protein is associated with HDL particles. ApoM gene expression is regulated by the transcription factor hepatocyte nuclear factor 1 alpha (Hnf-1 α), as Hnf-1 α ^{-/-} mice are ApoM deficient. In humans, mutations in the HNF-1 alpha gene represent a common cause of maturity-onset diabetes of the young (MODY).

A variety of test iRNAs were synthesized to target the mouse ApoM gene. This gene was chosen in part because of its high expression levels and exclusive activity in the liver and kidney.

Three different classes of dsRNA agents were synthesized, each class having different
5 modifications and features at the 5' and 3' ends, see Table 4.

Table 4**Targeted ORF's**

- 5 5 The23mer: AAGTTTGGGCAGCTCTGCTCT (SEQ ID NO:6708)
- 19 19 The23mer: AAGTGGACATACCGATTGACT (SEQ ID NO:6709)
- 25 25 The23mer: AACTCAGAACTGAAGGGCGCC (SEQ ID NO:6710)
- 10 27 The23mer: AAGGGCGCCCAGACATGAAAA (SEQ ID NO:6711)
- 3'-UTR (beginning at 645)
- 42: AAGATAGGAGCCCAGCTTCGA (SEQ ID NO:6712)

15

Class I

21-nt iRNAs, t, deoxythymidine; p, phosphate

- 20 pGUUUGGGCAGCUCUCUCUtt (SEQ ID NO:6712) #1
- pAGAGCAGAGCUGCCCAAActt (SEQ ID NO:6713)
- pGUGGACAUACCGAUUGACUtt (SEQ ID NO:6714) #2
- pAGUCAAUCGGUAUGUCCActt (SEQ ID NO:6715)
- 25 pCUCAGAACUGAAGGGCGCctt (SEQ ID NO:6716) #3
- pGGCGCCCUUCAGUUCUGAGtt (SEQ ID NO:6717)
- pGAUAGGAGCCCAGCUUCGAtt (SEQ ID NO:6718) #4
- pUCGAAGCUGGGCUCCUAUCtt (SEQ ID NO:6719)

30

Class II

21-nt iRNAs, t, deoxythymidine; p, phosphate; ps, thiophosphate

- 5 pGUUUGGGCAGCUCUGCUCpsUpstpst (SEQ ID NO:6720) #11
 pAGAGCAGAGCUGCCCAApsCpstpst (SEQ ID NO:6721)
- pGUGGACAUACCGAUUGACpsUpstpst (SEQ ID NO:6722) #13
 pAGUCAAUCCGUAUGUCCApCpstpst (SEQ ID NO:6723)
- 10 pCUCAGAACUGAAGGGCGCpsCpstpst (SEQ ID NO:6724) #15
 pGGCGCCCUUCAGUUCUGApGpstpst (SEQ ID NO:6725)
- pGAUAGGAGCCCAGCUUCGpsApstpst (SEQ ID NO:6726) #17
 15 pUCGAAGCUGGGCUCCUAUpCpstpst (SEQ ID NO:6727)

Class III

23-nt antisense, 21-nt sense, blunt-ended 5'-as

- 20 GUUUGGGCAGCUCUGCUCUCU (SEQ ID NO:6728) #19
 AGAGAGCAGAGCUGCCCAAACUU (SEQ ID NO:6729)
- GUGGACAUACCGAUUGACUGA (SEQ ID NO:6730) #21
 UCAGUCAAUCCGUAUGUCCACUU (SEQ ID NO:6731)
- 25 CUCAGAACUGAAGGGCGCCCA (SEQ ID NO:6732) #23
 PUGGGCGCCCUUCAGUUCUGAGUU (SEQ ID NO:6733)
- GAUAGGAGCCCAGCUUCGAGU (SEQ ID NO:6734) #25
 30 ACUCGAAGCUGGGCUCCUAUCUU (SEQ ID NO:6735)

Class I dsRNAs consisted of 21 nucleotide paired sense and antisense strands. The sense and antisense strands were each phosphorylated at their 5' ends. The double stranded

region was 19 nucleotides long and consisted of ribonucleotides. The 3' end of each strand created a two nucleotide overhang consisting of two deoxyribonucleotide thymidines. See constructs #1-4 in Table 4.

Class II dsRNAs were also 21 nucleotides long, with a 19 nucleotide double strand region. The sense and antisense strands were each phosphorylated at their 5' ends. The three 3' terminal nucleotides of the sense and antisense strands were phosphorothioate deoxyribonucleotides, and the two terminal phosphorothioate thymidines were unpaired, creating a 3' overhang region at each end of the iRNA molecule. See constructs 11, 13, 15, and 17 in Table 4.

Class III dsRNAs included a 23 ribonucleotide antisense strand and a 21 ribonucleotide sense strand, to form a construct having a blunt 5' and a 3' overhang region. See constructs 19, 21, 23, and 25 in Table 4.

Within each of the three classes of iRNAs, the four dsRNA molecules were designed to target four different regions of the ApoM transcript. dsRNAs 1, 11, and 19 targeted the 5' end of the open reading frame (ORF). dsRNAs 2, 13, and 21, and 3, 15, and 23, targeted two internal regions (one 5' proximal and one 3' proximal) of the ORF, and the 4, 17, and 25 iRNA constructs targeted to a region of the 3' untranslated sequence (3' UTS) of the ApoM mRNA. This is summarized in Table 5.

Table 5. iRNA molecules targeted to mouse ApoM

	iRNA targeted to 5' end of ORF	iRNA targeted to middle ORF (5' proximal)	iRNA targeted to middle ORF (3' proximal)	iRNA targeted to 3'UTS
Class I	1	2	3	4
Class II	11	13	15	17
Class III	19	21	23	25

CD1 mice (6-8 weeks old, ~35g) were administered one of the test iRNAs in PBS solution. Two hundred micrograms of iRNA in a volume of solution equal to 10% body weight (~5.7mg iRNA/kg mouse) was administered by the method of high pressure tail vein injection, over a 10-20 sec. time interval. After a 24h recovery period, a second injection was performed using the same dose and mode of administration as the first injection, and

following another 24h, a third and final injection was administered, also using the same dose and mode of administration. After a final 24h recovery, the mouse was sacrificed, serum was collected and the liver and kidney harvested to assay for an affect on ApoM gene expression. Expression was monitored by quantitative RT-PCR and Western blot analyses. This
5 experiment was repeated for each of the iRNAs listed in table 4.

Class I iRNAs did not alter ApoM RNA levels in mice, as indicated by quantitative RT-PCR. This is in contrast to the effect of these iRNAs in cultured HepG2 cells. Cells cotransfected with a plasmid expressing exogenous ApoM RNA under a CMV promoter and a class I iRNA demonstrated a 25% or greater reduction in ApoM RNA concentrations as
10 compared to control transfections. The iRNA molecules 1, 2 and 3 each caused a 75% decrease in exogenous ApoM mRNA levels.

Class II iRNAs reduced liver and kidney ApoM mRNA levels by ~30-85%. The iRNA molecule "13" elicited the most dramatic reduction in mRNA levels; quantitative RT-PCR indicated a decrease of about 85% in liver tissue. Serum ApoM protein levels were also
15 reduced as was evidenced by Western blot analysis. The iRNAs 11, 13 and 15, reduced protein levels by about 50%, while iRNA 17 had the mildest effect, reducing levels only by ~15-20%.

Class III iRNAs (constructs 19, 21, and 23) reduced serum Apo levels by ~40-50%.

To determine the effect of dosage on iRNA mediated ApoM inhibition, the
20 experiment described above was repeated with three injections of 50µg iRNA "11" (~1.4mg iRNA/kg mouse). This lower dosage of iRNA resulted in a reduction of serum ApoM levels of about 50%. This is compared with the reduction seen with the 200µg injections, which reduced serum levels by 25-45%. These results indicated the lower dosage amounts of iRNAs were effective.

25 In an effort to increase iRNA uptake by cells, iRNAs were precomplexed with lipofectamine prior to tail vein injections. ApoM protein levels were about 50% of wildtype levels in mice injected with iRNA "11" when the molecules were preincubated with lipofectamine; ApoM levels were also about 50% of wildtype when mice were injected with iRNA "11" that was not precomplexed with lipofectamine.

These experiments revealed that modified iRNAs can greatly influence RNAi-mediated gene silencing. As demonstrated herein, modifications including phosphorothioate nucleotides are particularly effective at decreasing target protein levels.

5

Example 2: apoB protein as a therapeutic target for lipid-based diseases

Apolipoprotein B (apoB) is a candidate target gene for the development of novel therapies for lipid-based diseases.

Methods described herein can be used to evaluate the efficacy of a particular siRNA as a therapeutic tool for treating lipid metabolism disorders resulting elevated apoB levels. Use of siRNA duplexes to selectively bind and inactivate the target apoB mRNA is an approach to treat these disorders.

Two approaches:

i) Inhibition of apoB in *ex-vivo* models by transfecting siRNA duplexes homologous to human apoB mRNA in a human hepatoma cell line (Hep G2) and monitor the level of the protein and the RNA using the Western blotting and RT-PCR methods, respectively. siRNA molecules that efficiently inhibit apoB expression will be tested for similar effects *in vivo*.

ii) *In vivo* trials using an apoB transgenic mouse model (apoB100 Transgenic Mice, C57BL/6NTac-TgN (APOB100), Order Model #'s:1004-T (hemizygotes), B6 (control)). siRNA duplexes are designed to target apoB-100 or CETP/apoB double transgenic mice which express both cholesteryl ester transfer protein (CETP) and apoB. The effect of the siRNA on gene expression *in vivo* can be measured by monitoring the HDL/LDL cholesterol level in serum. The results of these experiments would indicate the therapeutic potential of siRNAs to treat lipid-based diseases, including hypercholesterolemia, HDL/LDL cholesterol imbalance, familial combined hyperlipidemia, and acquired hyperlipidemia.

Background Fats, in the form of triglycerides, are ideal for energy storage because they are highly reduced and anhydrous. An adipocyte (or fat cell) consists of a nucleus, a cell membrane, and triglycerides, and its function is to store triglycerides.

The lipid portion of the human diet consists largely of triglycerides and cholesterol (and its esters). These must be emulsified and digested to be absorbed. Specifically, fats

(triacylglycerols) are ingested. Bile (bile acids, salts, and cholesterol), which is made in the liver, is secreted by the gall bladder. Pancreatic lipase digests the triglycerides to fatty acids, and also digests di-, and mono-acylglycerols, which are absorbed by intestinal epithelial cells and then are resynthesized into triacylglycerols once inside the cells. These triglycerides and
5 some cholesterol are combined with apolipoproteins to produce chylomicrons. Chylomicrons consist of approximately 95% triglycerides. The chylomicrons transport fatty acids to peripheral tissues. Any excess fat is stored in adipose tissue.

Lipid transport and clearance from the blood into cells, and from the cells into the blood and the liver, is mediated by the lipoprotein transport proteins. This class of
10 approximately 17 proteins can be divided into three groups: Apolipoproteins, lipoprotein processing proteins, and lipoprotein receptors.

Apolipoproteins coat lipoprotein particles, and include the A-I, A-II, A-IV, B, CI, CII, CIII, D, E, Apo(a) proteins. Lipoprotein processing proteins include lipoprotein lipase, hepatic lipase, lecithin cholesterol acyltransferase and cholesterol ester transfer protein.
15 Lipoprotein receptors include the low density lipoprotein (LDL) receptor, chylomicron-remnant receptor (the LDL receptor like protein or LDL receptor related protein - LRP) and the scavenger receptor.

Lipoprotein Metabolism Since the triglycerides, cholesterol esters, and cholesterol absorbed
20 into the small intestine are not soluble in aqueous medium, they must be combined with suitable proteins (apolipoproteins) in order to prevent them from forming large oil droplets. The resulting lipoproteins undergo a type of metabolism as they pass through the bloodstream and certain organs (notably the liver).

Also synthesized in the liver is high density lipoprotein (HDL), which contains the
25 apoproteins A-1, A-2, C-1, and D; HDL collects cholesterol from peripheral tissues and blood vessels and returns it to the liver. LDL is taken up by specific cell surface receptors into an endosome, which fuses with a lysosome where cholesterol ester is converted to free cholesterol. The apoproteins (including apo B-100) are digested to amino acids. The receptor protein is recycled to the cell membrane.

30 The free cholesterol formed by this process has two fates. First, it can move to the endoplasmic reticulum (ER), where it can inhibit HMG-CoA reductase, the synthesis of

HMG-CoA reductase, and the synthesis of cell surface receptors for LDL. Also in the ER, cholesterol can speed up the degradation of HMG-CoA reductase. The free cholesterol can also be converted by acyl-CoA and acyl transferase (ACAT) to cholesterol esters, which form oil droplets.

5 ApoB is the major apolipoprotein of chylomicrons of very low density lipoproteins (VLDL, which carry most of the plasma triglyceride) and low density lipoprotein (LDL, which carry most of the plasma cholesterol). ApoB exists in human plasma in two isoforms, apoB-48 and apoB-100.

 ApoB-100 is the major physiological ligand for the LDL receptor. The ApoB
10 precursor has 4563 amino acids, and the mature apoB-100 has 4536 amino acid residues. The LDL-binding domain of ApoB-100 is proposed to be located between residues 3129 and 3532. ApoB-100 is synthesized in the liver and is required for the assembly of very low density lipoproteins VLDL and for the preparation of apoB-100 to transport triglycerides (TG) and cholesterol from the liver to other tissues. ApoB-100 does not interchange between
15 lipoprotein particles, as do the other lipoproteins, and it is found in IDL and LDL particles. After the removal of apolipoproteins A, E and C, apoB is incorporation into VLDL by hepatocytes. ApoB-48 is present in chylomicrons and plays an essential role in the intestinal absorption of dietary fats. ApoB-48 is synthesized in the small intestine. It comprises the N-terminal 48% of apoB-100 and is produced by a posttranscriptional apoB-100 mRNA editing
20 event at codon 2153 (C to U). This editing event is a product of the apoBEC-1b enzyme, which is expressed in the intestine. This editing event creates a stop codon instead of a glutamine codon, and therefore apoB-48, instead of apoB-100 is expressed in the intestine (apoB-100 is expressed in the liver).

 There is also strong evidence that plasma apoB levels may be a better index of the
25 risk of coronary artery disease (CAD) than total or LDL cholesterol levels. Clinical studies have demonstrated the value of measuring apoB in hypertriglyceridemic, hypercholesterolemic and normalipidemic subjects.

Table 6. Reference Range Lipid level in the Blood

Lipid	Range (mmols/ L)
Plasma Cholesterol	3.5-6.5
Low density lipoprotein	1.55-4.4
Very low density lipoprotein	0.128-0.645
High density lipoprotein/ triglycerides	0.5-2.1
Total lipid	4.0-10g / L

Molecular genetics of lipid metabolism in both humans and induced mutant mouse models

- 5 Elevated plasma levels of LDL and apoB are associated with a higher risk for atherosclerosis and coronary heart disease, a leading cause of mortality. ApoB is the mandatory constituent of LDL particles. In addition to its role in lipoprotein metabolism, apoB has also been implicated as a factor in male infertility and fetal development. Furthermore, two quantitative trait loci regulating plasma apoB levels have been discovered, through the use of
- 10 transgenic mouse models. Future experiments will facilitate the identification of human orthologous genes encoding regulators of plasma apoB levels. These loci are candidate therapeutic targets for human disorders characterized by altered plasma apoB levels. Such disorders include non-apoB linked hypobetalipoproteinemia and familial combined hyperlipidemia. The identification of these genetic loci would also reveal possible new
- 15 pathways involved in the regulation of apoB secretion, potentially providing novel sites for pharmacological therapy.

Diseases and Clinical Pharmacology Familial combined hyperlipemia (FCHL) affects an estimated one in 10 Americans. FCHL can cause premature heart disease.

- 20 *Familial Hypercholesterolemia (high level of apo B)* A common genetic disorder of lipid metabolism. Familial hypercholesterolemia is characterized by elevated serum TC in association with xanthelasma, tendon and tuberous xanthomas, accelerated atherosclerosis, and early death from myocardial infarction (MI). It is caused by absent or defective LDL cell receptors, resulting in delayed LDL clearance, an increase in plasma LDL levels, and an
- 25 accumulation of LDL cholesterol in macrophages over joints and pressure points, and in blood vessels.

Atherosclerosis (high level of apo B) Atherosclerosis develops as a deposition of cholesterol and fat in the arterial wall due to disturbances in lipid transport and clearance from the blood into cells and from the cells to blood and the liver.

5 Clinical studies have demonstrated that elevation of total cholesterol (TC), low-density lipoprotein cholesterol (LDL-C) and apoB-100 promote human atherosclerosis. Similarly, decreased levels of high – density lipoprotein cholesterol (HDL-C) are associated with the development of atherosclerosis.

ApoB may be factor in the genetic cause of high cholesterol.

10 *The risk of coronary artery disease (CAD) (high level of apo B)* Cardiovascular disease, including coronary heart disease and stroke, is a leading cause of death and disability. The major risk factors include age, gender, elevated low-density lipoprotein cholesterol blood levels, decreased high-density lipoprotein cholesterol levels, cigarette smoking, hypertension, and diabetes. Emerging risk factors include elevated lipoprotein (a), remnant lipoproteins,
15 and C reactive protein. Dietary intake, physical activity and genetics also impact cardiovascular risk. Hypertension and age are the major risk factors for stroke.

Abetalipoproteinemia, an inherited human disease characterized by a near-complete absence of apoB-containing lipoproteins in the plasma, is caused by mutations in the gene for microsomal triglyceride transfer protein (MTP).

20

Model for human atherosclerosis (Lipoprotein A transgenic mouse) Numerous studies have demonstrated that an elevated plasma level of lipoprotein(a) (Lp(a)) is a major independent risk factor for coronary heart disease (CHD). Current therapies, however, have little or no effect on apo(a) levels and the homology between apo(a) and plasminogen presents barriers
25 to drug development. Lp(a) particles consist of apo(a) and apoB-100 proteins, and they are found only in primates and the hedgehog. The development of LPA transgenic mouse requires the creation of animals that express both human apoB and apo(a) transgenes to achieve assembly of LP(a). An atherosclerosis mouse model would facilitate the study of the disease process and factors influencing it, and further would facilitate the development of
30 therapeutic or preventive agents. There are several strategies for gene-oriented therapy. For

example, the missing or non-functional gene can be replaced, or unwanted gene activity can be inhibited.

Model for lipid Metabolism and Atherosclerosis DNX Transgenic Sciences has
5 demonstrated that both CETP/ApoB and ApoB transgenic mice develop atherosclerotic plaques.

Model for apoB-100 overexpression The apoB-100 transgenic mice express high levels of human apoB-100. They consequently demonstrate elevated serum levels of LDL cholesterol.
10 After 6 months on a high-fat diet, the mice develop significant foam cell accumulation under the endothelium and within the media, as well as cholesterol crystals and fibrotic lesions.

Model for Cholesteryl ester transfer protein over expression The apoB-100 transgenic mice express the human enzyme, CETP, and consequently demonstrate a dramatically reduced
15 level of serum HDL cholesterol.

Model for apoB-100 and CETP overexpression The apoB-100 transgenic mice express both CETP and apoB-100, resulting in mice with a human like serum HDL/LDL distribution. Following 6 months on a high-fat diet these mice develop significant foam cell accumulation
20 underlying the endothelium and within the media, as well as cholesterol crystals and fibrotic lesions.

ApoB100 Transgenic Mice (Order Model #'s: 1004-T (hemizygotes), B6 (control))

These mice express high levels of human apoB-100, resulting in mice with elevated serum
25 levels of LDL cholesterol. These mice are useful in identifying and evaluating compounds to reduce elevated levels of LDL cholesterol and the risk of atherosclerosis. When fed a high fat cholesterol diet, these mice develop significant foam cell accumulation under the endothelium and within the media, and have significantly more complex atherosclerotic lesions than control animals.

30

Double Transgenic Mice, CETP/ApoB100 (Order Model #: 1007-TT) These mice express both CETP and apoB-100, resulting in a human-like serum HDL/LDL distribution. These mice are useful for evaluating compounds to treat hypercholesterolemia or HDL/LDL cholesterol imbalance to reduce the risk of developing atherosclerosis. When fed a high fat high cholesterol diet, these mice develop significant foam cell accumulation underlying the endothelium and within the media, and have significantly more complex atherosclerotic lesions than control animals.

ApoE gene knockout mouse Homozygous apoE knockout mice exhibit strong hypercholesterolemia, primarily due to elevated levels of VLDL and IDL caused by a defect in lipoprotein clearance from plasma. These mice develop atherosclerotic lesions which progress with age and resemble human lesions (Zhang *et al.*, *Science* 258:46-71, 1992; Plump *et al.*, *Cell* 71:343-353, 1992; Nakashima *et al.*, *Arterioscler Thromp.* 14:133-140, 1994; Reddick *et al.*, *Arterioscler Tromb.* 14:141-147, 1994). These mice are a promising model for studying the effect of diet and drugs on atherosclerosis.

Low density lipoprotein receptor (LDLR) mediates lipoprotein clearance from plasma through the recognition of apoB and apoE on the surface of lipoprotein particles. Humans, who lack or have a decreased number of the LDL receptors, have familial hypercholesterolemia and develop CHD at an early age.

ApoE Knockout Mice (Order Model #: APOE-M) The apoE knockout mouse was created by gene targeting in embryonic stem cells to disrupt the apoE gene. ApoE, a glycoprotein, is a structural component of very low density lipoprotein (VLDL) synthesized by the liver and intestinally synthesized chylomicrons. It is also a constituent of a subclass of high density lipoproteins (HDLs) involved in cholesterol transport activity among cells. One of the most important roles of apoE is to mediate high affinity binding of chylomicrons and VLDL particles that contain apoE to the low density lipoprotein (LDL) receptor. This allows for the specific uptake of these particles by the liver which is necessary for transport preventing the accumulation in plasma of cholesterol-rich remnants. The homozygous inactivation of the apoE gene results in animals that are devoid of apoE in their sera. The mice appear to develop normally, but they exhibit five times the normal serum plasma cholesterol and

spontaneous atherosclerotic lesions. This is similar to a disease in people who have a variant form of the apoE gene that is defective in binding to the LDL receptor and are at risk for early development of atherosclerosis and increased plasma triglyceride and cholesterol levels. There are indications that apoE is also involved in immune system regulation, nerve
5 regeneration and muscle differentiation. The apoE knockout mice can be used to study the role of apoE in lipid metabolism, atherogenesis, and nerve injury, and to investigate intervention therapies that modify the atherogenic process.

ApoE4 Targeted Replacement Mouse (Order Model #: 001549-M) ApoE is a plasma protein involved in cholesterol transport, and the three human isoforms (E2, E3, and E4) have been
10 associated with atherosclerosis and Alzheimer's disease. Gene targeting of 129 ES cells was used to replace the coding sequence of mouse apoE with human APOE4 without disturbing the murine regulatory sequences. The E4 isoform occurs in approximately 14% of the human population and is associated with increased plasma cholesterol and a greater risk of coronary artery disease. The Taconic apoE4 Targeted Replacement model has normal
15 plasma cholesterol and triglyceride levels, but altered quantities of different plasma lipoprotein particles. This model also has delayed plasma clearance of cholesterol-rich lipoprotein particles (VLDL), with only half the clearance rate seen in the apoE3 Targeted Replacement model. Like the apoE3 model, the apoE4 mice develop altered plasma lipoprotein values and atherosclerotic plaques on an atherogenic diet. However, the
20 atherosclerosis is more severe in the apoE4 model, with larger plaques and cholesterol apoE and apoB-48 levels twice that seen in the apoE3 model. The Taconic apoE4 Targeted Replacement model, along with the apoE2 and apoE3 Targeted Replacement Mice, provide an excellent tool for *in vivo* study of the human apoE isoforms.

CETP Transgenic Mice (Order Model #: 1003-T) These animals express the human plasma
25 enzyme, CETP, resulting in mice with a dramatic reduction in serum HDL cholesterol. The mice can be useful in identifying and evaluating compounds that increase the levels of HDL cholesterol for reducing the risk of developing atherosclerosis

Transgene/Promoter: human apolipoprotein A-I These mice produce mouse HDL cholesterol particles that contain human apolipoprotein A-I. Transgenic expression is life-

long in both sexes (Biochemical Genetics and Metabolism Laboratory, Rockefeller University, NY City).

A Mouse Model for Abetalipoproteinemia Abetalipoproteinemia, an inherited human disease
5 characterized by a near-complete absence of apoB-containing lipoproteins in the plasma, is
caused by mutations in the gene for microsomal triglyceride transfer protein (MTP). Gene
targeting was used to knock out the mouse MTP gene (*Mttp*). In heterozygous knockout
mice (*Mttp*^{+/-}), the MTP mRNA, protein, and activity levels were reduced by 50% in both
liver and intestine. Recent studies with heterozygous MTP knockout mice have suggested
10 that half-normal levels of MTP in the liver reduce apoB secretion. They hypothesized that
reduced apoB secretion in the setting of half-normal MTP levels might be caused by a
reduced MTP:apoB ratio in the endoplasmic reticulum, which would reduce the number of
apoB-MTP interactions. If this hypothesis were true, half-normal levels of MTP might have
little impact on lipoprotein secretion in the setting of half-normal levels of apoB synthesis
15 (since the ratio of MTP to apoB would not be abnormally low) and might cause an
exaggerated reduction in lipoprotein secretion in the setting of apoB overexpression (since
the ratio of MTP to apoB would be even lower). To test this hypothesis, they examined the
effects of heterozygous MTP deficiency on apoB metabolism in the setting of normal levels
of apoB synthesis, half-normal levels of apoB synthesis (heterozygous *ApoB* deficiency), and
20 increased levels of apoB synthesis (transgenic overexpression of human apoB). Contrary to
their expectations, half-normal levels of MTP reduced plasma apoB-100 levels to the same
extent (~25–35%) at each level of apoB synthesis. In addition, apoB secretion from primary
hepatocytes was reduced to a comparable extent at each level of apoB synthesis. Thus, these
results indicate that the concentration of MTP within the endoplasmic reticulum, rather than
25 the MTP:apoB ratio, is the critical determinant of lipoprotein secretion. Finally,
heterozygosity for an apoB knockout mutation was found to lower plasma apoB-100 levels
more than heterozygosity for an MTP knockout allele. Consistent with that result, hepatic
triglyceride accumulation was greater in heterozygous apoB knockout mice than in
heterozygous MTP knockout mice. Cre/*loxP* tissue-specific recombination techniques were
30 also used to generate liver-specific *Mttp* knockout mice. Inactivation of the *Mttp* gene in the
liver caused a striking reduction in very low density lipoprotein (VLDL) triglycerides and

large reductions in both VLDL/low density lipoproteins (LDL) and high density lipoprotein cholesterol levels. Histologic studies in liver-specific knockout mice revealed moderate hepatic steatosis. Currently being tested is the hypothesis that accumulation of triglycerides in the liver renders the liver more susceptible to injury by a second insult (*e.g.*,
5 lipopolysaccharide).

Human apo B (apolipoprotein B) Transgene mice show apo B locus may have a causative role male infertility The fertility of apoB (apolipoprotein B) (+/-) mice was recorded during the course of backcrossing (to C57BL/6J mice) and test mating. No apparent fertility problem was observed in female apoB (+/-) and wild-type female mice, as was documented
10 by the presence of vaginal plugs in female mice. Although apoB (+/-) mice mated normally, only 40% of the animals from the second backcross generation produced any offspring within the 4-month test period. Of the animals that produced progeny, litters resulted from < 50% of documented matings. In contrast, all wild-type mice (6/6--*i.e.*, 100%) tested were fertile. These data suggest genetic influence on the infertility phenotype, as a small number
15 of male heterozygotes were not sterile. Fertilization *in vivo* was dramatically impaired in male apoB (+/-) mice. 74% of eggs examined were fertilized by the sperm from wild-type mice, whereas only 3% of eggs examined were fertilized by the sperm from apoB (+/-) mice. The sperm counts of apoB (+/-) mice were mildly but significantly reduced compared with controls. However, the percentage of motile sperm was markedly reduced in the apoB (+/-)
20 animals compared with that of the wild-type controls. Of the sperm from apoB (+/-) mice, 20% (*i.e.*, 4.9% of the initial 20% motile sperm) remained motile after 6 hr of incubation, whereas 45% (*i.e.*, 33.6% of the initial 69.5%) of the motile sperm retained motility in controls after this time. *In vitro* fertilization yielded no fertilized eggs in three attempts with apo B (+/-) mice, while wild-type controls showed a fertilization rate of 53%. However,
25 sperm from apoB (+/-) mice fertilized 84% of eggs once the zona pellucida had been removed. Numerous sperm from apoB (+/-) mice were seen binding to zona-intact eggs. However, these sperm lost their motility when observed 4-6 hours after binding, showing that sperm from apoB (+/-) mice were unable to penetrate the zona pellucida but that the interaction between sperm and egg was probably not direct. Sperm binding to zona-free
30 oocytes was abnormal. In the apoB (+/-) mice, sperm binding did not attenuate, even after

pronuclei had clearly formed, suggesting that apoB deficiency results in abnormal surface interaction between the sperm and egg.

Knockout of the mouse apoB gene resulted in embryonic lethality in homozygotes, protection against diet-induced hypercholesterolemia in heterozygotes, and developmental abnormalities in mice.

Model of insulin resistance, dyslipidemia & overexpression of human apoB It was shown that the livers of apoB mice assemble and secrete increased numbers of VLDL particles.

Example 3. Treatment of Diabetes Type-2 with iRNA

- 10 *Introduction* The regulation of hepatic gluconeogenesis is an important process in the adjustment of the blood glucose level. Pathological changes in the glucose production of the liver are a central characteristic in type-2-diabetes. For example, the fasting hyperglycemia observed in patients with type-2-diabetes reflects the lack of inhibition of hepatic gluconeogenesis and glycogenolysis due to the underlying insulin resistance in this disease.
- 15 Extreme conditions of insulin resistance can be observed for example in mice with a liver-specific insulin receptor knockout ('LIRKO'). These mice have an increased expression of the two rate-limiting gluconeogenic enzymes, phosphoenolpyruvate carboxykinase (PEPCK) and the glucose-6-phosphatase catalytic subunit (G6Pase). Insulin is known to repress both PEPCK and G6Pase gene expression at the transcriptional level and the signal transduction
- 20 involved in the regulation of G6Pase and PEPCK gene expression by insulin is only partly understood. While PEPCK is involved in a very early step of hepatic gluconeogenesis (synthesis of phosphoenolpyruvate from oxaloacetate), G6Pase catalyzes the terminal step of both, gluconeogenesis and glycogenolysis, the cleavage of glucose-6-phosphate into phosphate and free glucose, which is then delivered into the blood stream.
- 25 The pharmacological intervention in the regulation of expression of PEPCK and G6Pase can be used for the treatment of the metabolic aberrations associated with diabetes. Hepatic glucose production can be reduced by an iRNA-based reduction of PEPCK and G6Pase enzymatic activity in subjects with type-2-diabetes.

Targets for iRNA**Glucose-6-phosphatase (G6Pase)**

G6Pase mRNA is expressed principally in liver and kidney, and in lower amounts in the small intestine. Membrane-bound G6Pase is associated with the endoplasmic reticulum.

- 5 Low activities have been detected in skeletal muscle and in astrocytes as well.

G6Pase catalyzes the terminal step in gluconeogenesis and glycogenolysis. The activity of the enzyme is several fold higher in diabetic animals and probably in diabetic humans. Starvation and diabetes cause a 2-3-fold increase in G6Pase activity in the liver and a 2-4-fold increase in G6Pase mRNA.

10

Phosphoenolpyruvate carboxykinase (PEPCK)

Overexpression of PEPCK in mice results in symptoms of type-2-diabetes mellitus. PEPCK overexpression results in a metabolic pattern that increases G6Pase mRNA and results in a selective decrease in insulin receptor substrate (IRS)-2 protein, decreased

15 phosphatidylinositol 3-kinase activity, and reduced ability of insulin to suppress gluconeogenic gene expression.

Table 7. Other targets to inhibit hepatic glucose production

Target	Comment
FKHR	good evidence for antidiabetic phenotype (Nakae <i>et al.</i> , <i>Nat Genetics</i> 32:245(2002))
Glucagon	
Glucagon receptor	
Glycogen phosphorylase	
PGC-1 (PPAR-Gamma Coactivator)	regulates the cAMP response (and probably the PKB/FKHR-regulation) on PEPCK/G6Pase
Fructose-1,6-bisphosphatase	
Glucose-6-phosphate translocator	
Glucokinase inhibitory regulatory protein	

20

Materials and Methods

Animals: BKS.Cg-m +/- Lepr db mice, which contain a point mutation in the leptin receptor gene are used to examine the efficacy of iRNA for the targets listed above.

BKS.Cg-m +/- Lepr db are available from the Jackson Laboratory (Stock Number 000642). These animals are obese at 3-4 weeks after birth, show elevation of plasma insulin at 10 to 14 days, elevation of blood sugar at 4 to 8 weeks, and uncontrolled rise in blood sugar. Exogenous insulin fails to control blood glucose levels and gluconeogenic activity
5 increases.

The following numbers of male animals (age>12 weeks) would ideally be tested with the following iRNAs:

- PEPCK, 2 sequences, 5 animals per sequence
- G6Pase, 2 sequences, 5 animals per sequence
- 10 1 nonspecific sequence, 5 animals
- 1 control group (only injected, no siRNA), 5 animals
- 1 control group (not injected, no siRNA), 5 animals

Reagents: Necessary reagents would ideally include a Glucometer Elite XL (Bayer,
15 Pittsburgh, PA) for glucose quantification, and an Insulin Radioimmunoassay (RIA) kit (Amersham, Piscataway, NJ) for insulin quantitation

Assays:

G6P enzyme assays and PEPCK enzyme assays are used to measure the activity of the
20 enzymes. Northern blotting is used to detect levels of G6Pase and PEPCK mRNA. Antibody-based techniques (*e.g.*, immunoblotting, immunofluorescence) are used to detect levels of G6Pase and PEPCK protein. Glycogen staining is used to detect levels of glycogen in the liver. Histological analysis is performed to analyze tissues.

25 Gene information:

G6Pase GenBank® No.: NM_008061, Mus musculus glucose-6-phosphatase, catalytic (G6pc), mRNA 1..2259, ORF 83..1156;

GenBank® No: U00445, Mus musculus glucose-6-phosphatase mRNA, complete cds 1..2259, ORF 83..1156

30 GenBank® No: BC013448

PEPCK

GenBank® No: NM_011044, Mus musculus phosphoenolpyruvate carboxykinase 1, cytosolic (Pck1), mRNA.1..2618, ORF 141..2009

GenBank® No: AF009605.1

5 Administration of iRNA:

iRNA corresponding to the genes described above would be administered to mice with hydrodynamic injection. One control group of animals would be treated with Metformin as a positive control for reduction in hepatic glucose levels.

10 **Experimental Protocol**

Mice would be housed in a facility in which there is light from 7:00 AM to 7:00 PM. Mice would be fed *ad libidum* from 7:00 PM to 7:00 AM and fast from 7:00 AM to 7:00 PM.

Day 0: 7:00 PM: Approximately 100 µl blood would be drawn from the tail. Serum would be isolated to measure glucose, insulin, HbA1c (EDTA-blood), glucagon, FFAs, lactate,
15 corticosterone, serum triglycerides.

Day 1-7: Blood glucose would be measured daily at 8:00 AM and 6:00 PM (approx. 3-5 µl; measured with a Haemoglucometer)

Day 8: Blood glucose would be measured daily at 8:00 AM and 6:00 PM. iRNA would be injected between 10:00 AM and 2:00 PM

20

Day 9-20: Blood glucose would be measured daily at 8:00 AM and 6:00 PM.

Day 21: Mice would be sacrificed after 10 hours of fasting.

Blood would be isolated. Glucose, insulin, HbA1c (EDTA-blood), glucagon, FFAs, lactate,
25 corticosterone, serum triglycerides would be measured. Liver tissue would be isolated for histology, protein assays, RNA assays, glycogen quantitation, and enzyme assays.

Example 4: Inhibition of Glucose-6-Phosphatase iRNA *in vivo*

iRNA targeted to the Glucose-6-Phosphatase (G6P) gene was used to examine the effects of inhibition of G6P expression on glucose metabolism *in vivo*.

5 Female mice, 10 weeks of age, strain BKS.Cg-m +/- Lepr db (The Jackson Laboratory) were used for *in vivo* analysis of enzymes of the hepatic glucose production. Mice were housed under conditions where it was light from 6:30 am to 6:30 pm. Mice were fed (ad libidum) during the night period and fasted during the day period.

10 On day 1, approximately 100µl of blood was collected from test animals by puncturing the retroorbital plexus. On days 1-7, blood glucose was measured in blood obtained from tail veins (approximately 3-5 µl) using a Glucometer (Elite XL, Bayer). Blood glucose was sampled daily at 8 am and 6 pm.

15 On day 7 at approximately 2pm, GL3 plasmid (10 µg) and siRNAs (100 µg G6Pase specific, Renilla nonspecific or no siRNA control) were delivered to animals using hydrodynamic coinjection.

On day 8, GL3 expression was analyzed by injection of luciferin (3 mg) after anaesthesia with avertin and imaging. This was done to control for successful hydrodynamic delivery.

20 On days 8-10, blood glucose was measured in blood obtained from tail veins (approximately 3-5 ml) using a Glucometer (Elite XL, Bayer).

On day 10, mice were sacrificed after 10 hours of fasting. Blood and liver were isolated from sacrificed animals.

25 Results: Coinjection of GL3 plasmid and G6Pase iRNA (G6P4) reduced blood glucose levels for the short term. Coinjection of GL3 plasmid and Renilla nonspecific iRNA had no effect on blood glucose levels.

Example 5: Selected Palindromic Sequences

Tables 8-13 below provide selected palindromic sequences from the following genes: human ApoB, human glucose-6-phosphatase, rat glucose-6-phosphatase, β -catenin, and hepatitis C virus (HCV).

Table 8. Selected palindromic sequences from human ApoB

	Source	Start Index	End Index		Match	Start Index	End Index	#	B
SEQ ID NO: 1	ggccattccagaaggaag	509	528	SEQ ID NO: 1004	ctccggttcgtaattggcc	5795	5814	1	9
SEQ ID NO: 2	tgccatctcgagagttcca	4099	4118	SEQ ID NO: 1005	tggaactctctccatggca	10876	10895	1	8
SEQ ID NO: 3	catgtcaaacactttgtta	7056	7075	SEQ ID NO: 1006	taacaaattccitgacatg	7358	7377	1	8
SEQ ID NO: 4	ttgttataaatcttatg	7068	7087	SEQ ID NO: 1007	caataagatcaatagcaaa	8990	9009	1	8
SEQ ID NO: 5	tctggaaaagggtcatgga	8880	8899	SEQ ID NO: 1008	tccatgtcccatttacaga	11356	11375	1	8
SEQ ID NO: 6	cagctctgttcagggtcca	10900	10919	SEQ ID NO: 1009	tggacctgcaccaaagctg	13952	13971	1	8
SEQ ID NO: 7	ggagggtcccagctctgc	356	375	SEQ ID NO: 1010	gcagccctgggaaaactcc	6447	6466	1	7
SEQ ID NO: 8	ctgtttgaagacttcca	1081	1100	SEQ ID NO: 1011	tggagggtagtcataacag	10327	10346	1	7
SEQ ID NO: 9	agtggctgaaacgtgtgca	1297	1316	SEQ ID NO: 1012	tgcaagagcttctgccact	13508	13527	1	7
SEQ ID NO: 10	ccaaaatagaagggaatct	2068	2087	SEQ ID NO: 1013	agattcctttgacctttgg	4000	4019	1	7
SEQ ID NO: 11	tgaagagaagattgaattt	3620	3639	SEQ ID NO: 1014	aaattctctttctttca	9212	9231	1	7
SEQ ID NO: 12	agtgggtggcaacaccagca	4230	4249	SEQ ID NO: 1015	tgctagtggagccaacact	10649	10668	1	7
SEQ ID NO: 13	aaggctccacaagtcacat	5950	5969	SEQ ID NO: 1016	tgatgatatctggaacctt	10724	10743	1	7
SEQ ID NO: 14	gtcagccagggttatagca	7725	7744	SEQ ID NO: 1017	tgctaagaaccttactgac	7781	7800	1	7
SEQ ID NO: 15	tgatatctggaaccttgaa	10727	10746	SEQ ID NO: 1018	ttcactgttctgaaatca	7863	7882	1	7
SEQ ID NO: 16	gtcaagttgagcaattct	13423	13442	SEQ ID NO: 1019	agaaaaggcacaccttgac	11072	11091	1	7
SEQ ID NO: 17	atccagatggaaaaggga	13480	13499	SEQ ID NO: 1020	ttcaatttcctgtggat	3680	3699	1	7
SEQ ID NO: 18	attgtttgtcaagaagt	4543	4562	SEQ ID NO: 1021	acttcagagaaatacaaat	11401	11420	4	6
SEQ ID NO: 19	ctggaaaatgtcagcctgg	204	223	SEQ ID NO: 1022	ccagacttccgtttaccag	8235	8254	2	6
SEQ ID NO: 20	accaggaggtctcttcca	1729	1748	SEQ ID NO: 1023	tgaagtgtagtctcctggt	5089	5108	2	6
SEQ ID NO: 21	aaagaagttctgaagaat	1956	1975	SEQ ID NO: 1024	attccatcacaaatccttt	9661	9680	2	6
SEQ ID NO: 22	gctacagcttatggctcca	3570	3589	SEQ ID NO: 1025	tggatctaaatgcagtagc	11623	11642	2	6
SEQ ID NO: 23	atcaatattgatcaatttg	6414	6433	SEQ ID NO: 1026	caaagaagtcaagattgat	4553	4572	2	6
SEQ ID NO: 24	gaattatcttttaaacat	7326	7345	SEQ ID NO: 1027	atgtgttaacaaaatattc	11494	11513	2	6
SEQ ID NO: 25	cgaggcccgctgctggc	130	149	SEQ ID NO: 1028	gccagaagtgatctcctcg	3507	3526	1	6
SEQ ID NO: 26	acaactatgaggctgagag	271	290	SEQ ID NO: 1029	ctctgagcaacaaattgt	10309	10328	1	6
SEQ ID NO: 27	gctgagagttccagtggag	282	301	SEQ ID NO: 1030	ctccatggcaaatgcagc	10885	10904	1	6
SEQ ID NO: 28	tgaagaaaaccaagaactc	448	467	SEQ ID NO: 1031	gagtcattgaggttctca	4929	4948	1	6
SEQ ID NO: 29	cctacttacatcctgaaca	558	577	SEQ ID NO: 1032	tggtcataaggaggtagg	12766	12785	1	6
SEQ ID NO: 30	ctacttacatcctgaacat	559	578	SEQ ID NO: 1033	atgttcataaggaggtag	12765	12784	1	6
SEQ ID NO: 31	gagacagaagaagccaagc	615	634	SEQ ID NO: 1034	gcttggttttgccagtctc	2459	2478	1	6
SEQ ID NO: 32	cactcactttaccgtcaag	671	690	SEQ ID NO: 1035	ctgaacacaaagtcagtg	6000	6019	1	6
SEQ ID NO: 33	ctgatcagcagcagccagt	822	841	SEQ ID NO: 1036	actgggaagtgcttatcag	5237	5256	1	6
SEQ ID NO: 34	actggacgctaagaggaag	854	873	SEQ ID NO: 1037	cttccccaagagaccagt	2890	2909	1	6

SEQ ID NO: 35	agaggaagcatgtggcaga	865	884	SEQ ID NO: 1038	tctggcatttacttctct	5921	5940	1	6
SEQ ID NO: 36	tgaagactctccaggaact	1087	1106	SEQ ID NO: 1039	agtgaaggagactattca	7216	7235	1	6
SEQ ID NO: 37	ctctgagcaaaatatccag	1121	1140	SEQ ID NO: 1040	ctggttactgagctgagag	1161	1180	1	6
SEQ ID NO: 38	atgaagcagtcacatctct	1189	1208	SEQ ID NO: 1041	agagctgccagtccttcat	10016	10035	1	6
SEQ ID NO: 39	ttgccacagctgattgagg	1209	1228	SEQ ID NO: 1042	cctcctacagtgtgtggcaa	4222	4241	1	6
SEQ ID NO: 40	agctgattgagggtgccag	1216	1235	SEQ ID NO: 1043	ctggattccacatgcagct	11847	11866	1	6
SEQ ID NO: 41	tgctccactcacatcctcc	1278	1297	SEQ ID NO: 1044	ggaggctttaagttcagca	7601	7620	1	6
SEQ ID NO: 42	tgaaacgtgtcatgccaa	1303	1322	SEQ ID NO: 1045	ttgggagagacaagtttca	6500	6519	1	6
SEQ ID NO: 43	gacattgctaattacctga	1503	1522	SEQ ID NO: 1046	tcagaagctaagcaatgtc	7232	7251	1	6
SEQ ID NO: 44	ttcttctcagactttcct	1738	1757	SEQ ID NO: 1047	aggagagtccaaattagaa	8498	8517	1	6
SEQ ID NO: 45	ccaatatctgaactcaga	1903	1922	SEQ ID NO: 1048	tctgaattcattcaattgg	6485	6504	1	6
SEQ ID NO: 46	aaagtagtgaaagaagtt	1946	1965	SEQ ID NO: 1049	aactaccctcactgccttt	2132	2151	1	6
SEQ ID NO: 47	aagtagtgaaagaagttc	1947	1966	SEQ ID NO: 1050	gaacctctggcatttactt	5916	5935	1	6
SEQ ID NO: 48	aaagaagttctgaaagaat	1956	1975	SEQ ID NO: 1051	attctctggtaactacttt	5482	5501	1	6
SEQ ID NO: 49	tttggtataccaaaagatg	2322	2341	SEQ ID NO: 1052	catcttaggcactgacaaa	4997	5016	1	6
SEQ ID NO: 50	tgttgagaagctgattaaa	2381	2400	SEQ ID NO: 1053	tttagccatcgggtcaaca	5700	5719	1	6
SEQ ID NO: 51	caggaagggtcaaagaat	2561	2580	SEQ ID NO: 1054	attcctttaacaattcctg	9492	9511	1	6
SEQ ID NO: 52	aggaagggtcaaagaatg	2562	2581	SEQ ID NO: 1055	cattcctttaacaattcct	9491	9510	1	6
SEQ ID NO: 53	gaagggtcaaagaatgac	2564	2583	SEQ ID NO: 1056	gtcagtcctcaggctcttc	7914	7933	1	6
SEQ ID NO: 54	caaagaatgactttttct	2572	2591	SEQ ID NO: 1057	agaaggatggcatttttg	14000	14019	1	6
SEQ ID NO: 55	catggagaatgcctttgaa	2603	2622	SEQ ID NO: 1058	ttcagagccaaagtccatg	7119	7138	1	6
SEQ ID NO: 56	ggagccaaggctggagtaa	2679	2698	SEQ ID NO: 1059	ttactccaacgccagctcc	3050	3069	1	6
SEQ ID NO: 57	tcattcctccccaagag	2884	2903	SEQ ID NO: 1060	ctctctggggcatctalga	5139	5158	1	6
SEQ ID NO: 58	acctatgagctccagagag	3165	3184	SEQ ID NO: 1061	ctctcaagaccacagaggt	12976	12995	1	6
SEQ ID NO: 59	gggcaaaacgtcttacaga	3365	3384	SEQ ID NO: 1062	tctgaaagacaacgtgcc	12317	12336	1	6
SEQ ID NO: 60	acctggacattcagaaca	3387	3406	SEQ ID NO: 1063	tgttgctaagggtcagggt	5675	5694	1	6
SEQ ID NO: 61	atgggagcctaagttgtg	3429	3448	SEQ ID NO: 1064	cacaaattagtttaccat	8941	8960	1	6
SEQ ID NO: 62	gatgaagagaagattgaat	3618	3637	SEQ ID NO: 1065	attccagcttccccacatc	8330	8349	1	6
SEQ ID NO: 63	caatgtagataccaaaaaa	3656	3675	SEQ ID NO: 1066	tttttggaaatgccattg	8643	8662	1	6
SEQ ID NO: 64	gtagataccaaaaaatga	3660	3679	SEQ ID NO: 1067	tcattgtatgggtctctac	4371	4390	1	6
SEQ ID NO: 65	gcttcagttcatttggact	4509	4528	SEQ ID NO: 1068	agtcaagaaggacttaagc	5304	5323	1	6
SEQ ID NO: 66	tttgtttgtcaaagaagtc	4544	4563	SEQ ID NO: 1069	gacttcagagaaatacaaa	11400	11419	1	6
SEQ ID NO: 67	ttgtttgtcaaagaagtca	4545	4564	SEQ ID NO: 1070	tgacttcagagaaatacaa	11399	11418	1	6
SEQ ID NO: 68	tggcaatgggaaactcgct	5846	5865	SEQ ID NO: 1071	agcgagaatcacctgccca	8219	8238	1	6
SEQ ID NO: 69	aacctctggcatttacttt	5917	5936	SEQ ID NO: 1072	aaaggagatgtcaagggtt	10599	10618	1	6
SEQ ID NO: 70	catttacttctctcatga	5926	5945	SEQ ID NO: 1073	tcatttgaaagaataaatg	7026	7045	1	6
SEQ ID NO: 71	aaagtcagtgccctgctta	6009	6028	SEQ ID NO: 1074	taagaaccttactgacttt	7784	7803	1	6

SEQ ID NO: 72	tcccaatttttgagacctt	6322	6341	SEQ ID NO: 1075	aaggacttcaggaatggga	12004	12023	1	6
SEQ ID NO: 73	calcaatatgatcaattt	6413	6432	SEQ ID NO: 1076	aaattaaaaagtcttgatg	6732	6751	1	6
SEQ ID NO: 74	taaagatagttatgattta	6665	6684	SEQ ID NO: 1077	taaaccaaaacttggttta	9019	9038	1	6
SEQ ID NO: 75	tattgatgaaatcattgaa	6713	6732	SEQ ID NO: 1078	ttcaaagacttaaaaaata	8007	8026	1	6
SEQ ID NO: 76	atgatctacatttgttat	6790	6809	SEQ ID NO: 1079	ataaagaaattaaagtcac	7380	7399	1	6
SEQ ID NO: 77	agagacacatacagaatat	6919	6938	SEQ ID NO: 1080	atatattgtcagtgccctc	13382	13401	1	6
SEQ ID NO: 78	gacacatacagaatataga	6922	6941	SEQ ID NO: 1081	tclaaaltcagttctgtc	11327	11346	1	6
SEQ ID NO: 79	agcatgtcaaacactttgt	7054	7073	SEQ ID NO: 1082	acaaagtcagtgccctgct	6007	6026	1	6
SEQ ID NO: 80	tttttagaggaaaccaagg	7515	7534	SEQ ID NO: 1083	cctttgtgtacacaaaaa	11230	11249	1	6
SEQ ID NO: 81	tttttagaggaaaccaaggc	7516	7535	SEQ ID NO: 1084	gcctttgtgtacacaaaa	11229	11248	1	6
SEQ ID NO: 82	ggaagatagacttccgaa	9307	9326	SEQ ID NO: 1085	ttcagaaatactgtttcc	12824	12843	1	6
SEQ ID NO: 83	cactgtttctgagtcacag	9334	9353	SEQ ID NO: 1086	ctgggacctaccaagagt	12523	12542	1	6
SEQ ID NO: 84	cacaaatcctttggctgtg	9668	9687	SEQ ID NO: 1087	cacatttcaaggaaattgtg	10063	10082	1	6
SEQ ID NO: 85	ttctggatacactgttcc	9853	9872	SEQ ID NO: 1088	ggaactgttgactcaggaa	12569	12588	1	6
SEQ ID NO: 86	gaaatctcaagctttctc	10042	10061	SEQ ID NO: 1089	agagccaggctcgacttc	11044	11063	1	6
SEQ ID NO: 87	tttctcatctcatctgt	10210	10229	SEQ ID NO: 1090	acagctgaaagagatgaaa	13055	13074	1	6
SEQ ID NO: 88	tctaccgctaaaggagcag	10521	10540	SEQ ID NO: 1091	ctgcacgctttgaggtaga	11761	11780	1	6
SEQ ID NO: 89	ctaccgctaaaggagcagt	10522	10541	SEQ ID NO: 1092	actgcacgctttgaggtag	11760	11779	1	6
SEQ ID NO: 90	agggcctcttttcaccaa	10831	10850	SEQ ID NO: 1093	ttggccagggaagtgccct	10957	10976	1	6
SEQ ID NO: 91	ttctccatccctgtaaaag	11265	11284	SEQ ID NO: 1094	cttttcaccaacggagaa	10838	10857	1	6
SEQ ID NO: 92	gaaaaacaagcagattat	11816	11835	SEQ ID NO: 1095	ataaactgcaagattttc	13600	13619	1	6
SEQ ID NO: 93	actcactcattgattttc	12682	12701	SEQ ID NO: 1096	agaaaatcaggatctgagt	14027	14046	1	6
SEQ ID NO: 94	taaactaatagatgtaac	12890	12909	SEQ ID NO: 1097	gattaccaccagcagttta	13578	13597	1	6
SEQ ID NO: 95	caaacgagcttcaggaaag	13200	13219	SEQ ID NO: 1098	cttcgtgaagaataatttg	13260	13279	1	6
SEQ ID NO: 96	tggaataatgtcagtggt	2366	2385	SEQ ID NO: 1099	aacacttactgaattcca	10662	10681	3	5
SEQ ID NO: 97	gatttgaaatccaaagaag	2400	2419	SEQ ID NO: 1100	cttcagagaaatacaaatc	11402	11421	3	5
SEQ ID NO: 98	atttgaaatccaaagaagt	2401	2420	SEQ ID NO: 1101	acttcagagaaatacaaat	11401	11420	3	5
SEQ ID NO: 99	atcaacagccgcttcttg	990	1009	SEQ ID NO: 1102	caaagaagtcaagattgat	4553	4572	2	5
SEQ ID NO: 100	tgttttgaagactctccag	1082	1101	SEQ ID NO: 1103	ctggaaaagttaaacaaca	6955	6974	2	5
SEQ ID NO: 101	cccttctgalagatgtgt	1324	1343	SEQ ID NO: 1104	accaaagctggcaccagg	13961	13980	2	5
SEQ ID NO: 102	tgagcaagtgaagaacttt	1868	1887	SEQ ID NO: 1105	aaagccattcagtcctca	12963	12982	2	5
SEQ ID NO: 103	atttgaaatccaaagaagt	2401	2420	SEQ ID NO: 1106	acttttctaaacttgaat	9055	9074	2	5
SEQ ID NO: 104	atccaaagaagtcccggaa	2408	2427	SEQ ID NO: 1107	ttccggggaacactgggat	12721	12740	2	5
SEQ ID NO: 105	agagcctacctccgcatct	2430	2449	SEQ ID NO: 1108	agatggtacgttagcctc	11921	11940	2	5
SEQ ID NO: 106	aatgcctttgaactcccca	2610	2629	SEQ ID NO: 1109	tggaactacaatttcatt	7012	7031	2	5
SEQ ID NO: 107	gaagtccaaattcggatt	3297	3316	SEQ ID NO: 1110	aatcttcaatttattctc	13815	13834	2	5
SEQ ID NO: 108	tgcaagcagaagccagaag	3496	3515	SEQ ID NO: 1111	cttcaggttccatctgtca	11376	11395	2	5
SEQ ID NO: 109	gaagagaagattgaatttg	3621	3640	SEQ ID NO: 1112	caaaacclactgtctcttc	10459	10478	2	5

SEQ ID NO: 110	atgctaaaggcacatatgg	4597	4616	SEQ ID NO: 1113	ccatatgaaagtcaagcat	12656	12675	2	5
SEQ ID NO: 111	tcctcacctccacctctg	4737	4756	SEQ ID NO: 1114	cagattctcagatgaggga	8912	8931	2	5
SEQ ID NO: 112	atttacagctctgacaagt	5427	5446	SEQ ID NO: 1115	actttctaaacttgaaat	9055	9074	2	5
SEQ ID NO: 113	aggagcctaccaaataat	5594	5613	SEQ ID NO: 1116	attatgtgaaacagtcct	11830	11849	2	5
SEQ ID NO: 114	aaagctgaagcacatcaat	6401	6420	SEQ ID NO: 1117	attgttgctcatctcttt	10194	10213	2	5
SEQ ID NO: 115	ctgctggaacaacgagaa	9418	9437	SEQ ID NO: 1118	ttctgattaccaccagcag	13574	13593	2	5
SEQ ID NO: 116	ttgaaggaaattctgaaaa	9582	9601	SEQ ID NO: 1119	ttttaaagaaatcttcaa	13805	13824	2	5
SEQ ID NO: 117	gaagtaaaagaaaatttg	10743	10762	SEQ ID NO: 1120	caaaacctactgtctcttc	10459	10478	2	5
SEQ ID NO: 118	tgaagaagatggcaaat	11984	12003	SEQ ID NO: 1121	aaatgtcagctctgttca	10894	10913	2	5
SEQ ID NO: 119	aggatctgagttatttgc	14035	14054	SEQ ID NO: 1122	gcaagtcagcccagttcct	10920	10939	2	5
SEQ ID NO: 120	gtgccctctcgggttgctg	18	37	SEQ ID NO: 1123	cagccattgacatgagcac	5740	5759	1	5
SEQ ID NO: 121	ggcgctgcctgcgctgctg	146	165	SEQ ID NO: 1124	cagctccacagactccgcc	3062	3081	1	5
SEQ ID NO: 122	ctgcgctgctgctgctgct	154	173	SEQ ID NO: 1125	agcagaagggtggaagcag	3224	3243	1	5
SEQ ID NO: 123	gctgctggcgggcgccagg	170	189	SEQ ID NO: 1126	cctggattccacatgcagc	11846	11865	1	5
SEQ ID NO: 124	aagaggaaatgctggaaaa	193	212	SEQ ID NO: 1127	ttttcttactacatctt	2584	2603	1	5
SEQ ID NO: 125	ctggaaaatgtcagcctgg	204	223	SEQ ID NO: 1128	ccagacttccacatcccag	3915	3934	1	5
SEQ ID NO: 126	tggagtcctgggactgct	296	315	SEQ ID NO: 1129	agcatgcctagtttctcca	9945	9964	1	5
SEQ ID NO: 127	ggagtcctgggactgctg	297	316	SEQ ID NO: 1130	cagcatgcctagtttctcc	9944	9963	1	5
SEQ ID NO: 128	tgggactgctgattcaaga	305	324	SEQ ID NO: 1131	tcttccatcacttgaccca	2042	2061	1	5
SEQ ID NO: 129	ctgctgattcaagaagtc	310	329	SEQ ID NO: 1132	gcacaccttgacattgcag	11079	11098	1	5
SEQ ID NO: 130	tgccaccaggatcaactgc	326	345	SEQ ID NO: 1133	gcaggctgaactggggcga	2717	2736	1	5
SEQ ID NO: 131	gccaccaggatcaactgca	327	346	SEQ ID NO: 1134	tgcaggctgaactgggtggc	2716	2735	1	5
SEQ ID NO: 132	tgcaagggtgagctggagg	342	361	SEQ ID NO: 1135	cctccacctgtatctgca	4744	4763	1	5
SEQ ID NO: 133	caagggtgagctggaggt	344	363	SEQ ID NO: 1136	aaccctacatgaagcttg	13755	13774	1	5
SEQ ID NO: 134	ctctgcagcttcatcctga	369	388	SEQ ID NO: 1137	tcagggaagcttctcaagag	13211	13230	1	5
SEQ ID NO: 135	cagcttcatcctgaagacc	374	393	SEQ ID NO: 1138	ggctgtgagttaaatgctg	4977	4996	1	5
SEQ ID NO: 136	gcttcatcctgaagaccag	376	395	SEQ ID NO: 1139	ctggacgctaagaggaagc	855	874	1	5
SEQ ID NO: 137	tcctcctgaagaccagcca	379	398	SEQ ID NO: 1140	tggcatggcattatgatga	3604	3623	1	5
SEQ ID NO: 138	gaaaaccaagaactctgag	452	471	SEQ ID NO: 1141	ctcaaccttaalgattttc	8286	8305	1	5
SEQ ID NO: 139	agaactctgaggagtttgc	460	479	SEQ ID NO: 1142	gcaagctatacagttattct	8377	8396	1	5
SEQ ID NO: 140	tctgaggagtttgcgcag	465	484	SEQ ID NO: 1143	ctgcaggggatccccaga	2526	2545	1	5
SEQ ID NO: 141	ttgtctgcagcatgtcca	474	493	SEQ ID NO: 1144	tggagtgctcagtggaaca	10372	10391	1	5
SEQ ID NO: 142	caagaggggcatcatttct	578	597	SEQ ID NO: 1145	agaataaatgacgtttctg	7035	7054	1	5
SEQ ID NO: 143	tcacttlaccgtcaagacg	674	693	SEQ ID NO: 1146	cgtctacactatcatgtga	4360	4379	1	5
SEQ ID NO: 144	tttaccgtcaagacgagga	678	697	SEQ ID NO: 1147	tccttgacatgttgataaa	7366	7385	1	5
SEQ ID NO: 145	cactggacgctaagaggaa	853	872	SEQ ID NO: 1148	ttccagaaagcagccagtg	12498	12517	1	5
SEQ ID NO: 146	aggaagcatgtggcagaag	867	886	SEQ ID NO: 1149	cttcatacacattaatcct	9988	10007	1	5
SEQ ID NO: 147	caaggagcaacacctcttc	893	912	SEQ ID NO: 1150	gaagtagtacigcatcttg	6835	6854	1	5

SEQ ID NO: 148	acagactttgaaactgaa	959	978	SEQ ID NO: 1151	ttcaattcttcaatgctgt	10500	10519	1	5
SEQ ID NO: 149	tgatgaagcagtcacatct	1187	1206	SEQ ID NO: 1152	agatttgaggattccatca	7976	7995	1	5
SEQ ID NO: 150	agcagtcacatctctcttg	1193	1212	SEQ ID NO: 1153	caaggagaaaactgactgt	6524	6543	1	5
SEQ ID NO: 151	ccagccccatcactttaca	1231	1250	SEQ ID NO: 1154	tgtagtctcctggtgctgg	5094	5113	1	5
SEQ ID NO: 152	ctccactcacatctccag	1280	1299	SEQ ID NO: 1155	ctggagcttagtaatggag	8709	8728	1	5
SEQ ID NO: 153	catgccaaccccccttctga	1314	1333	SEQ ID NO: 1156	tcagatgagggaacacatg	8919	8938	1	5
SEQ ID NO: 154	gagagatcttcaacatggc	1390	1409	SEQ ID NO: 1157	gccacccctggaactctctc	10869	10888	1	5
SEQ ID NO: 155	tcaacatggcgagggatca	1399	1418	SEQ ID NO: 1158	tgatccacctctcatgga	2965	2984	1	5
SEQ ID NO: 156	ccaccttgatgcgtgag	1429	1448	SEQ ID NO: 1159	ctcagggatctgaaggtgg	8187	8206	1	5
SEQ ID NO: 157	gtcaacaactatcataaga	1455	1474	SEQ ID NO: 1160	tcttgagttaaatgctgac	4979	4998	1	5
SEQ ID NO: 158	tggacattgctaattacct	1501	1520	SEQ ID NO: 1161	aggatatctcgaagttcca	12799	12818	1	5
SEQ ID NO: 159	ggacattgctaattacctg	1502	1521	SEQ ID NO: 1162	caggatatctcgaagttcc	12798	12817	1	5
SEQ ID NO: 160	ttctgcgggctcattggaaa	1573	1592	SEQ ID NO: 1163	ttcacatgccaaggagaa	6514	6533	1	5
SEQ ID NO: 161	ccagaactcaagttctcaa	1620	1639	SEQ ID NO: 1164	ttgaagtgtagtctcctgg	5088	5107	1	5
SEQ ID NO: 162	agtcttcaatcctgaaatg	1630	1649	SEQ ID NO: 1165	catttctgattggtggact	7757	7776	1	5
SEQ ID NO: 163	tgagcaagtgaagaacttt	1868	1887	SEQ ID NO: 1166	aaagtgccacttttactca	6183	6202	1	5
SEQ ID NO: 164	agcaagtgaagaacttgt	1870	1889	SEQ ID NO: 1167	acaaagtcagtgccctgct	6007	6026	1	5
SEQ ID NO: 165	tctgaaagaatctcaactt	1964	1983	SEQ ID NO: 1168	aagtccataatggttcaga	12811	12830	1	5
SEQ ID NO: 166	actgtcatggacttcagaa	1986	2005	SEQ ID NO: 1169	ttctgaatatattgtcagt	13376	13395	1	5
SEQ ID NO: 167	acttgacccagcctcagcc	2051	2070	SEQ ID NO: 1170	ggctcaccctgagagaagt	12391	12410	1	5
SEQ ID NO: 168	tccaaataactaccttct	2096	2115	SEQ ID NO: 1171	aggaagatagaagatgga	4712	4731	1	5
SEQ ID NO: 169	actacctcactgcctttg	2133	2152	SEQ ID NO: 1172	caaatttgaggaggtagt	10319	10338	1	5
SEQ ID NO: 170	ttggatttgctcagctga	2149	2168	SEQ ID NO: 1173	tcagtataagtacaaccaa	9392	9411	1	5
SEQ ID NO: 171	ttggaagctctttttggga	2211	2230	SEQ ID NO: 1174	tcccgattcacgcttccaa	11577	11596	1	5
SEQ ID NO: 172	ggaagctctttttgggaag	2213	2232	SEQ ID NO: 1175	cttcagaaagctacctcc	7929	7948	1	5
SEQ ID NO: 173	ttttccagacagtgta	2238	2257	SEQ ID NO: 1176	tgaccttcttaagcaaaa	4876	4895	1	5
SEQ ID NO: 174	agacagtgtaacaaagct	2246	2265	SEQ ID NO: 1177	agcttggttttgccagct	2458	2477	1	5
SEQ ID NO: 175	ctttggctataccaaagat	2321	2340	SEQ ID NO: 1178	atctcgtgtctaggaaaag	5968	5987	1	5
SEQ ID NO: 176	caaagatgataaacatgag	2333	2352	SEQ ID NO: 1179	ctcaaggataacgtgttg	12609	12628	1	5
SEQ ID NO: 177	gatatggtaaatggaataa	2355	2374	SEQ ID NO: 1180	ttatcttattaattatac	13079	13098	1	5
SEQ ID NO: 178	ggaataatgctcagtggtg	2367	2386	SEQ ID NO: 1181	caacacttactgaattcc	10661	10680	1	5
SEQ ID NO: 179	ttgaaatccaaagaagtc	2402	2421	SEQ ID NO: 1182	gacttcagagaaatacaaa	11400	11419	1	5
SEQ ID NO: 180	gatccccagatgattgga	2534	2553	SEQ ID NO: 1183	tccaatttccctgtggatc	3681	3700	1	5
SEQ ID NO: 181	cagatgattggagaggtca	2541	2560	SEQ ID NO: 1184	tgaccacacaaacagctg	5363	5382	1	5
SEQ ID NO: 182	agaatgacttttttctca	2575	2594	SEQ ID NO: 1185	tgaagtccggattcattct	11015	11034	1	5
SEQ ID NO: 183	gaactccccactggagctg	2619	2638	SEQ ID NO: 1186	cagctcaaccgtacagttc	11861	11880	1	5
SEQ ID NO: 184	atatcttcatctggagtca	2652	2671	SEQ ID NO: 1187	tgacttcagtcagaatat	11966	11985	1	5
SEQ ID NO: 185	gtcattgctcccgagcca	2667	2686	SEQ ID NO: 1188	tggcccccgtttaccatgac	5809	5828	1	5

SEQ ID NO: 186	gctgaagtttatcattcct	2873	2892	SEQ ID NO: 1189	aggaggctttaagttcagc	7600	7619	1	5
SEQ ID NO: 187	attccttccccaagagac	2886	2905	SEQ ID NO: 1190	gtctcttccctcatggaat	10470	10489	1	5
SEQ ID NO: 188	ctcattgagaacaggcagt	2976	2995	SEQ ID NO: 1191	actgactgcacgcttgag	11756	11775	1	5
SEQ ID NO: 189	ttgagcagtattctgtcag	3142	3161	SEQ ID NO: 1192	ctgagagaagtgcttcaa	12399	12418	1	5
SEQ ID NO: 190	acctgtccagtggaagtc	3285	3304	SEQ ID NO: 1193	ggacggfactgtcccaggt	12784	12803	1	5
SEQ ID NO: 191	ccagtgaaagtcgaattcc	3292	3311	SEQ ID NO: 1194	ggaaggcagagtttactgg	9148	9167	1	5
SEQ ID NO: 192	acattcagaacaagaaaat	3394	3413	SEQ ID NO: 1195	atttcctaaagctggatgt	11167	11186	1	5
SEQ ID NO: 193	gaaaaatcaagggtgttat	3463	3482	SEQ ID NO: 1196	ataaactgcaagatttttc	13600	13619	1	5
SEQ ID NO: 194	aaatcaagggtgttatttc	3466	3485	SEQ ID NO: 1197	gaaacaatgcattagattt	9745	9764	1	5
SEQ ID NO: 195	tgccattatgatgaagaga	3609	3628	SEQ ID NO: 1198	tctccgtgtataatgccca	11781	11800	1	5
SEQ ID NO: 196	aagagaagattgaattga	3622	3641	SEQ ID NO: 1199	tcaaaacctactgtctctt	10458	10477	1	5
SEQ ID NO: 197	aaatgacttccaatttccc	3673	3692	SEQ ID NO: 1200	gggaactacaatttcattt	7013	7032	1	5
SEQ ID NO: 198	atgacttccaatttccctg	3675	3694	SEQ ID NO: 1201	caggctgattacgagtcac	4917	4936	1	5
SEQ ID NO: 199	acttccaatttccctgtgg	3678	3697	SEQ ID NO: 1202	ccacgaaaaatatggaagt	10360	10379	1	5
SEQ ID NO: 200	agttgcaatgagctcatgg	3803	3822	SEQ ID NO: 1203	ccatcagttcagataaact	7989	8008	1	5
SEQ ID NO: 201	tttgcaagaccacctcaat	3860	3879	SEQ ID NO: 1204	attgacctgtccattcaaa	13671	13690	1	5
SEQ ID NO: 202	gaaggagtccaacctccag	3884	3903	SEQ ID NO: 1205	ctggaattgtcattccttc	11728	11747	1	5
SEQ ID NO: 203	acttccacatcccagaaaa	3919	3938	SEQ ID NO: 1206	ttttaacaaaagtgaagt	6821	6840	1	5
SEQ ID NO: 204	clcttcttaaaaagcgatg	3939	3958	SEQ ID NO: 1207	catcactgccaaggagag	8486	8505	1	5
SEQ ID NO: 205	aaaagcgatggccgggtca	3948	3967	SEQ ID NO: 1208	tgactcactcattgatttt	12680	12699	1	5
SEQ ID NO: 206	ttcctttgcttttgggtgg	4003	4022	SEQ ID NO: 1209	ccacaaacaatgaaggga	9256	9275	1	5
SEQ ID NO: 207	caagctgtgtggattccat	4079	4098	SEQ ID NO: 1210	atgggaaaaaacaggcttg	9566	9585	1	5
SEQ ID NO: 208	aagtcctacttttaccat	4117	4136	SEQ ID NO: 1211	atgggaagtataagaactt	4834	4853	1	5
SEQ ID NO: 209	tgctctcctgggtgttct	4159	4178	SEQ ID NO: 1212	agaaaaacaaacacaggca	9643	9662	1	5
SEQ ID NO: 210	accagcacagaccatttca	4242	4261	SEQ ID NO: 1213	tgaagtgtagtctcctggt	5089	5108	1	5
SEQ ID NO: 211	ccagcacagaccatttcag	4243	4262	SEQ ID NO: 1214	ctgaaatacaatgctctgg	5511	5530	1	5
SEQ ID NO: 212	actatcatgtgatgggtct	4367	4386	SEQ ID NO: 1215	agacacctgattttatagt	7948	7967	1	5
SEQ ID NO: 213	accacagatgtctgcttca	4496	4515	SEQ ID NO: 1216	tgaaggctgactctgtggt	4282	4301	1	5
SEQ ID NO: 214	ccacagatgtctgcttcag	4497	4516	SEQ ID NO: 1217	ctgagcaacaaattgtgg	10311	10330	1	5
SEQ ID NO: 215	tttgactccaaaaagaaa	4520	4539	SEQ ID NO: 1218	tttctctatgattacaaa	5933	5952	1	5
SEQ ID NO: 216	tcaaagaagtcaagattga	4552	4571	SEQ ID NO: 1219	tcaaggataacgtgtttga	12610	12629	1	5
SEQ ID NO: 217	atgagaactacgagctgac	4798	4817	SEQ ID NO: 1220	gtcagatattgtgtcat	10187	10206	1	5
SEQ ID NO: 218	ttaaaatctgacaccaatg	4818	4837	SEQ ID NO: 1221	cattcattgaagatgttaa	7342	7361	1	5
SEQ ID NO: 219	gaagtataagaactttgcc	4838	4857	SEQ ID NO: 1222	ggcaaatttgaaggacttc	11994	12013	1	5
SEQ ID NO: 220	aagtataagaactttgcca	4839	4858	SEQ ID NO: 1223	tggcaaatttgaaggactt	11993	12012	1	5
SEQ ID NO: 221	ttcttcagcctgtttctg	4941	4960	SEQ ID NO: 1224	cagaatccagatacaagaa	6884	6903	1	5
SEQ ID NO: 222	ctggatcactaaattccca	4957	4976	SEQ ID NO: 1225	tgggtctttccagagccag	11033	11052	1	5
SEQ ID NO: 223	aaattaatagtgtgtctca	5014	5033	SEQ ID NO: 1226	tgagaagccccaagaattt	6248	6267	1	5

SEQ ID NO: 224	agtgaacgaccaacttga	5073	5092	SEQ ID NO: 1227	tcaaattcctggatacact	9848	9867	1	5
SEQ ID NO: 225	ctgggaagtgcctatcagg	5238	5257	SEQ ID NO: 1228	cctgaccttcacataccag	8310	8329	1	5
SEQ ID NO: 226	gcaaaaacattttcaactt	5278	5297	SEQ ID NO: 1229	aagtaaaagaaaattttgc	10744	10763	1	5
SEQ ID NO: 227	aaaaacattttcaacttca	5280	5299	SEQ ID NO: 1230	tgaagtaaaagaaaatttt	10742	10761	1	5
SEQ ID NO: 228	tcagtcaagaaggacttaa	5302	5321	SEQ ID NO: 1231	ttaaggacttccattctga	13363	13382	1	5
SEQ ID NO: 229	tcaaatgacatgatgggct	5325	5344	SEQ ID NO: 1232	agcccatcaatatcattga	6205	6224	1	5
SEQ ID NO: 230	cacacaaacagtctgaaca	5367	5386	SEQ ID NO: 1233	tgtttcaactgcctttgtg	11219	11238	1	5
SEQ ID NO: 231	tcttcaaaacttgacaaca	5409	5428	SEQ ID NO: 1234	tgttttctatttccaaga	12835	12854	1	5
SEQ ID NO: 232	caagttttataagcaaact	5441	5460	SEQ ID NO: 1235	agttattttgctaaacttg	14043	14062	1	5
SEQ ID NO: 233	tggaactactttaaacag	5488	5507	SEQ ID NO: 1236	ctgttttagaggaaacca	7512	7531	1	5
SEQ ID NO: 234	aacagtgacctgaalaca	5502	5521	SEQ ID NO: 1237	tgtagacaaattcctgtt	5890	5909	1	5
SEQ ID NO: 235	gggaaactacggctagaac	5544	5563	SEQ ID NO: 1238	gttcctccatgatttccc	10933	10952	1	5
SEQ ID NO: 236	aacacatctatgccatctc	5620	5639	SEQ ID NO: 1239	gagacagcatctcgtgtt	11204	11223	1	5
SEQ ID NO: 237	tcagcaagctataaagcag	5652	5671	SEQ ID NO: 1240	ctgctaagaaccttactga	7780	7799	1	5
SEQ ID NO: 238	gcagacactgttgctaagg	5667	5686	SEQ ID NO: 1241	ccttcaagcactgactgc	11746	11765	1	5
SEQ ID NO: 239	tctggggagaaactactgg	5866	5885	SEQ ID NO: 1242	ccaggttttccacaccaga	8038	8057	1	5
SEQ ID NO: 240	ttctctcatgattacaag	5934	5953	SEQ ID NO: 1243	cctttcaccaacggagaa	10838	10857	1	5
SEQ ID NO: 241	ctgagcagacaggcacctg	6034	6053	SEQ ID NO: 1244	caggaggctttaagttcag	7599	7618	1	5
SEQ ID NO: 242	caatttaacaacaatgaat	6066	6085	SEQ ID NO: 1245	attcctcctttacaattg	8082	8101	1	5
SEQ ID NO: 243	tggacgaactctggctgac	6140	6159	SEQ ID NO: 1246	glcagcccagttcctcca	10924	10943	1	5
SEQ ID NO: 244	cttttactcagttagccca	6192	6211	SEQ ID NO: 1247	tgggctaaacgtatgaaag	7827	7846	1	5
SEQ ID NO: 245	tcatlgatgcttttagat	6217	6236	SEQ ID NO: 1248	atcttcataagttcaatga	13174	13193	1	5
SEQ ID NO: 246	aaaaccaagatgttcactc	6295	6314	SEQ ID NO: 1249	gagtgaatgctgtttttt	8630	8649	1	5
SEQ ID NO: 247	aggaatcgacaaaccatta	6357	6376	SEQ ID NO: 1250	taatgattttcaagttcct	8294	8313	1	5
SEQ ID NO: 248	tagttgtactggaaaacgt	6376	6395	SEQ ID NO: 1251	acgttagcctctaagacta	11928	11947	1	5
SEQ ID NO: 249	ggaaaacgtacagagaaag	6386	6405	SEQ ID NO: 1252	cttttacaattcattttcc	13014	13033	1	5
SEQ ID NO: 250	gaaaacgtacagagaaagc	6387	6406	SEQ ID NO: 1253	gctttctctccacatttc	10052	10071	1	5
SEQ ID NO: 251	aaagctgaagcacatcaat	6401	6420	SEQ ID NO: 1254	attgatgttagagtgtttt	6984	7003	1	5
SEQ ID NO: 252	aagctgaagcacatcaata	6402	6421	SEQ ID NO: 1255	tattgatgttagagtgttt	6983	7002	1	5
SEQ ID NO: 253	tgaagcacatcaatattga	6406	6425	SEQ ID NO: 1256	tcaaccttaatgattttca	8287	8306	1	5
SEQ ID NO: 254	atcaatatgtatcaatttg	6414	6433	SEQ ID NO: 1257	caaagccatcactgatgat	1660	1679	1	5
SEQ ID NO: 255	taatgattatctgaattca	6476	6495	SEQ ID NO: 1258	tgaaatcattgaaaaatta	6719	6738	1	5
SEQ ID NO: 256	gattatctgaattcattca	6480	6499	SEQ ID NO: 1259	tgaagtagctgagaaaaac	7094	7113	1	5
SEQ ID NO: 257	aattgggagagacaagttt	6498	6517	SEQ ID NO: 1260	aaacattcctttaacaatt	9488	9507	1	5
SEQ ID NO: 258	aaaatagctatttgctaata	6693	6712	SEQ ID NO: 1261	tattgaaaaatattgatttt	6806	6825	1	5
SEQ ID NO: 259	aaaattaaaaagctttgat	6731	6750	SEQ ID NO: 1262	atcatatccgtgtaatttt	6757	6776	1	5
SEQ ID NO: 260	ttgaaaatattgattttaa	6808	6827	SEQ ID NO: 1263	ttaatcttcataagttcaa	13171	13190	1	5
SEQ ID NO: 261	agacatccagcacctagct	6938	6957	SEQ ID NO: 1264	agcttgggtttgccagtct	2458	2477	1	5

SEQ ID NO: 262	caatttcattgaaagaat	7021	7040	SEQ ID NO: 1265	attccttcctttacaattg	8082	8101	1	5
SEQ ID NO: 263	agggttttaattggataaatt	7174	7193	SEQ ID NO: 1266	aattgttgaaagaaaacct	13147	13166	1	5
SEQ ID NO: 264	cagaagctaagcaatgtcc	7233	7252	SEQ ID NO: 1267	ggacaaggcccagaatctg	12545	12564	1	5
SEQ ID NO: 265	taagataaaagattacttt	7262	7281	SEQ ID NO: 1268	aaagaaaacctatgcctta	13155	13174	1	5
SEQ ID NO: 266	aaagattactttgagaaat	7269	7288	SEQ ID NO: 1269	atttcttaacaltccttt	9481	9500	1	5
SEQ ID NO: 267	gagaaattagttggattta	7281	7300	SEQ ID NO: 1270	taaagccattcagtcctc	12962	12981	1	5
SEQ ID NO: 268	atttattgatgatgctgtc	7295	7314	SEQ ID NO: 1271	gacatgttgataaagaaat	7371	7390	1	5
SEQ ID NO: 269	gaattatcttttaaacat	7326	7345	SEQ ID NO: 1272	atgtatcaaatggacattc	7677	7696	1	5
SEQ ID NO: 270	ttaccaccagttttagat	7403	7422	SEQ ID NO: 1273	atctggaacctgaagtaa	10731	10750	1	5
SEQ ID NO: 271	ttgcagtgatctggaaag	7540	7559	SEQ ID NO: 1274	ctttcacattagatcaa	8412	8431	1	5
SEQ ID NO: 272	cattcagcaggaactcaa	7691	7710	SEQ ID NO: 1275	ttgaaggacttcaggaatg	12001	12020	1	5
SEQ ID NO: 273	acacctgattttatagtc	7950	7969	SEQ ID NO: 1276	ggactcaaggataacgtgt	12606	12625	1	5
SEQ ID NO: 274	ggattccatcagttcagat	7984	8003	SEQ ID NO: 1277	atctcaatgattatatcc	13116	13135	1	5
SEQ ID NO: 275	ttgtagaaatgaaagtaaa	8104	8123	SEQ ID NO: 1278	tttatgattatgtaacaa	12352	12371	1	5
SEQ ID NO: 276	ctgaacagtgagctgcagt	8148	8167	SEQ ID NO: 1279	actggacttcctagtcag	8801	8820	1	5
SEQ ID NO: 277	aatccaatctcctctttc	8399	8418	SEQ ID NO: 1280	gaaaaatgaagtcggatt	11009	11028	1	5
SEQ ID NO: 278	attttgatttcaagcaaa	8524	8543	SEQ ID NO: 1281	tttgcaagttaagaaaaat	14015	14034	1	5
SEQ ID NO: 279	ttttgatttcaagcaaat	8525	8544	SEQ ID NO: 1282	atttgatttaagtglaaaa	9814	9833	1	5
SEQ ID NO: 280	tgattttcaagcaaatgca	8528	8547	SEQ ID NO: 1283	tgcaagttaagaaaaatca	14017	14036	1	5
SEQ ID NO: 281	atgctgtttttggaaatg	8637	8656	SEQ ID NO: 1284	cattggtaggagacagcat	11195	11214	1	5
SEQ ID NO: 282	tgctgtttttggaaatgc	8638	8657	SEQ ID NO: 1285	gcattggtaggagacagca	11194	11213	1	5
SEQ ID NO: 283	aaaaaaaaatactggagct	8698	8717	SEQ ID NO: 1286	agctagagggcctctttt	10825	10844	1	5
SEQ ID NO: 284	actggagcttagtaatgga	8708	8727	SEQ ID NO: 1287	tccactcacatcctccagt	1281	1300	1	5
SEQ ID NO: 285	cttctggaaaagggtcatg	8878	8897	SEQ ID NO: 1288	catgaacccctacatgaag	13751	13770	1	5
SEQ ID NO: 286	ggaaaagggtcatggaat	8883	8902	SEQ ID NO: 1289	atttgaaagttcgtttcc	9274	9293	1	5
SEQ ID NO: 287	gggcctgcccagattctc	8902	8921	SEQ ID NO: 1290	gagaacattatggaggccc	9432	9451	1	5
SEQ ID NO: 288	ttctcagatgagggaacac	8916	8935	SEQ ID NO: 1291	gtgtcttcaaagctgagaa	12408	12427	1	5
SEQ ID NO: 289	gatgagggaacacatgaat	8922	8941	SEQ ID NO: 1292	attccagcttccccacatc	8330	8349	1	5
SEQ ID NO: 290	ctttggactgtccaataag	8978	8997	SEQ ID NO: 1293	cttatgggatttccctaaag	11159	11178	1	5
SEQ ID NO: 291	gcatccacaaaatgaag	9252	9271	SEQ ID NO: 1294	cttcactgtcatgtatgc	10219	10238	1	5
SEQ ID NO: 292	cacaacaatgaagggaat	9257	9276	SEQ ID NO: 1295	attccctgaagttgatgtg	11480	11499	1	5
SEQ ID NO: 293	ccaaaatttctctgtgga	9407	9426	SEQ ID NO: 1296	tccatcacaaatcctttgg	9663	9682	1	5
SEQ ID NO: 294	caaaaatttctctgtgga	9408	9427	SEQ ID NO: 1297	ttccatcacaaatcctttg	9662	9681	1	5
SEQ ID NO: 295	tctgtcggaacaacgaga	9417	9436	SEQ ID NO: 1298	tctcaagagttacagcaga	13221	13240	1	5
SEQ ID NO: 296	ctgtcggaacaacgagaa	9418	9437	SEQ ID NO: 1299	ttctcaagagttacagcag	13220	13239	1	5
SEQ ID NO: 297	agaacattatggaggccca	9433	9452	SEQ ID NO: 1300	tgggcctgccccagattct	8901	8920	1	5
SEQ ID NO: 298	agaagcaaatctggatttc	9467	9486	SEQ ID NO: 1301	gaaatcttcaattattct	13813	13832	1	5
SEQ ID NO: 299	tttctctatgggaaaaa	9557	9576	SEQ ID NO: 1302	ttttgcaagttaagaaa	14013	14032	1	5

SEQ ID NO: 300	tcagagcatcaaatcctt	9704	9723	SEQ ID NO: 1303	aaagaaatcaggatctga	14025	14044	1	5
SEQ ID NO: 301	cagaaacaatgcattagat	9743	9762	SEQ ID NO: 1304	atctatgccatctctctg	5625	5644	1	5
SEQ ID NO: 302	tacacattaatcctgccat	9993	10012	SEQ ID NO: 1305	atggagctttattgtgta	14081	14100	1	5
SEQ ID NO: 303	agtcagatattgttctca	10186	10205	SEQ ID NO: 1306	tgagaactacgagctgact	4799	4818	1	5
SEQ ID NO: 304	ggagggtagtcataacagt	10328	10347	SEQ ID NO: 1307	actggtggcaaacctcc	2726	2745	1	5
SEQ ID NO: 305	caaaagccgaaattccaat	10396	10415	SEQ ID NO: 1308	attgaagtacctactttg	8358	8377	1	5
SEQ ID NO: 306	aaaagccgaaattccaat	10397	10416	SEQ ID NO: 1309	aattgaagtacctactttt	8357	8376	1	5
SEQ ID NO: 307	ttcaagcaagaacttaag	10428	10447	SEQ ID NO: 1310	cattatggccctctgtgaa	13250	13269	1	5
SEQ ID NO: 308	cctctacttttccattga	10570	10589	SEQ ID NO: 1311	tcaaaagaagcccaagagg	12939	12958	1	5
SEQ ID NO: 309	tgaggccaacacttacttg	10655	10674	SEQ ID NO: 1312	caagcatctgatigactca	12668	12687	1	5
SEQ ID NO: 310	cacttacttgaattccaag	10664	10683	SEQ ID NO: 1313	ctigaacacaaagtcagtg	6000	6019	1	5
SEQ ID NO: 311	gaagtaaaagaaaattttg	10743	10762	SEQ ID NO: 1314	caaaaacatttcaacttc	5279	5298	1	5
SEQ ID NO: 312	cctggaactctctccatgg	10874	10893	SEQ ID NO: 1315	ccatttacagatcttcagg	11364	11383	1	5
SEQ ID NO: 313	agctggatgtaaccaccag	11176	11195	SEQ ID NO: 1316	ctggattccacatgcagct	11847	11866	1	5
SEQ ID NO: 314	aaaattccctgaagtgtat	11477	11496	SEQ ID NO: 1317	atcatatccgtgtaatttt	6757	6776	1	5
SEQ ID NO: 315	cagatggcattgctgcttt	11605	11624	SEQ ID NO: 1318	aaagctgagaagaaatctg	12416	12435	1	5
SEQ ID NO: 316	agatggcattgctgctttg	11606	11625	SEQ ID NO: 1319	caaagctgagaagaaatct	12415	12434	1	5
SEQ ID NO: 317	tgttgaacagtcctggat	11834	11853	SEQ ID NO: 1320	atccaagatgagatcaaca	13095	13114	1	5
SEQ ID NO: 318	catattcaaaactgagttg	12221	12240	SEQ ID NO: 1321	caactctctgattactatg	13623	13642	1	5
SEQ ID NO: 319	aaagattatcaaaagaag	12930	12949	SEQ ID NO: 1322	cttcaatttattctcttt	13818	13837	1	5
SEQ ID NO: 320	attttcaactaatagaag	13026	13045	SEQ ID NO: 1323	cttcaaagacttaaaaaat	8006	8025	1	5
SEQ ID NO: 321	aattatatccaagatgaga	13089	13108	SEQ ID NO: 1324	tctcttctccatggaatt	10471	10490	1	5
SEQ ID NO: 322	ttcagggaagcttctcaaga	13210	13229	SEQ ID NO: 1325	tcttcataagttcaatgaa	13175	13194	1	5
SEQ ID NO: 323	ttgagcaatttctgcacag	13429	13448	SEQ ID NO: 1326	ctgttgaaagatttataca	12924	12943	1	5
SEQ ID NO: 324	ctgatatacatcacggagt	13704	13723	SEQ ID NO: 1327	actcaatggtgaaatcag	7457	7476	1	5
SEQ ID NO: 325	acatcacggagtctacgaa	13711	13730	SEQ ID NO: 1328	ttcagaagctaagcaatgt	7231	7250	1	5
SEQ ID NO: 326	actgcctatatgataaaa	13874	13893	SEQ ID NO: 1329	tttggcaagctatacagt	8372	8391	1	5
SEQ ID NO: 327	aggatggcatttttgcaa	14003	14022	SEQ ID NO: 1330	ttgcaagcaagctcttct	3005	3024	1	5
SEQ ID NO: 328	tttttgcaagttaaagaa	14012	14031	SEQ ID NO: 1331	ttctctctatgggaaaaaa	9558	9577	1	5
SEQ ID NO: 329	tccagaacccaagttctca	1619	1638	SEQ ID NO: 1332	tgaaatgctgtttttgga	8633	8652	3	4
SEQ ID NO: 330	agttagtgaaagaagtct	1948	1967	SEQ ID NO: 1333	agaatctgtaccaggaact	12556	12575	3	4
SEQ ID NO: 331	atttacagctctgacaagt	5427	5446	SEQ ID NO: 1334	acttcagagaaatacaaat	11401	11420	3	4
SEQ ID NO: 332	gattatctgaattcatlca	6480	6499	SEQ ID NO: 1335	tgaaaccaatgacaaaatc	7421	7440	3	4
SEQ ID NO: 333	gtgcccttctcggttgctg	18	37	SEQ ID NO: 1336	cagctgagcagacaggcac	6031	6050	2	4
SEQ ID NO: 334	attcaagcacctccggaag	245	264	SEQ ID NO: 1337	cttcataagttcaatgaat	13176	13195	2	4
SEQ ID NO: 335	gactgctgattcaagaagt	308	327	SEQ ID NO: 1338	acttcccaactctcaagtc	13407	13426	2	4
SEQ ID NO: 336	ttgtctcagccatgtccag	475	494	SEQ ID NO: 1339	ctgggcagctgtatagcaa	5881	5900	2	4
SEQ ID NO: 337	agaaagatgaacctactta	547	566	SEQ ID NO: 1340	taagtatgattcaattct	10490	10509	2	4

SEQ ID NO: 338	tgaagactctccaggaact	1087	1106	SEQ ID NO: 1341	agttcaatgaattattca	13183	13202	2	4
SEQ ID NO: 339	atctctcttggccacagctg	1202	1221	SEQ ID NO: 1342	cagcccagccatttgagat	9229	9248	2	4
SEQ ID NO: 340	tctctcttggccacagctga	1203	1222	SEQ ID NO: 1343	tcagcccagccatttgaga	9228	9247	2	4
SEQ ID NO: 341	tgaggtgtccagccccatc	1223	1242	SEQ ID NO: 1344	gatgggaaagccgcctca	5208	5227	2	4
SEQ ID NO: 342	ccagaactcaagtcttcaa	1620	1639	SEQ ID NO: 1345	ttgaaagcagaacctctgg	5907	5926	2	4
SEQ ID NO: 343	ctgaaaaagttagtgaaag	1941	1960	SEQ ID NO: 1346	ctttctcgggaatttcag	10623	10642	2	4
SEQ ID NO: 344	ttttccagacagtgtca	2238	2257	SEQ ID NO: 1347	tgacaggcatittgaaaaa	9722	9741	2	4
SEQ ID NO: 345	ttttccagacagtgtcaa	2239	2258	SEQ ID NO: 1348	ttgacaggcatittgaaaa	9721	9740	2	4
SEQ ID NO: 346	cattcagaacaagaaaatt	3395	3414	SEQ ID NO: 1349	aattccaattttgagaatg	10406	10425	2	4
SEQ ID NO: 347	tgaagagaagattgaattt	3620	3639	SEQ ID NO: 1350	aatgtcagctcttgttca	10894	10913	2	4
SEQ ID NO: 348	tttgaatggaacacaggca	3636	3655	SEQ ID NO: 1351	tgccagtttggaaaacaaa	11807	11826	2	4
SEQ ID NO: 349	ttctagattcgaatatcaa	4399	4418	SEQ ID NO: 1352	ttgacatgttgataaagaa	7369	7388	2	4
SEQ ID NO: 350	gattcgaatatcaaattca	4404	4423	SEQ ID NO: 1353	tgaagtagaccaacaaatc	7154	7173	2	4
SEQ ID NO: 351	tgcaacgaccaacttgaag	5075	5094	SEQ ID NO: 1354	cttcaggttccatcgtgca	11378	11395	2	4
SEQ ID NO: 352	ttaagctctcaaatgacat	5317	5336	SEQ ID NO: 1355	atgttgataaagaaattaa	7374	7393	2	4
SEQ ID NO: 353	caatttaacaacaatgaat	6066	6085	SEQ ID NO: 1356	attcaactgcctatatattg	13868	13887	2	4
SEQ ID NO: 354	tgaatacagccaggacttg	6080	6099	SEQ ID NO: 1357	caagagcacacggcttca	10679	10698	2	4
SEQ ID NO: 355	catcaatattgatcaattt	6413	6432	SEQ ID NO: 1358	aaattccctgaagtgtatg	11478	11497	2	4
SEQ ID NO: 356	ttgagcatgtcaaactt	7051	7070	SEQ ID NO: 1359	aagtaagtgttaggttcaa	9373	9392	2	4
SEQ ID NO: 357	tgaaggagactattcagaa	7219	7238	SEQ ID NO: 1360	ttctgcacagaaatttca	13438	13457	2	4
SEQ ID NO: 358	ttcaggctcttcagaaagc	7921	7940	SEQ ID NO: 1361	gcttgctaacctctctgaa	12304	12323	2	4
SEQ ID NO: 359	tccacaaattgaacatccc	8779	8798	SEQ ID NO: 1362	gggacctaccaagagtggga	12525	12544	2	4
SEQ ID NO: 360	tgaataccaatgtctgaact	10159	10178	SEQ ID NO: 1363	agttcaatgaattattca	13183	13202	2	4
SEQ ID NO: 361	taactaatagatgtaatc	12890	12909	SEQ ID NO: 1364	gattactatgaaaaattta	13632	13651	2	4
SEQ ID NO: 362	ttgacctgttcattcaaaa	13672	13691	SEQ ID NO: 1365	ttttaaagaaattcttcaa	13805	13824	2	4
SEQ ID NO: 363	gggctgagtgcccttctcg	11	30	SEQ ID NO: 1366	cgaggccaggccgcagccc	76	95	1	4
SEQ ID NO: 364	ggctgagtgcccttctcg	12	31	SEQ ID NO: 1367	ccgaggccaggccgcagcc	75	94	1	4
SEQ ID NO: 365	ctgagtgcccttctcggtt	14	33	SEQ ID NO: 1368	aaccgtgcctgaattctcag	11549	11568	1	4
SEQ ID NO: 366	tctcggttgctgcgctga	25	44	SEQ ID NO: 1369	tcagctgacctcatcgaga	2160	2179	1	4
SEQ ID NO: 367	caggccgcagcccaggagc	82	101	SEQ ID NO: 1370	gctctgcagcttcatcctg	368	387	1	4
SEQ ID NO: 368	gctggcgctgcctgcgctg	143	162	SEQ ID NO: 1371	cagcacagaccatttcagc	4244	4263	1	4
SEQ ID NO: 369	tgctgctggcgggcgccag	169	188	SEQ ID NO: 1372	ctggatgtaaccaccagca	11178	11197	1	4
SEQ ID NO: 370	ctggctgttccaaaagatg	219	238	SEQ ID NO: 1373	catcctgaagaccagccag	380	399	1	4
SEQ ID NO: 371	ctgagagttccagtggagt	283	302	SEQ ID NO: 1374	actcacctggacatttcag	3383	3402	1	4
SEQ ID NO: 372	tccagtggagtccctggga	291	310	SEQ ID NO: 1375	tcccgagccaaggctgga	2675	2694	1	4
SEQ ID NO: 373	aggttgagctggaggttcc	346	365	SEQ ID NO: 1376	ggaaccctctccctcacct	4728	4747	1	4
SEQ ID NO: 374	tgagctggaggttccccag	350	369	SEQ ID NO: 1377	ctgggaggcatgatgetca	9163	9182	1	4
SEQ ID NO: 375	tcgcagcttcatcctgaa	370	389	SEQ ID NO: 1378	ttcaaatataatcggcaga	3261	3280	1	4

SEQ ID NO: 376	gccagtgcacccctgaaaga	394	413	SEQ ID NO: 1379	tcttcggtctgtaattggc	5794	5813	1	4
SEQ ID NO: 377	ctctgaggagtttgctgca	464	483	SEQ ID NO: 1380	tgcaagaatatatttgagag	6340	6359	1	4
SEQ ID NO: 378	aggtatgagctcaagctgg	492	511	SEQ ID NO: 1381	ccagtttccggggaaacct	12716	12735	1	4
SEQ ID NO: 379	tccttaccgggagaaaga	535	554	SEQ ID NO: 1382	tcctttgggaagcaagga	2219	2238	1	4
SEQ ID NO: 380	catcaagaggggcatcatt	575	594	SEQ ID NO: 1383	aatggtaagttcctgaig	2277	2296	1	4
SEQ ID NO: 381	tcctgggtcccccagagac	601	620	SEQ ID NO: 1384	gtctctgaactcagaagga	13988	14007	1	4
SEQ ID NO: 382	aagaagccaagcaagtgtt	622	641	SEQ ID NO: 1385	aacaaataaatggagtctt	14072	14091	1	4
SEQ ID NO: 383	aagcaagtgtgtttctgg	630	649	SEQ ID NO: 1386	ccagagccaggctcgagctt	11042	11061	1	4
SEQ ID NO: 384	tcggataccgtgatgga	644	663	SEQ ID NO: 1387	tccatgtccatttacaga	11356	11375	1	4
SEQ ID NO: 385	ccactcactttaccgtcaa	670	689	SEQ ID NO: 1388	ttgattttaacaaaagtgg	6817	6836	1	4
SEQ ID NO: 386	aggaagggcaatgtggcaa	693	712	SEQ ID NO: 1389	ttgcaagcaagtcttctct	3005	3024	1	4
SEQ ID NO: 387	gcaatgtggcaacagaaat	700	719	SEQ ID NO: 1390	atttccataccccgtttgc	3480	3499	1	4
SEQ ID NO: 388	caatgtggcaacagaaata	701	720	SEQ ID NO: 1391	tattcttctttccaattg	13826	13845	1	4
SEQ ID NO: 389	tggaacagaaatalccac	708	725	SEQ ID NO: 1392	gtggcttcccatattgcca	1887	1906	1	4
SEQ ID NO: 390	agagacctgggcccagtgtg	729	748	SEQ ID NO: 1393	cacattacatttggtctct	2930	2949	1	4
SEQ ID NO: 391	tgatgcgttcaagccca	744	763	SEQ ID NO: 1394	tggaagccgccccacaca	5210	5229	1	4
SEQ ID NO: 392	gtgatgcgttcaagcccat	745	764	SEQ ID NO: 1395	atgggaagccgcctcac	5209	5228	1	4
SEQ ID NO: 393	cagcccacttgctctcatc	776	795	SEQ ID NO: 1396	gatgctgaacagtgaagctg	8144	8163	1	4
SEQ ID NO: 394	gctctcatcaaaggcatga	786	805	SEQ ID NO: 1397	tcataacagtactgtgagc	10337	10356	1	4
SEQ ID NO: 395	ccttgcaactctgatcag	811	830	SEQ ID NO: 1398	ctgagtggtttatcaagg	12445	12464	1	4
SEQ ID NO: 396	ctgtcaactctgatcagc	812	831	SEQ ID NO: 1399	gctgagtggtttatcaag	12444	12463	1	4
SEQ ID NO: 397	agccatctgcaaggagcaa	884	903	SEQ ID NO: 1400	ttgcaatgagctcatggct	3805	3824	1	4
SEQ ID NO: 398	gccatctgcaaggagcaac	885	904	SEQ ID NO: 1401	gttgcaatgagctcatggc	3804	3823	1	4
SEQ ID NO: 399	cttctgcctttctctac	908	927	SEQ ID NO: 1402	gtaggaataaatggagaag	9453	9472	1	4
SEQ ID NO: 400	cttctcctacaagaataa	916	935	SEQ ID NO: 1403	ttattgctgaatccaaaag	13648	13667	1	4
SEQ ID NO: 401	gatcaacagccgcttcttt	989	1008	SEQ ID NO: 1404	aaagccatcactgatgatc	1661	1680	1	4
SEQ ID NO: 402	atcaacagccgcttctttg	990	1009	SEQ ID NO: 1405	caaagccatcactgatgat	1660	1679	1	4
SEQ ID NO: 403	acagccgcttctttgtga	994	1013	SEQ ID NO: 1406	tcacaaatcctttggtgt	9667	9686	1	4
SEQ ID NO: 404	aagatgggcctcgcatttg	1023	1042	SEQ ID NO: 1407	caaaatagaagggaatctt	2069	2088	1	4
SEQ ID NO: 405	tgtttgaagactctccag	1082	1101	SEQ ID NO: 1408	ctggtactactttaacaa	5487	5506	1	4
SEQ ID NO: 406	ttgaagactctccaggaac	1086	1105	SEQ ID NO: 1409	gttcaatgaattattcaa	13184	13203	1	4
SEQ ID NO: 407	aactgaaaaaactaaccat	1102	1121	SEQ ID NO: 1410	atggcatttttgcaagtt	14006	14025	1	4
SEQ ID NO: 408	ctgaaaaaactaaccatct	1104	1123	SEQ ID NO: 1411	agattgatgggcagttcag	4564	4583	1	4
SEQ ID NO: 409	aaaactaaccatctctgag	1109	1128	SEQ ID NO: 1412	ctcaaagaatgactttttt	2570	2589	1	4
SEQ ID NO: 410	tgagcaaaatalccagaga	1124	1143	SEQ ID NO: 1413	tctccagataaaaaactca	12201	12220	1	4
SEQ ID NO: 411	caataagctggttactgag	1154	1173	SEQ ID NO: 1414	ctcagatcaaagttaattg	12265	12284	1	4
SEQ ID NO: 412	tactgagctgagaggcctc	1166	1185	SEQ ID NO: 1415	gagggtagtcataacagta	10329	10348	1	4
SEQ ID NO: 413	gcctcagtgatgaagcagt	1180	1199	SEQ ID NO: 1416	actgttgactcaggaaggc	12572	12591	1	4

SEQ ID NO: 414	agtcacatctctctgccca	1196	1215	SEQ ID NO: 1417	tggccacatagcatggact	8858	8877	1	4
SEQ ID NO: 415	atctctcttgccacagctg	1202	1221	SEQ ID NO: 1418	cagctgacctcatcgagat	2161	2180	1	4
SEQ ID NO: 416	ttctctctggccacagctga	1203	1222	SEQ ID NO: 1419	tcagctgacctcatcgaga	2160	2179	1	4
SEQ ID NO: 417	tgccacagctgattgaggt	1210	1229	SEQ ID NO: 1420	acctgcaccaaagctggca	13955	13974	1	4
SEQ ID NO: 418	gccacagctgattgaggtg	1211	1230	SEQ ID NO: 1421	cacaaaaaacccaatggc	11240	11259	1	4
SEQ ID NO: 419	tcactttacaagccttgg	1240	1259	SEQ ID NO: 1422	accagatgctgaacagtga	8140	8159	1	4
SEQ ID NO: 420	cccttctgatagatgtgg	1324	1343	SEQ ID NO: 1423	accacttacagctagaggg	10816	10835	1	4
SEQ ID NO: 421	gtcacctacctgtgtggccc	1341	1360	SEQ ID NO: 1424	gggcgacctaaagtgtgac	3431	3450	1	4
SEQ ID NO: 422	ccctgtatgcgtgagcca	1432	1451	SEQ ID NO: 1425	tggctgtaacctaaaagg	5578	5597	1	4
SEQ ID NO: 423	gacaaaccttacaggacc	1472	1491	SEQ ID NO: 1426	ggtcctttatgattatgtc	12347	12366	1	4
SEQ ID NO: 424	tgctaattacctgatggaa	1508	1527	SEQ ID NO: 1427	ttcccaaaagcagtcagca	9930	9949	1	4
SEQ ID NO: 425	tgactgcactgggatgaa	1538	1557	SEQ ID NO: 1428	ttcagggtccatgaagtca	10909	10928	1	4
SEQ ID NO: 426	actgcactgggatgaaga	1540	1559	SEQ ID NO: 1429	tcttgaacacaagtcagt	5999	6018	1	4
SEQ ID NO: 427	atgaagattacacctattt	1552	1571	SEQ ID NO: 1430	aaatgaaagtaaagatcat	8110	8129	1	4
SEQ ID NO: 428	accatggagcagtttaactc	1602	1621	SEQ ID NO: 1431	gagtaaaccaaaaacttgt	9016	9035	1	4
SEQ ID NO: 429	gcagttaactccagaactc	1610	1629	SEQ ID NO: 1432	gagttactgaaaaagctgc	13719	13738	1	4
SEQ ID NO: 430	cagaactcaagtttcaat	1621	1640	SEQ ID NO: 1433	attggatatccaagatctg	1925	1944	1	4
SEQ ID NO: 431	caggctctgcggaaaatgg	1695	1714	SEQ ID NO: 1434	ccatgacctccagctcctg	2477	2496	1	4
SEQ ID NO: 432	ccaggagggttcttctcag	1730	1749	SEQ ID NO: 1435	ctgaaatacaatgctctgg	5511	5530	1	4
SEQ ID NO: 433	ggttcttcttcagactttc	1736	1755	SEQ ID NO: 1436	gaaaaacttggaacaacc	4431	4450	1	4
SEQ ID NO: 434	tttcttgatgatgttct	1751	1770	SEQ ID NO: 1437	agaatccagatacaagaaa	6885	6904	1	4
SEQ ID NO: 435	ggagataagcgactggctg	1773	1792	SEQ ID NO: 1438	cagcatgcctagtttctcc	9944	9963	1	4
SEQ ID NO: 436	gctgcctatctatgttga	1788	1807	SEQ ID NO: 1439	tcaatatcaaaagcccagc	12037	12056	1	4
SEQ ID NO: 437	actttgtggcttcccatat	1882	1901	SEQ ID NO: 1440	atatctggaaccttgaagt	10729	10748	1	4
SEQ ID NO: 438	gccaatatctgaactcag	1902	1921	SEQ ID NO: 1441	ctgaactcagaaggatggc	13992	14011	1	4
SEQ ID NO: 439	aatatcttgaactcagaag	1905	1924	SEQ ID NO: 1442	cttccattctgaatatatt	13370	13389	1	4
SEQ ID NO: 440	ctcagaagaattggatata	1916	1935	SEQ ID NO: 1443	gataaaagattactttgag	7265	7284	1	4
SEQ ID NO: 441	aagaattggatatccaaga	1921	1940	SEQ ID NO: 1444	tcttcaattatttcttct	13817	13836	1	4
SEQ ID NO: 442	agaattggatatccaagat	1922	1941	SEQ ID NO: 1445	atcttcaatttatttctct	13816	13835	1	4
SEQ ID NO: 443	tggatatccaagatctgaa	1927	1946	SEQ ID NO: 1446	ttcacataccagaattcca	8317	8336	1	4
SEQ ID NO: 444	atatccaagatctgaaaaa	1930	1949	SEQ ID NO: 1447	ttttaaccagtcagatat	10177	10196	1	4
SEQ ID NO: 445	tatccaagatctgaaaaag	1931	1950	SEQ ID NO: 1448	cttttaaccagtcagata	10176	10195	1	4
SEQ ID NO: 446	caagatctgaaaaagttag	1935	1954	SEQ ID NO: 1449	ctaaattcccatgggtctg	4965	4984	1	4
SEQ ID NO: 447	aagatctgaaaaagttagt	1936	1955	SEQ ID NO: 1450	actaaattcccatgggtctt	4964	4983	1	4
SEQ ID NO: 448	tgaaaaagttagtgaaga	1942	1961	SEQ ID NO: 1451	tctttctcggaatattca	10622	10641	1	4
SEQ ID NO: 449	tccaactgtcatggacttc	1982	2001	SEQ ID NO: 1452	gaagcacatatgaactgga	13937	13956	1	4
SEQ ID NO: 450	tcagaaaattctctcgga	1999	2018	SEQ ID NO: 1453	ttcctttaacaattcctga	9493	9512	1	4
SEQ ID NO: 451	ttccatcacttgaccagc	2044	2063	SEQ ID NO: 1454	gctgacataggaatggaa	8433	8452	1	4

SEQ ID NO: 452	cccagcctcagccaaaata	2057	2076	SEQ ID NO: 1455	tattctatccaagattggg	7812	7831	1	4
SEQ ID NO: 453	agcctcagccaaaatagaa	2060	2079	SEQ ID NO: 1456	ttctatccaagattgggct	7814	7833	1	4
SEQ ID NO: 454	atcttatattgatccaaa	2083	2102	SEQ ID NO: 1457	ttgaaaaacaaagcagat	11813	11832	1	4
SEQ ID NO: 455	tcttatattgatccaaat	2084	2103	SEQ ID NO: 1458	atttttgcaagttaaaga	14011	14030	1	4
SEQ ID NO: 456	cttcctaaagaaagcatgc	2109	2128	SEQ ID NO: 1459	gcatggcattatgatgaag	3606	3625	1	4
SEQ ID NO: 457	ctaaagaaagcatgctgaa	2113	2132	SEQ ID NO: 1460	ttcaggggtgtggagttag	5686	5705	1	4
SEQ ID NO: 458	taaagaaagcatgctgaaa	2114	2133	SEQ ID NO: 1461	ttcttaaacattccctta	9482	9501	1	4
SEQ ID NO: 459	gagattggcttgaaggaa	2175	2194	SEQ ID NO: 1462	ttccctccattaagttctc	11701	11720	1	4
SEQ ID NO: 460	ctttgagccaacattggaa	2198	2217	SEQ ID NO: 1463	ttccaatgaccaagaaaag	11060	11079	1	4
SEQ ID NO: 461	cagacagtgtcaacaaagc	2245	2264	SEQ ID NO: 1464	gcttactggacgaactctg	6134	6153	1	4
SEQ ID NO: 462	cagtgtcaacaaagctttg	2249	2268	SEQ ID NO: 1465	caaattcctggatacactg	9849	9868	1	4
SEQ ID NO: 463	agtgtcaacaaagctttgt	2250	2269	SEQ ID NO: 1466	acaagaatacgtctacact	4351	4370	1	4
SEQ ID NO: 464	ctgatgggtgtcttaaggt	2290	2309	SEQ ID NO: 1467	acctcggaacaatcctcag	3325	3344	1	4
SEQ ID NO: 465	tgatgggtgtcttaaggtc	2291	2310	SEQ ID NO: 1468	gacctgogcaacgagatca	8823	8842	1	4
SEQ ID NO: 466	aaacatgagcaggatatgg	2343	2362	SEQ ID NO: 1469	ccatgatctacattgttt	6788	6807	1	4
SEQ ID NO: 467	gaagctgattaaagatttg	2387	2406	SEQ ID NO: 1470	caaaaacatttcaacttc	5279	5298	1	4
SEQ ID NO: 468	aaagatttgaatccaaag	2397	2416	SEQ ID NO: 1471	ctttaagttcagcatcttt	7606	7625	1	4
SEQ ID NO: 469	galgggtgcccgcactctg	2510	2529	SEQ ID NO: 1472	cagatttgaggattccatc	7975	7994	1	4
SEQ ID NO: 470	gggagccccagatgattg	2532	2551	SEQ ID NO: 1473	caatcacaagtcgattccc	9075	9094	1	4
SEQ ID NO: 471	ttttctcactacatcttc	2585	2604	SEQ ID NO: 1474	gaagtgtcagtggaaaaa	10374	10393	1	4
SEQ ID NO: 472	tctcactacatcttcacg	2588	2607	SEQ ID NO: 1475	catggcattatgatgaaga	3607	3626	1	4
SEQ ID NO: 473	tacatcttcattggagaatg	2595	2614	SEQ ID NO: 1476	cattatggaggcccattga	9437	9456	1	4
SEQ ID NO: 474	ttcatggagaatgcctttg	2601	2620	SEQ ID NO: 1477	caaatcaactttaatgaa	6599	6618	1	4
SEQ ID NO: 475	tcatggagaatgcctttga	2602	2621	SEQ ID NO: 1478	tcaacacaatcttcaatga	13108	13127	1	4
SEQ ID NO: 476	tttgaactccccactggag	2616	2635	SEQ ID NO: 1479	ctccccaggacctttcaa	9834	9853	1	4
SEQ ID NO: 477	ttgaactccccactggagc	2617	2636	SEQ ID NO: 1480	gtccccaggacctttcaa	9833	9852	1	4
SEQ ID NO: 478	tgaactccccactggagct	2618	2637	SEQ ID NO: 1481	agctccccaggaccttica	9832	9851	1	4
SEQ ID NO: 479	cactggagctggattacag	2627	2646	SEQ ID NO: 1482	ctgtttctgagtcacagtg	9336	9355	1	4
SEQ ID NO: 480	actggagctggattacagt	2628	2647	SEQ ID NO: 1483	actgtttctgagtcacagt	9335	9354	1	4
SEQ ID NO: 481	agttgcaaatatcttcatc	2644	2663	SEQ ID NO: 1484	gatgatgccaaaatcaact	6591	6610	1	4
SEQ ID NO: 482	gttgcaaatatcttcalct	2645	2664	SEQ ID NO: 1485	agatgatgccaaaatcaac	6590	6609	1	4
SEQ ID NO: 483	aaatatcttcatctggagt	2650	2669	SEQ ID NO: 1486	actcagaaggatggcattt	13996	14015	1	4
SEQ ID NO: 484	taaaactggaagtagccaa	2695	2714	SEQ ID NO: 1487	ttggttacaggaggcttta	7592	7611	1	4
SEQ ID NO: 485	ggctgaactgggtggcaaaa	2720	2739	SEQ ID NO: 1488	ttttctttcagcccagcc	9220	9239	1	4
SEQ ID NO: 486	tgtggagttgtgacaaat	2750	2769	SEQ ID NO: 1489	attttcaagcaaatgcaca	8530	8549	1	4
SEQ ID NO: 487	ttgtgacaaatatgggcat	2758	2777	SEQ ID NO: 1490	atgcgtctaccttacacaa	9513	9532	1	4
SEQ ID NO: 488	atgaacaccaactcttcc	2811	2830	SEQ ID NO: 1491	ggaagctgaagtttatcat	2869	2888	1	4
SEQ ID NO: 489	cttcacagagtcgggtctg	2825	2844	SEQ ID NO: 1492	cagagctatcactgggaag	5227	5246	1	4

SEQ ID NO: 490	gagtcgggtctggaggctc	2832	2851	SEQ ID NO: 1493	gagcttactggacgaactc	6132	6151	1	4
SEQ ID NO: 491	cctaaaagctgggaagctg	2858	2877	SEQ ID NO: 1494	cagcctcccccagccgtagg	12112	12131	1	4
SEQ ID NO: 492	agctgggaagctgaagttt	2864	2883	SEQ ID NO: 1495	aaactgttaatttacagct	5455	5474	1	4
SEQ ID NO: 493	ccagattagagctggaact	3106	3125	SEQ ID NO: 1496	agttccggggaaacctgg	12718	12737	1	4
SEQ ID NO: 494	ggataccctgaagtttgta	3200	3219	SEQ ID NO: 1497	tacagtattctgaaaatcc	8385	8404	1	4
SEQ ID NO: 495	ctgaggctaccatgacatt	3244	3263	SEQ ID NO: 1498	aatgagctcatggcttcag	3809	3828	1	4
SEQ ID NO: 496	tgtccagtgaagtccaaat	3289	3308	SEQ ID NO: 1499	atttgagaggaatcgaca	6349	6368	1	4
SEQ ID NO: 497	aattccggattttgatgtt	3305	3324	SEQ ID NO: 1500	aacacatgaatcacaat	8930	8949	1	4
SEQ ID NO: 498	ttccggattttgatgtga	3307	3326	SEQ ID NO: 1501	tcaaacgagcttcaggaa	13199	13218	1	4
SEQ ID NO: 499	cggaacaatcctcagagtt	3329	3348	SEQ ID NO: 1502	aaactgtacaactggtccg	4203	4222	1	4
SEQ ID NO: 500	tcctcagagttaatgatga	3337	3356	SEQ ID NO: 1503	tcataattggttacagga	7585	7604	1	4
SEQ ID NO: 501	ctcacctggacaltcaga	3384	3403	SEQ ID NO: 1504	tcgcagaacaatgctgag	12431	12450	1	4
SEQ ID NO: 502	cattcagaacaagaaaatt	3395	3414	SEQ ID NO: 1505	aattgactttgtagaatg	8096	8115	1	4
SEQ ID NO: 503	actgaggctgcccicattg	3414	3433	SEQ ID NO: 1506	ccatgcaagtcagcccagt	10916	10935	1	4
SEQ ID NO: 504	ttattccataccccgttt	3478	3497	SEQ ID NO: 1507	aaactgcctataltgataa	13872	13891	1	4
SEQ ID NO: 505	gtttgcaagcagaagccag	3493	3512	SEQ ID NO: 1508	ctggactctcttcaaac	5400	5419	1	4
SEQ ID NO: 506	tttgaagcagaagccaga	3494	3513	SEQ ID NO: 1509	tcgggtgtcgacagcaaa	5264	5283	1	4
SEQ ID NO: 507	ttgcaagcagaagccagaa	3495	3514	SEQ ID NO: 1510	ttctgggtgtcgacagcaa	5263	5282	1	4
SEQ ID NO: 508	ctgcttctccaaatggact	3546	3565	SEQ ID NO: 1511	agtcaagattgatgggcag	4559	4578	1	4
SEQ ID NO: 509	tgctacagcttatggctcc	3569	3588	SEQ ID NO: 1512	ggaggctttaagttcagca	7601	7620	1	4
SEQ ID NO: 510	acagcttatggctccacag	3573	3592	SEQ ID NO: 1513	ctgtatagcaaaattcctgt	5889	5908	1	4
SEQ ID NO: 511	tttccaagagggtggcatg	3592	3611	SEQ ID NO: 1514	catggacttctcttgaaa	8869	8888	1	4
SEQ ID NO: 512	ccaagagggtggcatggca	3595	3614	SEQ ID NO: 1515	tgcccagcaagcaagttgg	9353	9372	1	4
SEQ ID NO: 513	gtggcatggcattatgatg	3603	3622	SEQ ID NO: 1516	catccttaacacctccac	8063	8082	1	4
SEQ ID NO: 514	tgatgaagagaagattgaa	3617	3636	SEQ ID NO: 1517	ttcactgttctgaaatca	7863	7882	1	4
SEQ ID NO: 515	gaagagaagattgaatttg	3621	3640	SEQ ID NO: 1518	caaaaacatttcaacttc	5279	5298	1	4
SEQ ID NO: 516	gagaagattgaattgaat	3624	3643	SEQ ID NO: 1519	attcataatcccaactctc	8270	8289	1	4
SEQ ID NO: 517	ttlgaatggaacacaggca	3636	3655	SEQ ID NO: 1520	tgcccttggtacacacaaa	11228	11247	1	4
SEQ ID NO: 518	aggcaccaatgtagatacc	3650	3669	SEQ ID NO: 1521	ggtaacctaaaaggagcct	5583	5602	1	4
SEQ ID NO: 519	caaaaaatgacttccaat	3668	3687	SEQ ID NO: 1522	attgaagtacacttttg	8358	8377	1	4
SEQ ID NO: 520	aaaaaaatgacttcaatt	3669	3688	SEQ ID NO: 1523	aattgaagtacactttt	8357	8376	1	4
SEQ ID NO: 521	aaaaaatgacttcaattt	3670	3689	SEQ ID NO: 1524	aaatccaatctcctcttt	8398	8417	1	4
SEQ ID NO: 522	cagagtcctcacaacagac	3752	3771	SEQ ID NO: 1525	gtcgtgggattccatctg	4082	4101	1	4
SEQ ID NO: 523	aaattaatagttgcaatga	3795	3814	SEQ ID NO: 1526	tcataagtcaatgaattt	13178	13197	1	4
SEQ ID NO: 524	ttcaacctccagaacatgg	3891	3910	SEQ ID NO: 1527	ccatgaccagatgctgaa	8134	8153	1	4
SEQ ID NO: 525	tgggattgccagactcca	3907	3926	SEQ ID NO: 1528	tggaaatgggctgcccga	8895	8914	1	4
SEQ ID NO: 526	cagtttgaatgagatt	3986	4005	SEQ ID NO: 1529	aatcacaactcctccactg	9533	9552	1	4
SEQ ID NO: 527	gaaaattgagattccttg	3992	4011	SEQ ID NO: 1530	caaaactaccacacatttc	13686	13705	1	4

SEQ ID NO: 528	tttgccctttggtggcaaa	4007	4026	SEQ ID NO: 1531	ttgagaggaatcgacaaa	6351	6370	1	4
SEQ ID NO: 529	ctccagagatctaaagatg	4028	4047	SEQ ID NO: 1532	catcaattggttacaggag	7588	7605	1	4
SEQ ID NO: 530	tctaaagatgttagagact	4037	4056	SEQ ID NO: 1533	agtcctcatgtccctaga	10025	10044	1	4
SEQ ID NO: 531	ctgtgggattccatctgcc	4084	4103	SEQ ID NO: 1534	ggcattttgaaaaaacag	9727	9746	1	4
SEQ ID NO: 532	atctgccatctcgagagtt	4096	4115	SEQ ID NO: 1535	aactctcaaacctaagat	8548	8567	1	4
SEQ ID NO: 533	tctcgagagtccaagtc	4104	4123	SEQ ID NO: 1536	ggacattcctctagcgaga	8207	8226	1	4
SEQ ID NO: 534	agtcctacttttaccatt	4118	4137	SEQ ID NO: 1537	aatgaatacagccaggact	6078	6097	1	4
SEQ ID NO: 535	acttttaccattcccaagt	4125	4144	SEQ ID NO: 1538	actttgtagaatgaaagt	8101	8120	1	4
SEQ ID NO: 536	caftcccaagttgtatcaa	4133	4152	SEQ ID NO: 1539	ttgaaggacttcaggaatg	12001	12020	1	4
SEQ ID NO: 537	accacatgaaggctgactc	4276	4295	SEQ ID NO: 1540	gagtaaaccaaaacttggt	9016	9035	1	4
SEQ ID NO: 538	ttctacaatgtgcaagg	4309	4328	SEQ ID NO: 1541	cctttaacaattctctgaaa	9495	9514	1	4
SEQ ID NO: 539	ctggagaaacaacatatga	4330	4349	SEQ ID NO: 1542	tcattctgggtctttccag	11027	11046	1	4
SEQ ID NO: 540	atcatgtgatgggtctcta	4370	4389	SEQ ID NO: 1543	tagaattacagaaaatgat	6557	6576	1	4
SEQ ID NO: 541	catgtgatgggtctctacg	4372	4391	SEQ ID NO: 1544	cgtaggcaccgtgggcatg	12125	12144	1	4
SEQ ID NO: 542	ttctagattcgaatatcaa	4399	4418	SEQ ID NO: 1545	ttgatgatgctgtcaagaa	7300	7319	1	4
SEQ ID NO: 543	tggggaccacagatgtctg	4491	4510	SEQ ID NO: 1546	cagaattccagcttcccca	8326	8345	1	4
SEQ ID NO: 544	ctaacactggccggctcaa	4636	4655	SEQ ID NO: 1547	ttgaggctattgatgttag	6976	6995	1	4
SEQ ID NO: 545	taacactggccggctcaat	4637	4656	SEQ ID NO: 1548	attgaggctattgatgtta	6975	6994	1	4
SEQ ID NO: 546	aacactggccggctcaatg	4638	4657	SEQ ID NO: 1549	cattgaggctattgatgtt	6974	6993	1	4
SEQ ID NO: 547	ctggccggctcaatggaga	4642	4661	SEQ ID NO: 1550	tcctcatctcgctaccag	12065	12084	1	4
SEQ ID NO: 548	agataacaggaagatatga	4705	4724	SEQ ID NO: 1551	tcatctcctttctcatct	10202	10221	1	4
SEQ ID NO: 549	tcctcaccctccacctcg	4737	4756	SEQ ID NO: 1552	cagatatatatctcaggga	8176	8195	1	4
SEQ ID NO: 550	agctgactttaaaatctga	4810	4829	SEQ ID NO: 1553	tcaggctcttcagaaagct	7922	7941	1	4
SEQ ID NO: 551	ctgactttaaatactgaca	4812	4831	SEQ ID NO: 1554	tgtcaagataaacaatcag	8732	8751	1	4
SEQ ID NO: 552	caagatggatatgaccttc	4865	4884	SEQ ID NO: 1555	gaagtagtactgcactctg	6835	6854	1	4
SEQ ID NO: 553	gctgcgttctgaatatcag	4901	4920	SEQ ID NO: 1556	ctgagtcaccagtgcccagc	9342	9361	1	4
SEQ ID NO: 554	cgttctgaatatcaggctg	4905	4924	SEQ ID NO: 1557	cagcaagtacctgagaacg	8603	8622	1	4
SEQ ID NO: 555	aattccatgggtcttgagt	4968	4987	SEQ ID NO: 1558	actcagatcaaagtaatt	12264	12283	1	4
SEQ ID NO: 556	tggcttgagttaaagtct	4976	4995	SEQ ID NO: 1559	agcacagtacgaaaaacca	10801	10820	1	4
SEQ ID NO: 557	cttgagttaaagtctgaca	4980	4999	SEQ ID NO: 1560	tgtccctagaaatctcaag	10034	10053	1	4
SEQ ID NO: 558	ttgagttaaatgctgacat	4981	5000	SEQ ID NO: 1561	atgtccctagaaatctcaa	10033	10052	1	4
SEQ ID NO: 559	tgagttaaatgctgacatc	4982	5001	SEQ ID NO: 1562	gatggaaccctctccctca	4725	4744	1	4
SEQ ID NO: 560	acttgaagtgtagtctcct	5086	5105	SEQ ID NO: 1563	aggaaactcagatcaaagt	12259	12278	1	4
SEQ ID NO: 561	agtgtagtctcctgggtct	5092	5111	SEQ ID NO: 1564	agcagccagtgccaccact	12506	12525	1	4
SEQ ID NO: 562	gtgctggagaatgagctga	5106	5125	SEQ ID NO: 1565	tcagccagggttatagcac	7726	7745	1	4
SEQ ID NO: 563	ctggggcatctatgaaatt	5143	5162	SEQ ID NO: 1566	aatttctgattaccaccag	13571	13590	1	4
SEQ ID NO: 564	atggccgcttcagggaaca	5170	5189	SEQ ID NO: 1567	tgtttttggaaatgccat	8641	8660	1	4
SEQ ID NO: 565	ttcagctggaatgggaaag	5199	5218	SEQ ID NO: 1568	ctttgacaggcattttgaa	9719	9738	1	4

SEQ ID NO: 566	ccatgattctgggtgcga	5257	5276	SEQ ID NO: 1569	tcgatgcacatacaaatgg	5830	5849	1	4
SEQ ID NO: 567	aaaacattttcaactcaa	5281	5300	SEQ ID NO: 1570	ttgatgttagagtgccttt	6985	7004	1	4
SEQ ID NO: 568	cttaagctctcaaatgaca	5316	5335	SEQ ID NO: 1571	tgtcctacaacaagttaag	7247	7266	1	4
SEQ ID NO: 569	ttaagctctcaaatgacat	5317	5336	SEQ ID NO: 1572	atgtcctacaacaagttaa	7246	7265	1	4
SEQ ID NO: 570	catgatgggctcatatgct	5333	5352	SEQ ID NO: 1573	agcatctttggctcacatg	7616	7635	1	4
SEQ ID NO: 571	tgggctcatatgcigaaat	5338	5357	SEQ ID NO: 1574	atttatcaaaagaagccca	12934	12953	1	4
SEQ ID NO: 572	actggactctcttcaaaa	5399	5418	SEQ ID NO: 1575	tttggcaagctatacagt	8372	8391	1	4
SEQ ID NO: 573	acttctcttcaaaacttga	5404	5423	SEQ ID NO: 1576	tcaattgggagagacaagt	6496	6515	1	4
SEQ ID NO: 574	ctgacaagtttataagca	5437	5456	SEQ ID NO: 1577	tgctttgtgagttatcag	9685	9704	1	4
SEQ ID NO: 575	aagtttataagcaaaactg	5442	5461	SEQ ID NO: 1578	cagtcacatagaaaaactt	4421	4440	1	4
SEQ ID NO: 576	ctgttaattttagactaca	5458	5477	SEQ ID NO: 1579	tgtactggaaaacgtacag	6380	6399	1	4
SEQ ID NO: 577	ttacagctacagccctatt	5466	5485	SEQ ID NO: 1580	aataatgatcaatttgtaa	6417	6436	1	4
SEQ ID NO: 578	tcgtgtaactactttaaac	5486	5505	SEQ ID NO: 1581	gttgaaaaaacaagcaga	11812	11831	1	4
SEQ ID NO: 579	tttaaacagtgcctgaaa	5498	5517	SEQ ID NO: 1582	tttcatttgaaagaataaa	7024	7043	1	4
SEQ ID NO: 580	tttaaacagtgcctgaaat	5499	5518	SEQ ID NO: 1583	attcaagcaagaacttaa	10426	10445	1	4
SEQ ID NO: 581	cagtgcctgaaatacaat	5504	5523	SEQ ID NO: 1584	attggcgtggagcttactg	6123	6142	1	4
SEQ ID NO: 582	tggtgctggtaacctaaaa	5576	5595	SEQ ID NO: 1585	tttgcctggagaagccaca	10757	10776	1	4
SEQ ID NO: 583	ttatcagcaagctataaag	5649	5668	SEQ ID NO: 1586	ctttgcactatgttcataa	12756	12775	1	4
SEQ ID NO: 584	gggtcaggggtgtggagttt	5684	5703	SEQ ID NO: 1587	aaacacctaagagtaaac	9006	9025	1	4
SEQ ID NO: 585	attcagactcactgcattt	5767	5786	SEQ ID NO: 1588	aaatgcctgacatagggaat	8429	8448	1	4
SEQ ID NO: 586	ttcagactcactgcatttc	5768	5787	SEQ ID NO: 1589	gaaatattatgaacttgaa	13304	13323	1	4
SEQ ID NO: 587	tacaataggcaatgggaaa	5840	5859	SEQ ID NO: 1590	tttctaagcctggatgta	11168	11187	1	4
SEQ ID NO: 588	gctgtatagcaaatcctg	5888	5907	SEQ ID NO: 1591	cagggtccatgcaagtcagc	10911	10930	1	4
SEQ ID NO: 589	tgagcagacaggcacctgg	6035	6054	SEQ ID NO: 1592	ccagcttccccacatctca	8333	8352	1	4
SEQ ID NO: 590	ggcacctggaaactcaaga	6045	6064	SEQ ID NO: 1593	tcctcgtgtttcaactgcc	11213	11232	1	4
SEQ ID NO: 591	tgaatacagccaggacttg	6080	6099	SEQ ID NO: 1594	caagtaagtgtcagggtca	9372	9391	1	4
SEQ ID NO: 592	gaatacagccaggacttgg	6081	6100	SEQ ID NO: 1595	ccaacacttacttgaattc	10660	10679	1	4
SEQ ID NO: 593	ctggacgaactctggctga	6139	6158	SEQ ID NO: 1596	tcagaaagctaccttcag	7931	7950	1	4
SEQ ID NO: 594	tttactcagttagcccat	6193	6212	SEQ ID NO: 1597	atggacttcttctggaaa	8870	8889	1	4
SEQ ID NO: 595	gatgagagatgcggttag	6233	6252	SEQ ID NO: 1598	ctcatctcctttcttcac	10201	10220	1	4
SEQ ID NO: 596	aattgttgcttttgtaaag	6269	6288	SEQ ID NO: 1599	ctttctaaacttgaaatt	9056	9075	1	4
SEQ ID NO: 597	ctttgttaaagtatgataa	6277	6296	SEQ ID NO: 1600	ttatgaactgaagaaaaag	13310	13329	1	4
SEQ ID NO: 598	tttgtaaagtatgataaaa	6279	6298	SEQ ID NO: 1601	tttcacattagatgcaaa	8413	8432	1	4
SEQ ID NO: 599	tcattaacctccatttt	6312	6331	SEQ ID NO: 1602	aaaattgatgatctctgga	10719	10738	1	4
SEQ ID NO: 600	ccattaacctccattttt	6313	6332	SEQ ID NO: 1603	aaaagggctatggaaatgg	8885	8904	1	4
SEQ ID NO: 601	ctgcaagaatatatttgag	6338	6357	SEQ ID NO: 1604	ctcaattttgatttcaag	8520	8539	1	4
SEQ ID NO: 602	agaatatatttgagaggaat	6344	6363	SEQ ID NO: 1605	attccctccattaagttct	11700	11719	1	4
SEQ ID NO: 603	attatagttgtactggaaa	6372	6391	SEQ ID NO: 1606	tttaagcaagaacttaaat	10427	10446	1	4

SEQ ID NO: 604	gaagcacatcaatatgat	6407	6426	SEQ ID NO: 1607	atcagttcagataaacttc	7991	8010	1	4
SEQ ID NO: 605	acatcaatattgatcaatt	6412	6431	SEQ ID NO: 1608	aattccctgaagttgatgt	11479	11498	1	4
SEQ ID NO: 606	gaaaactcccacagcaagc	6457	6476	SEQ ID NO: 1609	gctttctctccacatttc	10052	10071	1	4
SEQ ID NO: 607	ctgaattcattcaattggg	6486	6505	SEQ ID NO: 1610	cccatttacagatcttcag	11363	11382	1	4
SEQ ID NO: 608	tgaattcatcaattggga	6487	6506	SEQ ID NO: 1611	tcccatttacagatcttca	11362	11381	1	4
SEQ ID NO: 609	aactgactgctctcacaaa	6532	6551	SEQ ID NO: 1612	tttgaggattccatcagtt	7979	7998	1	4
SEQ ID NO: 610	aaaagtatagaattacaga	6550	6569	SEQ ID NO: 1613	tctggctccctcaactttt	9042	9061	1	4
SEQ ID NO: 611	atcaactttaatgaaaaac	6603	6622	SEQ ID NO: 1614	gtttattgaaaatattgat	6803	6822	1	4
SEQ ID NO: 612	tgatttgaaaatagctatt	6686	6705	SEQ ID NO: 1615	aatattattgatgaaatca	6708	6727	1	4
SEQ ID NO: 613	atttgaaaatagctattgc	6688	6707	SEQ ID NO: 1616	gcaagaacttaattggaaat	10433	10452	1	4
SEQ ID NO: 614	attgctaataattattgatg	6702	6721	SEQ ID NO: 1617	catcacactgaataccaat	10151	10170	1	4
SEQ ID NO: 615	gaaaaattaaaaagcttg	6729	6748	SEQ ID NO: 1618	caagagcttatgggatttc	11153	11172	1	4
SEQ ID NO: 616	actatcataaccgtgtaat	6754	6773	SEQ ID NO: 1619	attacttgagaaattagt	7273	7292	1	4
SEQ ID NO: 617	tattgatttaacaaaagt	6815	6834	SEQ ID NO: 1620	actgacttcagagaaata	11396	11415	1	4
SEQ ID NO: 618	ctgcagcagcttaagagac	6906	6925	SEQ ID NO: 1621	gtcttcagtgagctgcag	10691	10710	1	4
SEQ ID NO: 619	aaaacaacacattgaggct	6965	6984	SEQ ID NO: 1622	agcctcacctcttactttt	10563	10582	1	4
SEQ ID NO: 620	ttgagcatgtcaaacactt	7051	7070	SEQ ID NO: 1623	aagtagctgagaaaatcaa	7096	7115	1	4
SEQ ID NO: 621	tttgagtagctgagaaaa	7092	7111	SEQ ID NO: 1624	ttttcacattagatgcaaa	8413	8432	1	4
SEQ ID NO: 622	ttagtagagtggcccacc	7191	7210	SEQ ID NO: 1625	ggtaggactctgtcgtctaa	7768	7787	1	4
SEQ ID NO: 623	tgaaggagactattcagaa	7219	7238	SEQ ID NO: 1626	ttctcaattttgatttca	8518	8537	1	4
SEQ ID NO: 624	gagactattcagaagctaa	7224	7243	SEQ ID NO: 1627	ttagccacagctctgtctc	10293	10312	1	4
SEQ ID NO: 625	aattagttgattattga	7285	7304	SEQ ID NO: 1628	tcaagaagcttaaatgaatt	7312	7331	1	4
SEQ ID NO: 626	gcttaataatattatcttt	7319	7338	SEQ ID NO: 1629	aaaacgagcttcaggaagc	13201	13220	1	4
SEQ ID NO: 627	ttaacaaattccttgacat	7357	7376	SEQ ID NO: 1630	atgtcctacaacaagttaa	7246	7265	1	4
SEQ ID NO: 628	aaattaaagtcatttgatt	7386	7405	SEQ ID NO: 1631	aatcctttgacaggcattt	9715	9734	1	4
SEQ ID NO: 629	gactcaatggtgaaattca	7456	7475	SEQ ID NO: 1632	tgaaattcaatcacaaagtc	9068	9087	1	4
SEQ ID NO: 630	gaaattcaggctctggaac	7487	7486	SEQ ID NO: 1633	gttctcaattttgattttc	8517	8536	1	4
SEQ ID NO: 631	actaccacaaaaagctgaa	7484	7503	SEQ ID NO: 1634	ttcaggaactattgctagt	10637	10656	1	4
SEQ ID NO: 632	ccaaaataacctaatacat	7570	7589	SEQ ID NO: 1635	atgatttccctgacctggg	10942	10961	1	4
SEQ ID NO: 633	aaataaccttaatacatcaa	7573	7592	SEQ ID NO: 1636	ttgaagtaaaagaaaattt	10741	10760	1	4
SEQ ID NO: 634	tttaagttcagcatctttg	7607	7626	SEQ ID NO: 1637	caaatctggatttcttaaa	9472	9491	1	4
SEQ ID NO: 635	cagggttatagcacacttg	7731	7750	SEQ ID NO: 1638	caaggggtcactgttctctg	7857	7876	1	4
SEQ ID NO: 636	gttcactgttctgaaatc	7862	7881	SEQ ID NO: 1639	gattctcagatgaggggaac	8914	8933	1	4
SEQ ID NO: 637	cactgttctgaaatcaag	7865	7884	SEQ ID NO: 1640	cttgaacacaaagtcagtg	6000	6019	1	4
SEQ ID NO: 638	actgttctgaaatcaaga	7866	7885	SEQ ID NO: 1641	tcttgaacacaaagtcagtg	5999	6018	1	4
SEQ ID NO: 639	gcctgaccttgaagtcagt	7901	7920	SEQ ID NO: 1642	actgttgactcaggaaggc	12572	12591	1	4
SEQ ID NO: 640	taacagatttgaggattcc	7972	7991	SEQ ID NO: 1643	ggaagcttctcaagagttta	13214	13233	1	4
SEQ ID NO: 641	gttttcacaccagaatttt	8042	8061	SEQ ID NO: 1644	aaatttctctgctggaac	9410	9429	1	4

SEQ ID NO: 642	tcagaaccttgaccagat	8128	8147	SEQ ID NO: 1645	atctgcagaacaatgctga	12430	12449	1	4
SEQ ID NO: 643	tagcgagaatcacctgcc	8218	8237	SEQ ID NO: 1646	ggcagcttctggcttgcta	12293	12312	1	4
SEQ ID NO: 644	ccttaatgatttcaagtt	8291	8310	SEQ ID NO: 1647	aactgttgactcaggaagg	12571	12590	1	4
SEQ ID NO: 645	acataccagaattccagct	8320	8339	SEQ ID NO: 1648	agctgccagtcctcatgt	10018	10037	1	4
SEQ ID NO: 646	aatgctgacataggaatg	8430	8449	SEQ ID NO: 1649	cattaatcctgccatcatt	9997	10016	1	4
SEQ ID NO: 647	atgctgacataggaatgg	8431	8450	SEQ ID NO: 1650	ccatttgagatcacggcat	9237	9256	1	4
SEQ ID NO: 648	aaccacctcagcaaacgaa	8450	8469	SEQ ID NO: 1651	ttcgtttccattaagggt	9283	9302	1	4
SEQ ID NO: 649	agcaggatcgcagcttcc	8468	8487	SEQ ID NO: 1652	ggaagtggccctgaatgct	10964	10983	1	4
SEQ ID NO: 650	tgcaacaactctaaacct	8543	8562	SEQ ID NO: 1653	agggaagagaagattgca	13493	13512	1	4
SEQ ID NO: 651	aggagtcagtgaagtctc	8584	8603	SEQ ID NO: 1654	gagaacttactatcatcct	13780	13799	1	4
SEQ ID NO: 652	ttttggaaatgccattga	8644	8663	SEQ ID NO: 1655	tcaatgaattattcaaaa	13186	13205	1	4
SEQ ID NO: 653	aatggagtgattgtcaaga	8721	8740	SEQ ID NO: 1656	tctttcagcccagccatt	9223	9242	1	4
SEQ ID NO: 654	gtcaagataaacaatcagc	8733	8752	SEQ ID NO: 1657	gctgactttaaaatctgac	4811	4830	1	4
SEQ ID NO: 655	tcacaaattgaacatccc	8779	8798	SEQ ID NO: 1658	gggatttcctaaagctgga	11164	11183	1	4
SEQ ID NO: 656	ttgaacatcccaactgg	8787	8806	SEQ ID NO: 1659	ccagtttccagggactcaa	12595	12614	1	4
SEQ ID NO: 657	acatcccaactggactt	8791	8810	SEQ ID NO: 1660	aagtcgattcccagcatgt	9082	9101	1	4
SEQ ID NO: 658	acttctctagtcaggctga	8806	8825	SEQ ID NO: 1661	tcagatggaaaaatgaagt	11002	11021	1	4
SEQ ID NO: 659	tgaatcacaaattagttc	8936	8955	SEQ ID NO: 1662	gaaagtccataatggttca	12809	12828	1	4
SEQ ID NO: 660	agaaggaccctcacttcc	8960	8979	SEQ ID NO: 1663	ggaagaaggaggcagctct	12284	12303	1	4
SEQ ID NO: 661	ttggactgtccaataagat	8980	8999	SEQ ID NO: 1664	atctaaatgcagtagccaa	11626	11645	1	4
SEQ ID NO: 662	actgtccaataagatcaat	8984	9003	SEQ ID NO: 1665	attgataaaaccatacagt	13883	13902	1	4
SEQ ID NO: 663	ctgtccaataagatcaata	8985	9004	SEQ ID NO: 1666	tattgataaaaccatacag	13882	13901	1	4
SEQ ID NO: 664	gtttatgaatctggctccc	9033	9052	SEQ ID NO: 1667	gggaatctgatgaggaaac	12247	12266	1	4
SEQ ID NO: 665	atgaatctggctccctcaa	9037	9056	SEQ ID NO: 1668	ttgagttgccaccatcat	11659	11678	1	4
SEQ ID NO: 666	ctcaacttttctaacttg	9051	9070	SEQ ID NO: 1669	caagatcgcagactttgag	11645	11664	1	4
SEQ ID NO: 667	ctaaggcatggcactgtt	9121	9140	SEQ ID NO: 1670	aacagaaacaatgcattag	9741	9760	1	4
SEQ ID NO: 668	aaggcatggcactgtttgg	9124	9143	SEQ ID NO: 1671	ccaagaaaaggcacacctt	11069	11088	1	4
SEQ ID NO: 669	atccacaaacaatgaaggg	9254	9273	SEQ ID NO: 1672	ccctaacagattgaggat	7969	7988	1	4
SEQ ID NO: 670	ggaattgaaagttcggtt	9271	9290	SEQ ID NO: 1673	aaacaaacacaggcattcc	9647	9666	1	4
SEQ ID NO: 671	aataactatgcactgtttc	9324	9343	SEQ ID NO: 1674	gaaatactgttttcctatt	12828	12847	1	4
SEQ ID NO: 672	gaaacaacgagaacattat	9424	9443	SEQ ID NO: 1675	ataaactgcaagatttttc	13600	13619	1	4
SEQ ID NO: 673	ttctgaaaacgacaaagc	9591	9610	SEQ ID NO: 1676	gctttccaatgaccaagaa	11057	11076	1	4
SEQ ID NO: 674	ataagaaaaacaaacacag	9640	9659	SEQ ID NO: 1677	ctgtgctttgtgagtttat	9682	9701	1	4
SEQ ID NO: 675	aaaacaaacacaggcattc	9646	9665	SEQ ID NO: 1678	gaatttgaaagttcgtttt	9272	9291	1	4
SEQ ID NO: 676	gcattccatcacaaatcct	9659	9678	SEQ ID NO: 1679	aggaagtggccctgaatgc	10963	10982	1	4
SEQ ID NO: 677	tttgaaaaaacagaaaca	9732	9751	SEQ ID NO: 1680	tgttgaaagatttatcaaa	12925	12944	1	4
SEQ ID NO: 678	caatgcattagatttgtc	9749	9768	SEQ ID NO: 1681	gacaagaaaaaggggattg	10271	10290	1	4
SEQ ID NO: 679	caaagctgaaaaatctcag	9809	9828	SEQ ID NO: 1682	ctgagaacttcatcatttg	11430	11449	1	4

SEQ ID NO: 680	cctggatacactgttccag	9855	9874	SEQ ID NO: 1683	ctggacttctctagtcagg	8802	8821	1	4
SEQ ID NO: 681	gttgagtgctccattca	9882	9901	SEQ ID NO: 1684	tgaatctggctccctcaac	9038	9057	1	4
SEQ ID NO: 682	tttccatcctaggttct	9956	9975	SEQ ID NO: 1685	agaatccagatacaagaaa	6885	6904	1	4
SEQ ID NO: 683	tttccatcctaggttctg	9957	9976	SEQ ID NO: 1686	cagaatccagatacaagaa	6884	6903	1	4
SEQ ID NO: 684	tcattagagctgccagtc	10011	10030	SEQ ID NO: 1687	ggacagtgaaatattatga	13297	13316	1	4
SEQ ID NO: 685	tgctgaacttttaaccag	10169	10188	SEQ ID NO: 1688	ctggatgtaaccaccagca	11178	11197	1	4
SEQ ID NO: 686	ctcctttctcatcttcat	10206	10225	SEQ ID NO: 1689	atgaagcttgctccaggag	13764	13783	1	4
SEQ ID NO: 687	tgctcatgatgcactgcag	10226	10245	SEQ ID NO: 1690	ctgcgctaccagaaagaca	12072	12091	1	4
SEQ ID NO: 688	tgatgcactgcagtacaaa	10232	10251	SEQ ID NO: 1691	tttgagtgcccaccatca	11658	11677	1	4
SEQ ID NO: 689	agctctgtctctgagcaac	10301	10320	SEQ ID NO: 1692	gttgaccacaagcttagct	10539	10558	1	4
SEQ ID NO: 690	agccgaaattccaattttg	10400	10419	SEQ ID NO: 1693	caaagctggcaccagggt	13963	13982	1	4
SEQ ID NO: 691	ttgagaatgaattcaagc	10416	10435	SEQ ID NO: 1694	gcttcaggaagcttctcaa	13208	13227	1	4
SEQ ID NO: 692	aaacctactgtctctct	10461	10480	SEQ ID NO: 1695	aggaaggccaagccagttt	12583	12602	1	4
SEQ ID NO: 693	tacttttccattgagtc	10575	10594	SEQ ID NO: 1696	atgattatgtcaacaagta	12355	12374	1	4
SEQ ID NO: 694	tcaggctcatgcaagtcag	10910	10929	SEQ ID NO: 1697	ctgacatcttaggcactga	4993	5012	1	4
SEQ ID NO: 695	atgcaagtcagcccagttc	10918	10937	SEQ ID NO: 1698	gaactcagaaggatggcat	13994	14013	1	4
SEQ ID NO: 696	tgaatgtaacactaagaa	10975	10994	SEQ ID NO: 1699	ttctcaattttgatttca	8518	8537	1	4
SEQ ID NO: 697	agaagatcatgaggaaaaa	10996	11015	SEQ ID NO: 1700	ttttcaaatggaacttct	12165	12184	1	4
SEQ ID NO: 698	ggctattcatttccatcc	11256	11275	SEQ ID NO: 1701	ggatctaaatgcagtagcc	11624	11643	1	4
SEQ ID NO: 699	aaagttttggctgataaat	11280	11299	SEQ ID NO: 1702	atttcttaaacattccttt	9481	9500	1	4
SEQ ID NO: 700	agttttggctgataaatc	11282	11301	SEQ ID NO: 1703	gaatctggctccctcaact	9039	9058	1	4
SEQ ID NO: 701	ctgggctgaaactaatga	11308	11327	SEQ ID NO: 1704	tcattctgggtctttccag	11027	11046	1	4
SEQ ID NO: 702	cagagaaatatacaatctat	11405	11424	SEQ ID NO: 1705	atagcatggacttcttctg	8865	8884	1	4
SEQ ID NO: 703	gaggtaaaattccctgaag	11472	11491	SEQ ID NO: 1706	cttctggcttgctaacctc	12298	12317	1	4
SEQ ID NO: 704	ctttttgagataaccgtg	11537	11556	SEQ ID NO: 1707	cacggagttactgaaaaag	13715	13734	1	4
SEQ ID NO: 705	gctggaattgtcattcctt	11727	11746	SEQ ID NO: 1708	aaggcatctccacctcagc	12094	12113	1	4
SEQ ID NO: 706	gtgtataatgccacttgga	11787	11806	SEQ ID NO: 1709	tccaagatgagatcaacac	13096	13115	1	4
SEQ ID NO: 707	attccacatgcagctcaac	11851	11870	SEQ ID NO: 1710	gttgagaagcccaagaat	6246	6265	1	4
SEQ ID NO: 708	tgaagaagatggcaaattt	11984	12003	SEQ ID NO: 1711	aaattctctttctttca	9212	9231	1	4
SEQ ID NO: 709	atcaaaagcccagcgttca	12042	12061	SEQ ID NO: 1712	tgaaagtcaagcatctgat	12661	12680	1	4
SEQ ID NO: 710	gtgggcatggatatggatg	12135	12154	SEQ ID NO: 1713	catccttaacaccttccac	8063	8082	1	4
SEQ ID NO: 711	aaatggaacttctactaca	12171	12190	SEQ ID NO: 1714	tgtaccataagccatattt	10080	10099	1	4
SEQ ID NO: 712	aaaaactcaccatattcaa	12211	12230	SEQ ID NO: 1715	ttgatgttagagtgtttt	6985	7004	1	4
SEQ ID NO: 713	ctgagaagaaatctgcaga	12420	12439	SEQ ID NO: 1716	tctgcacagaaatattcag	13439	13458	1	4
SEQ ID NO: 714	acaatgctgagtggttta	12439	12458	SEQ ID NO: 1717	taaatggagtctttattgt	14078	14097	1	4
SEQ ID NO: 715	caatgctgagtggtttat	12440	12459	SEQ ID NO: 1718	ataaatggagtctttattg	14077	14096	1	4
SEQ ID NO: 716	ttaggcaaatgatgat	12469	12488	SEQ ID NO: 1719	atattgtcagtgcccttaa	13384	13403	1	4
SEQ ID NO: 717	ataaactaatagatgta	12889	12908	SEQ ID NO: 1720	attactatgaaaaatttat	13633	13652	1	4

SEQ ID NO: 718	ccaactaatagaagataac	13031	13050	SEQ ID NO: 1721	gttatttgcctaaactgg	14044	14063	1	4
SEQ ID NO: 719	ttaattatatccaagatga	13087	13106	SEQ ID NO: 1722	tcatcctctaatttttaa	13792	13811	1	4
SEQ ID NO: 720	tttaaattgttgaaagaaa	13143	13162	SEQ ID NO: 1723	tttcatttgaagaataaa	7024	7043	1	4
SEQ ID NO: 721	aagttcaatgaattattc	13182	13201	SEQ ID NO: 1724	gaataccaatgctgaactt	10160	10179	1	4
SEQ ID NO: 722	ttgaagaaaagatagtcag	13318	13337	SEQ ID NO: 1725	ctgagagaagtgcttcaa	12399	12418	1	4
SEQ ID NO: 723	acttccattctgaatata	13369	13388	SEQ ID NO: 1726	atatctggaacctgaagt	10729	10748	1	4
SEQ ID NO: 724	cacagaaatattcaggaat	13443	13462	SEQ ID NO: 1727	attccctgaagttgatgtg	11480	11499	1	4
SEQ ID NO: 725	ccattgcgacgaagaaaat	13552	13571	SEQ ID NO: 1728	atttttattcctgccatgg	10095	10114	1	4
SEQ ID NO: 726	tataaactgcaagatttt	13599	13618	SEQ ID NO: 1729	aaaattcaaactgcctata	13865	13884	1	4
SEQ ID NO: 727	tctgattactatgaaaaat	13629	13648	SEQ ID NO: 1730	atttgaagaaaatacaga	6428	6447	1	4
SEQ ID NO: 728	ggagtactgaaaaagctg	13718	13737	SEQ ID NO: 1731	cagcatgcctagtttccc	9944	9963	1	4
SEQ ID NO: 729	tgaagcttgctccaggaga	13765	13784	SEQ ID NO: 1732	tctccttctctatctca	10205	10224	1	4
SEQ ID NO: 730	tgaactggacctgcaccaa	13947	13966	SEQ ID NO: 1733	ttggtagagcaagggttca	7848	7867	1	4
SEQ ID NO: 731	ttgctaaactgggggagg	14050	14069	SEQ ID NO: 1734	cctcctacagtgggtgcaa	4222	4241	1	4
SEQ ID NO: 732	gattcgaatatcaaaattca	4404	4423	SEQ ID NO: 1735	tgaaaacgacaaagcaatc	9595	9614	3	3
SEQ ID NO: 733	attgtttgtcaagaagt	4543	4562	SEQ ID NO: 1736	acttttctaaactgaaat	9055	9074	3	3
SEQ ID NO: 734	tctcggttgctgccgtga	25	44	SEQ ID NO: 1737	tcagcccagccatttgaga	9228	9247	2	3
SEQ ID NO: 735	gctgaggagcccgcgcagc	39	58	SEQ ID NO: 1738	gctggatgtaaccaccagc	11177	11196	2	3
SEQ ID NO: 736	ctggtctgtccaaaagatg	219	238	SEQ ID NO: 1739	catcagaaccattgaccag	8126	8145	2	3
SEQ ID NO: 737	ctgagagttccagtggagt	283	302	SEQ ID NO: 1740	actcaatggtgaaattcag	7457	7476	2	3
SEQ ID NO: 738	cagtgcaccctgaaagagg	396	415	SEQ ID NO: 1741	cctcacttcccttggaactg	8969	8988	2	3
SEQ ID NO: 739	ctctgaggagtttgctgca	464	483	SEQ ID NO: 1742	tgcaaaactgacttcagag	11391	11410	2	3
SEQ ID NO: 740	acatcaagaggggcatcat	574	593	SEQ ID NO: 1743	atgacgttcttgagcatgt	7042	7061	2	3
SEQ ID NO: 741	ctgatcagcagcagccagt	822	841	SEQ ID NO: 1744	actggacttctctagtcag	8801	8820	2	3
SEQ ID NO: 742	ggacgctaagaggaagcat	857	876	SEQ ID NO: 1745	atgcctacgttccatgtcc	11346	11365	2	3
SEQ ID NO: 743	agctgtttgaagactctc	1079	1098	SEQ ID NO: 1746	gagaagtgcttcaagct	12403	12422	2	3
SEQ ID NO: 744	tgaaaaaactaaccatctc	1105	1124	SEQ ID NO: 1747	gagatcaacacaatcttca	13104	13123	2	3
SEQ ID NO: 745	ctgagctgagaggcctcag	1168	1187	SEQ ID NO: 1748	ctgaattactgcacctcag	3027	3046	2	3
SEQ ID NO: 746	tgaacgtgtgcatgcca	1303	1322	SEQ ID NO: 1749	ttggtagagcaagggttca	7848	7867	2	3
SEQ ID NO: 747	ccttgatgcgctgagcca	1432	1451	SEQ ID NO: 1750	tggcactgtttggagaagg	9130	9149	2	3
SEQ ID NO: 748	aggagctgtcggacattgc	1492	1511	SEQ ID NO: 1751	gcaagtcagcccagttcct	10920	10939	2	3
SEQ ID NO: 749	atttgattctcgggtcat	1567	1586	SEQ ID NO: 1752	atgaaaccaatgacaaaat	7420	7439	2	3
SEQ ID NO: 750	tccagaactcaagtcttca	1619	1638	SEQ ID NO: 1753	tgaaatacaatgctctgga	5512	5531	2	3
SEQ ID NO: 751	ggttcttctcagacttctc	1736	1755	SEQ ID NO: 1754	gaaataccaagtcaaaacc	10447	10466	2	3
SEQ ID NO: 752	gttgatgaggagtccttca	1802	1821	SEQ ID NO: 1755	tgaaaaagctgcaatcaac	13726	13745	2	3
SEQ ID NO: 753	tccaagatctgaaaaagtt	1933	1952	SEQ ID NO: 1756	aactgcttctccaaatgga	3544	3563	2	3
SEQ ID NO: 754	agttagtgaagaagttct	1948	1967	SEQ ID NO: 1757	agaattcataatcccaact	8267	8286	2	3
SEQ ID NO: 755	gaagggaattcttatattg	2076	2095	SEQ ID NO: 1758	caaaacctactgtctcttc	10459	10478	2	3

SEQ ID NO: 756	ggaagctcttttgggaag	2213	2232	SEQ ID NO: 1759	cttcacataccagaattcc	8316	8335	2	3
SEQ ID NO: 757	tggaataatgctcagtggt	2366	2385	SEQ ID NO: 1760	aacaacacagggcattcca	9648	9667	2	3
SEQ ID NO: 758	gatttgaatccaaagaag	2400	2419	SEQ ID NO: 1761	cttcagctccctagaaatc	10029	10048	2	3
SEQ ID NO: 759	tccaaagaagtcggaag	2409	2428	SEQ ID NO: 1762	cttcagcctgcttctgga	4943	4962	2	3
SEQ ID NO: 760	aggaagggtcaaagaatg	2562	2581	SEQ ID NO: 1763	cattagagctgccagtcct	10012	10031	2	3
SEQ ID NO: 761	agaatgactttttctca	2575	2594	SEQ ID NO: 1764	tgaagatgaagactttct	12152	12171	2	3
SEQ ID NO: 762	tttgtacaaatatgggca	2757	2776	SEQ ID NO: 1765	tgccagtttgaaaaacaaa	11807	11826	2	3
SEQ ID NO: 763	ctgaggctaccatgacatt	3244	3263	SEQ ID NO: 1766	aatgtcagctcttgctcag	10895	10914	2	3
SEQ ID NO: 764	gtagataccaaaaaatga	3660	3679	SEQ ID NO: 1767	tcatttgccctcaacctac	11442	11461	2	3
SEQ ID NO: 765	aatgacttccaatttccc	3673	3692	SEQ ID NO: 1768	gggaactgtgaaagattt	12919	12938	2	3
SEQ ID NO: 766	atgactccaatttccctg	3675	3694	SEQ ID NO: 1769	caggagaacttactatcat	13777	13796	2	3
SEQ ID NO: 767	atctgccatctcgagagtt	4096	4115	SEQ ID NO: 1770	aactcctccactgaaagat	9539	9558	2	3
SEQ ID NO: 768	atttgttgtcaaagaagt	4543	4562	SEQ ID NO: 1771	acttccgtttaccagaaat	8239	8258	2	3
SEQ ID NO: 769	gcagagcttgccctctctg	5127	5146	SEQ ID NO: 1772	cagagcttttgcactgc	13510	13529	2	3
SEQ ID NO: 770	atatgctgaaatgaaattt	5345	5364	SEQ ID NO: 1773	aaattcaaacgcctatat	13866	13885	2	3
SEQ ID NO: 771	tcaaaacttgacaacattt	5412	5431	SEQ ID NO: 1774	aaatactccacaaattga	8772	8791	2	3
SEQ ID NO: 772	cagtgcactgaaatacaat	5504	5523	SEQ ID NO: 1775	attgaacatcccccactg	8786	8805	2	3
SEQ ID NO: 773	tacaaatggcaatgggaaa	5840	5859	SEQ ID NO: 1776	tttcaactgcctttgtga	11221	11240	2	3
SEQ ID NO: 774	ctttgtaaagtatgataa	6277	6296	SEQ ID NO: 1777	ttattgctgaatccaaaag	13648	13667	2	3
SEQ ID NO: 775	ttgtaaagtatgataaaa	6280	6299	SEQ ID NO: 1778	ttttcaagcaaatgcacaa	8531	8550	2	3
SEQ ID NO: 776	tccattaacctcccatttt	6312	6331	SEQ ID NO: 1779	aaaagaaaatttgcctgga	10748	10767	2	3
SEQ ID NO: 777	gattatctgaattcattca	6480	6499	SEQ ID NO: 1780	tgaagtagaccaacaaatc	7154	7173	2	3
SEQ ID NO: 778	aattgggagagacaagttt	6498	6517	SEQ ID NO: 1781	aaactaaatgatctaaatt	11316	11335	2	3
SEQ ID NO: 779	atttgaaaatagctattgc	6688	6707	SEQ ID NO: 1782	gcaatttctgcacagaaat	13433	13452	2	3
SEQ ID NO: 780	tgagcatgtcaaacattt	7052	7071	SEQ ID NO: 1783	aaagccattcagctctca	12963	12982	2	3
SEQ ID NO: 781	ttgaagatgttaacaaatt	7348	7367	SEQ ID NO: 1784	aattccatatgaaagtcaa	12652	12671	2	3
SEQ ID NO: 782	acttgacacctacattct	7745	7764	SEQ ID NO: 1785	agaatatatttgatccaagt	13268	13287	2	3
SEQ ID NO: 783	gtttccacaccagaattt	8042	8061	SEQ ID NO: 1786	aaatctggatttcttaaac	9473	9492	2	3
SEQ ID NO: 784	ataagtacaacaaaattt	9397	9416	SEQ ID NO: 1787	aaataaatggagtcttat	14075	14094	2	3
SEQ ID NO: 785	cgggacctgcggggctgag	0	19	SEQ ID NO: 1788	ctcagttaactgtgtcccg	11563	11582	1	3
SEQ ID NO: 786	agtgccttctcggttgct	17	36	SEQ ID NO: 1789	agcatctgattgactcact	12670	12689	1	3
SEQ ID NO: 787	gctgaggagcccggccagc	39	58	SEQ ID NO: 1790	gctgattgaggtgtccagc	1217	1236	1	3
SEQ ID NO: 788	gaggagcccggccagccag	42	61	SEQ ID NO: 1791	ctggatcacagagtcctc	3744	3763	1	3
SEQ ID NO: 789	gggcccgcaggccgaggcc	64	83	SEQ ID NO: 1792	ggccctgatccccgagccc	1355	1374	1	3
SEQ ID NO: 790	ccaggccgcagcccaggag	81	100	SEQ ID NO: 1793	ctcccgagccaaggctgg	2674	2693	1	3
SEQ ID NO: 791	ggagccgccccaccgcagc	96	115	SEQ ID NO: 1794	gctgtttgaagactctcc	1080	1099	1	3
SEQ ID NO: 792	gaagaggaaatgctggaaa	192	211	SEQ ID NO: 1795	tttcaagttcctgaccttc	8301	8320	1	3
SEQ ID NO: 793	caaaagatgcgacccgatt	229	248	SEQ ID NO: 1796	aatctattggggattttg	7077	7096	1	3

SEQ ID NO: 794	attcaagcacctccggaag	245	264	SEQ ID NO: 1797	ctccacatttcaaggaat	10059	10078	1	3
SEQ ID NO: 795	gttccagtgagtcctgg	289	308	SEQ ID NO: 1798	ccagcaagtacctgagaac	8602	8621	1	3
SEQ ID NO: 796	gactgctgattcaagaagt	308	327	SEQ ID NO: 1799	actgaagaaaagatagtc	13316	13335	1	3
SEQ ID NO: 797	gtgccaccaggatcaactg	325	344	SEQ ID NO: 1800	cagtgaagctgcagggcac	10696	10715	1	3
SEQ ID NO: 798	gatcaactgcaagggtgag	335	354	SEQ ID NO: 1801	ctcacctccacctctgatc	4740	4759	1	3
SEQ ID NO: 799	actgcaagggtgagctgga	340	359	SEQ ID NO: 1802	tccactcacatcctccagt	1281	1300	1	3
SEQ ID NO: 800	ccagctctgcagcttcac	365	384	SEQ ID NO: 1803	gatgtggtcacctacctgg	1335	1354	1	3
SEQ ID NO: 801	agcttcatctgaagacca	375	394	SEQ ID NO: 1804	tgggtctggagaatgagct	5104	5123	1	3
SEQ ID NO: 802	cttcatctgaagaccagc	377	396	SEQ ID NO: 1805	gctggagtaaaactggaag	2688	2707	1	3
SEQ ID NO: 803	ccagccagtcacccctgaa	391	410	SEQ ID NO: 1806	ttcaagatgactgcactgg	1531	1550	1	3
SEQ ID NO: 804	cagtgcaccctgaaagagg	396	415	SEQ ID NO: 1807	cctcacagagctatcactg	5222	5241	1	3
SEQ ID NO: 805	tggcttcaaccctgagggc	419	438	SEQ ID NO: 1808	gcccactggtcgctgcca	3525	3544	1	3
SEQ ID NO: 806	cttcaaccctgagggcaaa	422	441	SEQ ID NO: 1809	ttgagccaacattggaag	2199	2218	1	3
SEQ ID NO: 807	ttcaaccctgagggcaaag	423	442	SEQ ID NO: 1810	clttgacaggcatttgaa	9719	9738	1	3
SEQ ID NO: 808	cttgctgaagaaaaccaag	443	462	SEQ ID NO: 1811	cttgaaattcaatcacaa	9066	9085	1	3
SEQ ID NO: 809	tgctgaagaaaaccaagaa	445	464	SEQ ID NO: 1812	ttctgctgccttatcagca	5639	5658	1	3
SEQ ID NO: 810	ttgctgcagccatgtccag	475	494	SEQ ID NO: 1813	ctggtcagttgcaagcaa	2996	3015	1	3
SEQ ID NO: 811	tgctgcagccatgtccagg	476	495	SEQ ID NO: 1814	cctggtcagttgcaagcaa	2995	3014	1	3
SEQ ID NO: 812	agccatgtccaggtatgag	482	501	SEQ ID NO: 1815	ctcacatcctccagtggct	1285	1304	1	3
SEQ ID NO: 813	agctcaagctggccattcc	499	518	SEQ ID NO: 1816	ggaactaccacaaaagct	7481	7500	1	3
SEQ ID NO: 814	agaaggaagcaggttttc	518	537	SEQ ID NO: 1817	gaaatcttcaatttattct	13813	13832	1	3
SEQ ID NO: 815	aaggaagcaggttttct	520	539	SEQ ID NO: 1818	aggacacacaaaataacctt	7564	7583	1	3
SEQ ID NO: 816	agaaagatgaacctactta	547	566	SEQ ID NO: 1819	taagaactttgccactct	4844	4863	1	3
SEQ ID NO: 817	atcctgaacatcaagaggg	567	586	SEQ ID NO: 1820	ccctaacagatttggaggat	7969	7988	1	3
SEQ ID NO: 818	tcctgaacatcaagagggg	568	587	SEQ ID NO: 1821	cccctaacagatttggaggat	7968	7987	1	3
SEQ ID NO: 819	ctgaacatcaagaggggca	570	589	SEQ ID NO: 1822	tgctgcctttgaagtcag	7900	7919	1	3
SEQ ID NO: 820	aacatcaagaggggcatca	573	592	SEQ ID NO: 1823	tgataaaaaccaagatgtt	6290	6309	1	3
SEQ ID NO: 821	acatcaagaggggcatcat	574	593	SEQ ID NO: 1824	atgataaaaaccaagatgt	6289	6308	1	3
SEQ ID NO: 822	tcatttctgccctcctggt	589	608	SEQ ID NO: 1825	accaccagttttagatga	7405	7424	1	3
SEQ ID NO: 823	ttccccagagacagaaga	607	626	SEQ ID NO: 1826	tctccacatttcaaggaa	10058	10077	1	3
SEQ ID NO: 824	gaagaagccaagcaagtgt	621	640	SEQ ID NO: 1827	acaccttccacattccttc	8071	8090	1	3
SEQ ID NO: 825	ttgtttctggataccgtgt	639	658	SEQ ID NO: 1828	acactaaataacttccacaa	8767	8786	1	3
SEQ ID NO: 826	tgatggaaactgctccac	655	674	SEQ ID NO: 1829	gtggaggcaacacattaca	2920	2939	1	3
SEQ ID NO: 827	aaactgtctccactcactt	662	681	SEQ ID NO: 1830	aaagaaacagcatttgtt	4532	4551	1	3
SEQ ID NO: 828	actcactttaccgtcaaga	672	691	SEQ ID NO: 1831	tcttacttttccattgagt	10572	10591	1	3
SEQ ID NO: 829	cttaccgtcaagacgagg	677	696	SEQ ID NO: 1832	cctccagctcctgggaaag	2483	2502	1	3
SEQ ID NO: 830	ttaccgtcaagacgaggaa	679	698	SEQ ID NO: 1833	ttcctaagctggatgtaa	11169	11188	1	3
SEQ ID NO: 831	acgaggaagggcaatgtgg	690	709	SEQ ID NO: 1834	ccacaagtcacatctcgt	5956	5975	1	3

SEQ ID NO: 832	cgaggaagggcaatgtggc	691	710	SEQ ID NO: 1835	gccagaagtgagatcctcg	3507	3526	1	3
SEQ ID NO: 833	gaggaagggcaatgtggca	692	711	SEQ ID NO: 1836	tgccagtcctcatgacctc	2468	2487	1	3
SEQ ID NO: 834	ggaagggcaatgtggcaac	694	713	SEQ ID NO: 1837	gttgctcttaaggacttcc	13356	13375	1	3
SEQ ID NO: 835	gaagggcaatgtggcaaca	695	714	SEQ ID NO: 1838	tgtgatgaggagtccttc	1801	1820	1	3
SEQ ID NO: 836	caggcatcagcccacttgc	769	788	SEQ ID NO: 1839	gcaagctttctcggcctg	3011	3030	1	3
SEQ ID NO: 837	aggcatcagcccacttgct	770	789	SEQ ID NO: 1840	agcaagctttctcggcct	3010	3029	1	3
SEQ ID NO: 838	tcagcccacttgctcctat	775	794	SEQ ID NO: 1841	atgaaagtcaagcatctga	12660	12679	1	3
SEQ ID NO: 839	gtcaactctgatcagcagc	815	834	SEQ ID NO: 1842	gctgactttaaatctgac	4811	4830	1	3
SEQ ID NO: 840	ggacgctaagaggaagcat	857	876	SEQ ID NO: 1843	atgcactgtttctgagtc	9331	9350	1	3
SEQ ID NO: 841	aaggagcaacacctcttc	894	913	SEQ ID NO: 1844	ggaatatcttagcatcctt	13457	13476	1	3
SEQ ID NO: 842	aggagcaacacctcttcct	895	914	SEQ ID NO: 1845	aggaatatcttagcatcct	13456	13475	1	3
SEQ ID NO: 843	caacacctcttcctgcctt	900	919	SEQ ID NO: 1846	aaggctgactctgtggttg	4284	4303	1	3
SEQ ID NO: 844	aacacctcttcctgcctt	901	920	SEQ ID NO: 1847	aaagcaggccgaagctgtt	1067	1086	1	3
SEQ ID NO: 845	acaagaataagtatgggat	925	944	SEQ ID NO: 1848	atccatgatctacatttgt	6786	6805	1	3
SEQ ID NO: 846	caagaataagtatgggatg	926	945	SEQ ID NO: 1849	catcactttacaagccttg	1238	1257	1	3
SEQ ID NO: 847	tagcacaagtgcacagac	946	965	SEQ ID NO: 1850	gtctctcgttctatgcta	4584	4603	1	3
SEQ ID NO: 848	agcacaagtgcacagact	947	966	SEQ ID NO: 1851	agtctctcgttctatgct	4583	4602	1	3
SEQ ID NO: 849	gcacaagtgcacagactt	948	987	SEQ ID NO: 1852	aagtgtagctcctgggtgc	5091	5110	1	3
SEQ ID NO: 850	aactgaagacacacaaaa	970	989	SEQ ID NO: 1853	ttgaggatccatcagtt	7979	7998	1	3
SEQ ID NO: 851	gctctttggtgaaggtag	1000	1019	SEQ ID NO: 1854	gtacctacttttggcaagc	8364	8383	1	3
SEQ ID NO: 852	ctttggtgaaggtagtaag	1004	1023	SEQ ID NO: 1855	cttatgggatttctaag	11159	11178	1	3
SEQ ID NO: 853	tactaagaagatgggcctc	1016	1035	SEQ ID NO: 1856	gaggglagtacataacagta	10329	10348	1	3
SEQ ID NO: 854	tttgagagcaccaaatcca	1038	1057	SEQ ID NO: 1857	tggaaagtgcagtgcaaaa	10372	10391	1	3
SEQ ID NO: 855	agagcaccaaatccacatc	1042	1061	SEQ ID NO: 1858	gatggatatgacctctct	4868	4887	1	3
SEQ ID NO: 856	agctgttttgaagactctc	1079	1098	SEQ ID NO: 1859	gagaacatactgggcagct	5872	5891	1	3
SEQ ID NO: 857	tgaaaaaactaaccatctc	1105	1124	SEQ ID NO: 1860	gagaaaatcaatgccttca	7104	7123	1	3
SEQ ID NO: 858	gaaaaaactaaccatctct	1106	1125	SEQ ID NO: 1861	agagccaggctcgagcttc	11044	11063	1	3
SEQ ID NO: 859	tctgagcaaaatatccaga	1122	1141	SEQ ID NO: 1862	tctgatgaggaaactcaga	12252	12271	1	3
SEQ ID NO: 860	tctcttaataagctgggt	1148	1167	SEQ ID NO: 1863	aacctcccatttttgaga	6318	6337	1	3
SEQ ID NO: 861	ctgagctgagaggcctcag	1168	1187	SEQ ID NO: 1864	ctgatccccgagccctcag	1359	1378	1	3
SEQ ID NO: 862	tgaagcagtcacatctctc	1190	1209	SEQ ID NO: 1865	gagaaaatcaatgccttca	7104	7123	1	3
SEQ ID NO: 863	aagcagtcacatctctctt	1192	1211	SEQ ID NO: 1866	aagaggcagcttctggctt	12289	12308	1	3
SEQ ID NO: 864	ctctcttgccacagctgat	1204	1223	SEQ ID NO: 1867	atcaaaagaagcccaagag	12938	12957	1	3
SEQ ID NO: 865	tcttgccacagctgattga	1207	1226	SEQ ID NO: 1868	tcaaagttaattgggaaga	12271	12290	1	3
SEQ ID NO: 866	cttgccacagctgattgag	1208	1227	SEQ ID NO: 1869	ctcaattttgattttcaag	8520	8539	1	3
SEQ ID NO: 867	tgagggttcagccccatc	1223	1242	SEQ ID NO: 1870	gatggaacctctcctcctca	4725	4744	1	3
SEQ ID NO: 868	tcagtgtggacagcctcag	1259	1278	SEQ ID NO: 1871	ctgacatcttaggcactga	4993	5012	1	3
SEQ ID NO: 869	acatcctccagtggctgaa	1288	1307	SEQ ID NO: 1872	ttcagaagctaagcaatgt	7231	7250	1	3

SEQ ID NO: 870	gcacagcagctgcgagaga	1377	1396	SEQ ID NO: 1873	tctctgaaagacaacgtgc	12315	12334	1	3
SEQ ID NO: 871	cagcagctgcgagagatct	1380	1399	SEQ ID NO: 1874	agataacattaaacagctg	13043	13062	1	3
SEQ ID NO: 872	gcgagggatcagcgcagcc	1407	1426	SEQ ID NO: 1875	ggctcaacacagacatcgc	5710	5729	1	3
SEQ ID NO: 873	aagacaaacctacaggga	1470	1489	SEQ ID NO: 1876	tccagaaaacctctctt	3928	3947	1	3
SEQ ID NO: 874	caggagctgctggacattg	1491	1510	SEQ ID NO: 1877	caatggagagtccaacctg	4652	4671	1	3
SEQ ID NO: 875	aggagctgctggacattgc	1492	1511	SEQ ID NO: 1878	gcaagggttctactgttct	7856	7875	1	3
SEQ ID NO: 876	ctgctggacattgctaatt	1497	1516	SEQ ID NO: 1879	aattgggaagaaggagcag	12279	12298	1	3
SEQ ID NO: 877	gattacacctatttgattc	1557	1576	SEQ ID NO: 1880	gaatattttgagaggaatc	6345	6364	1	3
SEQ ID NO: 878	attgaltctgcgggtcat	1567	1586	SEQ ID NO: 1881	atgaagtagaccaacaaat	7153	7172	1	3
SEQ ID NO: 879	tctgcgggtcattggaaat	1574	1593	SEQ ID NO: 1882	atttgaagaaaatacaga	6428	6447	1	3
SEQ ID NO: 880	aacctggagcagttaact	1601	1620	SEQ ID NO: 1883	agtttctccatctagggt	9954	9973	1	3
SEQ ID NO: 881	ggagcagttaactccagaa	1607	1626	SEQ ID NO: 1884	ttctgaaaatccaatctcc	8392	8411	1	3
SEQ ID NO: 882	actccagaactcaagtctt	1617	1636	SEQ ID NO: 1885	aagatcgcagactttgagt	11646	11665	1	3
SEQ ID NO: 883	tccagaactcaagtcttca	1619	1638	SEQ ID NO: 1886	tgaactcagaagaattgga	1912	1931	1	3
SEQ ID NO: 884	aagtacaaagccatcactg	1655	1674	SEQ ID NO: 1887	cagtcattgtagaaaaactt	4421	4440	1	3
SEQ ID NO: 885	gccalcactgatgatccag	1664	1683	SEQ ID NO: 1888	ctggaactctctccatggc	10875	10894	1	3
SEQ ID NO: 886	ccatcactgatgatccaga	1665	1684	SEQ ID NO: 1889	tctgaactcagaaggatgg	13991	14010	1	3
SEQ ID NO: 887	atccagaaagctgccatcc	1677	1696	SEQ ID NO: 1890	ggatttctaaagctggat	11165	11184	1	3
SEQ ID NO: 888	cagaaagctgccatccagg	1680	1699	SEQ ID NO: 1891	cctgaataacaatgctctg	5510	5529	1	3
SEQ ID NO: 889	acaaggaccaggagggtct	1723	1742	SEQ ID NO: 1892	agaaacagcattgtttgt	4534	4553	1	3
SEQ ID NO: 890	aggaccaggagggttctct	1726	1745	SEQ ID NO: 1893	agaagctaagcaatgtcct	7234	7253	1	3
SEQ ID NO: 891	accaggagggttcttctca	1729	1748	SEQ ID NO: 1894	tgaaggctgactctgtggt	4282	4301	1	3
SEQ ID NO: 892	tcttcagacttctctgat	1742	1761	SEQ ID NO: 1895	atcaggaagggtcaaaga	2559	2578	1	3
SEQ ID NO: 893	ttcagacttctctgatga	1744	1763	SEQ ID NO: 1896	tcattactcctgggtgaa	11299	11318	1	3
SEQ ID NO: 894	gttgatgaggagtccttca	1802	1821	SEQ ID NO: 1897	tgaatctggctccctcaac	9038	9057	1	3
SEQ ID NO: 895	cttcacaggcagatattaa	1816	1835	SEQ ID NO: 1898	ttaatcgagaggatgaag	7140	7159	1	3
SEQ ID NO: 896	ttcacaggcagatattaac	1817	1836	SEQ ID NO: 1899	gttaatcgagaggatgaa	7139	7158	1	3
SEQ ID NO: 897	ggcagatattaacaaaatt	1823	1842	SEQ ID NO: 1900	aattgcattagatgatgcc	6581	6600	1	3
SEQ ID NO: 898	ataataacaaaattgtcca	1828	1847	SEQ ID NO: 1901	tggagttgtgacaaatat	2752	2771	1	3
SEQ ID NO: 899	acaaaattgtccaaattct	1834	1853	SEQ ID NO: 1902	agaaacagcatttgttgt	4534	4553	1	3
SEQ ID NO: 900	gagcaagtgagaactttg	1869	1888	SEQ ID NO: 1903	caaataacatgatgggtc	5326	5345	1	3
SEQ ID NO: 901	gtgaagaactttgtggctt	1875	1894	SEQ ID NO: 1904	aagcatctgattgactcac	12669	12688	1	3
SEQ ID NO: 902	agaactttgtggcttccca	1879	1898	SEQ ID NO: 1905	tgggcctgcccagattct	8901	8920	1	3
SEQ ID NO: 903	tttgtgcttcccatattg	1884	1903	SEQ ID NO: 1906	caataagatcaatagcaaa	8990	9009	1	3
SEQ ID NO: 904	tggcttcccatattgccaa	1888	1907	SEQ ID NO: 1907	tggctcacatgaaggcca	7623	7642	1	3
SEQ ID NO: 905	ttcccatattgccaatatc	1892	1911	SEQ ID NO: 1908	gatatacactaggaggagaa	12737	12756	1	3
SEQ ID NO: 906	tcccatattgccaataatc	1893	1912	SEQ ID NO: 1909	agatcaaagttaattggga	12268	12287	1	3
SEQ ID NO: 907	ttgccaatatcttgaactc	1900	1919	SEQ ID NO: 1910	gagtcccagtgcccagcaa	9344	9363	1	3

SEQ ID NO: 908	ttggatatccaagatctga	1926	1945	SEQ ID NO: 1911	tcagtataagtacaaccaa	9392	9411	1	3
SEQ ID NO: 909	tccaagatctgaaaaagtt	1933	1952	SEQ ID NO: 1912	aactccaactgtcatgga	1978	1997	1	3
SEQ ID NO: 910	ctgaaaaagttagtgaag	1941	1960	SEQ ID NO: 1913	cttgaagtcagcttcag	7907	7926	1	3
SEQ ID NO: 911	agttagtgaagaagttct	1948	1967	SEQ ID NO: 1914	agaatctcaactccaact	1970	1989	1	3
SEQ ID NO: 912	aatctcaactccaactgt	1972	1991	SEQ ID NO: 1915	acaggggtccttatgatt	12342	12361	1	3
SEQ ID NO: 913	gtcatggacttcagaaat	1989	2008	SEQ ID NO: 1916	atttgaaagaalaaatgac	7028	7047	1	3
SEQ ID NO: 914	tcaactctacaaatctgtt	2021	2040	SEQ ID NO: 1917	aacacattgaggctattga	6970	6989	1	3
SEQ ID NO: 915	aactctacaaatctgttc	2023	2042	SEQ ID NO: 1918	gaaaaaggggattgaagt	10276	10295	1	3
SEQ ID NO: 916	aaatagaagggaatcttat	2071	2090	SEQ ID NO: 1919	ataagcaaactgttaatt	5449	5468	1	3
SEQ ID NO: 917	agaagggaatcttatatt	2075	2094	SEQ ID NO: 1920	aatgcactgctgcgttct	4892	4911	1	3
SEQ ID NO: 918	gaagggaatcttatattg	2076	2095	SEQ ID NO: 1921	caaaaacatttcaacttc	5279	5298	1	3
SEQ ID NO: 919	tgatccaataactacctt	2093	2112	SEQ ID NO: 1922	aaggaagaaagaaaaatca	3453	3472	1	3
SEQ ID NO: 920	tggattgtctcagctgac	2150	2169	SEQ ID NO: 1923	gtcagcccagttcctcca	10924	10943	1	3
SEQ ID NO: 921	ttgtctcagctgacctca	2154	2173	SEQ ID NO: 1924	tgaggaaactcagatcaaa	12257	12276	1	3
SEQ ID NO: 922	cttgaaggaaaaggcltt	2183	2202	SEQ ID NO: 1925	aaagcattggtagagcaag	7842	7861	1	3
SEQ ID NO: 923	tggaaggaaaaggctttga	2185	2204	SEQ ID NO: 1926	tcaagctgtgggattcca	4078	4097	1	3
SEQ ID NO: 924	ggctttgagccaacattgg	2196	2215	SEQ ID NO: 1927	ccaagagggtattaaagcc	12950	12969	1	3
SEQ ID NO: 925	tgagccaacattggaagct	2201	2220	SEQ ID NO: 1928	agctttctgccactgctca	13513	13532	1	3
SEQ ID NO: 926	gagccaacattggaagctc	2202	2221	SEQ ID NO: 1929	gagctttctgccactgctc	13512	13531	1	3
SEQ ID NO: 927	aacattggaagctctttt	2207	2226	SEQ ID NO: 1930	aaaagaaacagcatttgtt	4531	4550	1	3
SEQ ID NO: 928	tggaagctcttttgggaa	2212	2231	SEQ ID NO: 1931	ttccggcacgtgggtcca	3777	3796	1	3
SEQ ID NO: 929	ctcttttgggaagcaagg	2218	2237	SEQ ID NO: 1932	ccttactgactttgcagag	7790	7809	1	3
SEQ ID NO: 930	tttttgggaagcaaggatt	2221	2240	SEQ ID NO: 1933	aatcattgaaaaattaaaa	6722	6741	1	3
SEQ ID NO: 931	tttcccagacagtgtcaa	2239	2258	SEQ ID NO: 1934	ttgatgaaatcattgaaaa	6715	6734	1	3
SEQ ID NO: 932	ttggctataccaaagatga	2323	2342	SEQ ID NO: 1935	tcattgtcccgagagccaa	2668	2687	1	3
SEQ ID NO: 933	ataccaaagatgataaaca	2329	2348	SEQ ID NO: 1936	tgttgctttgtlaaglat	6272	6291	1	3
SEQ ID NO: 934	gagcaggatatggtaaatg	2349	2368	SEQ ID NO: 1937	catttcagccttcgggctc	4254	4273	1	3
SEQ ID NO: 935	atggtaaatggaataatgc	2358	2377	SEQ ID NO: 1938	gcatgcctagtttctccat	9946	9965	1	3
SEQ ID NO: 936	tggtaaatggaataatgct	2359	2378	SEQ ID NO: 1939	agcacagtacgaaaaacca	10801	10820	1	3
SEQ ID NO: 937	taaatggaataatgctcag	2362	2381	SEQ ID NO: 1940	ctgaaagagatgaaattta	13059	13078	1	3
SEQ ID NO: 938	tggaataatgctcagtgtt	2366	2385	SEQ ID NO: 1941	aacagatttgaggattcca	7973	7992	1	3
SEQ ID NO: 939	tcagtgttgagaagctgat	2377	2396	SEQ ID NO: 1942	atcacaaactcctccactga	9534	9553	1	3
SEQ ID NO: 940	cagtgttgagaagctgatt	2378	2397	SEQ ID NO: 1943	aatcacaaactcctccactg	9533	9552	1	3
SEQ ID NO: 941	agtgttgagaagctgatta	2379	2398	SEQ ID NO: 1944	taatcacaaactcctccact	9532	9551	1	3
SEQ ID NO: 942	gattaaagatttgaaatcc	2393	2412	SEQ ID NO: 1945	ggatactaagtaccaaatac	6866	6885	1	3
SEQ ID NO: 943	gatttgaaatccaaagaag	2400	2419	SEQ ID NO: 1946	cttccgtttaccagaaatc	8240	8259	1	3
SEQ ID NO: 944	atttgaaatccaaagaagt	2401	2420	SEQ ID NO: 1947	acttccgtttaccagaaat	8239	8258	1	3
SEQ ID NO: 945	atccaaagaagtcccgga	2408	2427	SEQ ID NO: 1948	ttccaatttccctgtggat	3680	3699	1	3

SEQ ID NO: 946	tccaaagaagtcggaag	2409	2428	SEQ ID NO: 1949	cttccaattccctgtgga	3679	3698	1	3
SEQ ID NO: 947	agagcctacctccgcatct	2430	2449	SEQ ID NO: 1950	agattaatccgctggctct	8563	8582	1	3
SEQ ID NO: 948	gagcctacctccgcatctt	2431	2450	SEQ ID NO: 1951	aagattaatccgctggctc	8562	8581	1	3
SEQ ID NO: 949	ctgggagaggagcttgggt	2447	2466	SEQ ID NO: 1952	accactgggacctaccaag	12519	12538	1	3
SEQ ID NO: 950	ggagcttggttttgcaggt	2456	2475	SEQ ID NO: 1953	actgggtggcaaacctcc	2726	2745	1	3
SEQ ID NO: 951	ttggttttgcaggtcca	2461	2480	SEQ ID NO: 1954	tggagaagccacactccaa	10763	10782	1	3
SEQ ID NO: 952	cagtcctcatgacctccag	2471	2490	SEQ ID NO: 1955	ctggctgcctggcaaacctg	3530	3549	1	3
SEQ ID NO: 953	ctccatgacctccagctcc	2475	2494	SEQ ID NO: 1956	ggagtcattgtctccggag	2664	2683	1	3
SEQ ID NO: 954	ctgggaaagctgcttctga	2493	2512	SEQ ID NO: 1957	tcagaaagctacctccag	7931	7950	1	3
SEQ ID NO: 955	gaggctcatcaggaagggt	2553	2572	SEQ ID NO: 1958	agccagaagtgagatcctc	3506	3525	1	3
SEQ ID NO: 956	aagaatgactttttcttc	2574	2593	SEQ ID NO: 1959	gaaggcatcgggagctctt	3827	3846	1	3
SEQ ID NO: 957	ctttttcttctactacatc	2582	2601	SEQ ID NO: 1960	gatgcttacaacactaaag	6099	6118	1	3
SEQ ID NO: 958	catctcatggagaatgcc	2597	2616	SEQ ID NO: 1961	ggcacttccaaattgatg	10710	10729	1	3
SEQ ID NO: 959	cttcatggagaatgccttt	2600	2619	SEQ ID NO: 1962	aaagtttaattgggaagaag	12273	12292	1	3
SEQ ID NO: 960	aatgccttgaactcccca	2610	2629	SEQ ID NO: 1963	tgggctggcttcagccatt	5729	5748	1	3
SEQ ID NO: 961	gccttgaactcccactg	2613	2632	SEQ ID NO: 1964	cagtcctgaacattgcaggc	5375	5394	1	3
SEQ ID NO: 962	caaggctggagtaaaactg	2684	2703	SEQ ID NO: 1965	cagtgcaacgaccaacttg	5072	5091	1	3
SEQ ID NO: 963	tggagtaaaactggaagta	2690	2709	SEQ ID NO: 1966	tactccaacgccagctcca	3051	3070	1	3
SEQ ID NO: 964	ggaagtagccaacatgcag	2702	2721	SEQ ID NO: 1967	ctgccatctcgagagtcc	4098	4117	1	3
SEQ ID NO: 965	ttgtgacaaatatgggca	2757	2776	SEQ ID NO: 1968	tgctttgtgtacacaaa	11228	11247	1	3
SEQ ID NO: 966	tgtgacaaatatgggcatc	2759	2778	SEQ ID NO: 1969	gatgggtctctacgccaca	4377	4396	1	3
SEQ ID NO: 967	ggacttcgctaggagtggg	2786	2805	SEQ ID NO: 1970	cccaaggccacaggggtcc	12333	12352	1	3
SEQ ID NO: 968	gtggggtccagatgaacac	2800	2819	SEQ ID NO: 1971	gtgtctagacctctccac	4171	4190	1	3
SEQ ID NO: 969	ttccacgagtcgggtctgg	2826	2845	SEQ ID NO: 1972	ccagaatctgtaccaggaa	12554	12573	1	3
SEQ ID NO: 970	agtcgggtctggaggctca	2833	2852	SEQ ID NO: 1973	tgagaactacgagctgact	4799	4818	1	3
SEQ ID NO: 971	tcgggtctggaggctcatg	2835	2854	SEQ ID NO: 1974	catgaaggccaaattccga	7631	7650	1	3
SEQ ID NO: 972	aaaagctgggaagctgaag	2861	2880	SEQ ID NO: 1975	cttcagacacctgatattt	7943	7962	1	3
SEQ ID NO: 973	aagctgaagtttatcatc	2871	2890	SEQ ID NO: 1976	gaatttacaattgttgctt	6261	6280	1	3
SEQ ID NO: 974	gagaccagtcaagctgtc	2900	2919	SEQ ID NO: 1977	gagcttcaggaagcttctc	13206	13225	1	3
SEQ ID NO: 975	gcaacacattacatttgggt	2926	2945	SEQ ID NO: 1978	accagtcagatattgttgc	10183	10202	1	3
SEQ ID NO: 976	acattacatttggctctca	2931	2950	SEQ ID NO: 1979	tagaatatgaactaaatgt	11881	11900	1	3
SEQ ID NO: 977	cattacatttggctctac	2932	2951	SEQ ID NO: 1980	gtagctgagaaaatcaatg	7098	7117	1	3
SEQ ID NO: 978	aaacggagggtgatccacc	2956	2975	SEQ ID NO: 1981	ggtggataccctgaagttt	3197	3216	1	3
SEQ ID NO: 979	attgagaacaggcagtcct	2979	2998	SEQ ID NO: 1982	aggaaaagcgcacctcaat	12023	12042	1	3
SEQ ID NO: 980	tgagaacaggcagtcctgg	2981	3000	SEQ ID NO: 1983	ccagcttccccacatctca	8333	8352	1	3
SEQ ID NO: 981	ctgcacctcaggcgcttac	3035	3054	SEQ ID NO: 1984	gtaagaaaatacagagcag	6432	6451	1	3
SEQ ID NO: 982	tcacagactccgcctcct	3066	3085	SEQ ID NO: 1985	aggacagagccttggtgga	3184	3203	1	3
SEQ ID NO: 983	ctgaccggggacaccagat	3093	3112	SEQ ID NO: 1986	atctgatgaggaaactcag	12251	12270	1	3

SEQ ID NO: 984	tagagctggaactgaggcc	3112	3131	SEQ ID NO: 1987	ggcctctctggggcatcta	5138	5155	1	3
SEQ ID NO: 985	ctatgagctccagagagag	3167	3186	SEQ ID NO: 1988	ctctcacaaaaagtatag	6541	6560	1	3
SEQ ID NO: 986	cttggtgataccctgaag	3194	3213	SEQ ID NO: 1989	cttcaggaagctctcaag	13209	13228	1	3
SEQ ID NO: 987	ttgtaactcaagcagaagg	3214	3233	SEQ ID NO: 1990	ccttacacaataatcacaa	9522	9541	1	3
SEQ ID NO: 988	taactcaagcagaagggtgc	3217	3236	SEQ ID NO: 1991	gcacctagctggaaagtta	6947	6966	1	3
SEQ ID NO: 989	gcagaagggtcgaagcaga	3225	3244	SEQ ID NO: 1992	tctgtgggattccatctgc	4083	4102	1	3
SEQ ID NO: 990	cagaagggtgcgaagcagac	3226	3245	SEQ ID NO: 1993	gtctgtgggattccatctg	4082	4101	1	3
SEQ ID NO: 991	gtatgacctgtccagtga	3280	3299	SEQ ID NO: 1994	tcaccaacggagaacatac	10843	10862	1	3
SEQ ID NO: 992	tatgacctgtccagtga	3281	3300	SEQ ID NO: 1995	ttaccaacggagaacata	10842	10861	1	3
SEQ ID NO: 993	gaagtccaaattcggatt	3297	3316	SEQ ID NO: 1996	aatctcaagctttctctc	10044	10063	1	3
SEQ ID NO: 994	gagggc aaaacgtcttaca	3363	3382	SEQ ID NO: 1997	tgtacaactggtccgcctc	4207	4226	1	3
SEQ ID NO: 995	agggc aaaacgtcttacag	3364	3383	SEQ ID NO: 1998	ctgttaggacaccagccct	4054	4073	1	3
SEQ ID NO: 996	gactcaccttgacattca	3382	3401	SEQ ID NO: 1999	tgaattcaatcacaaagtc	9068	9087	1	3
SEQ ID NO: 997	ctggacattcagaacaaga	3390	3409	SEQ ID NO: 2000	tcttttctttcagcccag	9218	9237	1	3
SEQ ID NO: 998	tcatgggcgacctaagttg	3427	3446	SEQ ID NO: 2001	caactgcagacatatatga	6627	6646	1	3
SEQ ID NO: 999	tgggcgacctaagttgtga	3430	3449	SEQ ID NO: 2002	tcactccattaacctccca	6308	6327	1	3
SEQ ID NO: 1000	agttgtgacacaaaggaag	3441	3460	SEQ ID NO: 2003	cttctttccaattgaact	13830	13849	1	3
SEQ ID NO: 1001	tgacacaaaggaagaaaga	3446	3465	SEQ ID NO: 2004	tcttcatcttcatctgtca	10212	10231	1	3
SEQ ID NO: 1002	gacacaaaggaagaaagaa	3447	3466	SEQ ID NO: 2005	ttcttcatcttcatctgtc	10211	10230	1	3
SEQ ID NO: 1003	ggaagaagaaaaatcaag	3455	3474	SEQ ID NO: 2006	cttgtcatgcctacgttcc	11340	11359	1	3

SEQ ID NO: 2007	aaaaagcgatggccgggctc	3947	3966	SEQ ID NO: 2313	gaccttgcaagaatatttt	6335	6354	1	3
SEQ ID NO: 2008	gtcaaatataccttgaaaca	3963	3982	SEQ ID NO: 2314	tgtaacaaattccttgac	7355	7374	1	3
SEQ ID NO: 2009	tgaacaagaacagtttgaa	3976	3995	SEQ ID NO: 2315	ttcaagttcctgacctca	8302	8321	1	3
SEQ ID NO: 2010	agtttgaaaattgagattc	3987	4006	SEQ ID NO: 2316	gaatctggctccctcaact	9039	9058	1	3
SEQ ID NO: 2011	gttgaaaattgagattcc	3988	4007	SEQ ID NO: 2317	ggaataaccaagtcaaaac	10446	10465	1	3
SEQ ID NO: 2012	tgaaaattgagattcctt	3990	4009	SEQ ID NO: 2318	aaggaaaagcgcacctcaa	12022	12041	1	3
SEQ ID NO: 2013	ctaaagatgttagagactg	4038	4057	SEQ ID NO: 2319	cagttgaccacaagcttag	10537	10556	1	3
SEQ ID NO: 2014	atgttagagactgttagga	4044	4063	SEQ ID NO: 2320	tccttaacaccttcacat	8065	8084	1	3
SEQ ID NO: 2015	cagccctccacttcaagtc	4066	4085	SEQ ID NO: 2321	gacttctctagttaggctg	8805	8824	1	3
SEQ ID NO: 2016	agccctccacttcaagtc	4067	4086	SEQ ID NO: 2322	agacatcgctgggctggct	5720	5739	1	3
SEQ ID NO: 2017	ccatctgccatctcgagag	4094	4113	SEQ ID NO: 2323	ctctcaaatgacatgatgg	5322	5341	1	3
SEQ ID NO: 2018	attcccaagttgtatcaac	4134	4153	SEQ ID NO: 2324	gttgagaagcccaagaat	6246	6265	1	3
SEQ ID NO: 2019	tcaactgcaagtcctctc	4148	4167	SEQ ID NO: 2325	gagatcaagacactgttga	8835	8854	1	3
SEQ ID NO: 2020	gggtgtctagacctctcca	4170	4189	SEQ ID NO: 2326	tggaaacctctccctcacc	4727	4746	1	3
SEQ ID NO: 2021	ctccacgaatgtctacagc	4184	4203	SEQ ID NO: 2327	gctggtaacctaaaaggag	5580	5599	1	3
SEQ ID NO: 2022	cacgaatgtctacagcaac	4187	4206	SEQ ID NO: 2328	gttgcccaccatcatctg	11663	11682	1	3
SEQ ID NO: 2023	acgaatgtctacagcaact	4188	4207	SEQ ID NO: 2329	agttgcccaccatcatctg	11662	11681	1	3
SEQ ID NO: 2024	tcctacagtggtgcaaca	4224	4243	SEQ ID NO: 2330	tgtagtgctcttaagga	13351	13370	1	3
SEQ ID NO: 2025	cgttaccacatgaaggctg	4272	4291	SEQ ID NO: 2331	cagcaagtacctgagaacg	8603	8622	1	3
SEQ ID NO: 2026	gaaggctgactctgtggtt	4283	4302	SEQ ID NO: 2332	aacctatgccttaatttc	13161	13180	1	3
SEQ ID NO: 2027	tggttgacctgctttcc	4295	4314	SEQ ID NO: 2333	ggaaagttaaaacacaca	6957	6976	1	3
SEQ ID NO: 2028	cctgcttctcacaatgtg	4304	4323	SEQ ID NO: 2334	cacacctgacattgcagg	11080	11099	1	3

SEQ ID NO: 2029	ctgcttctacaaatgtgc	4305	4324	SEQ ID NO: 2335	gcacacctgacattgcag	11079	11098	1	3
SEQ ID NO: 2030	tcctacaatgtgcaaggat	4311	4330	SEQ ID NO: 2336	atccgctggctctgaagga	8569	8588	1	3
SEQ ID NO: 2031	tatgaccacaagaatacgt	4344	4363	SEQ ID NO: 2337	acgtccgtgtgccttcata	9976	9995	1	3
SEQ ID NO: 2032	atgaccacaagaatacgtc	4345	4364	SEQ ID NO: 2338	gacgtccgtgtgccttcata	9975	9994	1	3
SEQ ID NO: 2033	gaatacgtctacactatca	4355	4374	SEQ ID NO: 2339	tgattatctgaattcattc	6479	6498	1	3
SEQ ID NO: 2034	ttctagattcgaataatca	4398	4417	SEQ ID NO: 2340	tgattacatgatttgaaa	6677	6696	1	3
SEQ ID NO: 2035	gattcgaatatcaaatca	4404	4423	SEQ ID NO: 2341	tgaagtgcgtgagaaatc	7094	7113	1	3
SEQ ID NO: 2036	gaacaacccagctcaaaa	4441	4460	SEQ ID NO: 2342	ttgaaaaattctctttc	9206	9225	1	3
SEQ ID NO: 2037	cccagctcaaaaagggtta	4448	4467	SEQ ID NO: 2343	taaatctactactctggg	11294	11313	1	3
SEQ ID NO: 2038	ctcaaaaagggttactaata	4454	4473	SEQ ID NO: 2344	tattcaaaaactgagttgag	12223	12242	1	3
SEQ ID NO: 2039	tcaaaaagggttactaata	4455	4474	SEQ ID NO: 2345	ataattcaaaaactgagttga	12222	12241	1	3
SEQ ID NO: 2040	aaaagggttactaataatc	4457	4476	SEQ ID NO: 2346	gaatttgaaagttcgtttt	9272	9291	1	3
SEQ ID NO: 2041	gaaacagcattgtgtgtc	4535	4554	SEQ ID NO: 2347	gacagcattctgtgtttc	11206	11225	1	3
SEQ ID NO: 2042	attgtgtgtcaaaagaagt	4543	4562	SEQ ID NO: 2348	acttaaaaaataaaaaat	8014	8033	1	3
SEQ ID NO: 2043	tcaagattgatgggcagtt	4561	4580	SEQ ID NO: 2349	aactctcaagtcaagttga	13414	13433	1	3
SEQ ID NO: 2044	ttcagagctctctgttct	4578	4597	SEQ ID NO: 2350	agaagatggcaatttgaa	11987	12006	1	3
SEQ ID NO: 2045	cagagctctctgttctat	4580	4599	SEQ ID NO: 2351	atagcatggacttctctg	8865	8884	1	3
SEQ ID NO: 2046	atgctaaaggcacatatgg	4597	4616	SEQ ID NO: 2352	ccatttgagatcaaggcat	9237	9256	1	3
SEQ ID NO: 2047	gcacataggcctgtcttg	4606	4625	SEQ ID NO: 2353	caagttggcaagtaagtgc	9364	9383	1	3
SEQ ID NO: 2048	gagtcacaacctgaggttta	4659	4678	SEQ ID NO: 2354	taaaagtgcacttttactc	6182	6201	1	3
SEQ ID NO: 2049	agtcacaacctgaggtttta	4660	4679	SEQ ID NO: 2355	ttacacagggaagatagact	9300	9319	1	3
SEQ ID NO: 2050	cctacctccaaggcaccaa	4684	4703	SEQ ID NO: 2356	ttggcaagtaagtgtagg	9368	9387	1	3
SEQ ID NO: 2051	gaagatggaacctctccc	4722	4741	SEQ ID NO: 2357	gggaagaagaggcagcttc	12283	12302	1	3
SEQ ID NO: 2052	tgatctgcaaaagggtcatc	4754	4773	SEQ ID NO: 2358	gatgaggaaactcagatca	12255	12274	1	3
SEQ ID NO: 2053	gatctgcaaaagggtcatca	4755	4774	SEQ ID NO: 2359	tgatgaggaaactcagatc	12254	12273	1	3
SEQ ID NO: 2054	gcttccctaagtatgaga	4785	4804	SEQ ID NO: 2360	tctcgtgtctaggaaaagc	5969	5988	1	3
SEQ ID NO: 2055	gtatgagaactacgagctg	4796	4815	SEQ ID NO: 2361	cagcttaagagacacatac	6912	6931	1	3
SEQ ID NO: 2056	tctaacaagatggataatga	4860	4879	SEQ ID NO: 2362	tcaatttccaactaataga	13024	13043	1	3
SEQ ID NO: 2057	ctgctgctgttctgaatc	4899	4918	SEQ ID NO: 2363	gatacaagaaaaactgcag	6893	6912	1	3
SEQ ID NO: 2058	tcaattgaggttctcagcc	4932	4951	SEQ ID NO: 2364	ggctcatatgtgaaatga	5340	5359	1	3
SEQ ID NO: 2059	ttctggatcactaaattcc	4955	4974	SEQ ID NO: 2365	ggaaggacaaggcccagaa	12541	12560	1	3
SEQ ID NO: 2060	ccatgggtctgagttaaat	4973	4992	SEQ ID NO: 2366	atttttattctgccaagg	10095	10114	1	3
SEQ ID NO: 2061	tcttaggcactgacaaaat	4999	5018	SEQ ID NO: 2367	atttttgcaagtttaaga	14011	14030	1	3
SEQ ID NO: 2062	acaaggcgacactaaggat	5032	5051	SEQ ID NO: 2368	atccatgatctacattgt	6786	6805	1	3
SEQ ID NO: 2063	tgcaacgaccaactgaag	5075	5094	SEQ ID NO: 2369	cttcagggaacacaaatgca	5177	5196	1	3
SEQ ID NO: 2064	caacttgaagtgtagtctc	5084	5103	SEQ ID NO: 2370	gagatgagagatgccgttg	6231	6250	1	3
SEQ ID NO: 2065	gctggagaatgagctgaat	5108	5127	SEQ ID NO: 2371	attctttttcttttcagc	9214	9233	1	3
SEQ ID NO: 2066	gcagagcttggcctctctg	5127	5146	SEQ ID NO: 2372	cagatacaagaaaaactgc	6891	6910	1	3
SEQ ID NO: 2067	tctctggggcatctatgaa	5140	5159	SEQ ID NO: 2373	ttcattcaattgggagaga	6491	6510	1	3
SEQ ID NO: 2068	tctggggcatctatgaaat	5142	5161	SEQ ID NO: 2374	atttgaagaaaatacaga	6428	6447	1	3
SEQ ID NO: 2069	aacacaatgcaaaattcag	5185	5204	SEQ ID NO: 2375	ctgaagcattaaaactgtt	7498	7517	1	3
SEQ ID NO: 2070	ctcacagagctatcactgg	5223	5242	SEQ ID NO: 2376	ccagatgctgaacagtga	8141	8160	1	3
SEQ ID NO: 2071	tggaagtgcctatcaggc	5239	5258	SEQ ID NO: 2377	gcctacgttccatgtcca	11348	11367	1	3
SEQ ID NO: 2072	ttcaaggctagcagaag	5295	5314	SEQ ID NO: 2378	cttcagtcagaaatgaa	11969	11988	1	3
SEQ ID NO: 2073	aatgacatgatgggtcat	5328	5347	SEQ ID NO: 2379	atgattatctgaattcatt	6478	6497	1	3
SEQ ID NO: 2074	gctcatatgctgaaatgaa	5341	5360	SEQ ID NO: 2380	ttcagccattgacatgagc	5738	5757	1	3
SEQ ID NO: 2075	atatgctgaaatgaaattt	5345	5364	SEQ ID NO: 2381	aaatagctattgctaata	6694	6713	1	3
SEQ ID NO: 2076	tctgaacattgcaggctta	5378	5397	SEQ ID NO: 2382	taagaaccagaagatcaga	10988	11007	1	3
SEQ ID NO: 2077	gaacattgcaggcttatca	5381	5400	SEQ ID NO: 2383	tgatctgacgtgaggttc	12482	12501	1	3
SEQ ID NO: 2078	tgaggcttatcactggac	5387	5406	SEQ ID NO: 2384	gtcctggattccacatgca	11844	11863	1	3

SEQ ID NO: 2079	tcaaaacttgacaacatt	5412	5431	SEQ ID NO: 2385	aaattccttgacatgttga	7362	7381	1	3
SEQ ID NO: 2080	attlacagctctgacaagt	5427	5446	SEQ ID NO: 2386	acttaaaaaatataaaaaat	8014	8033	1	3
SEQ ID NO: 2081	ctctgacaagtttataag	5435	5454	SEQ ID NO: 2387	cttactgaattccaagag	10666	10685	1	3
SEQ ID NO: 2082	gttaattacagctacagc	5460	5479	SEQ ID NO: 2388	gctgcatgtggctggaac	5570	5589	1	3
SEQ ID NO: 2083	ttctctggttaactactta	5483	5502	SEQ ID NO: 2389	taaaagattactttagaaa	7267	7286	1	3
SEQ ID NO: 2084	cctaaaaggagcctaccaa	5588	5607	SEQ ID NO: 2390	ttggcaagtaagtgtagg	9368	9387	1	3
SEQ ID NO: 2085	aaaaggagcctacaaaaat	5591	5610	SEQ ID NO: 2391	atttacaattgttgccttt	6263	6282	1	3
SEQ ID NO: 2086	aggagcctacaaaaataat	5594	5613	SEQ ID NO: 2392	attacctatgalttctcct	10119	10138	1	3
SEQ ID NO: 2087	ataatgaataaaacacat	5608	5627	SEQ ID NO: 2393	atgtcaaacactttgttat	7057	7076	1	3
SEQ ID NO: 2088	aaaacacatctatgccatc	5618	5637	SEQ ID NO: 2394	gatgaagatgacgactttt	12150	12169	1	3
SEQ ID NO: 2089	tgctaagggttcagggttg	5678	5697	SEQ ID NO: 2395	cacaagtcgattcccagca	9079	9098	1	3
SEQ ID NO: 2090	gagtttagccatcggtcca	5697	5716	SEQ ID NO: 2396	tgaggtagctcagagactc	7442	7461	1	3
SEQ ID NO: 2091	gttggttcagccactgac	5732	5751	SEQ ID NO: 2397	gtcagtgagttctccagc	8588	8607	1	3
SEQ ID NO: 2092	atttcagcaatgtcttccg	5782	5801	SEQ ID NO: 2398	cggagcatgggagtgaaat	8620	8639	1	3
SEQ ID NO: 2093	tttcagcaatgtcttccgt	5783	5802	SEQ ID NO: 2399	acggagcatgggagtgaaa	8619	8638	1	3
SEQ ID NO: 2094	ttcagcaatgtcttccgtt	5784	5803	SEQ ID NO: 2400	aacggagcatgggagtgaa	8618	8637	1	3
SEQ ID NO: 2095	cagcaatgtcttccgttct	5786	5805	SEQ ID NO: 2401	agaagtgcttcaaagctg	12404	12423	1	3
SEQ ID NO: 2096	gtcttccgttctgtaattg	5792	5811	SEQ ID NO: 2402	catcaattgggagagaca	6493	6512	1	3
SEQ ID NO: 2097	gtcttccgttctgtaattg	5793	5812	SEQ ID NO: 2403	ccattcagctctctcaagac	12967	12986	1	3
SEQ ID NO: 2098	atgggaaactgcctctctg	5851	5870	SEQ ID NO: 2404	cagataaaaaactcaccat	12205	12224	1	3
SEQ ID NO: 2099	ggagaacatactgggcagc	5871	5890	SEQ ID NO: 2405	gctgtttgaagactctcc	1080	1099	1	3
SEQ ID NO: 2100	gttgaaagcagaacctctg	5906	5925	SEQ ID NO: 2406	cagaattcataatcccaac	8266	8285	1	3
SEQ ID NO: 2101	gtctaggaaaagcactcagt	5975	5994	SEQ ID NO: 2407	actgcaagattttcagac	13604	13623	1	3
SEQ ID NO: 2102	agcatcagtgacgctcttg	5985	6004	SEQ ID NO: 2408	caagaacctgttagttgct	13343	13362	1	3
SEQ ID NO: 2103	ttgaacacaaagtcagtg	6001	6020	SEQ ID NO: 2409	gcacatcaataatgatcaa	6410	6429	1	3
SEQ ID NO: 2104	gcagacaggcacctggaaa	6038	6057	SEQ ID NO: 2410	ttcagatggcattgtctg	11602	11621	1	3
SEQ ID NO: 2105	gaaactcaagaccaattt	6053	6072	SEQ ID NO: 2411	aaatcccatcagggtttc	8029	8048	1	3
SEQ ID NO: 2106	acaatgaatacagccagga	6076	6095	SEQ ID NO: 2412	tcctttggtgtgtcttctg	9674	9693	1	3
SEQ ID NO: 2107	cttgatgcttacaacact	6095	6114	SEQ ID NO: 2413	agtgaggttctccagcaag	8591	8610	1	3
SEQ ID NO: 2108	ttggcgtggagcttactgg	6124	6143	SEQ ID NO: 2414	ccagaattcataatcccaa	8265	8284	1	3
SEQ ID NO: 2109	cacttttactcagtgagcc	6190	6209	SEQ ID NO: 2415	ggctattgatgttagagtg	6980	6999	1	3
SEQ ID NO: 2110	tttagagatgagagatgcc	6227	6246	SEQ ID NO: 2416	ggcatgatgctcattttaa	9169	9188	1	3
SEQ ID NO: 2111	gagaagccccagaattta	6249	6268	SEQ ID NO: 2417	taaagccattcagctctc	12962	12981	1	3
SEQ ID NO: 2112	caattgttgcctttgtaaa	6268	6287	SEQ ID NO: 2418	tttaaccagtcatgatttg	10179	10198	1	3
SEQ ID NO: 2113	ttttgtaagtatgataaaa	6278	6297	SEQ ID NO: 2419	ttattgtctgaatccaaaa	13647	13666	1	3
SEQ ID NO: 2114	ttgtaaagtatgataaaaa	6280	6299	SEQ ID NO: 2420	tttgagagggaatcgacaa	6350	6369	1	3
SEQ ID NO: 2115	ttcactccattaacctccc	6307	6326	SEQ ID NO: 2421	gggaaaaaacaggccttgaa	9568	9587	1	3
SEQ ID NO: 2116	tttgagacctgcaagaa	6329	6348	SEQ ID NO: 2422	ttctctctatgggaaaaaa	9558	9577	1	3
SEQ ID NO: 2117	acctgcaagaataatttg	6336	6355	SEQ ID NO: 2423	caaaagaagcccaaggagt	12940	12959	1	3
SEQ ID NO: 2118	tcaatattgatcaattgt	6415	6434	SEQ ID NO: 2424	acaaagcagattatgttga	11821	11840	1	3
SEQ ID NO: 2119	cagagcagccctgggaaaa	6443	6462	SEQ ID NO: 2425	tttcagaccactctctg	13614	13633	1	3
SEQ ID NO: 2120	cctgggaaaactcccacag	6452	6471	SEQ ID NO: 2426	ctgtctctgtgcagccagg	7716	7735	1	3
SEQ ID NO: 2121	actccacagcaagctaatt	6461	6480	SEQ ID NO: 2427	attacacttctctcgagt	12861	12880	1	3
SEQ ID NO: 2122	aattcattcaattgggaga	6489	6508	SEQ ID NO: 2428	ttcttctctccatggaatt	10471	10490	1	3
SEQ ID NO: 2123	ttcaattgggagagacaag	6495	6514	SEQ ID NO: 2429	cttgagtgccagtttgaa	11800	11819	1	3
SEQ ID NO: 2124	aggagaaactgactgctct	6526	6545	SEQ ID NO: 2430	agagcttatgggatttct	11155	11174	1	3
SEQ ID NO: 2125	actgactgctctcacaaaa	6533	6552	SEQ ID NO: 2431	tttggaagctatcacagt	8372	8391	1	3
SEQ ID NO: 2126	gactgctctcacaaaaaag	6536	6555	SEQ ID NO: 2432	cttltgagtttatcagtc	9687	9706	1	3
SEQ ID NO: 2127	cagacatatatgatacaat	6633	6652	SEQ ID NO: 2433	attggatatccaagatctg	1925	1944	1	3
SEQ ID NO: 2128	aattgatcagtalattaa	6649	6668	SEQ ID NO: 2434	ttaaaagaatctcaatt	13807	13826	1	3

SEQ ID NO: 2129	tatgatttacatgattga	6675	6694	SEQ ID NO: 2435	tcaatgattatataccata	13120	13139	1	3
SEQ ID NO: 2130	tttgaaaatagctattgct	6689	6708	SEQ ID NO: 2436	agcacagaaaaaattcaaa	13856	13875	1	3
SEQ ID NO: 2131	ttgaaaatagctattgcta	6690	6709	SEQ ID NO: 2437	tagcacagaaaaaattcaa	13855	13874	1	3
SEQ ID NO: 2132	aatagctattgctaatait	6695	6714	SEQ ID NO: 2438	aataaatggagctcttatt	14076	14095	1	3
SEQ ID NO: 2133	attattgatgaaatcattg	6711	6730	SEQ ID NO: 2439	caataccagaattcataat	8260	8279	1	3
SEQ ID NO: 2134	aaagctctgatgagcacta	6739	6758	SEQ ID NO: 2440	tagtgattacacttcctt	12856	12875	1	3
SEQ ID NO: 2135	aagctctgatgagcactat	6740	6759	SEQ ID NO: 2441	atagcaacactaaatactt	8761	8780	1	3
SEQ ID NO: 2136	ttgatgagcactatcatai	6745	6764	SEQ ID NO: 2442	atatccaagatgagatcaa	13093	13112	1	3
SEQ ID NO: 2137	taatttttagtaaaaaacaa	6769	6788	SEQ ID NO: 2443	aitgagattccctccatta	11694	11713	1	3
SEQ ID NO: 2138	tttttagtaaaaaacaaacca	6772	6791	SEQ ID NO: 2444	tgagtgccagtttgaaaa	11802	11821	1	3
SEQ ID NO: 2139	acatttgittatttgaaaat	6797	6816	SEQ ID NO: 2445	atttctaaagctggatgt	11167	11186	1	3
SEQ ID NO: 2140	attgattttaacaaaagt	6816	6835	SEQ ID NO: 2446	cactgttccagttgtcaat	9863	9882	1	3
SEQ ID NO: 2141	attttaacaaaagtggag	6820	6839	SEQ ID NO: 2447	cttcaagacttaaaaaat	8006	8025	1	3
SEQ ID NO: 2142	aaatcagaatccagataca	6880	6899	SEQ ID NO: 2448	tgaccataagccatatt	10080	10099	1	3
SEQ ID NO: 2143	gaatccagatacaagaaaa	6886	6905	SEQ ID NO: 2449	ttttctaaacttgaattc	9057	9076	1	3
SEQ ID NO: 2144	ttaagagacacatacagaa	6916	6935	SEQ ID NO: 2450	ttcttaaacattcctttaa	9483	9502	1	3
SEQ ID NO: 2145	atccagcacctagctggaa	6942	6961	SEQ ID NO: 2451	ttccaattccctgtggat	3680	3699	1	3
SEQ ID NO: 2146	tgagcatgtcaaacacttt	7052	7071	SEQ ID NO: 2452	aaagtgccacttttactca	6183	6202	1	3
SEQ ID NO: 2147	gagcatgtcaaacactttg	7053	7072	SEQ ID NO: 2453	caaatacatgatgggctc	5326	5345	1	3
SEQ ID NO: 2148	aaacactttgtataaaic	7062	7081	SEQ ID NO: 2454	gattatacccatatgttt	13125	13144	1	3
SEQ ID NO: 2149	tgagaaaaatcaatgcctt	7103	7122	SEQ ID NO: 2455	gaaggaaaagcgcacctca	12021	12040	1	3
SEQ ID NO: 2150	tatgaagtagaccaacaaa	7152	7171	SEQ ID NO: 2456	ttgttgagggttagtcata	10323	10342	1	3
SEQ ID NO: 2151	aagtagaccaacaaatcca	7156	7175	SEQ ID NO: 2457	tgatgaagatgacgactt	12148	12167	1	3
SEQ ID NO: 2152	aagtgaggagactattc	7215	7234	SEQ ID NO: 2458	gaataccaatgtggaact	10160	10179	1	3
SEQ ID NO: 2153	acaagttaagataaaagat	7256	7275	SEQ ID NO: 2459	atctaaattcagttcttgt	11326	11345	1	3
SEQ ID NO: 2154	aagataaaagattactttg	7263	7282	SEQ ID NO: 2460	caaaaatagaagggaatctt	2069	2088	1	3
SEQ ID NO: 2155	gattacttttgagaaattg	7272	7291	SEQ ID NO: 2461	ctaaactgaaattcaatc	9061	9080	1	3
SEQ ID NO: 2156	tgagaaatttagttggatt	7280	7299	SEQ ID NO: 2462	aaatccgtgaggtagactca	7435	7454	1	3
SEQ ID NO: 2157	aaattagttgattattg	7284	7303	SEQ ID NO: 2463	caatttgagaaatgaatt	10411	10430	1	3
SEQ ID NO: 2158	tgattttatgatgatgt	7292	7311	SEQ ID NO: 2464	agcatgcctagtttctcca	9945	9964	1	3
SEQ ID NO: 2159	tcattgaagatgttaacaa	7345	7364	SEQ ID NO: 2465	ttgtatgataaaccatga	7414	7433	1	3
SEQ ID NO: 2160	cattgaagatgttaacaaa	7346	7365	SEQ ID NO: 2466	ttgtatgataaaccatga	7413	7432	1	3
SEQ ID NO: 2161	attgaagatgttaacaaat	7347	7366	SEQ ID NO: 2467	atttaagtatgatttcaat	10487	10506	1	3
SEQ ID NO: 2162	tgaagatgttaacaaatt	7348	7367	SEQ ID NO: 2468	aatttaagtatgatttcaa	10486	10505	1	3
SEQ ID NO: 2163	tgaagatgttaacaaattc	7349	7368	SEQ ID NO: 2469	gaatttaagtatgatttca	10485	10504	1	3
SEQ ID NO: 2164	acatgttgataaagaaatt	7372	7391	SEQ ID NO: 2470	aatccctgaagtgtatgt	11479	11498	1	3
SEQ ID NO: 2165	ttgattaccaccagtttg	7398	7417	SEQ ID NO: 2471	caaattgaacatcccaaaa	8783	8802	1	3
SEQ ID NO: 2166	caaaatccgtgaggtagct	7433	7452	SEQ ID NO: 2472	agtcaccttaacagatttg	7964	7983	1	3
SEQ ID NO: 2167	aaaatccgtgaggtagctc	7434	7453	SEQ ID NO: 2473	gagtgaaatgctgttttt	8630	8649	1	3
SEQ ID NO: 2168	aggtgactcagagactcaa	7444	7463	SEQ ID NO: 2474	ttgatgatattctggaacct	10723	10742	1	3
SEQ ID NO: 2169	gtgaaattcaggctctgga	7465	7484	SEQ ID NO: 2475	tccaatctcctcttttcac	8401	8420	1	3
SEQ ID NO: 2170	gtgcagtgatcttgga	7539	7558	SEQ ID NO: 2476	ttcaagcaaatgcacaac	8532	8551	1	3
SEQ ID NO: 2171	ttaagttcagcatctttgg	7608	7627	SEQ ID NO: 2477	ccaatgtgaactttttaa	10165	10184	1	3
SEQ ID NO: 2172	tgaaggccaaattccgaga	7633	7652	SEQ ID NO: 2478	tctccttctctcatcttca	10205	10224	1	3
SEQ ID NO: 2173	aatgtatcaaatggacatt	7676	7695	SEQ ID NO: 2479	aatgaagtcaggattcatt	11013	11032	1	3
SEQ ID NO: 2174	attcagcaggaaactcaac	7692	7711	SEQ ID NO: 2480	gttgagaagcccaagaat	6246	6265	1	3
SEQ ID NO: 2175	acctgtctctgtcagcca	7714	7733	SEQ ID NO: 2481	tggcaagtaagtgttaggt	9369	9388	1	3
SEQ ID NO: 2176	cctgtctctgtcagccag	7715	7734	SEQ ID NO: 2482	ctggacttctctagtcagg	8802	8821	1	3
SEQ ID NO: 2177	ggtcagccagggttatagc	7724	7743	SEQ ID NO: 2483	gctaaaggagcagttgacc	10527	10546	1	3
SEQ ID NO: 2178	ccagggttatagcacactt	7730	7749	SEQ ID NO: 2484	aagtcggattcattctgg	11017	11036	1	3

SEQ ID NO:	2179gttatagcacactgtca	7734	7753 SEQ ID NO:	2485tgacctgtccattcaaaac	1367313692	1	3
SEQ ID NO:	2180actgtcacctacattct	7745	7764 SEQ ID NO:	2486agaaaaaggggattgaagt	1027510294	1	3
SEQ ID NO:	2181ctgattggtgactcttgc	7762	7781 SEQ ID NO:	2487gcaagtaaagaaaatcag	1401814037	1	3
SEQ ID NO:	2182atgaaagcattggtagagc	7839	7858 SEQ ID NO:	2488gctcatctcctttctcat	1020010219	1	3
SEQ ID NO:	2183tgaaagcattggtagagca	7840	7859 SEQ ID NO:	2489tgctcatctcctttctca	1019910218	1	3
SEQ ID NO:	2184gggttcactgttctgaaa	7860	7879 SEQ ID NO:	2490ttcaccatagaaggaccc	8951 8970	1	3
SEQ ID NO:	2185tcaagaccatccttgggac	7879	7898 SEQ ID NO:	2491gtccccctaacagattga	7965 7984	1	3
SEQ ID NO:	2186ccttgggaccatgccctgcc	7889	7908 SEQ ID NO:	2492ggcaccagggtcggaagg	1397013989	1	3
SEQ ID NO:	2187ttcaggctcttcagaagc	7921	7940 SEQ ID NO:	2493gctgaagggaattctgaa	9580 9599	1	3
SEQ ID NO:	2188ttcagataaactcaaaaga	7996	8015 SEQ ID NO:	2494tctcataagttcaatgaa	1317513194	1	3
SEQ ID NO:	2189actcaaaagactaaaaaa	8005	8024 SEQ ID NO:	2495tttaacaaaagtggaggt	6821 6840	1	3
SEQ ID NO:	2190atcccatccagggtttcca	8031	8050 SEQ ID NO:	2496tggaagcaaatctggat	9464 9483	1	3
SEQ ID NO:	2191gaattaccatccttaaca	8055	8074 SEQ ID NO:	2497tggtgaagtgtctcattc	9881 9900	1	3
SEQ ID NO:	2192catctccttcttacaatt	8081	8100 SEQ ID NO:	2498aatlccaattttgagaatg	1040610425	1	3
SEQ ID NO:	2193tgaccagatgtcgaacag	8137	8156 SEQ ID NO:	2499ctgtgaaagatttatcaa	1292412943	1	3
SEQ ID NO:	2194aatcacccctgccagacttc	8225	8244 SEQ ID NO:	2500gaagtctcaattttgatt	8514 8533	1	3
SEQ ID NO:	2195tgaccttcacataccagaa	8312	8331 SEQ ID NO:	2501ttctctggaaaagggtca	8876 8895	1	3
SEQ ID NO:	2196ttcagcttccccacatct	8331	8350 SEQ ID NO:	2502agattctcagatgaggga	8913 8932	1	3
SEQ ID NO:	2197aagctatcacgtattctga	8379	8398 SEQ ID NO:	2503tcagatggcattgtctgt	1160411623	1	3
SEQ ID NO:	2198attctgaaaatccaattct	8391	8410 SEQ ID NO:	2504gagataaccgtgcctgaat	1154411563	1	3
SEQ ID NO:	2199ttcacattagatgcaaat	8414	8433 SEQ ID NO:	2505atttgaaaaaacagaaa	9730 9749	1	3
SEQ ID NO:	2200caaatgtcgacataggaa	8428	8447 SEQ ID NO:	2506ttccatcacaaatccttg	9662 9681	1	3
SEQ ID NO:	2201gagagtcctcaaatagaagt	8500	8519 SEQ ID NO:	2507actttacttcccaactctc	1340213421	1	3
SEQ ID NO:	2202agagtcctcaaatagaagt	8501	8520 SEQ ID NO:	2508aactttacttcccaactct	1340113420	1	3
SEQ ID NO:	2203tctcaattttgatttcaa	8519	8538 SEQ ID NO:	2509ttgattccctttttgaga	1152911548	1	3
SEQ ID NO:	2204caattttgattttcaagca	8522	8541 SEQ ID NO:	2510tgtgaatccaaaagattg	1365213671	1	3
SEQ ID NO:	2205aatgcacaaactctcaaac	8541	8560 SEQ ID NO:	2511ggtttatcaaggggcaatt	1245212471	1	3
SEQ ID NO:	2206agttctccagcaagtaact	8596	8615 SEQ ID NO:	2512aggttccatctgtgcaaaact	1138011399	1	3
SEQ ID NO:	2207agtacctgagaacggagca	8608	8627 SEQ ID NO:	2513tgtccaggagaacttact	1377213791	1	3
SEQ ID NO:	2208tcaaacacacagtggcaagt	8670	8669 SEQ ID NO:	2514aacttcaagtcgaattga	1341413433	1	3
SEQ ID NO:	2209acaatcagcttaccctgga	8743	8762 SEQ ID NO:	2515tccattctgaatatattgt	1337213391	1	3
SEQ ID NO:	2210ctggatagcaacactaaat	8757	8776 SEQ ID NO:	2516attttctgaacttccccag	1269412713	1	3
SEQ ID NO:	2211ctgacctgcgcaacgagat	8821	8840 SEQ ID NO:	2517atctgatgaggaaactcag	1225112270	1	3
SEQ ID NO:	2212agatgagggaacacatgaa	8921	8940 SEQ ID NO:	2518ttcatgtccctagaaatct	1003010049	1	3
SEQ ID NO:	2213tcaacttttctaaacttga	9052	9071 SEQ ID NO:	2519tcaaggataacgtgtttga	1261012629	1	3
SEQ ID NO:	2214ttctaaacttgaattcaa	9059	9078 SEQ ID NO:	2520ttgatgatgtctgtcaagaa	7300 7319	1	3
SEQ ID NO:	2215gaaattcaatcacaaagtcg	9069	9088 SEQ ID NO:	2521cgacgaagaaaaataatttc	1355813577	1	3
SEQ ID NO:	2216cactgtttggagaaggga	9133	9152 SEQ ID NO:	2522ttccagaaagcagccagtg	1249812517	1	3
SEQ ID NO:	2217actgtttggagaagggaag	9134	9153 SEQ ID NO:	2523cttcccaaagagaccagt	2890 2909	1	3
SEQ ID NO:	2218aatctcttttctttcag	9213	9232 SEQ ID NO:	2524ctgattactatgaaaaatt	1363013649	1	3
SEQ ID NO:	2219ttcttttcagcccagccat	9222	9241 SEQ ID NO:	2525atggaaaagggaagagaa	1348613505	1	3
SEQ ID NO:	2220tttgaagttcgttttcca	9275	9284 SEQ ID NO:	2526tggaagtgtcagtgcaaaa	1037210391	1	3
SEQ ID NO:	2221cagggaagatagacttct	9304	9323 SEQ ID NO:	2527aggaccttcaaatctctg	9840 9859	1	3
SEQ ID NO:	2222ataagtaacacaaaattt	9397	9416 SEQ ID NO:	2528aatcaggatctgagtta	1403014049	1	3
SEQ ID NO:	2223acaacgagaacattatgga	9427	9446 SEQ ID NO:	2529tccattctgaatatattgt	1337213391	1	3
SEQ ID NO:	2224aggaataaatggagaagca	9455	9474 SEQ ID NO:	2530tgtctggaattgtcatctct	1172611745	1	3
SEQ ID NO:	2225agcaaatctggattctta	9470	9489 SEQ ID NO:	2531taagttctctgtacctgt	1171111730	1	3
SEQ ID NO:	2226tctttaacaattcttgaa	9494	9513 SEQ ID NO:	2532tcaaaaacgagcttcagga	1319813217	1	3
SEQ ID NO:	2227tttaacaattctgaaatg	9497	9516 SEQ ID NO:	2533catitgatitaaagtglaaa	9613 9632	1	3
SEQ ID NO:	2228acacaataatcacaaactcc	9526	9545 SEQ ID NO:	2534ggagacagcatctctgtgt	1120311222	1	3

SEQ ID NO: 2229	aagatttctctctatggga	9553	9572	SEQ ID NO: 2535	tcccagaaaacctcttctt	3928	3947	1	3
SEQ ID NO: 2230	gaaaaaacaggcttgaagg	9570	9589	SEQ ID NO: 2536	ccitttacaattcattttc	13013	13032	1	3
SEQ ID NO: 2231	ttgaagggaattcttgaaaa	9582	9601	SEQ ID NO: 2537	tttgagaatgaatttcaa	10414	10433	1	3
SEQ ID NO: 2232	tgaagggaattcttgaaaac	9583	9602	SEQ ID NO: 2538	gttttgctgataaattca	11283	11302	1	3
SEQ ID NO: 2233	agctcagtaataagaaaaac	9632	9651	SEQ ID NO: 2539	gtttgataaglacaaagct	9797	9816	1	3
SEQ ID NO: 2234	tcaaatctttgacaggca	9712	9731	SEQ ID NO: 2540	tgctgagcagaccattga	11680	11699	1	3
SEQ ID NO: 2235	atgaacaaaaaattagtt	9781	9800	SEQ ID NO: 2541	aactttgcactatgttcat	12754	12773	1	3
SEQ ID NO: 2236	aattccttgatacactgtt	9851	9870	SEQ ID NO: 2542	aacacatgaatcacaaatt	8930	8949	1	3
SEQ ID NO: 2237	ttcagttgtcaatgttga	9868	9887	SEQ ID NO: 2543	tcaaaacgagcttcaggaa	13199	13218	1	3
SEQ ID NO: 2238	aagtgtctccattcaccat	9886	9905	SEQ ID NO: 2544	atgggaagtataagaactt	4834	4853	1	3
SEQ ID NO: 2239	gtcagcatgctagtttct	9942	9961	SEQ ID NO: 2545	agaaaaggcacaccttgac	11072	11091	1	3
SEQ ID NO: 2240	ctgccatgggcaattatc	10105	10124	SEQ ID NO: 2546	gtaagaaaatacacagcag	6432	6451	1	3
SEQ ID NO: 2241	tgaataccaatgctgaact	10159	10178	SEQ ID NO: 2547	agttgaaggagactattca	7216	7235	1	3
SEQ ID NO: 2242	tattgtgtctatctcctt	10193	10212	SEQ ID NO: 2548	aagggaacataaactaata	12881	12900	1	3
SEQ ID NO: 2243	tggtgtctatctccttct	10196	10215	SEQ ID NO: 2549	agaagaaatctgcagaaca	12423	12442	1	3
SEQ ID NO: 2244	tctgtcattgatgcactgc	10224	10243	SEQ ID NO: 2550	gcagtagactataagcaga	13920	13939	1	3
SEQ ID NO: 2245	ccacagctctgtctctgag	10297	10316	SEQ ID NO: 2551	ctcagggaactgaagggtg	8187	8206	1	3
SEQ ID NO: 2246	attgtggagggtagtcat	10322	10341	SEQ ID NO: 2552	atgaagtagaccaacaaat	7153	7172	1	3
SEQ ID NO: 2247	atatggaagtgctagggc	10369	10388	SEQ ID NO: 2553	gccacactccaacgcata	10770	10789	1	3
SEQ ID NO: 2248	tggaataaccagtcacaaa	10445	10464	SEQ ID NO: 2554	ttttacaattcattttcca	13015	13034	1	3
SEQ ID NO: 2249	aagtcacaaacctactgtct	10455	10474	SEQ ID NO: 2555	agacctagtgtactacatt	12851	12870	1	3
SEQ ID NO: 2250	actgtctcttccatcagg	10467	10486	SEQ ID NO: 2556	ccatgcaagtcagcccgat	10916	10935	1	3
SEQ ID NO: 2251	cttccatcgaatttaa	10474	10493	SEQ ID NO: 2557	ttaatcgagagggtatgaag	7140	7159	1	3
SEQ ID NO: 2252	attcttcaatgctgtactc	10504	10523	SEQ ID NO: 2558	gagttgagggtccgggaat	12234	12253	1	3
SEQ ID NO: 2253	tgaccacaagcttagctt	10540	10559	SEQ ID NO: 2559	aagcgacacctcaatatcaa	12028	12047	1	3
SEQ ID NO: 2254	cctcacctcttactttcc	10565	10584	SEQ ID NO: 2560	ggaactattgctagtgaag	10641	10660	1	3
SEQ ID NO: 2255	agctgcagggcacttccaa	10702	10721	SEQ ID NO: 2561	ttgggaagaagaggcagct	12281	12300	1	3
SEQ ID NO: 2256	ttccaaaattgatgatac	10715	10734	SEQ ID NO: 2562	galatacactaggaggagaa	12737	12756	1	3
SEQ ID NO: 2257	gagaacatacacaagcaagc	10852	10871	SEQ ID NO: 2563	gcttggttttgccagtcctc	2459	2478	1	3
SEQ ID NO: 2258	atggcaaatgtcagctctt	10889	10908	SEQ ID NO: 2564	aagagggtatttaaagccat	12952	12971	1	3
SEQ ID NO: 2259	tgccaaatgtcagctcttg	10890	10909	SEQ ID NO: 2565	caagagggtatttaaagcca	12851	12870	1	3
SEQ ID NO: 2260	ttgttcagggtccatgcaag	10906	10925	SEQ ID NO: 2566	cttgggggaggaggagaaca	14058	14077	1	3
SEQ ID NO: 2261	tggtcagggtccatgcaagt	10907	10926	SEQ ID NO: 2567	acttgggggaggaggagaaca	14057	14076	1	3
SEQ ID NO: 2262	agttccttccatgatttcc	10932	10951	SEQ ID NO: 2568	ggaatctgatgaggaaact	12248	12267	1	3
SEQ ID NO: 2263	tgctaactaactaagaaccag	10979	10998	SEQ ID NO: 2569	ctggatgtaaccaccagca	11178	11197	1	3
SEQ ID NO: 2264	actaagaaccagaagatca	10986	11005	SEQ ID NO: 2570	tgatcaagaacctgttagt	13339	13358	1	3
SEQ ID NO: 2265	ctaagaaccagaagatcag	10987	11006	SEQ ID NO: 2571	ctgatcaagaacctgttag	13338	13357	1	3
SEQ ID NO: 2266	cagaagatcagatggaaaa	10995	11014	SEQ ID NO: 2572	ttttcagaccaactctctg	13614	13633	1	3
SEQ ID NO: 2267	aaaaatgaagtcgggattc	11010	11029	SEQ ID NO: 2573	gaatttgaaagttcgttt	9272	9291	1	3
SEQ ID NO: 2268	gattcattctgggtcttct	11024	11043	SEQ ID NO: 2574	gaaaacctatgacctaatc	13158	13177	1	3
SEQ ID NO: 2269	aagaaaaggcacacctga	11071	11090	SEQ ID NO: 2575	tcaaaacctactgtctctt	10458	10477	1	3
SEQ ID NO: 2270	aaggacacctgaaggttct	11107	11126	SEQ ID NO: 2576	aggacaccaaataaacctt	7564	7583	1	3
SEQ ID NO: 2271	ccagcattgtaggagaca	11191	11210	SEQ ID NO: 2577	tgtaacaagttaccactgg	12362	12381	1	3
SEQ ID NO: 2272	ctttgtgtacacaaaaaac	11231	11250	SEQ ID NO: 2578	gttttaaatgttgaaag	13140	13159	1	3
SEQ ID NO: 2273	ccatccctgtaaaagtitt	11269	11288	SEQ ID NO: 2579	aaaagggtcatggaaatgg	8885	8904	1	3
SEQ ID NO: 2274	tgatctaaattcagttctt	11324	11343	SEQ ID NO: 2580	aagatagtcagttgatca	13328	13345	1	3
SEQ ID NO: 2275	aagaagctgagaacticat	11424	11443	SEQ ID NO: 2581	atgagatcaacacaaatctt	13102	13121	1	3
SEQ ID NO: 2276	ttgcccctaacctaccaa	11445	11464	SEQ ID NO: 2582	ttgtacgagttactcaaa	12633	12652	1	3
SEQ ID NO: 2277	cttgattccctttttgag	11528	11547	SEQ ID NO: 2583	ctcaatttgattttcaag	8520	8539	1	3
SEQ ID NO: 2278	ttcacgcttccaaaaagtg	11583	11602	SEQ ID NO: 2584	cactcattgattttctgaa	12685	12704	1	3

SEQ ID NO: 2279	tggttcagatggcattgct	11600	11619	SEQ ID NO: 2585	agcagattatgttgaaca	11825	11844	1	3
SEQ ID NO: 2280	aatgcagtagccaacaaga	11631	11650	SEQ ID NO: 2586	cttttcagcccagccatt	9223	9242	1	3
SEQ ID NO: 2281	ctgagcagaccattgagat	11683	11702	SEQ ID NO: 2587	atctgatgaggaaactcag	12251	12270	1	3
SEQ ID NO: 2282	tgagcagaccattgagatt	11684	11703	SEQ ID NO: 2588	aatctgatgaggaaactca	12250	12269	1	3
SEQ ID NO: 2283	ttgagattccctccattaa	11695	11714	SEQ ID NO: 2589	ttaatctcataagttcaa	13171	13190	1	3
SEQ ID NO: 2284	actggagtgccagtttga	11799	11818	SEQ ID NO: 2590	tcaattgggagagacaagt	6496	6515	1	3
SEQ ID NO: 2285	caaatttgaaggacttcag	11996	12015	SEQ ID NO: 2591	ctgagaacttcattcttg	11430	11449	1	3
SEQ ID NO: 2286	agcccagcggtcaccgatc	12048	12087	SEQ ID NO: 2592	gatccaagtatagtggct	13278	13297	1	3
SEQ ID NO: 2287	cagcggtcaccgatctcca	12052	12071	SEQ ID NO: 2593	tggacctgcaccaagctg	13952	13971	1	3
SEQ ID NO: 2288	ctccatctgcgtaccaga	12066	12085	SEQ ID NO: 2594	tctgatatacatcacggag	13703	13722	1	3
SEQ ID NO: 2289	atgaggaaactcagatcaa	12256	12275	SEQ ID NO: 2595	ttgagttgcccaccatcat	11659	11678	1	3
SEQ ID NO: 2290	aggcagcttctggcttgc	12292	12311	SEQ ID NO: 2596	agcaagctcttctctggcct	3010	3029	1	3
SEQ ID NO: 2291	tgaagacaacgtgcccac	12319	12338	SEQ ID NO: 2597	ttgggagagacaagtttca	6500	6519	1	3
SEQ ID NO: 2292	tatgattatgtcaacaagt	12354	12373	SEQ ID NO: 2598	actttgcactatgttctata	12755	12774	1	3
SEQ ID NO: 2293	cattagcgcaattgatgat	12467	12486	SEQ ID NO: 2599	atcaacacacaatcttcaatg	13107	13126	1	3
SEQ ID NO: 2294	ttgactcagggaaggccaag	12576	12595	SEQ ID NO: 2600	cttggtacgagtactcaa	12632	12651	1	3
SEQ ID NO: 2295	gaaacctgggatatacact	12728	12747	SEQ ID NO: 2601	agtattacacttcccttc	12857	12876	1	3
SEQ ID NO: 2296	tcccttcgagttaaggaaa	12869	12888	SEQ ID NO: 2602	ttctgcccactgctcagga	13516	13535	1	3
SEQ ID NO: 2297	gccattcagtcctcaaga	12966	12985	SEQ ID NO: 2603	tcttcogttctgtaatggc	5794	5813	1	3
SEQ ID NO: 2298	gtgctacgtaatcttcagg	12993	13012	SEQ ID NO: 2604	cctgcaccaaagctggcac	13956	13975	1	3
SEQ ID NO: 2299	agctgaaagagatgaaatt	13057	13076	SEQ ID NO: 2605	aatttattcaaaacgagct	13192	13211	1	3
SEQ ID NO: 2300	aatttacttctatttaa	13072	13091	SEQ ID NO: 2606	ttaaagaaatcttcaatt	13807	13826	1	3
SEQ ID NO: 2301	ttttaaattgtgaaagaa	13142	13161	SEQ ID NO: 2607	ttctctctatgggaaaaaa	9558	9577	1	3
SEQ ID NO: 2302	taattctcataagtccaat	13172	13191	SEQ ID NO: 2608	attgagattccctccatta	11694	11713	1	3
SEQ ID NO: 2303	atatatttgatccaagtata	13271	13290	SEQ ID NO: 2609	tataagcagaagcacatat	13929	13948	1	3
SEQ ID NO: 2304	tgaatatattgaacttga	13303	13322	SEQ ID NO: 2610	tcaaccttaattgatttca	8287	8306	1	3
SEQ ID NO: 2305	caatttctgcacagaaata	13434	13453	SEQ ID NO: 2611	tattctcttttccaattg	13826	13845	1	3
SEQ ID NO: 2306	agaagattgcagagctttc	13501	13520	SEQ ID NO: 2612	gaactcttcaatttctct	13813	13832	1	3
SEQ ID NO: 2307	gaagaaaataaattctgat	13562	13581	SEQ ID NO: 2613	atcagttcagataaacctc	7991	8010	1	3
SEQ ID NO: 2308	ttgacctgtccattcaaaa	13672	13691	SEQ ID NO: 2614	tttgagaatgaatttcaa	10414	10433	1	3
SEQ ID NO: 2309	tcaaaactaccacacattt	13685	13704	SEQ ID NO: 2615	aaattccttgacatgttga	7362	7381	1	3
SEQ ID NO: 2310	ttttttaaagaaatcttc	13803	13822	SEQ ID NO: 2616	gaagtgctcagtgcaaaaa	10374	10393	1	3
SEQ ID NO: 2311	aggatctgagttatttgc	14035	14054	SEQ ID NO: 2617	gcaagggtcactgttct	7856	7875	1	3
SEQ ID NO: 2312	tttgctaaacttgggggag	14049	14068	SEQ ID NO: 2618	ctccccaggaccttcaaa	9834	9853	1	3

= Match Number

B = Middle Matching Bases

Table 9. Selected palindromic sequences from human ApoB

Source	Start Index	End Index	Match	Start Index	End Index	#	B
SEQ ID NO: 2619	ggccattccagaagggaag	517 536	SEQ ID NO: 3948	ctccgttctgtaatggcc	5803 5822	1	9
SEQ ID NO: 2620	tgccatctcgagagttcca	4107 4126	SEQ ID NO: 3949	tggaaactctctccatggca	10884 10903	1	8
SEQ ID NO: 2621	catgtcaaacactttgta	7064 7083	SEQ ID NO: 3950	taacaaattccttgacatg	7368 7385	1	8
SEQ ID NO: 2622	ttgttataaatcttattg	7076 7095	SEQ ID NO: 3951	caataagatcaatagcaaa	8998 9017	1	8
SEQ ID NO: 2623	tctgaaaagggtcatgga	8888 8907	SEQ ID NO: 3959	tccatgtcccatttacaga	11364 11383	1	8
SEQ ID NO: 2624	cagctctgttcagggtcca	10908 10927	SEQ ID NO: 3960	tggacctgcaccaagctg	13960 13979	1	8
SEQ ID NO: 2625	ggaggttcccagctctgc	364 383	SEQ ID NO: 3961	gcagccctgggaaaactcc	6455 6474	1	7
SEQ ID NO: 2626	ctgtttgaagacttcca	1089 1108	SEQ ID NO: 3962	tggagggtagtcataacag	10335 10354	1	7
SEQ ID NO: 2627	agtggctgaaacgtgtgca	1305 1324	SEQ ID NO: 3963	tgagagctttctgccact	13516 13535	1	7
SEQ ID NO: 2628	ccaaaatagaagggaatct	2076 2095	SEQ ID NO: 3964	agattcctttgcttttgg	4008 4027	1	7
SEQ ID NO: 2629	tgaagagaagattgaattt	3628 3647	SEQ ID NO: 3965	aaattctctttcttttca	9220 9239	1	7
SEQ ID NO: 2630	agtgggtgcaacaccagca	4238 4257	SEQ ID NO: 3966	tgctagtgaggccaacact	10657 10676	1	7
SEQ ID NO: 2631	aagggtccacaagtcacca	5958 5977	SEQ ID NO: 3967	tgatgatcttggaacctt	10732 10751	1	7
SEQ ID NO: 2632	gtcagccagggttatagca	7733 7752	SEQ ID NO: 3968	tgtaagaaccttactgac	7789 7808	1	7
SEQ ID NO: 2633	tgatatctgggaacctgaa	10735 10754	SEQ ID NO: 3969	ttcactgttctgaaatca	7871 7890	1	7
SEQ ID NO: 2634	gtcaagttgagcaattct	13431 13450	SEQ ID NO: 3970	agaaaaggcacacctgac	11080 11099	1	7
SEQ ID NO: 2635	atccagatggaaaaggga	13488 13507	SEQ ID NO: 3971	ttcaatttccctgtggat	3688 3707	1	7
SEQ ID NO: 2636	attgtttgtcaaagaagt	4551 4570	SEQ ID NO: 3972	acttcagagaatacaaat	11409 11428	4	6
SEQ ID NO: 2637	ctggaaaatgtcagcctgg	212 231	SEQ ID NO: 3973	ccagacttccgtttaccag	8243 8262	2	6
SEQ ID NO: 2638	accaggagggtctcttca	1737 1756	SEQ ID NO: 3974	tgaagtgtagtctcctggt	5097 5116	2	6
SEQ ID NO: 2639	aaagaagttctgaagaat	1964 1983	SEQ ID NO: 3975	attccatcacaaatcctt	9669 9688	2	6
SEQ ID NO: 2640	gtcacagcttatggctcca	3578 3597	SEQ ID NO: 3976	tggacttaaatgcagtagc	11631 11650	2	6
SEQ ID NO: 2641	atcaatattgatcaattg	6422 6441	SEQ ID NO: 3977	caaagaagtcagattgat	4561 4580	2	6
SEQ ID NO: 2642	gaattatctttaaaacal	7334 7353	SEQ ID NO: 3978	atgtgttaacaaaatattc	11502 11521	2	6
SEQ ID NO: 2643	cgaggcccgctgctggc	138 157	SEQ ID NO: 3979	gccagaagtggagctctcg	3515 3534	1	6
SEQ ID NO: 2644	acaactatgaggtgagag	279 298	SEQ ID NO: 3980	ctctgagcaacaatttgt	10317 10336	1	6
SEQ ID NO: 2645	gctgagagttccagtggag	290 309	SEQ ID NO: 3981	ctccatggcaaatgtcagc	10893 10912	1	6
SEQ ID NO: 2646	tgaagaaaaccaagaactc	456 475	SEQ ID NO: 3982	gagtcattgaggttctca	4937 4956	1	6
SEQ ID NO: 2647	cctacttacatcctgaaca	566 585	SEQ ID NO: 3983	tgctcataaggaggttagg	12774 12793	1	6
SEQ ID NO: 2648	ctacttacatcctgaacat	567 586	SEQ ID NO: 3984	atgttcataaggaggttag	12773 12792	1	6
SEQ ID NO: 2649	gagacagaagaagccaagc	623 642	SEQ ID NO: 3985	gcttgggttggcagcttc	2467 2486	1	6
SEQ ID NO: 2650	cactcactttaccgtcaag	679 698	SEQ ID NO: 3986	cttgaacacaaagtcagtg	6008 6027	1	6
SEQ ID NO: 2651	ctgatcagcagcagccagt	830 849	SEQ ID NO: 3987	actgggaagtgtctatcag	5245 5264	1	6
SEQ ID NO: 2652	actggacgttaagaggaag	862 881	SEQ ID NO: 3988	cttcccaagagagaccagt	2898 2917	1	6
SEQ ID NO: 2653	agaggaagcatgtggcaga	873 892	SEQ ID NO: 3989	tctggcatttacttctct	5929 5948	1	6
SEQ ID NO: 2654	tgaagactctccaggaaact	1095 1114	SEQ ID NO: 3990	agttgaaggagactattca	7224 7243	1	6
SEQ ID NO: 2655	ctctgagcaaaatalccag	1129 1148	SEQ ID NO: 3991	ctggttactgagctgagag	1169 1188	1	6
SEQ ID NO: 2656	atgaagcagtcacatctct	1197 1216	SEQ ID NO: 3992	agagctgccagtccttcat	10024 10043	1	6
SEQ ID NO: 2657	ttgccacagctgattgagg	1217 1236	SEQ ID NO: 3993	cctcctacagtgtgtggcaa	4230 4249	1	6
SEQ ID NO: 2658	agctgattgaggtgtccag	1224 1243	SEQ ID NO: 3994	ctggattccacatgcagct	11855 11874	1	6
SEQ ID NO: 2659	tgtccactcacatctccc	1286 1305	SEQ ID NO: 3995	ggaggcttaagttcagca	7609 7628	1	6
SEQ ID NO: 2660	tgaacgtgtgcatgccaa	1311 1330	SEQ ID NO: 3996	tgggagagacaagtttca	6508 6527	1	6
SEQ ID NO: 2661	gacattgctaaltacctga	1511 1530	SEQ ID NO: 3997	tcagaagctaagcaatgtc	7240 7259	1	6
SEQ ID NO: 2662	ttctcttcagacttctct	1746 1765	SEQ ID NO: 3998	aggagagtcacaaattagaa	8506 8525	1	6
SEQ ID NO: 2663	ccaatatcttgaactcaga	1911 1930	SEQ ID NO: 3999	ctgaattcattcaattgg	6493 6512	1	6
SEQ ID NO: 2664	aaagtttagtgaagaagtt	1954 1973	SEQ ID NO: 4000	aactacccactgacttctt	2140 2159	1	6
SEQ ID NO: 2665	aagtttagtgaagaagttc	1955 1974	SEQ ID NO: 4001	gaaccttggcatttactt	5924 5943	1	6
SEQ ID NO: 2666	aaagaagtttgaagaagat	1964 1983	SEQ ID NO: 4002	attctctgtaactacttt	5490 5509	1	6

SEQ ID NO: 2667	tttgctataccaagatg	2330	2349	SEQ ID NO: 4003	catcttaggcactgacaaa	5005	5024	1	6
SEQ ID NO: 2668	tgttgaagaagctgattaaa	2389	2408	SEQ ID NO: 4004	tttagccatcggtcaaca	5708	5727	1	6
SEQ ID NO: 2669	caggaagggtcaaagaat	2569	2588	SEQ ID NO: 4005	attcccttaacaattcctg	9500	9519	1	6
SEQ ID NO: 2670	aggaagggtcaaagaatg	2570	2589	SEQ ID NO: 4006	cattcccttaacaattcct	9499	9518	1	6
SEQ ID NO: 2671	gaagggtcaaagaatgac	2572	2591	SEQ ID NO: 4007	gtcagctctcaggctcttc	7922	7941	1	6
SEQ ID NO: 2672	caaagaatgactttttct	2580	2599	SEQ ID NO: 4008	agaaggatggcatttttg	14008	14027	1	6
SEQ ID NO: 2673	catggagaatgaccttgaa	2611	2630	SEQ ID NO: 4009	ttcagagccaaagtccatg	7127	7146	1	6
SEQ ID NO: 2674	ggagccaaggctggagtaa	2687	2706	SEQ ID NO: 4010	ttactccaacgccagctcc	3058	3077	1	6
SEQ ID NO: 2675	tcattcctcccaaaagag	2892	2911	SEQ ID NO: 4011	ctctctggggcatctatga	5147	5166	1	6
SEQ ID NO: 2676	acctatgagctccagagag	3173	3192	SEQ ID NO: 4012	ctctcaagaccacagaggt	12984	13003	1	6
SEQ ID NO: 2677	gggcaaaacgtcttcaga	3373	3392	SEQ ID NO: 4013	ctctgaagacaacgtgccc	12325	12344	1	6
SEQ ID NO: 2678	accctggacattcagaaca	3395	3414	SEQ ID NO: 4014	tgttgtaagggtcagggt	5683	5702	1	6
SEQ ID NO: 2679	atgggcgacctaaagtgtg	3437	3456	SEQ ID NO: 4015	cacaaataggttcacat	8949	8968	1	6
SEQ ID NO: 2680	gatgaagagaagattgaa	3626	3645	SEQ ID NO: 4016	attccagcttccccacatc	8338	8357	1	6
SEQ ID NO: 2681	caatgatagatacaaaaaa	3664	3683	SEQ ID NO: 4017	tttttggaaatgccattg	8651	8670	1	6
SEQ ID NO: 2682	gtagatacaaaaaaatga	3668	3687	SEQ ID NO: 4018	tcaigtgatgggtctctac	4379	4398	1	6
SEQ ID NO: 2683	tcctcagttcatttgagct	4517	4536	SEQ ID NO: 4019	agtcaagaaggacttaagc	5312	5331	1	6
SEQ ID NO: 2684	tttgttgcataagaagtc	4552	4571	SEQ ID NO: 4020	gacttcagagaatacaaaa	11408	11427	1	6
SEQ ID NO: 2685	ttgttgcataagaagtc	4553	4572	SEQ ID NO: 4021	tgacttcagagaatacaaa	11407	11426	1	6
SEQ ID NO: 2686	tggcaatgggaactcgt	5854	5873	SEQ ID NO: 4022	agcgagaatcacctgcca	8227	8246	1	6
SEQ ID NO: 2687	aacctctggcatttacttt	5925	5944	SEQ ID NO: 4023	aaaggagatgtcaagggt	10607	10626	1	6
SEQ ID NO: 2688	catctcttctctcatga	5934	5953	SEQ ID NO: 4024	tcattgaagaataaatag	7034	7053	1	6
SEQ ID NO: 2689	aaagtcatgtgccctgctta	6017	6036	SEQ ID NO: 4025	taagaaccttactgacttt	7792	7811	1	6
SEQ ID NO: 2690	tcctcatttttgagacct	6330	6349	SEQ ID NO: 4026	aaggacttcagggaatggga	12012	12031	1	6
SEQ ID NO: 2691	catcaatattgatcaattt	6421	6440	SEQ ID NO: 4027	aaattaaaaagtcttgatg	6740	6759	1	6
SEQ ID NO: 2692	taaagatagttatgattta	6673	6692	SEQ ID NO: 4028	taaaccaaaaacttggttta	9027	9046	1	6
SEQ ID NO: 2693	tattgatgaatcattgaa	6721	6740	SEQ ID NO: 4029	ttcaaaagacttaaaaaata	8015	8034	1	6
SEQ ID NO: 2694	atgatctacattgtttat	6798	6817	SEQ ID NO: 4030	ataaagaaattaaagtcac	7388	7407	1	6
SEQ ID NO: 2695	agagacacatcacagaatat	6927	6946	SEQ ID NO: 4031	atatattgtcagtgccctc	13390	13409	1	6
SEQ ID NO: 2696	gacacatcacagaatataga	6930	6949	SEQ ID NO: 4032	tctaattcagttctgttc	11335	11354	1	6
SEQ ID NO: 2697	agcatgtcaaacactttgt	7062	7081	SEQ ID NO: 4033	acaagtcagtgccctgct	6015	6034	1	6
SEQ ID NO: 2698	tttttagaggaaaccaagg	7523	7542	SEQ ID NO: 4034	cccttggtagacacaaaaa	11238	11257	1	6
SEQ ID NO: 2699	tttttagaggaaaccaaggc	7524	7543	SEQ ID NO: 4035	gccttggtagacacaaaaa	11237	11256	1	6
SEQ ID NO: 2700	ggaagatagacttctgaa	9315	9334	SEQ ID NO: 4036	ttcagaaatactgttttcc	12832	12851	1	6
SEQ ID NO: 2701	cactgtttctgagtcaccag	9342	9361	SEQ ID NO: 4037	ctgggacctaccagagtg	12531	12550	1	6
SEQ ID NO: 2702	cacaaatcctttggctgtg	9676	9695	SEQ ID NO: 4038	cacattcaaggaattgtg	10071	10090	1	6
SEQ ID NO: 2703	ttcctggatacactgttcc	9861	9880	SEQ ID NO: 4039	ggaactgtgactcaggaa	12577	12596	1	6
SEQ ID NO: 2704	gaaatcgaagcttctct	10050	10069	SEQ ID NO: 4040	agagccaggtcgagcttcc	11052	11071	1	6
SEQ ID NO: 2705	tttctcatctcatctgt	10218	10237	SEQ ID NO: 4041	acagctgaagagatgaaa	13063	13082	1	6
SEQ ID NO: 2706	tctaccgctaaaggagcag	10529	10548	SEQ ID NO: 4042	ctgcacgcttgaggtaga	11769	11788	1	6
SEQ ID NO: 2707	ctaccgctaaaggagcagt	10530	10549	SEQ ID NO: 4043	actgcacgcttgaggtag	11768	11787	1	6
SEQ ID NO: 2708	agggcctcttttccacaa	10839	10858	SEQ ID NO: 4044	ttggccagggaagtggcct	10965	10984	1	6
SEQ ID NO: 2709	tttccatccctgtaaaag	11273	11292	SEQ ID NO: 4045	cttttttccaaacggagaa	10846	10865	1	6
SEQ ID NO: 2710	gaaaaacaaagcagattat	11824	11843	SEQ ID NO: 4046	ataaactcgaagatttttc	13608	13627	1	6
SEQ ID NO: 2711	actcactcattgatcttct	12690	12709	SEQ ID NO: 4047	agaaaatcaggatctgagt	14035	14054	1	6
SEQ ID NO: 2712	taaaactaatagatgtaac	12898	12917	SEQ ID NO: 4048	gattaccaccagcagttta	13586	13605	1	6
SEQ ID NO: 2713	caaaacgagcttcaggaag	13208	13227	SEQ ID NO: 4049	cttctgtgaagaatttttg	13268	13287	1	6
SEQ ID NO: 2714	tggaaatgctcagtggt	2374	2393	SEQ ID NO: 4050	aacacttactgaaltcca	10670	10689	3	5
SEQ ID NO: 2715	gattgaaatccaaagaag	2408	2427	SEQ ID NO: 4051	cttcagagaaatacaaatc	11410	11429	3	5
SEQ ID NO: 2716	atttgaatccaaagaagt	2409	2428	SEQ ID NO: 4052	acttcagagaaatacaaat	11409	11428	3	5

SEQ ID NO: 2717	atcaacagccgctcttg	998	1017	SEQ ID NO: 4053	caaagaagtcagattgat	4561	4580	2	5
SEQ ID NO: 2718	tgtttgaagactctccag	1090	1109	SEQ ID NO: 4054	ctggaaagttaaaacaaca	6963	6982	2	5
SEQ ID NO: 2719	cccttctgatagatgttgt	1332	1351	SEQ ID NO: 4055	accaaagctggcaccagg	13969	13988	2	5
SEQ ID NO: 2720	tgagcaagtgaagaacttt	1876	1896	SEQ ID NO: 4056	aaagccattcagttctca	12971	12990	2	5
SEQ ID NO: 2721	atttgaatccaaagaag	2409	2428	SEQ ID NO: 4057	actttctaaactgaaat	9063	9082	2	5
SEQ ID NO: 2722	atccaaagaagtcacggaa	2416	2435	SEQ ID NO: 4058	ttccggggaaacclgggat	12729	12748	2	5
SEQ ID NO: 2723	agagcctaccctccatct	2438	2457	SEQ ID NO: 4059	agatggtacgttagcctct	11929	11948	2	5
SEQ ID NO: 2724	aatgccttgaactcccca	2618	2637	SEQ ID NO: 4060	tggaactacaatttcatt	7020	7039	2	5
SEQ ID NO: 2725	gaagtccaaattccggatt	3305	3324	SEQ ID NO: 4061	aatctcaatttattcttc	13823	13842	2	5
SEQ ID NO: 2726	tgcaagcagaagccagaag	3504	3523	SEQ ID NO: 4062	ctcagggtccatcgtgca	11384	11403	2	5
SEQ ID NO: 2727	gaagagaagattgaattg	3629	3648	SEQ ID NO: 4063	caaaacctactgtctcttc	10487	10486	2	5
SEQ ID NO: 2728	atgctaaaggcacatatgg	4605	4624	SEQ ID NO: 4064	ccatatgaagtcacagcat	12664	12683	2	5
SEQ ID NO: 2729	tcctcaacctccactctg	4745	4764	SEQ ID NO: 4065	cagatttcagatgaggga	8920	8939	2	5
SEQ ID NO: 2730	atttacagctctgacaagt	5435	5454	SEQ ID NO: 4066	actttctaaacttgaaat	9063	9082	2	5
SEQ ID NO: 2731	aggagcctacaaaataat	5602	5621	SEQ ID NO: 4067	attatgttgaacagtcct	11838	11857	2	5
SEQ ID NO: 2732	aaagctgaagcacatcaat	6409	6428	SEQ ID NO: 4068	attgtgtcctatctctt	10202	10221	2	5
SEQ ID NO: 2733	ctgctggaacaacgagaa	9426	9445	SEQ ID NO: 4069	ttctgattaccaccagcag	13582	13601	2	5
SEQ ID NO: 2734	tgaagggaattctgaaaa	9590	9609	SEQ ID NO: 4070	tttaaaagaaattctcaa	13813	13832	2	5
SEQ ID NO: 2735	gaagtaaaagaaaatttg	10751	10770	SEQ ID NO: 4071	caaaacctactgtctcttc	10467	10486	2	5
SEQ ID NO: 2736	tgaagaagatggcaattt	11992	12011	SEQ ID NO: 4072	aaalgtagctctgttca	10902	10921	2	5
SEQ ID NO: 2737	aggatctgagttatttgc	14043	14062	SEQ ID NO: 4073	gcaagtcagccagttcct	10928	10947	2	5
SEQ ID NO: 2738	gtgccctctcgggtgctg	26	45	SEQ ID NO: 4074	cagccattgacatgagcac	5748	5767	1	5
SEQ ID NO: 2739	ggcgtctgcctgcgtgctg	154	173	SEQ ID NO: 4075	cagctccacagactccgcc	3070	3089	1	5
SEQ ID NO: 2740	ctgcgtctgctgctgctg	162	181	SEQ ID NO: 4076	agcagaagggtcgaagcag	3232	3251	1	5
SEQ ID NO: 2741	gctgctggcggcgccagg	178	197	SEQ ID NO: 4077	cctggattccacatgcagc	11854	11873	1	5
SEQ ID NO: 2742	aagaggaaatgctggaaaa	201	220	SEQ ID NO: 4078	ttttcttactacatctt	2592	2611	1	5
SEQ ID NO: 2743	ctggaatgtagcctgg	212	231	SEQ ID NO: 4079	ccagacttccacatcccag	3923	3942	1	5
SEQ ID NO: 2744	tggagtcctctgggactgct	304	323	SEQ ID NO: 4080	agcagtcctagtgtctcca	9953	9972	1	5
SEQ ID NO: 2745	ggagtcctctgggactgctg	305	324	SEQ ID NO: 4081	cagcatgctagtgttctcc	9952	9971	1	5
SEQ ID NO: 2746	tgggactgctgattcaaga	313	332	SEQ ID NO: 4082	lcttccactactgaccca	2050	2069	1	5
SEQ ID NO: 2747	ctgctgattcaagaagtc	318	337	SEQ ID NO: 4083	gcacacctgacattgcag	11087	11106	1	5
SEQ ID NO: 2748	tgccaccaggatcaactgc	334	353	SEQ ID NO: 4084	gcaggctgaactggtggca	2725	2744	1	5
SEQ ID NO: 2749	gccaccaggatcaactgca	335	354	SEQ ID NO: 4085	tgaggctgaactgggtggc	2724	2743	1	5
SEQ ID NO: 2750	tgcaagggttagctggagg	350	369	SEQ ID NO: 4086	cctccacctctgactctgca	4752	4771	1	5
SEQ ID NO: 2751	caagggttagctggagggt	352	371	SEQ ID NO: 4089	aacccctacatgaagcttg	13763	13782	1	5
SEQ ID NO: 2752	ctctgagctcatcctga	377	396	SEQ ID NO: 4090	tcagggaagcttctcaagag	13219	13238	1	5
SEQ ID NO: 2753	cagctcatcctgaagacc	382	401	SEQ ID NO: 4091	ggcttgagttaaatgctg	4985	5004	1	5
SEQ ID NO: 2754	gctcatcctgaagaccag	384	403	SEQ ID NO: 4092	ctggacgctaagagggaagc	863	882	1	5
SEQ ID NO: 2755	tcactctgaagaccagcca	387	406	SEQ ID NO: 4093	tgcatggcattatgatga	3612	3631	1	5
SEQ ID NO: 2756	gaaaaccaagaactctgag	460	479	SEQ ID NO: 4094	ctcaacctaatgatatttc	8294	8313	1	5
SEQ ID NO: 2757	agaactctgaggagtgtgc	468	487	SEQ ID NO: 4095	gcaagctatcacatattct	8385	8404	1	5
SEQ ID NO: 2758	tctgaggagttgctgcag	473	492	SEQ ID NO: 4096	ctgcagggtgacccccaga	2534	2553	1	5
SEQ ID NO: 2759	ttgctgcagccatgcca	482	501	SEQ ID NO: 4097	tggaagtgtcagtgccaaa	10380	10399	1	5
SEQ ID NO: 2760	caagaggggcatcattct	586	605	SEQ ID NO: 4098	agaataaatgacgttcttg	7043	7062	1	5
SEQ ID NO: 2761	tcactttaccgtcaagacg	682	701	SEQ ID NO: 4099	cgctacactatcatgtga	4368	4387	1	5
SEQ ID NO: 2762	ttaccgtcaagacgagga	686	705	SEQ ID NO: 4100	tccttgacatgttgataaa	7374	7393	1	5
SEQ ID NO: 2763	cactggacgctaagaggaa	861	880	SEQ ID NO: 4101	ttccagaagcagccagtg	12506	12525	1	5
SEQ ID NO: 2764	aggaaagcatgtgcagaag	875	894	SEQ ID NO: 4102	cttcatcacatlaaatcct	9996	10015	1	5
SEQ ID NO: 2765	caaggagcaacacctcttc	901	920	SEQ ID NO: 4103	gaagtagtactgcatttg	6843	6862	1	5

SEQ ID NO: 2766	acagactttgaacctgaa	967	986	SEQ ID NO: 4104	ttcaattcttcaatgctgt	10508	10527	1	5
SEQ ID NO: 2767	tgatgaagcagtcacatct	1195	1214	SEQ ID NO: 4105	agatttgaggattccatca	7984	8003	1	5
SEQ ID NO: 2768	agcagtcacatctctcttg	1201	1220	SEQ ID NO: 4106	caaggagaaactgactgct	6532	6551	1	5
SEQ ID NO: 2769	ccagcccccatcactttaca	1239	1258	SEQ ID NO: 4107	tgtagtctcctgggtgctgg	5102	5121	1	5
SEQ ID NO: 2770	ctccactcacatcctccaag	1288	1307	SEQ ID NO: 4108	ctggagcttagtaatggag	8717	8736	1	5
SEQ ID NO: 2771	catgcaaccccccttctga	1322	1341	SEQ ID NO: 4109	tcagatgagggaacacatg	8927	8946	1	5
SEQ ID NO: 2772	gagagatcttcaacatggc	1398	1417	SEQ ID NO: 4110	gccaccctggaactctctc	10877	10896	1	5
SEQ ID NO: 2773	tcaacatggcgagggatca	1407	1428	SEQ ID NO: 4111	tgatccccactctcattga	2973	2992	1	5
SEQ ID NO: 2774	ccaccttgatgctgag	1437	1456	SEQ ID NO: 4112	ctcagggtatcgaagggtg	8185	8214	1	5
SEQ ID NO: 2775	gtcaacaactatcataaga	1463	1482	SEQ ID NO: 4113	tcttgagttaaatgctgac	4987	5006	1	5
SEQ ID NO: 2776	lggacattgctaattacct	1509	1528	SEQ ID NO: 4114	aggtatattgaaagtcca	12807	12826	1	5
SEQ ID NO: 2777	ggacattgctaattacctg	1510	1529	SEQ ID NO: 4115	cagggtatattgaaagtcc	12806	12825	1	5
SEQ ID NO: 2778	ttctgctgggtcatggaaa	1581	1600	SEQ ID NO: 4116	ttcacatgccaaggagaa	6522	6541	1	5
SEQ ID NO: 2779	ccagaactcaagttctcaa	1628	1647	SEQ ID NO: 4117	ttgaagtgtagtctcctgg	5096	5115	1	5
SEQ ID NO: 2780	aglttcaatcctgaaatg	1638	1657	SEQ ID NO: 4118	catttctgattgggtggact	7765	7784	1	5
SEQ ID NO: 2781	tgagcaagtgaagaacttt	1876	1895	SEQ ID NO: 4119	aaagtgccactttactca	6191	6210	1	5
SEQ ID NO: 2782	agcaagtgaaagaacttgi	1878	1897	SEQ ID NO: 4120	acaagtcagtgccctgct	6015	6034	1	5
SEQ ID NO: 2783	tctgaagaatctcaactt	1972	1991	SEQ ID NO: 4121	aagtcataatgggtcaga	12819	12838	1	5
SEQ ID NO: 2784	acgtgctggacttcagaa	1994	2013	SEQ ID NO: 4122	ttctgaatatattgtcagt	13384	13403	1	5
SEQ ID NO: 2785	acttgaccagcctcagcc	2059	2078	SEQ ID NO: 4123	ggctcaccctgagagaagt	12399	12418	1	5
SEQ ID NO: 2786	tccaaataactacctctct	2104	2123	SEQ ID NO: 4124	aggaagatatgaagatgga	4720	4739	1	5
SEQ ID NO: 2787	actacccctactgctcttg	2141	2160	SEQ ID NO: 4125	caaatttgaggaggtagt	10327	10346	1	5
SEQ ID NO: 2788	ttggatttgcttcagctga	2157	2176	SEQ ID NO: 4126	tcagtataagtaaccaaa	9400	9419	1	5
SEQ ID NO: 2789	ttggaagctcttttggga	2219	2238	SEQ ID NO: 4127	tccgattcacgcttccaa	11585	11604	1	5
SEQ ID NO: 2790	ggaagctcttttgggaag	2221	2240	SEQ ID NO: 4128	cttcagaaagctacctcc	7937	7956	1	5
SEQ ID NO: 2791	ttttccagacagtgta	2246	2265	SEQ ID NO: 4129	tgaccttctcagcaaaa	4884	4903	1	5
SEQ ID NO: 2792	agacagtgtaacaaagct	2254	2273	SEQ ID NO: 4130	agcttggtttgacagctt	2466	2485	1	5
SEQ ID NO: 2793	ctttggctataccaaagat	2329	2348	SEQ ID NO: 4131	atctggtgtcaggaaaag	5976	5995	1	5
SEQ ID NO: 2794	caaagatgataaacatgag	2341	2360	SEQ ID NO: 4132	ctcaaggataacgtgttg	12617	12636	1	5
SEQ ID NO: 2795	gatalggtaaatggaataa	2363	2382	SEQ ID NO: 4133	ttatctatttaattatct	13087	13106	1	5
SEQ ID NO: 2796	ggaataatgctcagtggtg	2375	2394	SEQ ID NO: 4134	caacacttactgaattcc	10669	10688	1	5
SEQ ID NO: 2797	tttgaatccaaagaagtc	2410	2429	SEQ ID NO: 4135	gacttcagagaaatacaaa	11408	11427	1	5
SEQ ID NO: 2798	gatccccagatgattgga	2542	2561	SEQ ID NO: 4136	tccaatttccctgtggatc	3689	3708	1	5
SEQ ID NO: 2799	cagatgattggagaggtca	2549	2568	SEQ ID NO: 4137	tgaccacacaaacagtcg	5371	5390	1	5
SEQ ID NO: 2800	agaatgactttttcttca	2583	2602	SEQ ID NO: 4138	tgaagtccggattcattct	11023	11042	1	5
SEQ ID NO: 2801	gaactccccactggagctg	2627	2646	SEQ ID NO: 4139	cagctcaacgtaacagttc	11889	11888	1	5
SEQ ID NO: 2802	atatcttcatctggagtca	2660	2679	SEQ ID NO: 4140	tgacttcagtcagaatat	11974	11993	1	5
SEQ ID NO: 2803	gtcattgctccggagcca	2875	2894	SEQ ID NO: 4141	tgccccgtttaccatgac	5817	5836	1	5
SEQ ID NO: 2804	gctgaagttatcattctt	2881	2900	SEQ ID NO: 4142	aggaggcttaagttcagc	7608	7627	1	5
SEQ ID NO: 2805	attcttccccaaagagac	2894	2913	SEQ ID NO: 4143	gtctcttctccatggaat	10478	10497	1	5
SEQ ID NO: 2806	ctcattgagaacaggcagt	2984	3003	SEQ ID NO: 4144	actgactgcacgctttgag	11784	11783	1	5
SEQ ID NO: 2807	ttgagcagttatctgtcag	3150	3169	SEQ ID NO: 4145	ctgagagaagtgcttcaa	12407	12426	1	5
SEQ ID NO: 2808	acctgtccagtgaagtcc	3293	3312	SEQ ID NO: 4146	ggacggtactgtcccaggt	12792	12811	1	5
SEQ ID NO: 2809	ccagtgaagtccaaattcc	3300	3319	SEQ ID NO: 4147	ggaaggcagagttactgg	9156	9175	1	5
SEQ ID NO: 2810	acattcagaacaagaaaat	3402	3421	SEQ ID NO: 4148	atttcttaagctggatgt	11175	11194	1	5
SEQ ID NO: 2811	gaaaaatcaagggtgttat	3471	3490	SEQ ID NO: 4149	ataaactgcaagatttttc	13608	13627	1	5
SEQ ID NO: 2812	aaatcaagggtgtatttc	3474	3493	SEQ ID NO: 4150	gaaacaatgcattagattt	9753	9772	1	5
SEQ ID NO: 2813	tggcattatgatgaagaga	3617	3636	SEQ ID NO: 4151	tctccgtgtataatgccca	11789	11808	1	5
SEQ ID NO: 2814	aagagaagattgaatttga	3630	3649	SEQ ID NO: 4152	tcaaaacctactgtctctt	10466	10485	1	5
SEQ ID NO: 2815	aaatgacttccaatttccc	3681	3700	SEQ ID NO: 4153	gggaactacaatttcattt	7021	7040	1	5

SEQ ID NO: 2816	atgacttccaatttccctg	3683	3702	SEQ ID NO: 4154	caggctgattacgagtc	4925	4944	1	5
SEQ ID NO: 2817	acttccaatttccctgtgg	3686	3705	SEQ ID NO: 4155	ccacgaaaaaatatggaagt	10368	10387	1	5
SEQ ID NO: 2818	agtgtcaatgagctcatgg	3811	3830	SEQ ID NO: 4156	ccatcagttcagataaact	7997	8016	1	5
SEQ ID NO: 2819	tttgaagaccacctcaat	3868	3887	SEQ ID NO: 4157	attgacctgtcattcaaa	13679	13698	1	5
SEQ ID NO: 2820	gaaggagtccaacctccag	3892	3911	SEQ ID NO: 4158	ctggaattgtcattccttc	11736	11755	1	5
SEQ ID NO: 2821	acttccacatccagaaaa	3927	3946	SEQ ID NO: 4159	ttttaacaaaagtgaagt	6829	6848	1	5
SEQ ID NO: 2822	ctcttctaaaaagcgatg	3947	3966	SEQ ID NO: 4160	catcactgccaaaggagag	8494	8513	1	5
SEQ ID NO: 2823	aaaagcgatggccgggtca	3956	3975	SEQ ID NO: 4161	tgactcactcattgattt	12688	12707	1	5
SEQ ID NO: 2824	ttccttgccttttggtgg	4011	4030	SEQ ID NO: 4162	ccacaaaacatgaaggga	9264	9283	1	5
SEQ ID NO: 2825	caagtctgtggattccat	4087	4106	SEQ ID NO: 4163	atgggaaaaaacaggctg	9574	9593	1	5
SEQ ID NO: 2826	aagtcctacttttaccat	4125	4144	SEQ ID NO: 4164	atgggaagtataagaact	4842	4861	1	5
SEQ ID NO: 2827	tgctctctcgggtgtct	4167	4186	SEQ ID NO: 4165	agaaaaacaaacacaggca	9651	9670	1	5
SEQ ID NO: 2828	accagcacagaccattca	4250	4269	SEQ ID NO: 4166	tgaagtgtagttctcctgg	5097	5116	1	5
SEQ ID NO: 2829	ccagcacagaccattcag	4251	4270	SEQ ID NO: 4167	ctgaaatacaatgctctgg	5519	5538	1	5
SEQ ID NO: 2830	actatcatgtatgggtct	4375	4394	SEQ ID NO: 4168	agacacctgatttatagt	7956	7975	1	5
SEQ ID NO: 2831	accacagatgtctgctca	4504	4523	SEQ ID NO: 4169	tgaaggctgactctgtgtg	4290	4309	1	5
SEQ ID NO: 2832	ccacagatgtctgctcag	4505	4524	SEQ ID NO: 4170	ctgagcaacaaattgtgg	10319	10338	1	5
SEQ ID NO: 2833	tttggaactccaaaagaaa	4528	4547	SEQ ID NO: 4171	tttctctcatgattacaaa	5941	5960	1	5
SEQ ID NO: 2834	tcaaagaagtcaagatga	4560	4579	SEQ ID NO: 4172	tcaaggataacgtgttga	12618	12637	1	5
SEQ ID NO: 2835	atgggaactacgagctgac	4806	4825	SEQ ID NO: 4173	gtcagatatgtgtgcat	10195	10214	1	5
SEQ ID NO: 2836	ttaaaatctgcacccaatg	4826	4845	SEQ ID NO: 4174	cattcattgaagatgttaa	7350	7369	1	5
SEQ ID NO: 2837	gaagtataagaactttgcc	4846	4865	SEQ ID NO: 4175	ggcaaatltgaaggacttc	12002	12021	1	5
SEQ ID NO: 2838	aagtataagaactttgcca	4847	4866	SEQ ID NO: 4176	tggcaaatltgaaggactt	12001	12020	1	5
SEQ ID NO: 2839	ttctcagcctgcttctg	4949	4968	SEQ ID NO: 4177	cagaatccagatacaagaa	6892	6911	1	5
SEQ ID NO: 2840	ctggatcactaaattccca	4965	4984	SEQ ID NO: 4178	tgggtcttccagagccag	11041	11060	1	5
SEQ ID NO: 2841	aaattaatagtgtgtctca	5022	5041	SEQ ID NO: 4179	tgaagaagcccaagaattt	6256	6275	1	5
SEQ ID NO: 2842	agtgcacagaccaactga	5081	5100	SEQ ID NO: 4180	tcaaattcctggatacact	9856	9875	1	5
SEQ ID NO: 2843	ctgggaagtgtctatcagg	5246	5265	SEQ ID NO: 4181	cctgacctcacataccag	8318	8337	1	5
SEQ ID NO: 2844	gcaaaaacattttcaactt	5286	5305	SEQ ID NO: 4182	aagtaaaagaaaattttgc	10752	10771	1	5
SEQ ID NO: 2845	aaaaacattttcaactca	5288	5307	SEQ ID NO: 4183	tgaagtaaaagaaaatttt	10750	10769	1	5
SEQ ID NO: 2846	tcaagtacaagaaggactta	5310	5329	SEQ ID NO: 4184	ttaaggacttccattctga	13371	13390	1	5
SEQ ID NO: 2847	tcaaatgacatgatgggtct	5333	5352	SEQ ID NO: 4185	agcccatcaatatcattga	6213	6232	1	5
SEQ ID NO: 2848	cacacaaacagctgaaca	5375	5394	SEQ ID NO: 4186	tgttcaactgcctttgtg	11227	11246	1	5
SEQ ID NO: 2849	tctcaaaacttgacaaca	5417	5436	SEQ ID NO: 4187	tgtttccattttccaaga	12843	12862	1	5
SEQ ID NO: 2850	caagttttataagcaaaact	5449	5468	SEQ ID NO: 4188	agttatttgotaaacttg	14051	14070	1	5
SEQ ID NO: 2851	tggtaactacttttaaacag	5496	5515	SEQ ID NO: 4189	ctgttttttagaggaaacca	7520	7539	1	5
SEQ ID NO: 2852	aacagtgacctgaaataca	5510	5529	SEQ ID NO: 4190	tgtatagcaaatcctgtt	5898	5917	1	5
SEQ ID NO: 2853	gggaaactacggclagaac	5552	5571	SEQ ID NO: 4191	gttccttccatgatttccc	10941	10960	1	5
SEQ ID NO: 2854	aacacatctatgccatctc	5628	5647	SEQ ID NO: 4192	gagacagcatcttgtgtt	11212	11231	1	5
SEQ ID NO: 2855	tcagcaagtataaagcag	5660	5679	SEQ ID NO: 4193	ctgctaagaaccttactga	7788	7807	1	5
SEQ ID NO: 2856	gcagacactgttgtaagg	5675	5694	SEQ ID NO: 4194	cctttcaagcactgactgc	11754	11773	1	5
SEQ ID NO: 2857	tcggggagaaacatactgg	5674	5693	SEQ ID NO: 4195	ccagggttttccaccagaa	8046	8065	1	5
SEQ ID NO: 2858	ttctctcatgattacaaag	5942	5961	SEQ ID NO: 4196	cttttccaccaacggagaa	10846	10865	1	5
SEQ ID NO: 2859	ctgagcagacaggcacctg	6042	6061	SEQ ID NO: 4197	caggaggctttaaagttcag	7607	7626	1	5
SEQ ID NO: 2860	caatttaacaacaatgaat	6074	6093	SEQ ID NO: 4198	attccttctttacaattg	8090	8109	1	5
SEQ ID NO: 2861	tggacgaactctggtgac	6148	6167	SEQ ID NO: 4199	gtcagcccagttccttcca	10932	10951	1	5
SEQ ID NO: 2862	cttttactcagtgagccca	6200	6219	SEQ ID NO: 4200	tgggctaacgtatgaag	7835	7854	1	5
SEQ ID NO: 2863	tcattgatgctttagagat	6225	6244	SEQ ID NO: 4201	atctcataagttcaatga	13182	13201	1	5
SEQ ID NO: 2864	aaaaccaagatgttcactc	6303	6322	SEQ ID NO: 4202	gagtgaatgctgttttt	8638	8657	1	5

SEQ ID NO: 2865	aggaatcgacaaaccatta	6385	6384	SEQ ID NO: 4203	taatgatattcaagttcct	8302	8321	1	5
SEQ ID NO: 2866	tagttgtactggaaaacgt	6384	6403	SEQ ID NO: 4204	acgttagccctaagacta	11936	11955	1	5
SEQ ID NO: 2867	ggaaaacgtacagagaaag	6394	6413	SEQ ID NO: 4205	cittacaattcatttcc	13022	13041	1	5
SEQ ID NO: 2868	gaaaacgtacagagaaagc	6395	6414	SEQ ID NO: 4206	gcttctctccacatttc	10060	10079	1	5
SEQ ID NO: 2869	aaagctgaagcacatcaat	6409	6428	SEQ ID NO: 4207	attgatgttagagtgctt	6992	7011	1	5
SEQ ID NO: 2870	aagctgaagcacatcaata	6410	6429	SEQ ID NO: 4208	tattgatgttagagtgctt	6991	7010	1	5
SEQ ID NO: 2871	tgaagcacatcaatattga	6414	6433	SEQ ID NO: 4209	tcaacctaatgattttca	8295	8314	1	5
SEQ ID NO: 2872	atcaatattgatcaatttg	6422	6441	SEQ ID NO: 4210	caaagccaicactgatgat	1668	1687	1	5
SEQ ID NO: 2873	taattgattatctgaattca	6484	6503	SEQ ID NO: 4211	tgaatcattgaaaaatta	6727	6746	1	5
SEQ ID NO: 2874	gattatctgaattcattca	6488	6507	SEQ ID NO: 4212	tgaagtagctgagaaaaac	7102	7121	1	5
SEQ ID NO: 2875	aattgggagagacaagttt	6506	6525	SEQ ID NO: 4213	aaacattccttaacaatt	9498	9515	1	5
SEQ ID NO: 2876	aaaatagctattgtctaata	6701	6720	SEQ ID NO: 4214	tattgaaaaattgatttt	6814	6833	1	5
SEQ ID NO: 2877	aaaattaaaaagcttgat	6739	6758	SEQ ID NO: 4215	atcataccgtgtaatttt	6765	6784	1	5
SEQ ID NO: 2878	ttgaaaattattgatttaa	6816	6835	SEQ ID NO: 4216	taattctcataagttcaa	13179	13198	1	5
SEQ ID NO: 2879	agacatccagcacctagct	6946	6965	SEQ ID NO: 4217	agctgtgtttgccagtct	2466	2485	1	5
SEQ ID NO: 2880	caatttcatttgaaagaat	7029	7048	SEQ ID NO: 4218	attcctcctttacaattg	8090	8109	1	5
SEQ ID NO: 2881	aggitttaattggataaatt	7182	7201	SEQ ID NO: 4219	aattgttgaaagaaaacct	13155	13174	1	5
SEQ ID NO: 2882	cagaagctaagcaatgtcc	7241	7260	SEQ ID NO: 4220	ggacaaggccagaaatctg	12553	12572	1	5
SEQ ID NO: 2883	taagataaaaagattactt	7270	7289	SEQ ID NO: 4221	aaagaaaacctatgcctta	13163	13182	1	5
SEQ ID NO: 2884	aaagattacttgagaaat	7277	7296	SEQ ID NO: 4222	atttctaaacattccttt	9489	9508	1	5
SEQ ID NO: 2885	gagaaattagtgtgattta	7289	7308	SEQ ID NO: 4223	taaagccattcagtcctc	12970	12989	1	5
SEQ ID NO: 2886	atttatgatgatgtgtgc	7303	7322	SEQ ID NO: 4224	gacatgttgataaagaaat	7379	7398	1	5
SEQ ID NO: 2887	gaattatctttaaaecat	7334	7353	SEQ ID NO: 4225	atgtatcaaatggacattc	7685	7704	1	5
SEQ ID NO: 2888	ttaccaccagttgttagat	7411	7430	SEQ ID NO: 4226	atctggaacctgaaagtaa	10739	10758	1	5
SEQ ID NO: 2889	ttgcagtgtatctgaaag	7548	7567	SEQ ID NO: 4227	ctttcacattagatgcaa	8420	8439	1	5
SEQ ID NO: 2890	cattcagcaggaaactcaa	7699	7718	SEQ ID NO: 4228	ttgaaggacttcaggaaatg	12009	12028	1	5
SEQ ID NO: 2891	acacctgatttlatagtc	7958	7977	SEQ ID NO: 4229	ggactcaaggataacgtgt	12614	12633	1	5
SEQ ID NO: 2892	ggattccatcagttcagat	7992	8011	SEQ ID NO: 4230	atcttcaatgattatatcc	13124	13143	1	5
SEQ ID NO: 2893	ttgtagaatgaaagtaaa	8112	8131	SEQ ID NO: 4231	ttatgattatgtcaacaa	12360	12379	1	5
SEQ ID NO: 2894	ctgaacagtgtgtgcagt	8156	8175	SEQ ID NO: 4232	actggacttctctagtcag	8809	8828	1	5
SEQ ID NO: 2895	aatccaactctctctttc	8407	8426	SEQ ID NO: 4233	gaaaaatgaagtcggatt	11017	11036	1	5
SEQ ID NO: 2896	atttgattttcaagcaaa	8532	8551	SEQ ID NO: 4234	tttgcaagttaaagaaaaat	14023	14042	1	5
SEQ ID NO: 2897	tttgattttcaagcaaat	8533	8552	SEQ ID NO: 4235	atttgatttaagtgtaaaa	9622	9641	1	5
SEQ ID NO: 2898	tgattttcaagcaaatgca	8536	8555	SEQ ID NO: 4236	tgcaagttaaagaaaatca	14025	14044	1	5
SEQ ID NO: 2899	atgctgttttttggaatg	8645	8664	SEQ ID NO: 4237	cattggtaggagacagcat	11203	11222	1	5
SEQ ID NO: 2900	tgctgttttttggaatgc	8646	8665	SEQ ID NO: 4238	gcattggtaggagacagca	11202	11221	1	5
SEQ ID NO: 2901	aaaaaaatacactggagct	8706	8725	SEQ ID NO: 4239	agctagagggcctctttt	10833	10852	1	5
SEQ ID NO: 2902	actggagcttagtaatgga	8716	8735	SEQ ID NO: 4240	tcacactcacatctccagt	1289	1308	1	5
SEQ ID NO: 2903	cttctgaaaagggtcatg	8886	8905	SEQ ID NO: 4241	catgaaccctacatgaag	13759	13778	1	5
SEQ ID NO: 2904	ggaaaagggtcatggaat	8891	8910	SEQ ID NO: 4242	atttgaaagttcgttttcc	9282	9301	1	5
SEQ ID NO: 2905	gggcctgccccagattctc	8910	8929	SEQ ID NO: 4243	gagaacattatggaggccc	9440	9459	1	5
SEQ ID NO: 2906	ttctcagatgagggaacac	8924	8943	SEQ ID NO: 4244	gtgtctcaagctgagaa	12418	12435	1	5
SEQ ID NO: 2907	gatgagggaacacatgaal	8930	8949	SEQ ID NO: 4245	attccagcttccccacatc	8338	8357	1	5
SEQ ID NO: 2908	cttggactgtccaataag	8986	9005	SEQ ID NO: 4246	cttatgtggatttccataag	11167	11186	1	5
SEQ ID NO: 2909	gcattccacaacaatgaag	9260	9279	SEQ ID NO: 4247	cttcatctgcatgtatgc	10227	10246	1	5
SEQ ID NO: 2910	cacaacaacaatgaagggaat	9265	9284	SEQ ID NO: 4248	attccctgaagtgtatgtg	11488	11507	1	5
SEQ ID NO: 2911	ccaaaatttctctgtgga	9415	9434	SEQ ID NO: 4249	ttccatcacaaatcctttg	9671	9690	1	5
SEQ ID NO: 2912	caaaaatttctctgtgga	9416	9435	SEQ ID NO: 4250	ttccatcacaaatcctttg	9670	9689	1	5
SEQ ID NO: 2913	ctgtctggaacaacagaga	9425	9444	SEQ ID NO: 4251	ttcaagagttacagcaga	13229	13248	1	5

SEQ ID NO: 2914	ctgctggaacaacgagaa	9426	9445	SEQ ID NO: 4252	ttctcaagaggtacagcag	13228	13247	1	5
SEQ ID NO: 2915	agaacattatggaggccca	9441	9460	SEQ ID NO: 4253	tgggcctgccccagattct	8909	8928	1	5
SEQ ID NO: 2916	agaagcaaatctggaattc	9475	9494	SEQ ID NO: 4254	gaaatctcaattattct	13821	13840	1	5
SEQ ID NO: 2917	ttctctctatgggaaaaa	9565	9584	SEQ ID NO: 4255	ttttgcaagttaaagaaa	14021	14040	1	5
SEQ ID NO: 2918	tcagagcatcaaatccctt	9712	9731	SEQ ID NO: 4256	aaagaaaatcaggatctga	14033	14052	1	5
SEQ ID NO: 2919	cagaacaatgcattagat	9751	9770	SEQ ID NO: 4257	atctatgccatctctctg	5633	5652	1	5
SEQ ID NO: 2920	tacacattaatcctgccat	10001	10020	SEQ ID NO: 4258	atggagctcttattgtga	14089	14108	1	5
SEQ ID NO: 2921	agttagatattgtgtctca	10194	10213	SEQ ID NO: 4259	tgagaactacgagctgact	4807	4826	1	5
SEQ ID NO: 2922	ggagggtagtcatcaacagt	10336	10355	SEQ ID NO: 4260	actggtggcaaacctcc	2734	2753	1	5
SEQ ID NO: 2923	caaaagccgaattccaat	10404	10423	SEQ ID NO: 4261	attgaagtaacctctttg	8366	8385	1	5
SEQ ID NO: 2924	aaaagccgaattccaat	10405	10424	SEQ ID NO: 4262	aatgaagtaacctctttg	8365	8384	1	5
SEQ ID NO: 2925	ttcaagcaagaactaatg	10436	10455	SEQ ID NO: 4263	cattatggccctctgtgaa	13258	13277	1	5
SEQ ID NO: 2926	cccttactttccattga	10578	10597	SEQ ID NO: 4264	tcaaaagaagcccaagagg	12947	12966	1	5
SEQ ID NO: 2927	tgaggccaacactacttg	10663	10682	SEQ ID NO: 4265	caagcatctgattgactca	12676	12695	1	5
SEQ ID NO: 2928	cacttactgaattccaag	10672	10691	SEQ ID NO: 4266	cttgaacacaaagtcagt	6008	6027	1	5
SEQ ID NO: 2929	gaagtaaaagaaaatttg	10751	10770	SEQ ID NO: 4267	caaaacattttcaacttc	5287	5306	1	5
SEQ ID NO: 2930	ccgggaactctctcatgg	10882	10901	SEQ ID NO: 4268	ccattacagatcttcagg	11372	11391	1	5
SEQ ID NO: 2931	agctggatgttaaccaccag	11184	11203	SEQ ID NO: 4269	ctggattccacatgcagct	11855	11874	1	5
SEQ ID NO: 2932	aaaattccctgaagtgtat	11485	11504	SEQ ID NO: 4270	atcatalccgtgtaatttt	6765	6784	1	5
SEQ ID NO: 2933	cagatggcattgtctctt	11613	11632	SEQ ID NO: 4271	aaagctgagaagaaatctg	12424	12443	1	5
SEQ ID NO: 2934	agatggcattgtctctt	11614	11633	SEQ ID NO: 4272	caaagctgagaagaaatct	12423	12442	1	5
SEQ ID NO: 2935	tgttgaacagctcctggat	11842	11861	SEQ ID NO: 4273	atccaagatgagatcaaca	13103	13122	1	5
SEQ ID NO: 2936	catattcaaaactgagittg	12229	12248	SEQ ID NO: 4274	caactctctgattactatg	13631	13650	1	5
SEQ ID NO: 2937	aaagatttatcaaaagaag	12938	12957	SEQ ID NO: 4275	cttcaatttattctctt	13826	13845	1	5
SEQ ID NO: 2938	attttccaactaatagaag	13034	13053	SEQ ID NO: 4276	cttcaagacttaaaaaat	8014	8033	1	5
SEQ ID NO: 2939	aattatattccaagatgaga	13097	13116	SEQ ID NO: 4277	ctcttctccatggaatt	10479	10498	1	5
SEQ ID NO: 2940	ttcagggaagcttctcaaga	13218	13237	SEQ ID NO: 4278	lctcataagttcaatgaa	13183	13202	1	5
SEQ ID NO: 2941	ttgagcaatttctgcacag	13437	13456	SEQ ID NO: 4279	ctgttgaagatttatcaa	12932	12951	1	5
SEQ ID NO: 2942	ctgatatacatcaggagt	13712	13731	SEQ ID NO: 4280	actcaatggtgaaattcag	7465	7484	1	5
SEQ ID NO: 2943	acatcagcgaggttactgaa	13719	13738	SEQ ID NO: 4281	ttcagaagctaagcaatgt	7239	7258	1	5
SEQ ID NO: 2944	actgcctattatgataaaa	13882	13901	SEQ ID NO: 4282	ttttggcaagctatacagt	8380	8399	1	5
SEQ ID NO: 2945	aggatggcatttttggcaa	14011	14030	SEQ ID NO: 4283	ttgcaagcaagctcttct	3013	3032	1	5
SEQ ID NO: 2946	tttttgcagttaaagaa	14020	14039	SEQ ID NO: 4284	ttctctctatgggaaaaaa	9566	9585	1	5
SEQ ID NO: 2947	tcagaaactcaagtcctca	1627	1646	SEQ ID NO: 4285	tgaatgtctgtttttgga	8641	8660	3	4
SEQ ID NO: 2948	agttagtgaagaagttct	1956	1975	SEQ ID NO: 4286	agaalctgtaccagggaact	12564	12583	3	4
SEQ ID NO: 2949	atttacagctctgacaagi	5435	5454	SEQ ID NO: 4287	acttcagagaaatataaat	11409	11428	3	4
SEQ ID NO: 2950	gattatctgaattcatca	6488	6507	SEQ ID NO: 4288	tgaaccaatgacaaaatc	7429	7448	3	4
SEQ ID NO: 2951	gtgccctctcggtgtctg	26	45	SEQ ID NO: 4289	cagctgagcagacaggcac	6039	6058	2	4
SEQ ID NO: 2952	attcaagcacctccggaag	253	272	SEQ ID NO: 4290	cttcataagttcaatgaat	13184	13203	2	4
SEQ ID NO: 2953	gactgctgatcaagaagt	318	335	SEQ ID NO: 4291	acttcccaactctcaagtc	13415	13434	2	4
SEQ ID NO: 2954	tgtctgcagccatgtccag	483	502	SEQ ID NO: 4292	ctgggcagctgtatagcaa	5889	5908	2	4
SEQ ID NO: 2955	agaaagatgaacctactta	555	574	SEQ ID NO: 4293	taagtagtattcaattct	10498	10517	2	4
SEQ ID NO: 2956	tgaagactctccaggaact	1095	1114	SEQ ID NO: 4294	agttcaatgaattattca	13191	13210	2	4
SEQ ID NO: 2957	atctctctgccacagctg	1210	1229	SEQ ID NO: 4295	cagcccagccatttgagat	9237	9256	2	4
SEQ ID NO: 2958	tctctctgccacagctga	1211	1230	SEQ ID NO: 4296	tcagcccagccatttgaga	9236	9255	2	4
SEQ ID NO: 2959	tgagggtgtccagcccatc	1231	1250	SEQ ID NO: 4297	gatgggaaagccgacctca	5216	5235	2	4
SEQ ID NO: 2960	ccagaactcaagttctcaa	1628	1647	SEQ ID NO: 4298	ttgaagcagaacctctgg	5915	5934	2	4
SEQ ID NO: 2961	ctgaaaaagttagtgaag	1949	1968	SEQ ID NO: 4299	ctttctcggaatattcag	10831	10850	2	4
SEQ ID NO: 2962	ttttccagacagtgatca	2246	2265	SEQ ID NO: 4300	tgacaggcatittgaaaaa	9730	9749	2	4
SEQ ID NO: 2963	ttttccagacagtgatcaa	2247	2266	SEQ ID NO: 4301	ttgacaggcatittgaaaa	9729	9748	2	4

SEQ ID NO: 2984	cattcagaacaagaaaatt	3403	3422	SEQ ID NO: 4302	aattccaatttgagaatg	10414	10433	2	4
SEQ ID NO: 2985	tgaagagaagatgaattt	3628	3647	SEQ ID NO: 4303	aaatgtcagctctgttca	10902	10921	2	4
SEQ ID NO: 2986	tttgaatggaacacaggca	3644	3663	SEQ ID NO: 4304	tgccagttgaaaaacaaa	11815	11834	2	4
SEQ ID NO: 2987	ttctagattcgaatatcaa	4407	4426	SEQ ID NO: 4305	ttgacatgttgataaagaa	7377	7396	2	4
SEQ ID NO: 2988	gattcgaatatcaaatca	4412	4431	SEQ ID NO: 4306	tgaagttagaccaacaaatc	7162	7181	2	4
SEQ ID NO: 2989	tgcaacgaccaactigaag	5083	5102	SEQ ID NO: 4307	cttcagggtccatgtgca	11384	11403	2	4
SEQ ID NO: 2970	ttaagctctcaaatgacat	5325	5344	SEQ ID NO: 4308	atgttgataaagaaattaa	7382	7401	2	4
SEQ ID NO: 2971	caatttaacaacaatgaat	6074	6093	SEQ ID NO: 4309	attcaaatgcclataatg	13876	13895	2	4
SEQ ID NO: 2972	tgaatacagccaggacttg	6088	6107	SEQ ID NO: 4310	caagagcacacggtcttca	10687	10706	2	4
SEQ ID NO: 2973	catcaatattgatcaattt	6421	6440	SEQ ID NO: 4311	aaattccctgaagtgtatg	11486	11505	2	4
SEQ ID NO: 2974	ttgagcatgtcaaacactt	7059	7078	SEQ ID NO: 4312	aagtaagtgtcagggtcaa	9381	9400	2	4
SEQ ID NO: 2975	tgaaggagactattcagaa	7227	7246	SEQ ID NO: 4313	ttctgcacagaaatattca	13446	13465	2	4
SEQ ID NO: 2976	ttcaggctcttcagaaagc	7929	7948	SEQ ID NO: 4314	gcttgcctaacctctctgaa	12312	12331	2	4
SEQ ID NO: 2977	tccacaaattgaacatccc	8787	8806	SEQ ID NO: 4315	gggacclaccaagagtggaa	12533	12552	2	4
SEQ ID NO: 2978	tgaataccaatgtcgaact	10167	10186	SEQ ID NO: 4316	agttcaatgaatttattca	13191	13210	2	4
SEQ ID NO: 2979	taaaactaatagatgtaac	12898	12917	SEQ ID NO: 4317	gattactatgaaaaattta	13640	13659	2	4
SEQ ID NO: 2980	ttgaacctgtcatcattaa	13680	13699	SEQ ID NO: 4318	ttttaaagaaatcttcaa	13813	13832	2	4
SEQ ID NO: 2981	gggctgagtgccctctcgg	19	38	SEQ ID NO: 4319	cgaggccaggccgcagccc	84	103	1	4
SEQ ID NO: 2982	ggctgagtgccctctcgg	20	39	SEQ ID NO: 4320	ccgaggccaggccgcagccc	83	102	1	4
SEQ ID NO: 2983	ctgagtgccctctcgggt	22	41	SEQ ID NO: 4321	aaccgtgctgaatctcag	11557	11576	1	4
SEQ ID NO: 2984	tctcggtgtcgtccgctga	33	52	SEQ ID NO: 4322	tcagctgacctcatcgaga	2168	2187	1	4
SEQ ID NO: 2985	caggccgcagcccaggagc	90	109	SEQ ID NO: 4323	gctctgcagctcatcctg	376	395	1	4
SEQ ID NO: 2986	gctggcgctgcctgcgctg	151	170	SEQ ID NO: 4324	cagcacagaccatttcagc	4252	4271	1	4
SEQ ID NO: 2987	tgtctgtggcgggcgccag	177	196	SEQ ID NO: 4325	ctggatgttaaccaccagca	11186	11205	1	4
SEQ ID NO: 2988	ctggtctgtccaaaagatg	227	246	SEQ ID NO: 4326	catctcgaagaccagccag	388	407	1	4
SEQ ID NO: 2989	ctgagagttccagtggagt	291	310	SEQ ID NO: 4327	actcacctggacattcag	3391	3410	1	4
SEQ ID NO: 2990	tcagtgagggtccctggga	299	318	SEQ ID NO: 4328	tcgggagccaaggctgga	2683	2702	1	4
SEQ ID NO: 2991	aggttgagctggaggttcc	354	373	SEQ ID NO: 4329	ggaacctctccctcacct	4736	4755	1	4
SEQ ID NO: 2992	tgagctggaggttcccag	358	377	SEQ ID NO: 4330	ctggggagctgatgtcta	9171	9190	1	4
SEQ ID NO: 2993	tctgcagcttcatcctgaa	378	397	SEQ ID NO: 4331	ttcaataataatcggcaga	3269	3288	1	4
SEQ ID NO: 2994	gccagtgccacctgaaaga	402	421	SEQ ID NO: 4332	tcttcggttctgtaattgc	5802	5821	1	4
SEQ ID NO: 2995	ctctgaggagttgtctgca	472	491	SEQ ID NO: 4333	tgcaagaatatgtgagag	6348	6367	1	4
SEQ ID NO: 2996	aggtatgagctcaagctgg	500	519	SEQ ID NO: 4334	ccagtttccggggaaacct	12724	12743	1	4
SEQ ID NO: 2997	tcctttaccgggagaaga	543	562	SEQ ID NO: 4335	icttttgggaagcaagga	2227	2246	1	4
SEQ ID NO: 2998	catcaagaggggcatcatt	583	602	SEQ ID NO: 4336	aatggtcaagtlcctgatg	2285	2304	1	4
SEQ ID NO: 2999	tcctggttccccagagac	609	628	SEQ ID NO: 4337	gtctctgaactcagaagga	13996	14015	1	4
SEQ ID NO: 3000	aagaagccaagcaaggtgt	630	649	SEQ ID NO: 4338	aacaaataaatggagtctt	14080	14099	1	4
SEQ ID NO: 3001	aagcaagtggtgttctgg	638	657	SEQ ID NO: 4339	ccagagccagggtcagctt	11050	11069	1	4
SEQ ID NO: 3002	tctggataccgtgtatgga	652	671	SEQ ID NO: 4340	tccatgttccatttacaga	11364	11383	1	4
SEQ ID NO: 3003	ccactcactttaccgtcaa	678	697	SEQ ID NO: 4341	ttgattttaaacaagaagg	6825	6844	1	4
SEQ ID NO: 3004	aggaagggcaatgtggcaa	701	720	SEQ ID NO: 4342	ttgcaagcaagtlcttct	3013	3032	1	4
SEQ ID NO: 3005	gcaatgtggcaacagaaat	708	727	SEQ ID NO: 4343	atttccataaccogttgc	3488	3507	1	4
SEQ ID NO: 3006	caatgtggcaacagaaata	709	728	SEQ ID NO: 4344	tattcttcttttccaattg	13834	13853	1	4
SEQ ID NO: 3007	tggaacagaaataaccac	714	733	SEQ ID NO: 4345	gtgggttcccatattgcca	1895	1914	1	4
SEQ ID NO: 3008	agagacctgggcccagtg	737	756	SEQ ID NO: 4346	cacattacatttggtctct	2938	2957	1	4
SEQ ID NO: 3009	tgtgatcgcttcaagccca	752	771	SEQ ID NO: 4349	tggaagagccgcccacaca	5218	5237	1	4
SEQ ID NO: 3010	gtgatcgcttcaagcccat	753	772	SEQ ID NO: 4350	atgggaagagccgcccacac	5217	5236	1	4
SEQ ID NO: 3011	cagcccactgtctctatc	784	803	SEQ ID NO: 4351	gatgtgaacagtgtgagctg	8152	8171	1	4
SEQ ID NO: 3012	gctctcatcaaggcatga	794	813	SEQ ID NO: 4352	tcaataacagtactgtgagc	10345	10364	1	4

SEQ ID NO: 3013	cctgtcaactctgatcag	819	838	SEQ ID NO: 4353	ctgagtggtttatcaagg	12453	12472	1	4
SEQ ID NO: 3014	ctgtcaactctgatcagc	820	839	SEQ ID NO: 4354	gctgagtggtttatcaag	12452	12471	1	4
SEQ ID NO: 3015	agccatctgcaaggagcaa	892	911	SEQ ID NO: 4355	ltgcaatgagctcatggct	3813	3832	1	4
SEQ ID NO: 3016	gccatctgcaaggagcaac	893	912	SEQ ID NO: 4356	gttgcaatgagctcatggc	3812	3831	1	4
SEQ ID NO: 3017	cttcctgacctctcctac	916	935	SEQ ID NO: 4357	gttagaataaatggagaag	9461	9480	1	4
SEQ ID NO: 3018	ctttctctacaagaataa	924	943	SEQ ID NO: 4358	ttatgtctgaatccaaaag	13858	13675	1	4
SEQ ID NO: 3019	gatcaacagccgctctt	997	1016	SEQ ID NO: 4359	aaagccatcactgatgatc	1669	1688	1	4
SEQ ID NO: 3020	atcaacagccgctctt	998	1017	SEQ ID NO: 4360	caagccatcactgatgat	1668	1687	1	4
SEQ ID NO: 3021	acagccgctcttggga	1002	1021	SEQ ID NO: 4361	tcacaaatccttggctgt	9675	9694	1	4
SEQ ID NO: 3022	aagatgggctcgatttg	1031	1050	SEQ ID NO: 4362	caaaatagaagggaatctt	2077	2096	1	4
SEQ ID NO: 3023	tggttgaagactctccag	1090	1109	SEQ ID NO: 4363	ctggtaactctttaaaca	5495	5514	1	4
SEQ ID NO: 3024	ttgaagactctccaggaa	1094	1113	SEQ ID NO: 4364	gttcaatgaattatttcaa	13182	13211	1	4
SEQ ID NO: 3025	aactgaaaaaactaacat	1110	1129	SEQ ID NO: 4365	atggcatttttcaaggt	14014	14033	1	4
SEQ ID NO: 3026	ctgaaaaaactaacatct	1112	1131	SEQ ID NO: 4366	agattgatgggcagttcag	4572	4591	1	4
SEQ ID NO: 3027	aaaactaacatctctgag	1117	1136	SEQ ID NO: 4367	ctcaagaatgacttttt	2578	2597	1	4
SEQ ID NO: 3028	tgagcaaaatctccagaga	1132	1151	SEQ ID NO: 4368	ctccagataaaaaactca	12209	12228	1	4
SEQ ID NO: 3029	caataagctggttactgag	1162	1181	SEQ ID NO: 4369	ctcagatcaaaagtaattg	12273	12292	1	4
SEQ ID NO: 3030	tactgagctgagaggctc	1174	1193	SEQ ID NO: 4370	gagggtagctataacagta	10337	10356	1	4
SEQ ID NO: 3031	gcctcagtgatgaagcagt	1188	1207	SEQ ID NO: 4371	actgttactcaggaaggc	12580	12599	1	4
SEQ ID NO: 3032	agtcacatctcttcca	1204	1223	SEQ ID NO: 4372	tgccacatagcatggact	8866	8885	1	4
SEQ ID NO: 3033	atctctctgacacagctg	1210	1229	SEQ ID NO: 4373	cagctgacctcatcgagat	2169	2188	1	4
SEQ ID NO: 3034	tctctctgacacagctga	1211	1230	SEQ ID NO: 4374	tcagctgacctcatcgaga	2168	2187	1	4
SEQ ID NO: 3035	tgccacagctgattgaggt	1218	1237	SEQ ID NO: 4375	acctgcaccaaaagctggca	13963	13982	1	4
SEQ ID NO: 3036	gccacagctgattgaggig	1219	1238	SEQ ID NO: 4376	caccaaataacccaatggc	11248	11267	1	4
SEQ ID NO: 3037	tcacttacaagccttgt	1248	1267	SEQ ID NO: 4377	accagatgctgaacagtga	8148	8167	1	4
SEQ ID NO: 3038	cccttctgatagatgtgt	1332	1351	SEQ ID NO: 4378	accacttacagctagagg	10824	10843	1	4
SEQ ID NO: 3039	cttcactacctgtggccc	1349	1368	SEQ ID NO: 4379	gggagacctaagltgtac	3439	3458	1	4
SEQ ID NO: 3040	ccttgatgcgtgagcca	1440	1459	SEQ ID NO: 4380	lggctggtaacctaaaagg	5586	5605	1	4
SEQ ID NO: 3041	gacaaacctacagggaac	1480	1499	SEQ ID NO: 4381	ggtccttatgattatgtc	12355	12374	1	4
SEQ ID NO: 3042	tgtaattactgatggaa	1516	1535	SEQ ID NO: 4382	ttccaaaagcagtcagca	9938	9957	1	4
SEQ ID NO: 3043	tgactgcactgggatgaa	1546	1565	SEQ ID NO: 4383	ttcaggtccatgaagtca	10917	10936	1	4
SEQ ID NO: 3044	actgcactgggatgaaga	1548	1567	SEQ ID NO: 4384	cttgaacacaaagtcagt	6007	6026	1	4
SEQ ID NO: 3045	atgaagattacacctatt	1560	1579	SEQ ID NO: 4385	aaatgaagtaagatcat	8118	8137	1	4
SEQ ID NO: 3046	accatggagcagtttaact	1610	1629	SEQ ID NO: 4386	gagttaacaaaacttggt	9024	9043	1	4
SEQ ID NO: 3047	gcagtttaactccagaactc	1618	1637	SEQ ID NO: 4387	gagtactgaaaaagctgc	13727	13746	1	4
SEQ ID NO: 3048	cagaactcaagtcttcaat	1629	1648	SEQ ID NO: 4388	attggatatccaagatctg	1933	1952	1	4
SEQ ID NO: 3049	caggctctcggaataatgg	1703	1722	SEQ ID NO: 4389	ccatgacctccagctcctg	2485	2504	1	4
SEQ ID NO: 3050	ccaggaggttcttctcag	1738	1757	SEQ ID NO: 4390	ctgaaatacaatgtctctg	5519	5538	1	4
SEQ ID NO: 3051	ggttcttctcagacttct	1744	1763	SEQ ID NO: 4391	gaaaaacttggaacaacc	4439	4458	1	4
SEQ ID NO: 3052	tttcttgatgatcttct	1759	1778	SEQ ID NO: 4392	agaatccagatacaagaaa	6893	6912	1	4
SEQ ID NO: 3053	ggagataagcgactggctg	1781	1800	SEQ ID NO: 4393	cagcatgcctagtcttcc	9952	9971	1	4
SEQ ID NO: 3054	gctgctatctatgttga	1796	1815	SEQ ID NO: 4394	tcaatatcaaaagcccagc	12045	12064	1	4
SEQ ID NO: 3055	acttltgtggcttccat	1890	1909	SEQ ID NO: 4395	atatctggaaccttgaagt	10737	10756	1	4
SEQ ID NO: 3056	gccaatatctgaactcag	1910	1929	SEQ ID NO: 4396	ctgaactcagaaggatggc	14000	14019	1	4
SEQ ID NO: 3057	aatatcttgaactcagaag	1913	1932	SEQ ID NO: 4397	cttcatctgaalatatt	13378	13397	1	4
SEQ ID NO: 3058	ctcagaagaatttgatctc	1924	1943	SEQ ID NO: 4398	gataaagattactttgag	7273	7292	1	4
SEQ ID NO: 3059	aagaattggataccaaga	1929	1948	SEQ ID NO: 4399	cttcaatttattcttct	13825	13844	1	4
SEQ ID NO: 3060	agaattggataccaagat	1930	1949	SEQ ID NO: 4400	atctcaatttattcttct	13824	13843	1	4
SEQ ID NO: 3061	tggatatccaagatctgaa	1935	1954	SEQ ID NO: 4401	ttcacataccagaattcca	8325	8344	1	4
SEQ ID NO: 3062	atatccaagatctgaaaa	1938	1957	SEQ ID NO: 4402	ttttaaccagtcatgat	10185	10204	1	4

SEQ ID NO: 3063	latccaagatctgaaaaag	1939	1958	SEQ ID NO: 4403	cttttaaccagtcagata	10184	10203	1	4
SEQ ID NO: 3064	caagatctgaaaaagttag	1943	1962	SEQ ID NO: 4404	ctaaatcccatggctctg	4973	4982	1	4
SEQ ID NO: 3065	aagatctgaaaaagttagt	1944	1963	SEQ ID NO: 4405	actaaatcccatggctctt	4972	4991	1	4
SEQ ID NO: 3066	tgaaaaagttagtgaaaga	1950	1969	SEQ ID NO: 4406	tcttctcgggaataatca	10630	10649	1	4
SEQ ID NO: 3067	tccaactgtcaltggacttc	1990	2009	SEQ ID NO: 4407	gaagcacatagaaactgga	13945	13964	1	4
SEQ ID NO: 3068	tcagaaaaattctcggaa	2007	2026	SEQ ID NO: 4408	ttccttaacaattcciga	9501	9520	1	4
SEQ ID NO: 3069	ttccatcacttgaccagc	2052	2071	SEQ ID NO: 4409	gctgacataggggaatggaa	8441	8460	1	4
SEQ ID NO: 3070	cccagccctcagccaaata	2065	2084	SEQ ID NO: 4410	tattctatccaagattggg	7820	7839	1	4
SEQ ID NO: 3071	agccctcagccaaatagaa	2068	2087	SEQ ID NO: 4411	ttctatccaagattgggct	7822	7841	1	4
SEQ ID NO: 3072	atcttatattgatccaaa	2091	2110	SEQ ID NO: 4412	ttgaaaaacaagcagat	11821	11840	1	4
SEQ ID NO: 3073	tcttatattgatccaaat	2092	2111	SEQ ID NO: 4413	atttttgcaggttaaaga	14019	14038	1	4
SEQ ID NO: 3074	cttctaagaagcatgctgc	2117	2136	SEQ ID NO: 4414	gcatggcattatgatgaag	3614	3633	1	4
SEQ ID NO: 3075	ctaaagaagcatgctgaa	2121	2140	SEQ ID NO: 4415	ttcaggggtgtgagtttag	5694	5713	1	4
SEQ ID NO: 3076	taaagaaagcatgctgaaa	2122	2141	SEQ ID NO: 4416	tttctaaacatttcttta	9490	9509	1	4
SEQ ID NO: 3077	gagattggcttggaaggaa	2183	2202	SEQ ID NO: 4417	ttccctocattaagtcttc	11709	11728	1	4
SEQ ID NO: 3078	cttgagccaacattgga	2206	2225	SEQ ID NO: 4418	ttccaatgaccaagaaaa	11068	11087	1	4
SEQ ID NO: 3079	cagacaggtgcaacaagc	2253	2272	SEQ ID NO: 4419	gcttactggagcaactctg	6142	6161	1	4
SEQ ID NO: 3080	cagtgctcaacaagctttg	2257	2276	SEQ ID NO: 4420	caaattccttgatacacatg	9857	9876	1	4
SEQ ID NO: 3081	agtgtaacaagaagcttgt	2258	2277	SEQ ID NO: 4421	acaagaatacgtctacact	4359	4378	1	4
SEQ ID NO: 3082	ctgatgggtgctctaaaggt	2298	2317	SEQ ID NO: 4422	acctcgggaacaatcctcag	3333	3352	1	4
SEQ ID NO: 3083	tgatgggtgctctaaaggt	2299	2318	SEQ ID NO: 4423	gacctgcgcaacgagatca	8831	8850	1	4
SEQ ID NO: 3084	aaacatgagcaggatattg	2351	2370	SEQ ID NO: 4424	ccaatgatctacattgttt	6796	6815	1	4
SEQ ID NO: 3085	gaagctgalttaaagatttg	2395	2414	SEQ ID NO: 4425	caaaaaacatttcaacttc	5287	5306	1	4
SEQ ID NO: 3086	aaagatttgaaatccaaag	2405	2424	SEQ ID NO: 4426	cttaagttcagcatcttt	7614	7633	1	4
SEQ ID NO: 3087	gatgggtgcccgcactctg	2518	2537	SEQ ID NO: 4427	cagatttgaggattccatc	7983	8002	1	4
SEQ ID NO: 3088	gggagccccagatgatg	2540	2559	SEQ ID NO: 4428	caatcacaaagtcgattccc	9083	9102	1	4
SEQ ID NO: 3089	ttttctactacatcttc	2593	2612	SEQ ID NO: 4429	gaagtgctcagtggaacaaa	10382	10401	1	4
SEQ ID NO: 3090	tcttactacatctctcag	2596	2615	SEQ ID NO: 4430	catggcattatgatgaaga	3615	3634	1	4
SEQ ID NO: 3091	tacatctcatggagaatg	2603	2622	SEQ ID NO: 4431	cattatggaggcccatgta	9445	9464	1	4
SEQ ID NO: 3092	ttcatggagaatgcctttg	2609	2628	SEQ ID NO: 4432	caaaatcaactttaatgaa	8607	8626	1	4
SEQ ID NO: 3093	tcatggagaatgcctttga	2610	2629	SEQ ID NO: 4433	tcaacacaatcttcaatga	13116	13135	1	4
SEQ ID NO: 3094	tttgaactccccactggag	2624	2643	SEQ ID NO: 4434	ctccccaggacctttcaaa	9842	9861	1	4
SEQ ID NO: 3095	ttgaactccccactggagc	2625	2644	SEQ ID NO: 4435	gctccccaggacctttcaa	9841	9860	1	4
SEQ ID NO: 3096	tgaactccccactggagct	2626	2645	SEQ ID NO: 4436	agctccccaggacctttca	9840	9859	1	4
SEQ ID NO: 3097	caatggagctggaltacag	2635	2654	SEQ ID NO: 4437	ctgtttctgagtcacagtg	9344	9363	1	4
SEQ ID NO: 3098	actggagctggaltacag	2636	2655	SEQ ID NO: 4438	actgtttctgagtcacagtg	9343	9362	1	4
SEQ ID NO: 3099	agttgcaaatatctcatc	2652	2671	SEQ ID NO: 4439	gatgatgccaataatcaact	6599	6618	1	4
SEQ ID NO: 3100	gttgcaaatatctcatct	2653	2672	SEQ ID NO: 4440	agatgatgccaataatcaac	6598	6617	1	4
SEQ ID NO: 3101	aaatatcttcatctggagt	2658	2677	SEQ ID NO: 4441	actcagaaggatggcattt	14004	14023	1	4
SEQ ID NO: 3102	taaaactggaagtagccaa	2703	2722	SEQ ID NO: 4442	ttggttacaggaggcttta	7600	7619	1	4
SEQ ID NO: 3103	ggctgaactgggtggcaaaa	2728	2747	SEQ ID NO: 4443	ttttctttcagcccagcc	9228	9247	1	4
SEQ ID NO: 3104	tgtggagtttgacaaat	2758	2777	SEQ ID NO: 4444	atttcaagcaaatgcaca	8538	8557	1	4
SEQ ID NO: 3105	ttgtgacaaatatgggcat	2766	2785	SEQ ID NO: 4445	atgcgtctaccttacacaa	9521	9540	1	4
SEQ ID NO: 3106	atgaacaccaacttctcc	2819	2838	SEQ ID NO: 4446	ggaagctgaagttatcat	2877	2896	1	4
SEQ ID NO: 3107	cttccacagatcggtctg	2833	2852	SEQ ID NO: 4447	cagagctatcactgggaag	5235	5254	1	4
SEQ ID NO: 3108	gagtcgggtctggaggctc	2840	2859	SEQ ID NO: 4448	gagcttactggaggaactc	6140	6159	1	4
SEQ ID NO: 3109	cctaaaagctgggaagctg	2866	2885	SEQ ID NO: 4449	cagcctccccagccgtagg	12120	12139	1	4
SEQ ID NO: 3110	agctgggaagctgaagttt	2872	2891	SEQ ID NO: 4450	aaactgtlaatttacagct	5463	5482	1	4
SEQ ID NO: 3111	ccagattagagctggaact	3114	3133	SEQ ID NO: 4451	agtttccggggaaacctgg	12726	12745	1	4
SEQ ID NO: 3112	ggataccctgaagtttgla	3208	3227	SEQ ID NO: 4452	tacagtattctgaaaatcc	8393	8412	1	4

SEQ ID NO: 3113	ctgaggctacatgacatt	3252	3271 SEQ ID NO:	4453aatgagctcatggctcag	3817	3836	1	4
SEQ ID NO: 3114	tgtccagtgaaagtcacaaat	3297	3316 SEQ ID NO:	4454atttgagaggaatcgaca	6357	6376	1	4
SEQ ID NO: 3115	aattccggattttgatgtt	3313	3332 SEQ ID NO:	4455aacacatgaatcacaaatt	8938	8957	1	4
SEQ ID NO: 3116	ttccggattttgatgttga	3315	3334 SEQ ID NO:	4456tcaaaacgagcttcaggaa	13207	13226	1	4
SEQ ID NO: 3117	cggaaacaatcctcagagtt	3337	3356 SEQ ID NO:	4457aactgtacaactgtgtccg	4211	4230	1	4
SEQ ID NO: 3118	tcctcagagttaatgatga	3345	3364 SEQ ID NO:	4458tcatcaattgggtacagga	7593	7612	1	4
SEQ ID NO: 3119	ctcacctcggacattcaga	3392	3411 SEQ ID NO:	4459tctcgagaacaatgctgag	12439	12458	1	4
SEQ ID NO: 3120	cattcagaacaagaaaatt	3403	3422 SEQ ID NO:	4460aatgactttgagaaatg	8104	8123	1	4
SEQ ID NO: 3121	actgaggttgccctcatgg	3422	3441 SEQ ID NO:	4461ccatgcaagtcagcccagt	10924	10943	1	4
SEQ ID NO: 3122	ttattccataccccgttt	3486	3505 SEQ ID NO:	4462aaactgcctatattgataa	13880	13899	1	4
SEQ ID NO: 3123	gtttgcaagcagaagccag	3501	3520 SEQ ID NO:	4463ctggacttctctcaaaac	5408	5427	1	4
SEQ ID NO: 3124	tttgcaagcagaagccaga	3502	3521 SEQ ID NO:	4464tctgggtgtcgacagcaaa	5272	5291	1	4
SEQ ID NO: 3125	tgcgaagcagaagccagaa	3503	3522 SEQ ID NO:	4465ttctgggtgtcgacagcaa	5271	5290	1	4
SEQ ID NO: 3126	ctgcttctccaaatggact	3554	3573 SEQ ID NO:	4466agtcaagattgatggcag	4567	4586	1	4
SEQ ID NO: 3127	tgctacagcttatggctcc	3577	3596 SEQ ID NO:	4467ggaggcttaagtctagca	7609	7628	1	4
SEQ ID NO: 3128	acagcttatggctccacag	3581	3600 SEQ ID NO:	4468ctgtatagcaaattcctgt	5897	5916	1	4
SEQ ID NO: 3129	ttccaagagggtggcatg	3600	3619 SEQ ID NO:	4469catggacttctctggaaa	8877	8896	1	4
SEQ ID NO: 3130	ccaagagggtggcatggca	3603	3622 SEQ ID NO:	4470tgcccagcagcaagttgg	9381	9380	1	4
SEQ ID NO: 3131	gtggcatggcattatgatg	3611	3630 SEQ ID NO:	4471calccttaacaccttcac	8071	8090	1	4
SEQ ID NO: 3132	tgatgaagagaagattgaa	3625	3644 SEQ ID NO:	4472ttcactgttctgaaalca	7871	7890	1	4
SEQ ID NO: 3133	gaagagaagattgaatttg	3629	3648 SEQ ID NO:	4473caaaaacattttcaacttc	5287	5306	1	4
SEQ ID NO: 3134	gagaagattgaattgaat	3632	3651 SEQ ID NO:	4474attcataatcccaactctc	8278	8297	1	4
SEQ ID NO: 3135	ttgaatggaacacaggca	3644	3663 SEQ ID NO:	4475tgcttttggtacacaaa	11236	11255	1	4
SEQ ID NO: 3136	aggcaccaatgtagatacc	3658	3677 SEQ ID NO:	4476ggtaacctaaaaggagcct	5591	5610	1	4
SEQ ID NO: 3137	caaaaaaatgacttccaat	3676	3695 SEQ ID NO:	4477attgaagttacctctttg	8366	8385	1	4
SEQ ID NO: 3138	aaaaaaatgacttccaatt	3677	3696 SEQ ID NO:	4478aattgaagtacctactttt	8365	8384	1	4
SEQ ID NO: 3139	aaaaaatgacttccaattt	3678	3697 SEQ ID NO:	4479aaatccaatctctctttt	8406	8425	1	4
SEQ ID NO: 3140	cagagtccctcaaacagac	3760	3779 SEQ ID NO:	4480gtctgtgggattccatctg	4090	4109	1	4
SEQ ID NO: 3141	aaaltaatagtgcaatga	3803	3822 SEQ ID NO:	4481tcataagttcaatgaattt	13186	13205	1	4
SEQ ID NO: 3142	ttcaacctccagaacatgg	3899	3918 SEQ ID NO:	4482ccattgaccagatgctgaa	8142	8161	1	4
SEQ ID NO: 3143	tgggattggccagacttcca	3915	3934 SEQ ID NO:	4483tggaatgggctgcccaca	8903	8922	1	4
SEQ ID NO: 3144	cagtttgaaaattgagatt	3994	4013 SEQ ID NO:	4484aatcacactcctccactg	9541	9560	1	4
SEQ ID NO: 3145	gaaaattgagattcctttg	4000	4019 SEQ ID NO:	4485caaaactaccacacatttc	13694	13713	1	4
SEQ ID NO: 3146	ttgccttttggtggcaaa	4015	4034 SEQ ID NO:	4486tttgagaggaatcgacaaa	6359	6378	1	4
SEQ ID NO: 3147	ctccagagatctaagatg	4036	4055 SEQ ID NO:	4487catcaattggttacaggag	7694	7613	1	4
SEQ ID NO: 3148	tctaaagatgttagagact	4045	4064 SEQ ID NO:	4488agtccttatgtccctaga	10033	10052	1	4
SEQ ID NO: 3149	ctgtgggatccatctgcc	4092	4111 SEQ ID NO:	4489ggcattttgaaaaaacag	9735	9754	1	4
SEQ ID NO: 3150	atctgccatctcgagagtt	4104	4123 SEQ ID NO:	4490aactctcaaacctaagat	8556	8575	1	4
SEQ ID NO: 3151	tctcgagagttccaagtc	4112	4131 SEQ ID NO:	4491ggacattcctctagcgaga	8215	8234	1	4
SEQ ID NO: 3152	agtcctactttaccatt	4128	4145 SEQ ID NO:	4492aatgaalacagccaggact	6086	6105	1	4
SEQ ID NO: 3153	actttaccattccaagt	4133	4152 SEQ ID NO:	4493actttgtagaaatgaaagt	8109	8128	1	4
SEQ ID NO: 3154	cattccaagtgtatcaa	4141	4160 SEQ ID NO:	4494ttgaaggacttcaggaaatg	12009	12028	1	4
SEQ ID NO: 3155	accacatgaaggctgactc	4284	4303 SEQ ID NO:	4495gagtaaaccaaaacttgt	9024	9043	1	4
SEQ ID NO: 3156	ttcctacaattgtcaagg	4317	4336 SEQ ID NO:	4496ccttaacaattcctgaaa	9503	9522	1	4
SEQ ID NO: 3157	ctggagaacaacatatga	4338	4357 SEQ ID NO:	4497tcattctgggtcttccag	11035	11054	1	4
SEQ ID NO: 3158	atcatgtgatgggtctcta	4378	4397 SEQ ID NO:	4498tagaattacagaaaatgat	6665	6684	1	4
SEQ ID NO: 3159	catgtgatgggtctctacg	4380	4398 SEQ ID NO:	4499cgtaggcacccgtgggcattg	12133	12152	1	4
SEQ ID NO: 3160	ttctagattcgaataalcaa	4407	4426 SEQ ID NO:	4500ttgatga'gctgtcaagaa	7308	7327	1	4
SEQ ID NO: 3161	tggggaccacagatgctg	4499	4518 SEQ ID NO:	4501cagaattccagcttcccca	8334	8353	1	4
SEQ ID NO: 3162	ctaactgtgccggctcaa	4644	4663 SEQ ID NO:	4502tgaggctattgatgttag	6984	7003	1	4

SEQ ID NO: 3163	taacactggccggctcaat	4645	4664	SEQ ID NO: 4503	attgaggctattgatgia	6983	7002	1	4
SEQ ID NO: 3164	aacactggccggctcaatg	4646	4665	SEQ ID NO: 4504	cattgaggctattgatgtt	6982	7001	1	4
SEQ ID NO: 3165	ctggccggctcaatggaga	4650	4669	SEQ ID NO: 4505	tctcatctctgctaccag	12073	12092	1	4
SEQ ID NO: 3166	agataacaggaaagatatga	4713	4732	SEQ ID NO: 4506	tcattctcttcttcatct	10210	10229	1	4
SEQ ID NO: 3167	tcctcacctccacctctg	4745	4764	SEQ ID NO: 4507	cagatatatatctcaggga	8184	8203	1	4
SEQ ID NO: 3168	agctgacttataaatctga	4818	4837	SEQ ID NO: 4508	tcaggctcttcagaaagct	7930	7949	1	4
SEQ ID NO: 3169	ctgacttataaatctgaca	4820	4839	SEQ ID NO: 4509	tgcaagataaacaatcag	8740	8759	1	4
SEQ ID NO: 3170	caagatggatatgaccttc	4873	4892	SEQ ID NO: 4510	gaagtagtactgcacttg	6843	6862	1	4
SEQ ID NO: 3171	gctgcgttctgaatatcag	4909	4928	SEQ ID NO: 4511	ctgagtcaggctgcccagc	9350	9369	1	4
SEQ ID NO: 3172	cggtctgaatatcaggctg	4913	4932	SEQ ID NO: 4512	cagcaagtaacctgagaacg	8611	8630	1	4
SEQ ID NO: 3173	aattcccatggcttgagt	4976	4995	SEQ ID NO: 4513	actcagatcaaatgtaatt	12272	12291	1	4
SEQ ID NO: 3174	tggtcttgagttaaatgct	4984	5003	SEQ ID NO: 4514	agcacagtacgaaaaacca	10809	10828	1	4
SEQ ID NO: 3175	cttgagttaaatgctgaca	4988	5007	SEQ ID NO: 4515	tgccctagaaatctcaag	10042	10061	1	4
SEQ ID NO: 3176	ttgagttaaatgctgacat	4989	5008	SEQ ID NO: 4516	atgctcctagaaatctcaa	10041	10060	1	4
SEQ ID NO: 3177	tgagttaaatgctgacatc	4990	5009	SEQ ID NO: 4517	gatggaaacctctccctca	4733	4752	1	4
SEQ ID NO: 3178	actgaagtgtagtctcct	5094	5113	SEQ ID NO: 4518	aggaaactcagatcaaatg	12287	12286	1	4
SEQ ID NO: 3179	agtgtagtctcctggtctg	5100	5119	SEQ ID NO: 4519	agcagccagtgccaccact	12514	12533	1	4
SEQ ID NO: 3180	gtgctggagaatgagctga	6114	6133	SEQ ID NO: 4520	tcagccagggttatagcac	7734	7753	1	4
SEQ ID NO: 3181	ctggggcctctatgaaatt	5151	5170	SEQ ID NO: 4521	aatttctgattaccaccag	13579	13598	1	4
SEQ ID NO: 3182	atggccgcttcagggaaca	5178	5197	SEQ ID NO: 4522	tgtttttggaatgccat	8649	8668	1	4
SEQ ID NO: 3183	ttcagctggatgggaaag	5207	5226	SEQ ID NO: 4523	cttgacaggcattttgaa	9727	9746	1	4
SEQ ID NO: 3184	ccatgattctgggtgicga	5265	5284	SEQ ID NO: 4524	tcgatgcacatacaaatgg	5638	5657	1	4
SEQ ID NO: 3185	aaaacattttcaactcaa	5289	5308	SEQ ID NO: 4525	ttgaltgagtgctcttll	6993	7012	1	4
SEQ ID NO: 3186	cttaagctctcaaatgaca	5324	5343	SEQ ID NO: 4526	tgctctacaacaagttaag	7255	7274	1	4
SEQ ID NO: 3187	ttaagctctcaaatgacat	5325	5344	SEQ ID NO: 4527	atgctctacaacaagttaa	7254	7273	1	4
SEQ ID NO: 3188	catgatgggctcatatgct	5341	5360	SEQ ID NO: 4528	agcatcttggtcacatg	7624	7643	1	4
SEQ ID NO: 3189	tggtctcatatgctgaaat	5348	5365	SEQ ID NO: 4529	atttatcaaaaagaagccca	12942	12961	1	4
SEQ ID NO: 3190	actggactctcttcaaaa	5407	5426	SEQ ID NO: 4530	tttggcaggctatacagt	8380	8399	1	4
SEQ ID NO: 3191	actctcttcaaaactga	5412	5431	SEQ ID NO: 4531	tcaattgggagagacaagt	6604	6623	1	4
SEQ ID NO: 3192	ctgacaagtttataagca	5445	5464	SEQ ID NO: 4532	tgcttttgagtattacag	9693	9712	1	4
SEQ ID NO: 3193	aagtttataagcaaatcg	5450	5469	SEQ ID NO: 4533	cagcatgtagaaaaactt	4429	4448	1	4
SEQ ID NO: 3194	cigttaattacagctaca	5466	5485	SEQ ID NO: 4534	tgtaactggaaaacgtacag	6388	6407	1	4
SEQ ID NO: 3195	ttacagctacagccctatt	5474	5493	SEQ ID NO: 4535	aatattgatcaattgttaa	6425	6444	1	4
SEQ ID NO: 3196	tcgtgtaactactttaaac	5494	5513	SEQ ID NO: 4536	gttgaaaaacaaagcaga	11820	11839	1	4
SEQ ID NO: 3197	tttaaacagtgaactgaaa	5508	5525	SEQ ID NO: 4537	tttcattgaaagaataaaa	7032	7051	1	4
SEQ ID NO: 3198	ttaaacagtgaactgaaat	5507	5526	SEQ ID NO: 4538	atttcaagcaagaacttaa	10434	10453	1	4
SEQ ID NO: 3199	cagtgaactgaaatacaat	5512	5531	SEQ ID NO: 4539	atggcgtggagcttactg	6131	6150	1	4
SEQ ID NO: 3200	tggtgctggtaacctaaa	5584	5603	SEQ ID NO: 4540	tttctgctggagaagccaca	10765	10784	1	4
SEQ ID NO: 3201	ttatcagcaagctataaag	5657	5676	SEQ ID NO: 4541	cttgcaactatgttcataa	12784	12783	1	4
SEQ ID NO: 3202	gggtcaggggtgtggagttt	5692	5711	SEQ ID NO: 4542	aaacacctaagagtaaacc	9014	9033	1	4
SEQ ID NO: 3203	attcagactcactgcattt	5775	5794	SEQ ID NO: 4543	aaatgctgacatagggaaat	8437	8456	1	4
SEQ ID NO: 3204	ttcagactcactgcatttc	5776	5795	SEQ ID NO: 4544	gaaatattatgaactgaa	13312	13331	1	4
SEQ ID NO: 3205	tacaaatggcaatgggaaa	5848	5867	SEQ ID NO: 4545	tttctaaagctggatgta	11176	11195	1	4
SEQ ID NO: 3206	gctgtatagcaaatctctg	5896	5915	SEQ ID NO: 4546	caggtccatgcaagtccagc	10919	10938	1	4
SEQ ID NO: 3207	tgagcagacaggcacctgg	6043	6062	SEQ ID NO: 4547	ccagctccccacatctca	8341	8360	1	4
SEQ ID NO: 3208	ggcacctggaaactcaaga	6053	6072	SEQ ID NO: 4548	tctctgtgttcaactgcc	11221	11240	1	4
SEQ ID NO: 3209	tgaatacagccaggacttg	6088	6107	SEQ ID NO: 4549	caagtaagtgtctaggttca	9380	9399	1	4
SEQ ID NO: 3210	gaatacagccaggacttgg	6089	6108	SEQ ID NO: 4550	ccaacactacttgaattc	10668	10687	1	4
SEQ ID NO: 3211	ctggacgaactctggctga	6147	6166	SEQ ID NO: 4551	tcagaagctacctccag	7939	7958	1	4
SEQ ID NO: 3212	tttactcagtgagcccat	6201	6220	SEQ ID NO: 4552	atggacttctctggaaaa	8878	8897	1	4

SEQ ID NO: 3213	gatgagagatgccgttgag	6241	6260	SEQ ID NO: 4553	clcatctccttcttcac	10209	10228	1	4
SEQ ID NO: 3214	aattgttcttttgaag	6277	6296	SEQ ID NO: 4554	ctttctaaacttgaatt	9064	9083	1	4
SEQ ID NO: 3215	ctttgtaagatgataaa	6285	6304	SEQ ID NO: 4555	ttatgaacttgaagaaaag	13318	13337	1	4
SEQ ID NO: 3216	tttgtaagatgataaaa	6287	6306	SEQ ID NO: 4556	tttcacattagatgcaaa	8421	8440	1	4
SEQ ID NO: 3217	tccattaacctccattit	6320	6339	SEQ ID NO: 4557	aaaattgatgatactgga	10727	10746	1	4
SEQ ID NO: 3218	ccattaaacctccatttt	6321	6340	SEQ ID NO: 4558	aaaagggcatggaaatgg	8893	8912	1	4
SEQ ID NO: 3219	ctgcaagaatatttgag	6346	6365	SEQ ID NO: 4559	ctcaatttggatttcaag	8528	8547	1	4
SEQ ID NO: 3220	agaatatitgagaggaat	6352	6371	SEQ ID NO: 4560	attccctccattaagtct	11708	11727	1	4
SEQ ID NO: 3221	attatagtgtactggaaa	6380	6399	SEQ ID NO: 4561	ttcaagcaagaacttaet	10435	10454	1	4
SEQ ID NO: 3222	gaagcacatcaatattgat	6415	6434	SEQ ID NO: 4562	atcagttcagataaacttc	7999	8018	1	4
SEQ ID NO: 3223	acatcaatattgatcaatt	6420	6439	SEQ ID NO: 4563	aattccctgaagttgatgt	11487	11506	1	4
SEQ ID NO: 3224	gaaaaactcccacgaacg	6465	6484	SEQ ID NO: 4564	gcttctctccacatttc	10060	10079	1	4
SEQ ID NO: 3225	ctgaattcattcaattggg	6494	6513	SEQ ID NO: 4565	cccatttacagatcttcag	11371	11390	1	4
SEQ ID NO: 3226	tgaattcattcaattggga	6495	6514	SEQ ID NO: 4566	tccatttacagatcttca	11370	11389	1	4
SEQ ID NO: 3227	aactgactgctctcacaaa	6540	6559	SEQ ID NO: 4567	tttgaggattccatcagtt	7887	8006	1	4
SEQ ID NO: 3228	aaaagtatagaattacaga	6558	6577	SEQ ID NO: 4568	tcggctccctcaacttt	9050	9069	1	4
SEQ ID NO: 3229	atcaacttaataaaaaac	6611	6630	SEQ ID NO: 4569	gtttatgaaaatattgat	6811	6830	1	4
SEQ ID NO: 3230	tgaattgaaaatagctatt	6694	6713	SEQ ID NO: 4570	aattatttgaatgaatca	6716	6735	1	4
SEQ ID NO: 3231	atttgaaaatagctattgc	6696	6715	SEQ ID NO: 4571	gcaagaacttaatggaaat	10441	10460	1	4
SEQ ID NO: 3232	attgctaattatttattgat	6710	6729	SEQ ID NO: 4572	catcacactgaataccaat	10159	10178	1	4
SEQ ID NO: 3233	gaaaaatfaaaaagctctg	6737	6756	SEQ ID NO: 4573	caagagctattgggatttc	11161	11180	1	4
SEQ ID NO: 3234	actatcataatccgtgtaat	6762	6781	SEQ ID NO: 4574	attactttgagaaattagt	7281	7300	1	4
SEQ ID NO: 3235	tattgatttaacaaaagt	6823	6842	SEQ ID NO: 4575	actgacttcagagaaata	11404	11423	1	4
SEQ ID NO: 3236	ctgcagcagcttaagagac	6914	6933	SEQ ID NO: 4576	gtctcagtggaagctgcag	10699	10718	1	4
SEQ ID NO: 3237	aaaacaacacacattgaggct	6973	6992	SEQ ID NO: 4577	agcctcacctcttacttt	10571	10590	1	4
SEQ ID NO: 3238	ttgagcatgtcaaacactt	7059	7078	SEQ ID NO: 4578	aagtagctgagaaatcaa	7104	7123	1	4
SEQ ID NO: 3239	tttgaagtagctgagaaaa	7100	7119	SEQ ID NO: 4579	ttttcacattagatgcaaa	8421	8440	1	4
SEQ ID NO: 3240	ttagtagagttggcccacc	7199	7218	SEQ ID NO: 4580	ggtaggactctgctgctaa	7776	7795	1	4
SEQ ID NO: 3241	tgaaggagactattcagaa	7227	7246	SEQ ID NO: 4581	ttctcaattttgatttca	8526	8545	1	4
SEQ ID NO: 3242	gagactattcagaagctaa	7232	7251	SEQ ID NO: 4582	ttagccacagctctgtctc	10301	10320	1	4
SEQ ID NO: 3243	aattagttggatttattga	7293	7312	SEQ ID NO: 4583	tcaagaagcttaattgaatt	7320	7339	1	4
SEQ ID NO: 3244	gcttaattgaattatcttt	7327	7346	SEQ ID NO: 4584	aaaacagagcttcaggaagc	13209	13228	1	4
SEQ ID NO: 3245	ttaacaaattccttgacat	7365	7384	SEQ ID NO: 4585	atgtctacacaaagttaa	7254	7273	1	4
SEQ ID NO: 3246	aaattaaagtcatttgatt	7394	7413	SEQ ID NO: 4586	aalctcttgacaggcattt	9723	9742	1	4
SEQ ID NO: 3247	gactcaattggtgaattca	7464	7483	SEQ ID NO: 4587	tgaaatcaatcacaagtc	9076	9095	1	4
SEQ ID NO: 3248	gaaattcaggctctggaac	7475	7494	SEQ ID NO: 4588	gttctcaattttgatttc	8525	8544	1	4
SEQ ID NO: 3249	actaccacaaaaagctgaa	7492	7511	SEQ ID NO: 4589	ttcaggaactattgctagt	10645	10664	1	4
SEQ ID NO: 3250	ccaaaaataaccitaatcat	7578	7597	SEQ ID NO: 4590	atgatttccctgaccttgg	10950	10969	1	4
SEQ ID NO: 3251	aaataaccctaatacatcaa	7581	7600	SEQ ID NO: 4591	ttgaagtaaaagaaaattt	10749	10768	1	4
SEQ ID NO: 3252	tttaagttcagcatctttg	7615	7634	SEQ ID NO: 4592	caaatctggatttcttaa	9480	9499	1	4
SEQ ID NO: 3253	caggtttatagcacacttg	7739	7758	SEQ ID NO: 4593	caagggtcactgttctcg	7865	7884	1	4
SEQ ID NO: 3254	gttactgttctgaaatc	7870	7889	SEQ ID NO: 4594	gattctcagatgagggaac	8922	8941	1	4
SEQ ID NO: 3255	cactgttctgaaatcaag	7873	7892	SEQ ID NO: 4595	cttgaacacaaagtcagtg	6008	6027	1	4
SEQ ID NO: 3256	actgttctgaaatcaaga	7874	7893	SEQ ID NO: 4596	cttgaacacaaagtcagtg	6007	6026	1	4
SEQ ID NO: 3257	gcctgccttgaagtcagt	7909	7928	SEQ ID NO: 4597	actgttgactcaggaaggc	12580	12599	1	4
SEQ ID NO: 3258	taacagatttgaggattcc	7980	7999	SEQ ID NO: 4598	ggaagcttctcaagagtta	13222	13241	1	4
SEQ ID NO: 3259	gtttccacaccagaattt	8050	8069	SEQ ID NO: 4599	aaatttctctgctggaac	9418	9437	1	4
SEQ ID NO: 3260	tcagaaccattgaccagat	8136	8155	SEQ ID NO: 4600	atctgcagaacaaatgctga	12438	12457	1	4
SEQ ID NO: 3261	tagcgagaatcacctgcc	8226	8245	SEQ ID NO: 4601	ggcagcttctggctgcta	12301	12320	1	4
SEQ ID NO: 3262	ccttaattgatttcaagtt	8299	8318	SEQ ID NO: 4602	aactgttgactcaggaagg	12579	12598	1	4

SEQ ID NO: 3263	acataccagaattccagct	8328	8347	SEQ ID NO: 4603	agctgccagtcctcatgt	10026	10045	1	4
SEQ ID NO: 3264	aatgctgacatagggatg	8438	8457	SEQ ID NO: 4604	cattaatcctgccatcatt	10005	10024	1	4
SEQ ID NO: 3265	atgctgacatagggatgg	8439	8458	SEQ ID NO: 4605	ccatttgagatcacggcat	9245	9264	1	4
SEQ ID NO: 3266	aaccacctcagcaaacgaa	8458	8477	SEQ ID NO: 4606	ttcgttttcattaggtt	9291	9310	1	4
SEQ ID NO: 3267	agcaggatcgagcctcc	8476	8495	SEQ ID NO: 4607	ggaagtggccctgaatgct	10972	10991	1	4
SEQ ID NO: 3268	tgacacactcacaacccct	8551	8570	SEQ ID NO: 4608	agggaaagagaagattgca	13501	13520	1	4
SEQ ID NO: 3269	aggagtcagtgagttctc	8592	8611	SEQ ID NO: 4609	gagaacttactatcatcct	13788	13807	1	4
SEQ ID NO: 3270	ttttggaaaatgccattga	8652	8671	SEQ ID NO: 4610	tcaatgaatttattcaaaa	13194	13213	1	4
SEQ ID NO: 3271	aatggagtgatgttcaaga	8729	8748	SEQ ID NO: 4611	ttcttcagccagccatt	9231	9250	1	4
SEQ ID NO: 3272	gtcaagataacaatcagc	8741	8760	SEQ ID NO: 4612	gctgacttaaaatctgac	4819	4838	1	4
SEQ ID NO: 3273	tcacaaattgaacatccc	8787	8806	SEQ ID NO: 4613	gggatttcctaaagctgga	11172	11191	1	4
SEQ ID NO: 3274	ttgaacatcccaactgg	8795	8814	SEQ ID NO: 4614	ccagttccagggactcaa	12603	12622	1	4
SEQ ID NO: 3275	acatcccaactggactt	8799	8818	SEQ ID NO: 4615	aagtcgattcccagcatgt	9090	9109	1	4
SEQ ID NO: 3276	acttctctagtcaggctga	8814	8833	SEQ ID NO: 4616	tcagatggaaaaatgaagt	11010	11029	1	4
SEQ ID NO: 3277	tgaatcacaattagtttc	8944	8963	SEQ ID NO: 4617	gaaagtcataatgggttca	12817	12836	1	4
SEQ ID NO: 3278	agaaggacccctcacttc	8968	8987	SEQ ID NO: 4618	ggaagaaggagcagcttct	12292	12311	1	4
SEQ ID NO: 3279	ttggactgtccaataagat	8988	9007	SEQ ID NO: 4619	atctaaatgcagtagccaa	11634	11653	1	4
SEQ ID NO: 3280	actgtccaataagatcaat	8992	9011	SEQ ID NO: 4620	attgataaaaccatacagt	13891	13910	1	4
SEQ ID NO: 3281	ctgtccaataagatcaata	8993	9012	SEQ ID NO: 4621	tattgataaaaccatacag	13890	13909	1	4
SEQ ID NO: 3282	gtttatgaatctggctccc	9041	9060	SEQ ID NO: 4622	gggaatctgtgaggaaac	12255	12274	1	4
SEQ ID NO: 3283	atgaatctggctccctcaa	9045	9064	SEQ ID NO: 4623	ttgagttgccaccatcat	11667	11686	1	4
SEQ ID NO: 3284	ctcaacttttclaaacttg	9059	9078	SEQ ID NO: 4624	caagatcgagactttgag	11653	11672	1	4
SEQ ID NO: 3285	ctaaaggcatggcactgtt	9129	9148	SEQ ID NO: 4625	aacagaaacaatgcattag	9749	9768	1	4
SEQ ID NO: 3286	aaggcatggcactgttgg	9132	9151	SEQ ID NO: 4626	ccaagaaaaggcacacctt	11077	11096	1	4
SEQ ID NO: 3287	atccacaaacaatgaagg	9262	9281	SEQ ID NO: 4627	ccctaacagatttgaggat	7977	7996	1	4
SEQ ID NO: 3288	ggaatttgaagtctgtt	9279	9298	SEQ ID NO: 4628	aaacaaacacaggcattcc	9655	9674	1	4
SEQ ID NO: 3289	aataactatgcactgtttc	9332	9351	SEQ ID NO: 4629	gaaatactgttttctatt	12836	12855	1	4
SEQ ID NO: 3290	gaacacacgagaacattat	9432	9451	SEQ ID NO: 4630	ataaacctgcagatttttc	13608	13627	1	4
SEQ ID NO: 3291	ttcttgaaaacgacaaagc	9599	9618	SEQ ID NO: 4631	gcttccaatgaccaagaa	11065	11084	1	4
SEQ ID NO: 3292	ataagaaaaacaaacacag	9648	9667	SEQ ID NO: 4632	ctgtgcttgtgagtttat	9690	9709	1	4
SEQ ID NO: 3293	aaaacaaacacaggcattc	9654	9673	SEQ ID NO: 4633	gaatttgaagttcgtttt	9280	9299	1	4
SEQ ID NO: 3294	gcattccatcacaaactct	9687	9686	SEQ ID NO: 4634	aggaagtggccctgaatgc	10971	10990	1	4
SEQ ID NO: 3295	tttgaaaaaacagaacaca	9740	9759	SEQ ID NO: 4635	gttgaagattatcaaa	12933	12952	1	4
SEQ ID NO: 3296	caatgcattagattttgtc	9757	9776	SEQ ID NO: 4636	gacaagaaaaggggattg	10279	10298	1	4
SEQ ID NO: 3297	caaagctgaaaaatctcag	9817	9836	SEQ ID NO: 4637	ctgagaacttcatcatttg	11438	11457	1	4
SEQ ID NO: 3298	ccgtgatcacactgttcag	9863	9882	SEQ ID NO: 4638	ctggacttctctagttagg	8810	8829	1	4
SEQ ID NO: 3299	gttgagtgltccattca	9890	9909	SEQ ID NO: 4639	tgaatctggctccctcaac	9046	9065	1	4
SEQ ID NO: 3300	tttccatctcagggttct	9964	9983	SEQ ID NO: 4640	agaatccagatacaagaaa	6893	6912	1	4
SEQ ID NO: 3301	tttccatctcagggttctg	9965	9984	SEQ ID NO: 4641	cagaatccagatacaagaaa	6892	6911	1	4
SEQ ID NO: 3302	tcattagagctgccagtcc	10019	10038	SEQ ID NO: 4642	ggacagtgaaatattatga	13305	13324	1	4
SEQ ID NO: 3303	tgctgaacttttaaccag	10177	10196	SEQ ID NO: 4643	ctggatgaaccaccagca	11186	11205	1	4
SEQ ID NO: 3304	ctcctttctcatctcat	10214	10233	SEQ ID NO: 4644	atgaagctgtctccaggag	13772	13791	1	4
SEQ ID NO: 3305	tgctattgatgcactgcag	10234	10253	SEQ ID NO: 4645	ctgcgtaccagaaagaca	12080	12099	1	4
SEQ ID NO: 3306	tgtatgcactgcagtacaaa	10240	10259	SEQ ID NO: 4646	tttgagttgccaccatca	11666	11685	1	4
SEQ ID NO: 3307	agctctgtctctgagcaac	10309	10328	SEQ ID NO: 4647	gttgaccacaagcttagct	10547	10566	1	4
SEQ ID NO: 3308	agccgaaattccaattttg	10408	10427	SEQ ID NO: 4648	caaagctggcaccagggtct	13971	13990	1	4
SEQ ID NO: 3309	ttgagaatgaatttcaagc	10424	10443	SEQ ID NO: 4649	gcttcagggaagcttctcaa	13216	13235	1	4
SEQ ID NO: 3310	aaacctactgtcttctct	10469	10488	SEQ ID NO: 4650	aggaaggccaagccagttt	12591	12610	1	4
SEQ ID NO: 3311	tactttccattgagtcatt	10583	10602	SEQ ID NO: 4651	atgattatgcaacaagta	12363	12382	1	4
SEQ ID NO: 3312	tcagggtccatgcaagtcag	10918	10937	SEQ ID NO: 4652	ctgacatcttaggcactga	5001	5020	1	4

SEQ ID NO: 3313	atgcaagtcagcccagttc	10926 10945	SEQ ID NO: 4653	gaactcagaaggatggcat	14002 14021	1 4
SEQ ID NO: 3314	tgaatgctaactaagaa	10983 11002	SEQ ID NO: 4654	tctcaatttgattttca	8526 8545	1 4
SEQ ID NO: 3315	agaagatcagatggaaaaa	11004 11023	SEQ ID NO: 4655	tttctaaatggaactct	12173 12192	1 4
SEQ ID NO: 3316	ggctattcattctccatcc	11264 11283	SEQ ID NO: 4656	ggatcclaaatgcagtagcc	11632 11651	1 4
SEQ ID NO: 3317	aaagtttggctgataaat	11288 11307	SEQ ID NO: 4657	atttctaaacattccttl	9489 9508	1 4
SEQ ID NO: 3318	agtttggctgataaatc	11290 11309	SEQ ID NO: 4658	gaatcggctccctcaact	9047 9066	1 4
SEQ ID NO: 3319	ctgggctgaaactaaatga	11316 11335	SEQ ID NO: 4659	tattcgggtcttccag	11035 11054	1 4
SEQ ID NO: 3320	cagagaaatacaaatctat	11413 11432	SEQ ID NO: 4660	atagcagtgacttcttg	8873 8892	1 4
SEQ ID NO: 3321	gaggtaaaattccctgaag	11480 11499	SEQ ID NO: 4662	cttctggcttgctaacctc	12306 12325	1 4
SEQ ID NO: 3322	ctttttgagataaccgtg	11545 11564	SEQ ID NO: 4663	cacggagttactgaaaaag	13723 13742	1 4
SEQ ID NO: 3323	gctggaattgcatctctt	11735 11754	SEQ ID NO: 4664	aaggcatctccacctcagc	12102 12121	1 4
SEQ ID NO: 3324	gtgtataatgccacttga	11795 11814	SEQ ID NO: 4665	tccaagatgagatcaacac	13104 13123	1 4
SEQ ID NO: 3325	attccacatgcagctcaac	11859 11878	SEQ ID NO: 4666	gttgagaagcccaagaat	6254 6273	1 4
SEQ ID NO: 3326	tgaagaagatggcaaat	11992 12011	SEQ ID NO: 4667	aaattctcttcttttca	9220 9239	1 4
SEQ ID NO: 3327	atcaaaagcccagcgttca	12050 12069	SEQ ID NO: 4668	tgaagicaagcatctgat	12669 12688	1 4
SEQ ID NO: 3328	ggggcatgagatggatg	12143 12162	SEQ ID NO: 4669	catccttaacacctccac	8071 8090	1 4
SEQ ID NO: 3329	aaatggaacttctactaca	12179 12198	SEQ ID NO: 4670	tgaccataagccatatt	10088 10107	1 4
SEQ ID NO: 3330	aaaaactcaccatattcaa	12219 12238	SEQ ID NO: 4671	ttagtgtagagtgtttt	6993 7012	1 4
SEQ ID NO: 3331	ctgagaagaatctgcaga	12428 12447	SEQ ID NO: 4672	tctgcacagaaatattcag	13447 13466	1 4
SEQ ID NO: 3332	acaatgctgagtggttta	12447 12466	SEQ ID NO: 4673	taaatggagcttattgt	14086 14105	1 4
SEQ ID NO: 3333	caatgctgagtggtttat	12448 12467	SEQ ID NO: 4674	ataaalggagctttatg	14085 14104	1 4
SEQ ID NO: 3334	ttaggcaaatgatgatat	12477 12496	SEQ ID NO: 4675	ataatgcagtgccctcaa	13392 13411	1 4
SEQ ID NO: 3335	ataaactaatagatgtaat	12897 12916	SEQ ID NO: 4676	attactatgaaaaattat	13641 13660	1 4
SEQ ID NO: 3336	ccaactaatagaagataac	13039 13058	SEQ ID NO: 4677	gttatttgcctaaactgg	14052 14071	1 4
SEQ ID NO: 3337	ttaattatccaagatga	13095 13114	SEQ ID NO: 4678	tcatcctctaatttttaa	13800 13819	1 4
SEQ ID NO: 3338	tttaaatgttgaaagaaa	13151 13170	SEQ ID NO: 4679	ttcatttgaaagaataaa	7032 7051	1 4
SEQ ID NO: 3339	aagttcaatgaatttattc	13190 13209	SEQ ID NO: 4680	gaataccaatgcigaactt	10168 10187	1 4
SEQ ID NO: 3340	tgaagaaaagatagtcag	13326 13345	SEQ ID NO: 4681	ctgagagaagtgtctcaa	12407 12426	1 4
SEQ ID NO: 3341	acttccattctgaatatat	13377 13396	SEQ ID NO: 4682	atactgggaacctgaagt	10737 10756	1 4
SEQ ID NO: 3342	cacagaaatattcaggaat	13451 13470	SEQ ID NO: 4683	attccctgaagtgtatgtg	11488 11507	1 4
SEQ ID NO: 3343	ccattgcgacgaagaaaat	13560 13579	SEQ ID NO: 4684	attttatttctgccalgg	10103 10122	1 4
SEQ ID NO: 3344	tataaactgcaagattttt	13607 13626	SEQ ID NO: 4685	aaaattcaaacctgcctata	13873 13892	1 4
SEQ ID NO: 3345	tcgtattactatgaaaaat	13637 13656	SEQ ID NO: 4686	atttgtaagaaaatacaga	6436 6455	1 4
SEQ ID NO: 3346	ggagttactgaaaaagctg	13726 13745	SEQ ID NO: 4687	cagcatgcctagtctctcc	9952 9971	1 4
SEQ ID NO: 3347	tgaagcttgctccaggaga	13773 13792	SEQ ID NO: 4688	tctccttcttctcaltca	10213 10232	1 4
SEQ ID NO: 3348	tgaactggacctgcaccaa	13955 13974	SEQ ID NO: 4689	ttggtegagcaaggggtca	7856 7875	1 4
SEQ ID NO: 3349	ttgctaaactggggggagg	14058 14077	SEQ ID NO: 4690	cctcctacagtggtggcaa	4230 4249	1 4
SEQ ID NO: 3350	gattcgaataatcaaatca	4412 4431	SEQ ID NO: 4691	tgaaaacgacaaagcaatc	9603 9622	3 3
SEQ ID NO: 3351	atttgtttgcaagaagt	4551 4570	SEQ ID NO: 4692	actttctaaacttgaaat	9063 9082	3 3
SEQ ID NO: 3352	tctcggttgctgccgtga	33 52	SEQ ID NO: 4693	tcagcccagccattgaga	9236 9255	2 3
SEQ ID NO: 3353	gctgaggagcccgccagc	47 66	SEQ ID NO: 4694	gctggatglaaccaccagc	11185 11204	2 3
SEQ ID NO: 3354	ctggctctgccaaaagatg	227 246	SEQ ID NO: 4695	catcagaaccttgaccag	8134 8153	2 3
SEQ ID NO: 3355	ctgagagttccagtggagt	291 310	SEQ ID NO: 4696	actcaatggtgaaattcag	7465 7484	2 3
SEQ ID NO: 3356	cagtgccacctgaaagagg	404 423	SEQ ID NO: 4697	cctcactccttggactg	8977 8996	2 3
SEQ ID NO: 3357	ctctgaggagttgtgca	472 491	SEQ ID NO: 4698	tgcaacttgacttcagag	11399 11418	2 3
SEQ ID NO: 3358	acatcaagaggggcatcat	582 601	SEQ ID NO: 4699	atgacgttcttgagcatgt	7050 7069	2 3
SEQ ID NO: 3359	ctgatcagcagcagccagt	830 849	SEQ ID NO: 4700	actggacttcttagtcag	8809 8828	2 3
SEQ ID NO: 3360	ggacgctaagaggaaagcat	865 884	SEQ ID NO: 4701	atgcctacgttccatgtcc	11354 11373	2 3
SEQ ID NO: 3361	agctgtttgaagactctc	1087 1106	SEQ ID NO: 4702	gagaagtgcttcaagct	12411 12430	2 3
SEQ ID NO: 3362	tgaaaaaactaaccatctc	1113 1132	SEQ ID NO: 4703	gagatcaacacaatttca	13112 13131	2 3

SEQ ID NO: 3363	ctgagctgagaggcctcag	1176	1195	SEQ ID NO: 4704	ctgaattactgcacctcag	3035	3054	2	3
SEQ ID NO: 3364	tgaacgtgtgcatgccaa	1311	1330	SEQ ID NO: 4705	tgtgtgagcaagggttca	7856	7875	2	3
SEQ ID NO: 3365	ccttgatgcgctgagcca	1440	1458	SEQ ID NO: 4706	tggcactgttgagaagg	9138	9157	2	3
SEQ ID NO: 3366	aggagctgctggacattgc	1500	1519	SEQ ID NO: 4707	gcaagtcagcccagttcct	10928	10947	2	3
SEQ ID NO: 3367	attgattctcggggtcat	1575	1594	SEQ ID NO: 4708	atgaaaccaatgacaaaat	7428	7447	2	3
SEQ ID NO: 3368	tccagaactcaagttctca	1627	1646	SEQ ID NO: 4709	tgaatacaatgctctgga	5520	5539	2	3
SEQ ID NO: 3369	ggttctcttcagacttc	1744	1763	SEQ ID NO: 4710	gaaataccaagtcaaaacc	10455	10474	2	3
SEQ ID NO: 3370	gttgatgaggagtcctca	1810	1829	SEQ ID NO: 4711	tgaaaaagctgcaatcaac	13734	13753	2	3
SEQ ID NO: 3371	tccaagatctgaaaaagtt	1941	1960	SEQ ID NO: 4712	aactgctctccaaatgga	3552	3571	2	3
SEQ ID NO: 3372	agttagtgaagaagtctc	1956	1975	SEQ ID NO: 4713	agaattcataatcccaact	8275	8294	2	3
SEQ ID NO: 3373	gaagggaaatcttatattg	2084	2103	SEQ ID NO: 4714	caaaacctactgtctctc	10467	10486	2	3
SEQ ID NO: 3374	ggaagctcttttggaag	2221	2240	SEQ ID NO: 4715	cttcacataccagaattcc	8324	8343	2	3
SEQ ID NO: 3375	tgaataatgctcagtggt	2374	2393	SEQ ID NO: 4716	aacaaacacaggcattcca	9656	9675	2	3
SEQ ID NO: 3376	gattgaaatccaaagaag	2408	2427	SEQ ID NO: 4717	cttcagtcctagaaatc	10037	10056	2	3
SEQ ID NO: 3377	tccaaagaagtcgggaag	2417	2436	SEQ ID NO: 4718	ctcagcctgtctctgga	4951	4970	2	3
SEQ ID NO: 3378	aggaagggtcgaagaatg	2570	2589	SEQ ID NO: 4719	cattagagctgccagtcct	10020	10039	2	3
SEQ ID NO: 3379	agaatgactttttcttca	2583	2602	SEQ ID NO: 4720	tgaagatgacgactttct	12160	12179	2	3
SEQ ID NO: 3380	ttgtgacaaatagggca	2765	2784	SEQ ID NO: 4721	tgccagttgaaaaacaaa	11815	11834	2	3
SEQ ID NO: 3381	ctgaggctaccatgacatt	3252	3271	SEQ ID NO: 4722	aatgtcagctctgttcag	10903	10922	2	3
SEQ ID NO: 3382	gtagetaccacaaaaatga	3668	3687	SEQ ID NO: 4723	tcaittgcccacacctac	11450	11469	2	3
SEQ ID NO: 3383	aaatgacttccaatttccc	3681	3700	SEQ ID NO: 4724	gggaactgtgaagaattt	12927	12946	2	3
SEQ ID NO: 3384	atgacttcaatttccctg	3683	3702	SEQ ID NO: 4725	caggagaacttactatcat	13785	13804	2	3
SEQ ID NO: 3385	atctgccatctcgagagt	4104	4123	SEQ ID NO: 4726	aactcctccactgaaagat	9547	9566	2	3
SEQ ID NO: 3386	atttgtttgcaagaagt	4551	4570	SEQ ID NO: 4727	actccgtttaccagaaat	8247	8266	2	3
SEQ ID NO: 3387	gcagagcttgccctctctg	5135	5154	SEQ ID NO: 4728	cagagctttctgccactgc	13518	13537	2	3
SEQ ID NO: 3388	atatgctgaaatgaaattt	5353	5372	SEQ ID NO: 4729	aaatcaaactgcctatat	13874	13893	2	3
SEQ ID NO: 3389	tcaaaacttgacaacattt	5420	5439	SEQ ID NO: 4730	aaatacttccacaaattga	8780	8799	2	3
SEQ ID NO: 3390	cagtgacctgaaatacaat	5512	5531	SEQ ID NO: 4731	attgaacatccccaaactg	8794	8813	2	3
SEQ ID NO: 3391	tacaaatggcaatgggaaa	5848	5867	SEQ ID NO: 4732	tttcaactgcctttgtgta	11229	11248	2	3
SEQ ID NO: 3392	ctttgtaaagtatgataa	6285	6304	SEQ ID NO: 4733	tattgtctgaatccaaaag	13656	13675	2	3
SEQ ID NO: 3393	ttgtaagtatgataaaaa	6288	6307	SEQ ID NO: 4734	tttcaagcaaatgcacaa	8539	8558	2	3
SEQ ID NO: 3394	tccattaacctccccattt	6320	6339	SEQ ID NO: 4735	aaaagaaaattttgtctga	10756	10775	2	3
SEQ ID NO: 3395	gattatctgaattcattca	6488	6507	SEQ ID NO: 4736	tgaagttagaccaacaaatc	7162	7181	2	3
SEQ ID NO: 3396	aattgggagagacaagttt	6506	6525	SEQ ID NO: 4737	aaactaaatgatctaaatt	11324	11343	2	3
SEQ ID NO: 3397	atttgaataatgctattgc	6696	6715	SEQ ID NO: 4738	gcaatttctgcacagaaat	13441	13460	2	3
SEQ ID NO: 3398	tgagcatgtcaaacacttt	7060	7079	SEQ ID NO: 4739	aaagccattcagttcttca	12971	12990	2	3
SEQ ID NO: 3399	ttgaagatgttaacaaatt	7356	7375	SEQ ID NO: 4740	aattccatatgaaagtcaa	12860	12879	2	3
SEQ ID NO: 3400	actgtcacctacatttct	7753	7772	SEQ ID NO: 4741	agaatattttgatccaagt	13276	13295	2	3
SEQ ID NO: 3401	gttttccacaccagaattt	8050	8069	SEQ ID NO: 4742	aaatctggatttcttaaac	9481	9500	2	3
SEQ ID NO: 3402	ataagtacaacaaaattt	9405	9424	SEQ ID NO: 4743	aaataaatggagctttat	14083	14102	2	3
SEQ ID NO: 3403	cgggacctgcgggctgag	8	27	SEQ ID NO: 4744	ctcagtttaactgtgtccg	11571	11590	1	3
SEQ ID NO: 3404	agtgcccttctcggttct	25	44	SEQ ID NO: 4745	agcatctgattgactcact	12678	12697	1	3
SEQ ID NO: 3405	gctgaggagcccgcacagc	47	66	SEQ ID NO: 4746	gctgattgaggtgtccagc	1225	1244	1	3
SEQ ID NO: 3406	gaggagccgcccagccag	50	69	SEQ ID NO: 4747	ctggatcacagagtccttc	3752	3771	1	3
SEQ ID NO: 3407	gggcccgcgaggccgagcc	72	91	SEQ ID NO: 4748	ggccctgatccccgagccc	1363	1382	1	3
SEQ ID NO: 3408	ccaggccgcagcccaggag	89	108	SEQ ID NO: 4749	ctccggagccaaggctgg	2682	2701	1	3
SEQ ID NO: 3409	ggagccgccccaccgcagc	104	123	SEQ ID NO: 4750	gctgtttgaagactctcc	1088	1107	1	3
SEQ ID NO: 3410	gaagaggaaatgctggaaa	200	219	SEQ ID NO: 4751	tttcaagttcctgaccttc	8309	8328	1	3
SEQ ID NO: 3411	caaaagatgcgacccgatt	237	256	SEQ ID NO: 4752	aattctattggggattttg	7085	7104	1	3
SEQ ID NO: 3412	attcaagcacctccggaag	253	272	SEQ ID NO: 4753	cttccacatttcaaggaat	10067	10086	1	3

SEQ ID NO: 3413	gttcagtgaggctccctgg	297	316 SEQ ID NO:	4754 ccagcaagtagctgagaac	8610	8629	1	3
SEQ ID NO: 3414	gactgctgattcaagaagt	316	335 SEQ ID NO:	4755 acttgaagaaaagatagtc	13324	13343	1	3
SEQ ID NO: 3415	gtgccaccaggatcaactg	333	352 SEQ ID NO:	4756 cagtgaaagctgcaggggcac	10704	10723	1	3
SEQ ID NO: 3416	gatcaactgcaaggttgag	343	362 SEQ ID NO:	4757 ctccactccactctgatc	4748	4767	1	3
SEQ ID NO: 3417	actgcaaggttgagctgga	348	367 SEQ ID NO:	4758 tccactcacatcctccagt	1289	1308	1	3
SEQ ID NO: 3418	ccagctctgcagcttcatc	373	392 SEQ ID NO:	4759 gatgtgttcacctacctgg	1343	1362	1	3
SEQ ID NO: 3419	agcttcatctctgaagacca	383	402 SEQ ID NO:	4760 tgggtctgagaaatgagct	5112	5131	1	3
SEQ ID NO: 3420	cttcatctctgaagaccagc	385	404 SEQ ID NO:	4761 gctggagtaaaactgggaag	2696	2715	1	3
SEQ ID NO: 3421	ccagccagtgacccctgaa	399	418 SEQ ID NO:	4762 ttcaagatgactgcactgg	1539	1558	1	3
SEQ ID NO: 3422	cagtgacccctgaagagg	404	423 SEQ ID NO:	4763 cctcacagagctatcactg	5230	5249	1	3
SEQ ID NO: 3423	tggcttcaaccctgagggc	427	446 SEQ ID NO:	4764 gccactggtcgctgcca	3533	3552	1	3
SEQ ID NO: 3424	cttcaaccctgagggcaaa	430	449 SEQ ID NO:	4765 ttgagccaacattggaag	2207	2226	1	3
SEQ ID NO: 3425	ttcaaccctgagggcaaa	431	450 SEQ ID NO:	4766 cttgacaggcattttgaa	9727	9746	1	3
SEQ ID NO: 3426	cttctgaagaaaaaccaag	451	470 SEQ ID NO:	4767 ctgaaattcaatcacaa	9074	9093	1	3
SEQ ID NO: 3427	tgctgaagaaaaaccaag	453	472 SEQ ID NO:	4768 ttctgtgccttatcagca	5647	5666	1	3
SEQ ID NO: 3428	ttgtgcagccatgtccag	483	502 SEQ ID NO:	4769 ctggtcagttgcaagcaa	3004	3023	1	3
SEQ ID NO: 3429	tgctgcagccatgtccag	484	503 SEQ ID NO:	4770 cctggtcagttgcaagca	3003	3022	1	3
SEQ ID NO: 3430	agccatgtccaggtatgag	490	509 SEQ ID NO:	4771 ctccactctccagttggt	1293	1312	1	3
SEQ ID NO: 3431	agctcaagctgtgccattcc	507	526 SEQ ID NO:	4772 ggaactaccacaaaagct	7489	7508	1	3
SEQ ID NO: 3432	agaagggaagcaggttttc	526	545 SEQ ID NO:	4773 gaaatcttcaattattct	13821	13840	1	3
SEQ ID NO: 3433	aagggaagcaggttttct	528	547 SEQ ID NO:	4774 aggacacacaaaataacct	7572	7591	1	3
SEQ ID NO: 3434	agaaagatgaacctactta	555	574 SEQ ID NO:	4775 taagaactttgccacttct	4852	4871	1	3
SEQ ID NO: 3435	atcctgaacatcaagaggg	575	594 SEQ ID NO:	4776 ccctaacagattgaggat	7977	7996	1	3
SEQ ID NO: 3436	tcctgaacatcaagagggg	576	595 SEQ ID NO:	4777 cccctaacagattgaggga	7976	7995	1	3
SEQ ID NO: 3437	ctgaacatcaagaggggca	578	597 SEQ ID NO:	4778 tgcctgcttgaagtca	7908	7927	1	3
SEQ ID NO: 3438	aacatcaagaggggcatca	581	600 SEQ ID NO:	4779 tgataaaaaaccaagatgt	6298	6317	1	3
SEQ ID NO: 3439	acatcaagaggggcatcat	582	601 SEQ ID NO:	4780 atgataaaaaaccaagatgt	6297	6316	1	3
SEQ ID NO: 3440	tcatttctgcccctctgt	597	616 SEQ ID NO:	4781 accaccagttgttagatga	7413	7432	1	3
SEQ ID NO: 3441	ttccccagagacagaaga	616	634 SEQ ID NO:	4782 tctccacatttcaaggaa	10066	10085	1	3
SEQ ID NO: 3442	gaagaagccaagcaagtgt	629	648 SEQ ID NO:	4783 acactctccacattccttc	8079	8098	1	3
SEQ ID NO: 3443	ttgttctgataccctgt	647	666 SEQ ID NO:	4784 acactaataacttccacaa	8775	8794	1	3
SEQ ID NO: 3444	tgtatggaaactgtccac	663	682 SEQ ID NO:	4785 gtggaggcaacacattaca	2928	2947	1	3
SEQ ID NO: 3445	aaactgtccactcacttt	670	689 SEQ ID NO:	4786 aaagaacacagattgttt	4540	4559	1	3
SEQ ID NO: 3446	actcactttaccgtcaaga	680	699 SEQ ID NO:	4787 tctactttccattgagt	10580	10599	1	3
SEQ ID NO: 3447	ctttaaccgtcaagacgagg	685	704 SEQ ID NO:	4788 cctccagctcctgggaaag	2491	2510	1	3
SEQ ID NO: 3448	ttaccgtcaagacgaggaa	687	706 SEQ ID NO:	4789 ttctaaagctggatgtaa	11177	11196	1	3
SEQ ID NO: 3449	acgaggaagggcaatgtgg	698	717 SEQ ID NO:	4790 ccacaagtcacatctcgt	5964	5983	1	3
SEQ ID NO: 3450	cgaggaagggcaatgtggc	699	718 SEQ ID NO:	4791 gccagaagtgagatcctcg	3515	3534	1	3
SEQ ID NO: 3451	gaggaagggcaatgtggca	700	719 SEQ ID NO:	4792 tgcagcttccatgacctc	2476	2495	1	3
SEQ ID NO: 3452	ggaagggcaatgtggcaac	702	721 SEQ ID NO:	4793 gttgcttcaaggacttcc	13364	13383	1	3
SEQ ID NO: 3453	gaagggcaatgtggcaaca	703	722 SEQ ID NO:	4794 tttgatgaggagtccttc	1809	1828	1	3
SEQ ID NO: 3454	caggcatcagcccacttgc	777	796 SEQ ID NO:	4795 gcaagcttctcctggcctg	3019	3038	1	3
SEQ ID NO: 3455	aggcatcagcccacttgc	778	797 SEQ ID NO:	4796 agcaagcttctcctggcct	3018	3037	1	3
SEQ ID NO: 3456	tcagcccacttgcctcat	783	802 SEQ ID NO:	4797 atgaaagtcagcatctga	12668	12687	1	3
SEQ ID NO: 3457	gtcaactctgatcagcagc	823	842 SEQ ID NO:	4798 gctgactttaaactcgac	4819	4838	1	3
SEQ ID NO: 3458	ggacgctaagaggaagcat	865	884 SEQ ID NO:	4799 atgcactgtttctgagtc	9339	9358	1	3
SEQ ID NO: 3459	aaggagcaaacacctcttc	902	921 SEQ ID NO:	4800 ggaatatcttagatcctt	13465	13484	1	3
SEQ ID NO: 3460	aggagcaaacacctcttct	903	922 SEQ ID NO:	4801 aggaatatcttagatcctt	13464	13483	1	3
SEQ ID NO: 3461	caaacaccttctcctctt	908	927 SEQ ID NO:	4802 aaggctgactctgtgttg	4292	4311	1	3
SEQ ID NO: 3462	aacaccttctcctctt	909	928 SEQ ID NO:	4803 aaagcaggccgaagctgt	1075	1094	1	3

SEQ ID NO: 3463	acaagaataagtatgggat	933	952 SEQ ID NO:	4804 atccatgatctacattgt	6794	6813	1	3
SEQ ID NO: 3464	caagaataagtatgggatg	934	953 SEQ ID NO:	4805 catcactttacaagccttg	1246	1285	1	3
SEQ ID NO: 3465	tagcacaagtgacacagac	954	973 SEQ ID NO:	4806 gtctcttctgttctatgcta	4592	4611	1	3
SEQ ID NO: 3466	agcacaagtgacacagact	955	974 SEQ ID NO:	4807 agtctcttctgttctatgct	4591	4610	1	3
SEQ ID NO: 3467	gcacaagtgacacagactt	956	975 SEQ ID NO:	4808 aagtgtagtctcctgggtgc	5099	5118	1	3
SEQ ID NO: 3468	aacttgaagacacacacaaa	978	997 SEQ ID NO:	4809 tttagaggattccatcagtt	7987	8006	1	3
SEQ ID NO: 3469	gcttcttgggtgaagggtac	1008	1027 SEQ ID NO:	4810 gtacctacttttggcaagc	8372	8391	1	3
SEQ ID NO: 3470	ctttggtgaagggtactaag	1012	1031 SEQ ID NO:	4811 cttatgggatttccctaaag	11167	11186	1	3
SEQ ID NO: 3471	tactaagaagatgggcctc	1024	1043 SEQ ID NO:	4812 gagggtagtcataacagta	10337	10356	1	3
SEQ ID NO: 3472	tttgagagcaccaaatcca	1046	1065 SEQ ID NO:	4813 tggaggtgtcagtggtgcaaa	10380	10399	1	3
SEQ ID NO: 3473	agagcaccaaatccacatc	1050	1069 SEQ ID NO:	4814 gatggatgtaccttctct	4876	4895	1	3
SEQ ID NO: 3474	agctgttttgaagactctc	1087	1106 SEQ ID NO:	4815 gagaacatactgggcagct	5880	5899	1	3
SEQ ID NO: 3475	tgaaaaaactaaccatctc	1113	1132 SEQ ID NO:	4816 gagaaaatcaalgcttca	7112	7131	1	3
SEQ ID NO: 3476	gaaaaaactaaccatctct	1114	1133 SEQ ID NO:	4817 agagccagggtcgagcttc	11052	11071	1	3
SEQ ID NO: 3477	tttgagcacaataatccaga	1130	1149 SEQ ID NO:	4818 tctgatgaggaaactcaga	12260	12279	1	3
SEQ ID NO: 3478	ttcttcaataagctgggt	1156	1175 SEQ ID NO:	4819 aacctcccatttttgaga	6326	6345	1	3
SEQ ID NO: 3479	ctgagctgagaggcctcag	1176	1195 SEQ ID NO:	4820 ctgatccccgagccctcag	1367	1386	1	3
SEQ ID NO: 3480	tgaagcagtcacatctctc	1198	1217 SEQ ID NO:	4821 gagaaaatcaalgcttca	7112	7131	1	3
SEQ ID NO: 3481	aagcagtcacatctctctt	1200	1219 SEQ ID NO:	4822 aagaggcagcttctggctt	12297	12316	1	3
SEQ ID NO: 3482	ctctctgccacagctgat	1212	1231 SEQ ID NO:	4823 atcaaaagaagcccaagag	12946	12965	1	3
SEQ ID NO: 3483	tcttgccacagctgattga	1215	1234 SEQ ID NO:	4824 tcaaggttaattgggaaga	12279	12298	1	3
SEQ ID NO: 3484	cttgccacagctgattgag	1216	1235 SEQ ID NO:	4825 ctcaatttgaatttcaag	8528	8547	1	3
SEQ ID NO: 3485	tgagggtgtccagcccatc	1231	1250 SEQ ID NO:	4826 gatggaacctctccctca	4733	4752	1	3
SEQ ID NO: 3486	tcagltgtggacagcctcag	1267	1286 SEQ ID NO:	4827 ctgacatcttaggcactga	5001	5020	1	3
SEQ ID NO: 3487	acatctccagtggtgaa	1296	1315 SEQ ID NO:	4828 ttccagaagctaagcaalt	7239	7258	1	3
SEQ ID NO: 3488	gcacagcagctgcgagaga	1385	1404 SEQ ID NO:	4829 tctctgaaagacaacgtgc	12323	12342	1	3
SEQ ID NO: 3489	cagcagctgcgagagatct	1388	1407 SEQ ID NO:	4830 agataacattaaacagctg	13051	13070	1	3
SEQ ID NO: 3490	ggcagggatcagcgagcc	1415	1434 SEQ ID NO:	4831 ggctcaacacagacatgcg	5718	5737	1	3
SEQ ID NO: 3491	aagacaaacctacagggga	1478	1497 SEQ ID NO:	4832 tccagaaaacctctctt	3936	3955	1	3
SEQ ID NO: 3492	caggagctgctggacattg	1499	1518 SEQ ID NO:	4833 caatggagagtccaacctg	4660	4679	1	3
SEQ ID NO: 3493	aggagctgctggacattgc	1500	1519 SEQ ID NO:	4834 gcaagggttactgttct	7864	7883	1	3
SEQ ID NO: 3494	ctgctggacattgctaatt	1505	1524 SEQ ID NO:	4835 aattgggaagaagaggcag	12287	12306	1	3
SEQ ID NO: 3495	gattacacctatttgattc	1565	1584 SEQ ID NO:	4836 gaatttttgagagggaatc	6353	6372	1	3
SEQ ID NO: 3496	atttgattctgcgggtcat	1575	1594 SEQ ID NO:	4837 atgaagtagaccaacaaat	7161	7180	1	3
SEQ ID NO: 3497	tctgcgggtcattggaat	1582	1601 SEQ ID NO:	4838 atttgaagaaaatacaga	6436	6455	1	3
SEQ ID NO: 3498	aacctggagcagtttaact	1609	1628 SEQ ID NO:	4839 agtttctccatcctagggt	9962	9981	1	3
SEQ ID NO: 3499	ggagcagtttaactccagaa	1615	1634 SEQ ID NO:	4840 ttctgaaaatccaatctcc	8400	8419	1	3
SEQ ID NO: 3500	actccagaactcaagcttl	1625	1644 SEQ ID NO:	4841 aagatcgagactttgagt	11654	11673	1	3
SEQ ID NO: 3501	tcagaactcaagcttca	1627	1646 SEQ ID NO:	4842 tgaactcagaagaattgga	1920	1939	1	3
SEQ ID NO: 3502	aagtacaaagccatcactg	1663	1682 SEQ ID NO:	4843 cagtcattgtagaaaactt	4429	4448	1	3
SEQ ID NO: 3503	gccatcactgatgatccag	1672	1691 SEQ ID NO:	4844 ctggaactctctccatggc	10883	10902	1	3
SEQ ID NO: 3504	ccatcactgatgatccaga	1673	1692 SEQ ID NO:	4845 tctgaactcagaaggatgg	13999	14018	1	3
SEQ ID NO: 3505	atccagaaagctgcatcc	1685	1704 SEQ ID NO:	4846 ggatttctctaaagctggat	11173	11192	1	3
SEQ ID NO: 3506	cagaaagctgcatccagc	1688	1707 SEQ ID NO:	4847 cctgaataacatgtctctg	5518	5537	1	3
SEQ ID NO: 3507	acaaggaccaggaggttct	1731	1750 SEQ ID NO:	4848 agaacacagcatttgtt	4542	4561	1	3
SEQ ID NO: 3508	aggaccaggaggttctct	1734	1753 SEQ ID NO:	4849 agaagctaagcaatgtcct	7242	7261	1	3
SEQ ID NO: 3509	accaggaggttctcttca	1737	1756 SEQ ID NO:	4850 tgaaggctgactgtgtgt	4290	4309	1	3
SEQ ID NO: 3510	tttcagacttctcttgat	1750	1769 SEQ ID NO:	4851 atcaggaagggtctcaaga	2587	2586	1	3
SEQ ID NO: 3511	ttcagacttctcttgatga	1752	1771 SEQ ID NO:	4852 tcatctctctgggtgaa	11307	11326	1	3
SEQ ID NO: 3512	gttgatgaggagtccttca	1810	1829 SEQ ID NO:	4853 tgaatctggctccctcaac	9046	9065	1	3

SEQ ID NO: 3513	cttcacaggcagatattaa	1824	1843	SEQ ID NO: 4854	taatcgagagggtatgaag	7148	7167	1	3
SEQ ID NO: 3514	ttcacaggcagatattaac	1825	1844	SEQ ID NO: 4855	gtaaatcgagagggtatgaa	7147	7166	1	3
SEQ ID NO: 3515	ggcagatattacaaaatt	1831	1850	SEQ ID NO: 4856	aattgcattagatgatgcc	6589	6608	1	3
SEQ ID NO: 3516	atattaacaaaattgtcca	1836	1855	SEQ ID NO: 4857	tgaggtttgtgacaaaat	2760	2779	1	3
SEQ ID NO: 3517	acaaaattgtccaaattct	1842	1861	SEQ ID NO: 4858	agaacagcattgtttgt	4542	4561	1	3
SEQ ID NO: 3518	gagcaagtgaagaacttg	1877	1896	SEQ ID NO: 4859	caaatgacatgatgggctc	5334	5353	1	3
SEQ ID NO: 3519	gtgaagaactttgtggctt	1883	1902	SEQ ID NO: 4860	aagcatctgattgactcac	12677	12696	1	3
SEQ ID NO: 3520	agaactttgtggcttccca	1887	1906	SEQ ID NO: 4861	tgggctgtcccagattct	8909	8928	1	3
SEQ ID NO: 3521	tttgtggcttcccatattg	1892	1911	SEQ ID NO: 4862	caataagatcaatagcaaa	8998	9017	1	3
SEQ ID NO: 3522	tggtctcccatattgccaa	1896	1915	SEQ ID NO: 4863	ttggctcacatgaaggcca	7631	7650	1	3
SEQ ID NO: 3523	ttcccatattgccaatatc	1900	1919	SEQ ID NO: 4864	gatatacactagggaggaa	12745	12764	1	3
SEQ ID NO: 3524	ttccatattgccaatatct	1901	1920	SEQ ID NO: 4865	agatacaaatgtaattggga	12276	12295	1	3
SEQ ID NO: 3525	ttgccaatatctgaactc	1908	1927	SEQ ID NO: 4866	gagtgccagtgtcccagcaa	9352	9371	1	3
SEQ ID NO: 3526	ttggatatccaagatciga	1934	1953	SEQ ID NO: 4867	tcagtataagtacaaccaa	9400	9419	1	3
SEQ ID NO: 3527	tccaagatctgaaaagtt	1941	1960	SEQ ID NO: 4868	aactccaactgtcatgga	1986	2005	1	3
SEQ ID NO: 3528	ctgaaaaagttagtgaaag	1949	1968	SEQ ID NO: 4869	cttgaagtgcagtctcag	7915	7934	1	3
SEQ ID NO: 3529	agttagtgaagaagttct	1956	1975	SEQ ID NO: 4870	agaatctcaactccaact	1978	1997	1	3
SEQ ID NO: 3530	aatctcaactccaactgt	1980	1999	SEQ ID NO: 4871	acaggggtccttatgatt	12350	12369	1	3
SEQ ID NO: 3531	gtcatggacttcagaaaat	1997	2016	SEQ ID NO: 4872	atttgaagaataaatgac	7036	7055	1	3
SEQ ID NO: 3532	tcaactctacaactctgtt	2029	2048	SEQ ID NO: 4873	aacacattgaggctattga	6978	6997	1	3
SEQ ID NO: 3533	aactctacaaactctgttc	2031	2050	SEQ ID NO: 4874	gaaaaaggggattgaagtt	10284	10303	1	3
SEQ ID NO: 3534	aaatagaagggaatcttat	2079	2098	SEQ ID NO: 4875	ataagcaactgttaattt	5457	5476	1	3
SEQ ID NO: 3535	agaagggaatcttatattt	2083	2102	SEQ ID NO: 4876	aaatgcactgtcgcttct	4900	4919	1	3
SEQ ID NO: 3536	gaagggaatcttatatttg	2084	2103	SEQ ID NO: 4877	aaaaaacattttcaacttc	5287	5306	1	3
SEQ ID NO: 3537	tgatccaaataactacctt	2101	2120	SEQ ID NO: 4878	aaggaagaaagaaaaatca	3461	3480	1	3
SEQ ID NO: 3538	tggattgtctcagctgac	2158	2177	SEQ ID NO: 4879	gtcagcccagttcctcca	10932	10951	1	3
SEQ ID NO: 3539	ttgtctcagctgacctca	2162	2181	SEQ ID NO: 4880	tgaggaaactcagatcaaa	12265	12284	1	3
SEQ ID NO: 3540	cttgaaggaaaaggcttt	2191	2210	SEQ ID NO: 4881	aaagcattgttagagcaag	7850	7869	1	3
SEQ ID NO: 3541	tgaaggaaaaggctttga	2193	2212	SEQ ID NO: 4882	tcaagctgtgtggattcca	4086	4105	1	3
SEQ ID NO: 3542	ggctttgagccaacattgg	2204	2223	SEQ ID NO: 4883	ccaagagggtatttaagcc	12958	12977	1	3
SEQ ID NO: 3543	tgagccaacattggaagct	2209	2228	SEQ ID NO: 4884	agctttctgccactgtca	13521	13540	1	3
SEQ ID NO: 3544	gagccaacattggaagctc	2210	2229	SEQ ID NO: 4885	gagctttctgccactgtct	13520	13539	1	3
SEQ ID NO: 3545	aacattggaagctctttt	2215	2234	SEQ ID NO: 4886	aaaagaaacagcalttgtt	4539	4558	1	3
SEQ ID NO: 3546	tgaagctcttttgggaa	2220	2239	SEQ ID NO: 4887	tccggcacgtgggtcca	3785	3804	1	3
SEQ ID NO: 3547	ctcttttgggaagcaagg	2226	2245	SEQ ID NO: 4888	cttactgactttgcagag	7798	7817	1	3
SEQ ID NO: 3548	ttttgggaagcaaggatt	2229	2248	SEQ ID NO: 4889	aatcattgaaaaatataaa	6730	6749	1	3
SEQ ID NO: 3549	tttcccagacagtgtcaa	2247	2266	SEQ ID NO: 4890	ttgatgaatcattgaaaa	6723	6742	1	3
SEQ ID NO: 3550	ttggctataccaagatga	2331	2350	SEQ ID NO: 4891	tcattgtctccggagccaa	2676	2695	1	3
SEQ ID NO: 3551	ataccaaagatgataaaca	2337	2356	SEQ ID NO: 4892	tggtgtttgtaaagtat	6280	6299	1	3
SEQ ID NO: 3552	gagcaggatattgtaaatg	2357	2376	SEQ ID NO: 4893	catttcagccttcgggctc	4262	4281	1	3
SEQ ID NO: 3553	atggtaaatggaataatgc	2366	2385	SEQ ID NO: 4894	gcattgcctagtgttccat	9954	9973	1	3
SEQ ID NO: 3554	tggtaaatggaataatgct	2367	2386	SEQ ID NO: 4895	agcacagtacgaaaaacca	10809	10828	1	3
SEQ ID NO: 3555	taaatggaataatgctcag	2370	2389	SEQ ID NO: 4896	ctgaaagagatgaaattta	13067	13086	1	3
SEQ ID NO: 3556	tgaataatgctcagtggt	2374	2393	SEQ ID NO: 4897	aacagatttgaggattcca	7981	8000	1	3
SEQ ID NO: 3557	tcagtggtgagaagctgat	2385	2404	SEQ ID NO: 4898	atcacaactcctccactga	9542	9561	1	3
SEQ ID NO: 3558	cagtgttgagaagctgatt	2386	2405	SEQ ID NO: 4899	aatcacaactcctccactg	9541	9560	1	3
SEQ ID NO: 3559	agtgttgagaagctgatta	2387	2406	SEQ ID NO: 4900	taatcacaactcctccact	9540	9559	1	3
SEQ ID NO: 3560	gattaaagatttgaaatcc	2401	2420	SEQ ID NO: 4901	ggatactaagtaccaaatac	6874	6893	1	3
SEQ ID NO: 3561	gatttgaatccaagaag	2408	2427	SEQ ID NO: 4902	cttcggttaccagaaatc	8248	8267	1	3
SEQ ID NO: 3562	atttgaatccaagaagi	2409	2428	SEQ ID NO: 4903	acttccggttaccagaaat	8247	8266	1	3

SEQ ID NO: 3563	atccaagaagagtcgga	2416	2435 SEQ ID NO:	4904 tccaattccctgtgga	3688	3707	1	3
SEQ ID NO: 3564	tccaagaagtcggaag	2417	2436 SEQ ID NO:	4905 cttccaattccctgtgga	3687	3706	1	3
SEQ ID NO: 3565	agagcctacccgcatct	2438	2457 SEQ ID NO:	4906 agattaatccgctggctct	8571	8590	1	3
SEQ ID NO: 3566	gagcctacccgcatctt	2439	2458 SEQ ID NO:	4907 aagattaatccgctggctc	8570	8589	1	3
SEQ ID NO: 3567	ctgggagaggagcttggt	2455	2474 SEQ ID NO:	4908 accactgggacclaccaag	12527	12546	1	3
SEQ ID NO: 3568	ggagcttggtttgccagt	2464	2483 SEQ ID NO:	4909 actggtggcaaacctcc	2734	2753	1	3
SEQ ID NO: 3569	tgggtttgccagtcctca	2469	2488 SEQ ID NO:	4910 tggagaagccacactcca	10771	10790	1	3
SEQ ID NO: 3570	cagtcctcatgacctccag	2479	2498 SEQ ID NO:	4911 ctggcgcctgccaaactg	3538	3557	1	3
SEQ ID NO: 3571	ctccatgacctccagctcc	2483	2502 SEQ ID NO:	4912 ggagtcattgctcccgag	2672	2691	1	3
SEQ ID NO: 3572	ctgggaaagctgctctga	2501	2520 SEQ ID NO:	4913 tcagaaagctacctccag	7939	7958	1	3
SEQ ID NO: 3573	gaggtcatcaggaagggt	2561	2580 SEQ ID NO:	4914 agccagaagtgagatcctc	3514	3533	1	3
SEQ ID NO: 3574	aagaatgactttttcttc	2582	2601 SEQ ID NO:	4915 gaaggcatctgggagctt	3835	3854	1	3
SEQ ID NO: 3575	ctttttctcactacatc	2590	2609 SEQ ID NO:	4916 gatgctacaacactaaag	6107	6126	1	3
SEQ ID NO: 3576	calctcatggagaatgcc	2605	2624 SEQ ID NO:	4917 ggcactccaaaattgatg	10718	10737	1	3
SEQ ID NO: 3577	ctcatggagaatgcctt	2608	2627 SEQ ID NO:	4918 aaagttattgggaagaag	12281	12300	1	3
SEQ ID NO: 3578	aatgccttgaactcccca	2618	2637 SEQ ID NO:	4919 tgggctggcttcagccatt	5737	5756	1	3
SEQ ID NO: 3579	gccttgaacccccactg	2621	2640 SEQ ID NO:	4920 cagctgaacattgcaggc	5383	5402	1	3
SEQ ID NO: 3580	caaggctggagtaaaactg	2692	2711 SEQ ID NO:	4921 cagtgcaacgaccaactg	5080	5099	1	3
SEQ ID NO: 3581	tggagtaaaactggaagta	2698	2717 SEQ ID NO:	4922 tactccaacgccagctcca	3059	3078	1	3
SEQ ID NO: 3582	ggaagtagccaacatgcag	2710	2729 SEQ ID NO:	4923 ctgcatctcgagagltcc	4106	4125	1	3
SEQ ID NO: 3583	ttgtgacaatatgggca	2765	2784 SEQ ID NO:	4924 tgccttgtgtacacaaa	11236	11255	1	3
SEQ ID NO: 3584	tgtgacaaatatgggcatc	2767	2786 SEQ ID NO:	4925 gatgggtctctacgccaca	4385	4404	1	3
SEQ ID NO: 3585	ggacttcgctaggagtggt	2794	2813 SEQ ID NO:	4926 ccaaggccacagggggtcc	12341	12360	1	3
SEQ ID NO: 3586	gtgggtgccagatgaacac	2808	2827 SEQ ID NO:	4927 gtgtctagacctctccac	4179	4198	1	3
SEQ ID NO: 3587	ttccacgagtcgggtctgg	2834	2853 SEQ ID NO:	4928 ccagaatctgtaccaggaa	12562	12581	1	3
SEQ ID NO: 3588	agtctgggtctggaggctca	2841	2880 SEQ ID NO:	4929 tgagaactacgagctgact	4807	4826	1	3
SEQ ID NO: 3589	tcgggtctggaggctcatg	2843	2862 SEQ ID NO:	4930 catgaaggccaaattccga	7639	7658	1	3
SEQ ID NO: 3590	aaaagctgggaagctgaag	2869	2888 SEQ ID NO:	4931 ctccagacacctgattt	7951	7970	1	3
SEQ ID NO: 3591	aagctgaagtattatcattc	2879	2898 SEQ ID NO:	4932 gaatttacaattgtgtctt	6269	6288	1	3
SEQ ID NO: 3592	gagaccagtcaagctgctc	2908	2927 SEQ ID NO:	4933 gagcttcagggaagcttctc	13214	13233	1	3
SEQ ID NO: 3593	gcaacacattacatttggt	2934	2953 SEQ ID NO:	4934 accagtcagatattgttgc	10191	10210	1	3
SEQ ID NO: 3594	acattacatttggtctcta	2939	2958 SEQ ID NO:	4935 tagaatatgaactaaatgt	11889	11908	1	3
SEQ ID NO: 3595	cattacatttggtctctac	2940	2959 SEQ ID NO:	4936 gtagctgagaaaatcaatg	7106	7125	1	3
SEQ ID NO: 3596	aaacggagggtgatccacc	2964	2983 SEQ ID NO:	4937 ggtggataccctgaagttt	3205	3224	1	3
SEQ ID NO: 3597	attgagaacaggcagtcct	2987	3006 SEQ ID NO:	4938 agggaaaagcgacacctaat	12031	12050	1	3
SEQ ID NO: 3598	tgagaacaggcagtcctgg	2989	3008 SEQ ID NO:	4939 ccagcttccccacatctca	8341	8360	1	3
SEQ ID NO: 3599	ctgcacctcaggcgcttac	3043	3062 SEQ ID NO:	4940 gtaagaaaatacagagcag	6440	6459	1	3
SEQ ID NO: 3600	tcacagactccgcctcct	3074	3093 SEQ ID NO:	4941 aggacagagccttggtgga	3192	3211	1	3
SEQ ID NO: 3601	ctgaccggggacaccagat	3101	3120 SEQ ID NO:	4942 atctgatgaggaaactcag	12259	12278	1	3
SEQ ID NO: 3602	tagagctggaactgaggcc	3120	3139 SEQ ID NO:	4943 ggctctctgtgggcatcta	5144	5163	1	3
SEQ ID NO: 3603	ctatgagctccagagagag	3175	3194 SEQ ID NO:	4944 ctctcacaataaatcaca	6549	6568	1	3
SEQ ID NO: 3604	cttggttgataccctgaag	3202	3221 SEQ ID NO:	4945 ctccagggaagcttctcaag	13217	13236	1	3
SEQ ID NO: 3605	tgttaactcaagcagaagg	3222	3241 SEQ ID NO:	4946 ccttacacaataatcaca	9530	9549	1	3
SEQ ID NO: 3606	taactcaagcagaaggtgc	3225	3244 SEQ ID NO:	4947 gcacctagctggaaagtta	6955	6974	1	3
SEQ ID NO: 3607	gcagaaggtgcgaagcaga	3233	3252 SEQ ID NO:	4948 tctgtgggattccatctgc	4091	4110	1	3
SEQ ID NO: 3608	cagaaggtgcgaagcagac	3234	3253 SEQ ID NO:	4949 gctgtgtggattccatctg	4090	4109	1	3
SEQ ID NO: 3609	glatgacctgttccagtga	3288	3307 SEQ ID NO:	4950 tccaacaggagaaacatac	10851	10870	1	3
SEQ ID NO: 3610	tatgacctgttccagtga	3289	3308 SEQ ID NO:	4951 tccaacaggagaaacata	10850	10869	1	3
SEQ ID NO: 3611	gaagtccaattccggatt	3305	3324 SEQ ID NO:	4952 aattcacaagcttctcttc	10052	10071	1	3
SEQ ID NO: 3612	gagggcaaacgtcttaca	3371	3390 SEQ ID NO:	4953 gtacaactgttccgcttc	4215	4234	1	3

SEQ ID NO: 3613	agggcacaaacgtcttacag	3372	3391 SEQ ID NO:	4954 ctgttaggacaccagccct	4062	4081	1	3
SEQ ID NO: 3614	gactcacctggacattca	3390	3409 SEQ ID NO:	4955 tgaattcaatcacagtc	9076	9095	1	3
SEQ ID NO: 3615	ctggacattcagaacaaga	3398	3417 SEQ ID NO:	4956 tctttctttcagccag	9226	9245	1	3
SEQ ID NO: 3616	tcatggcgacctaagttg	3435	3454 SEQ ID NO:	4957 caactgcagacatatga	6635	6654	1	3
SEQ ID NO: 3617	tgggcgacctaagttgtga	3438	3457 SEQ ID NO:	4958 tcactccattaacctccca	6316	6335	1	3
SEQ ID NO: 3618	agttgtgacacaaaggaag	3449	3468 SEQ ID NO:	4959 cttctttccaattgaact	13838	13857	1	3
SEQ ID NO: 3619	tgacacaaaggaagaaaga	3454	3473 SEQ ID NO:	4960 tctcatctcatctgtca	10220	10239	1	3
SEQ ID NO: 3620	gacacaaaggaagaaagaa	3455	3474 SEQ ID NO:	4961 tcttcatctcatctgtc	10219	10238	1	3
SEQ ID NO: 3621	ggaagaagaaaaatcaag	3463	3482 SEQ ID NO:	4962 ctgtcatgcctacgttcc	11348	11367	1	3
SEQ ID NO: 3622	aaaatcaagggtgttattt	3473	3492 SEQ ID NO:	4963 aaatctattggggatttt	7084	7103	1	3
SEQ ID NO: 3623	tccatcccggttgcaag	3491	3510 SEQ ID NO:	4964 ctggattcaaaatgtgga	6858	6877	1	3
SEQ ID NO: 3624	tgcaagcagaagccagaag	3504	3523 SEQ ID NO:	4965 ctccagggaacacatgca	5185	5204	1	3
SEQ ID NO: 3625	cagaagccagaagtgaat	3510	3529 SEQ ID NO:	4966 atctatgccatctctctg	5633	5652	1	3
SEQ ID NO: 3626	tgagatcctgcccactgg	3523	3542 SEQ ID NO:	4967 ccagcttccccacatctca	8341	8360	1	3
SEQ ID NO: 3627	ggcgcctgccaactgct	3540	3559 SEQ ID NO:	4968 agcacatgaactggacc	13947	13966	1	3
SEQ ID NO: 3628	tgcttctccaaatggactc	3555	3574 SEQ ID NO:	4969 gagtttatcagtcagagca	9701	9720	1	3
SEQ ID NO: 3629	tggactcatctgtacagc	3567	3586 SEQ ID NO:	4970 gctgcagtgcccgttcca	8167	8186	1	3
SEQ ID NO: 3630	gctacagcttatggctcca	3578	3597 SEQ ID NO:	4971 tggaggacattcctctagc	8211	8230	1	3
SEQ ID NO: 3631	gglggcatggcattatgat	3610	3629 SEQ ID NO:	4972 atcacaaatagtttcacc	8947	8966	1	3
SEQ ID NO: 3632	agagaagattgaattgaa	3631	3650 SEQ ID NO:	4973 ttcaacgatacctgtctct	7713	7732	1	3
SEQ ID NO: 3633	caggcaccaatgtagatac	3657	3676 SEQ ID NO:	4974 gtatgctaataagactcctg	3736	3755	1	3
SEQ ID NO: 3634	gacttccaattccctgtg	3685	3704 SEQ ID NO:	4975 cacaatgcaaaattcagtc	5195	5214	1	3
SEQ ID NO: 3635	gtccctcaaacagacatga	3764	3783 SEQ ID NO:	4976 tcataagggaggtagggac	12777	12796	1	3
SEQ ID NO: 3636	caaacagacatgactttcc	3770	3789 SEQ ID NO:	4977 ggaactacaatttcattg	7022	7041	1	3
SEQ ID NO: 3637	atagttgaatgagctcat	3809	3828 SEQ ID NO:	4978 atgattgaaaatagctat	6693	6712	1	3
SEQ ID NO: 3638	gcttcagaaggcatctggg	3829	3848 SEQ ID NO:	4979 cccaagaggtatttaaagc	12957	12976	1	3
SEQ ID NO: 3639	ggagttcaacctccagaac	3895	3914 SEQ ID NO:	4980 gttcactccaltaacctcc	6314	6333	1	3
SEQ ID NO: 3640	agaaaacctcttcttaaaa	3940	3959 SEQ ID NO:	4981 ttttctaattggaactct	12173	12192	1	3
SEQ ID NO: 3641	aaaacctcttcttaaaaag	3942	3961 SEQ ID NO:	4982 cttgaaaaattctctttt	9213	9232	1	3
SEQ ID NO: 3642	aaaaagcgatggccgggtc	3955	3974 SEQ ID NO:	4983 gaccttgcaagaataattt	8343	8362	1	3
SEQ ID NO: 3643	gtcaaatatacctgaaca	3971	3990 SEQ ID NO:	4984 ttttaacaaattccttgac	7363	7382	1	3
SEQ ID NO: 3644	tgaacaagaacagttgaa	3984	4003 SEQ ID NO:	4985 ttcaagttcctgaccttca	8310	8329	1	3
SEQ ID NO: 3645	agtttgaaaattgagattc	3995	4014 SEQ ID NO:	4986 gaatctggtcctcccaact	9047	9066	1	3
SEQ ID NO: 3646	gtttgaaaattgagattcc	3996	4015 SEQ ID NO:	4987 ggaataaccaagtcaaac	10454	10473	1	3
SEQ ID NO: 3647	ttgaaaattgagattcctt	3998	4017 SEQ ID NO:	4988 aaggaaaagcgacacctca	12030	12049	1	3
SEQ ID NO: 3648	ctaaagatgttagagactg	4046	4065 SEQ ID NO:	4989 cagttgaccacaagcttag	10545	10564	1	3
SEQ ID NO: 3649	atgttagagactgttagga	4052	4071 SEQ ID NO:	4990 tccctaacaccttccacat	8073	8092	1	3
SEQ ID NO: 3650	cagccctccacttcaagtc	4074	4093 SEQ ID NO:	4991 gacttctctagtcaggctg	8813	8832	1	3
SEQ ID NO: 3651	agccctccacttcaagtc	4075	4094 SEQ ID NO:	4992 agacatcgctgggctggct	5728	5747	1	3
SEQ ID NO: 3652	ccatctgcatctcgagag	4102	4121 SEQ ID NO:	4993 ctctcaaatgacatgatgg	5330	5349	1	3
SEQ ID NO: 3653	attcccaagttgtatcaac	4142	4161 SEQ ID NO:	4994 gttgagaagccccaagaat	6254	6273	1	3
SEQ ID NO: 3654	tcaactgcaagtgctctc	4156	4175 SEQ ID NO:	4995 gagatcaagacactgttga	8843	8862	1	3
SEQ ID NO: 3655	ggtgttctagaccttcca	4178	4197 SEQ ID NO:	4996 tggaaacctctccctcacc	4735	4754	1	3
SEQ ID NO: 3656	ctccacgaatgtctacagc	4192	4211 SEQ ID NO:	4997 gctggtaacctaaaggag	5588	5607	1	3
SEQ ID NO: 3657	cacgaatgtctacagcaac	4195	4214 SEQ ID NO:	4998 gttgccaccatcatctgtg	11671	11690	1	3
SEQ ID NO: 3658	acgaatgtctacagcaact	4196	4215 SEQ ID NO:	4999 agttgccaccatcatctgt	11670	11689	1	3
SEQ ID NO: 3659	tcctacagtgttggaaca	4232	4251 SEQ ID NO:	5000 tgttagttgtcttaagga	13359	13378	1	3
SEQ ID NO: 3660	cgttaccacatgaaggctg	4280	4299 SEQ ID NO:	5001 cagcaagtcctgagaacg	8611	8630	1	3
SEQ ID NO: 3661	gaaggctgactctgtggt	4291	4310 SEQ ID NO:	5002 aaacctatgccttaacttc	13169	13188	1	3
SEQ ID NO: 3662	tgtggttgacctgtttcc	4303	4322 SEQ ID NO:	5003 ggaaagttaaaacaacaca	6965	6984	1	3

SEQ ID NO: 3663	ccgcttctcacaatgtg	4312	4331	SEQ ID NO: 5004	cacaccttgacattgcagg	11088	11107	1	3
SEQ ID NO: 3664	ctgcttctcacaatgtgc	4313	4332	SEQ ID NO: 5005	gcacaccttgacattgcag	11087	11106	1	3
SEQ ID NO: 3665	tcctacaatgtgcaaggat	4319	4338	SEQ ID NO: 5006	atccgctggtctgaagga	8577	8596	1	3
SEQ ID NO: 3666	tatgaccacaagaatacgt	4352	4371	SEQ ID NO: 5007	acgtccgtgtgccttcata	9984	10003	1	3
SEQ ID NO: 3667	atgaccacaagaatacgtc	4353	4372	SEQ ID NO: 5008	gacgtccgtgtgccttcata	9983	10002	1	3
SEQ ID NO: 3668	gaatacgtctacaciatca	4363	4382	SEQ ID NO: 5009	tgattatcgaattcattc	6487	6506	1	3
SEQ ID NO: 3669	ttctagattcgaatatca	4406	4425	SEQ ID NO: 5010	tgatttacatgattgaaa	6685	6704	1	3
SEQ ID NO: 3670	gattcgaatacaaatca	4412	4431	SEQ ID NO: 5011	tgaagtagctgagaaaatc	7102	7121	1	3
SEQ ID NO: 3671	gaaacaacccagctcaaaa	4449	4468	SEQ ID NO: 5012	ttgaaaaaattctctttc	9214	9233	1	3
SEQ ID NO: 3672	cccagctcacaagggttta	4456	4475	SEQ ID NO: 5013	taaatcttactctctggg	11302	11321	1	3
SEQ ID NO: 3673	ctcaaaagggtttactaata	4462	4481	SEQ ID NO: 5014	tattcaaaactgagttgag	12231	12250	1	3
SEQ ID NO: 3674	tcaaaagggtttactaatat	4463	4482	SEQ ID NO: 5015	atatcaaaaactgagttga	12230	12249	1	3
SEQ ID NO: 3675	aaaagggtttactaatattc	4465	4484	SEQ ID NO: 5016	gaatttgaaagttcgtttt	9280	9299	1	3
SEQ ID NO: 3676	gaaacagcattgtttgtc	4543	4562	SEQ ID NO: 5017	gacagcatcttcgtgttc	11214	11233	1	3
SEQ ID NO: 3677	attgtttgtcaaaagaagt	4551	4570	SEQ ID NO: 5018	acttaaaaaataaaaaat	8022	8041	1	3
SEQ ID NO: 3678	tcaagattgatgggcagtt	4569	4588	SEQ ID NO: 5019	aactctcaagtcagttga	13422	13441	1	3
SEQ ID NO: 3679	ttcagagctctctcgttct	4586	4605	SEQ ID NO: 5020	agaagatggcaaatlgaa	11995	12014	1	3
SEQ ID NO: 3680	cagagctctctcgttctat	4588	4607	SEQ ID NO: 5021	atagcatggacttctctg	8873	8892	1	3
SEQ ID NO: 3681	atgtctaaaggcacatatgg	4605	4624	SEQ ID NO: 5022	ccatttgagatcacggcat	9245	9264	1	3
SEQ ID NO: 3682	gcacatatggcctgtctg	4614	4633	SEQ ID NO: 5023	caagttggcaagtaagtc	9372	9391	1	3
SEQ ID NO: 3683	gagtcacaactgaggttta	4667	4686	SEQ ID NO: 5024	taagtgccacttttactc	6190	6209	1	3
SEQ ID NO: 3684	agtccaacctgaggtttaa	4668	4687	SEQ ID NO: 5025	ttaacagggaagatagact	9308	9327	1	3
SEQ ID NO: 3685	cctacctcaaggcaccaa	4692	4711	SEQ ID NO: 5026	tggcaagtaagtgctagg	9376	9385	1	3
SEQ ID NO: 3686	gaagatggaacctctccc	4730	4749	SEQ ID NO: 5027	gggaagaagaggcagctc	12291	12310	1	3
SEQ ID NO: 3687	tgatctgcaaaaggcatc	4762	4781	SEQ ID NO: 5028	gatgaggaaactcagatca	12263	12282	1	3
SEQ ID NO: 3688	gatctgcaaaaggcatca	4763	4782	SEQ ID NO: 5029	tgatgaggaaactcagatc	12262	12281	1	3
SEQ ID NO: 3689	gctccctaaagtatgaga	4793	4812	SEQ ID NO: 5030	tctcgtgtctaggaaaagc	5977	5996	1	3
SEQ ID NO: 3690	gtatgagaactacgagctg	4804	4823	SEQ ID NO: 5031	cagcttaagagacacatac	6920	6939	1	3
SEQ ID NO: 3691	tctaacaagatggatatga	4868	4887	SEQ ID NO: 5032	ctatttccaactaataga	13032	13051	1	3
SEQ ID NO: 3692	ctgctcggttctgaatatc	4907	4926	SEQ ID NO: 5033	gatacaagaaaaactgcag	6901	6920	1	3
SEQ ID NO: 3693	tcattgaggttctcagcc	4940	4959	SEQ ID NO: 5034	ggctcatatgctgaaatga	5348	5367	1	3
SEQ ID NO: 3694	ttctggatactaaattcc	4963	4982	SEQ ID NO: 5035	ggaaggacaaggcccagaa	12549	12568	1	3
SEQ ID NO: 3695	ccatggcttgagttaa	4981	5000	SEQ ID NO: 5036	atttttttctctgcatgg	10103	10122	1	3
SEQ ID NO: 3696	tcttaggcactgacaaaat	5007	5026	SEQ ID NO: 5037	atttttttcaagttaaaga	14019	14038	1	3
SEQ ID NO: 3697	acaaggcgacactaaggat	5040	5059	SEQ ID NO: 5038	atccatgatctacattgt	6794	6813	1	3
SEQ ID NO: 3698	tgcaacgaccaactgaag	5083	5102	SEQ ID NO: 5039	cttcagggaacacaaatgca	5185	5204	1	3
SEQ ID NO: 3699	caacttgaaagtgtagctc	5092	5111	SEQ ID NO: 5040	gagatgagagatgcgttg	6239	6258	1	3
SEQ ID NO: 3700	gctggagaatgagctgaat	5116	5135	SEQ ID NO: 5041	attctcttcttttcagc	9222	9241	1	3
SEQ ID NO: 3701	gcagagcttggcctctctg	5135	5154	SEQ ID NO: 5042	cagatacaagaaaaactgc	6899	6918	1	3
SEQ ID NO: 3702	tctctggggcatctatgaa	5148	5167	SEQ ID NO: 5043	ttcattcaattgggagaga	6489	6518	1	3
SEQ ID NO: 3703	tctggggcatctatgaaat	5150	5169	SEQ ID NO: 5044	atttgaagaaaatacaga	6436	6455	1	3
SEQ ID NO: 3704	aacacaatgcaaaattcag	5193	5212	SEQ ID NO: 5045	ctgaagcattaaaactgtt	7506	7525	1	3
SEQ ID NO: 3705	ctcacagagctatcactgg	5231	5250	SEQ ID NO: 5046	ccagatgctgaacagtga	8149	8168	1	3
SEQ ID NO: 3706	tgggaagtgtctatcaggc	5247	5266	SEQ ID NO: 5047	gcctacgttccatgtcca	11356	11375	1	3
SEQ ID NO: 3707	ttcaaggctcagtcagaag	5303	5322	SEQ ID NO: 5048	cttcagtgagaaatgaa	11977	11996	1	3
SEQ ID NO: 3708	aatgacatgatgggctcat	5336	5355	SEQ ID NO: 5049	atgattatctgaattcatt	6486	6505	1	3
SEQ ID NO: 3709	gctcatatgctgaaatgaa	5349	5368	SEQ ID NO: 5050	ttcagccattgacatgagc	5746	5765	1	3
SEQ ID NO: 3710	atatgctgaaatgaaattt	5353	5372	SEQ ID NO: 5051	aaatgctattgtctaatat	6702	6721	1	3
SEQ ID NO: 3711	tctgaacattgcaggctta	5386	5405	SEQ ID NO: 5052	taagaaccagaagatcaga	10996	11015	1	3
SEQ ID NO: 3712	gaacattgcaggcttatca	5389	5408	SEQ ID NO: 5053	tgataatcgacgtgaggttc	12490	12509	1	3

SEQ ID NO: 3713	tgagggttatcactggac	5395	5414	SEQ ID NO: 5054	gtcctggattccacatgca	11852	11871	1	3
SEQ ID NO: 3714	tcaaaacttgacaacattt	5420	5439	SEQ ID NO: 5055	aaattccttgacatgtga	7370	7389	1	3
SEQ ID NO: 3715	attacagctctgacaagt	5435	5454	SEQ ID NO: 5056	acttaaaaaataaaaaat	8022	8041	1	3
SEQ ID NO: 3716	ctctgacaagtittataag	5443	5462	SEQ ID NO: 5057	cttactgaattccaagag	10674	10693	1	3
SEQ ID NO: 3717	gltaatftacagctacagc	5468	5487	SEQ ID NO: 5058	gctgcagtgtggctggtaac	5578	5597	1	3
SEQ ID NO: 3718	ttctctggtaactacttta	5491	5510	SEQ ID NO: 5059	taaaagattactttgagaa	7275	7294	1	3
SEQ ID NO: 3719	cctaaaaggagcctaccaa	5596	5615	SEQ ID NO: 5060	ttggcaagtaagtgctagg	9376	9395	1	3
SEQ ID NO: 3720	aaaaggagcctacccaaaat	5599	5618	SEQ ID NO: 5061	atttacaattgttgcttt	6271	6290	1	3
SEQ ID NO: 3721	aggagcctacccaaaataat	5602	5621	SEQ ID NO: 5062	attacatgatgttctcct	10127	10146	1	3
SEQ ID NO: 3722	ataatgaaataaaacacat	5616	5635	SEQ ID NO: 5063	atgtcaaacactttgttat	7085	7084	1	3
SEQ ID NO: 3723	aaaacacatctatgccatc	5626	5645	SEQ ID NO: 5064	gatgaagatgacgactttt	12158	12177	1	3
SEQ ID NO: 3724	tgctaagggttcagggtgtg	5686	5705	SEQ ID NO: 5065	cacaagtcgattcccagca	9087	9106	1	3
SEQ ID NO: 3725	gagtttagccatcggtcca	5705	5724	SEQ ID NO: 5066	tgagtgactcagagactc	7450	7469	1	3
SEQ ID NO: 3726	gctggcttcagccatigac	5740	5759	SEQ ID NO: 5067	gtcagtgaatttctccagc	8596	8615	1	3
SEQ ID NO: 3727	atttcagcaatgtctccg	5790	5809	SEQ ID NO: 5068	cggagcatgggagtgaaat	8628	8647	1	3
SEQ ID NO: 3728	tttcagcaatgtctccgt	5791	5810	SEQ ID NO: 5069	acggagcatgggagtgaaa	8627	8646	1	3
SEQ ID NO: 3729	ttcagcaatgtctccgtt	5792	5811	SEQ ID NO: 5070	aacggagcatgggagtgaa	8626	8645	1	3
SEQ ID NO: 3730	cagcaatgtctccgttct	5794	5813	SEQ ID NO: 5071	agaagtgtcttcaaagctg	12412	12431	1	3
SEQ ID NO: 3731	gtcttccgttctgtaatg	5800	5819	SEQ ID NO: 5072	catcaattgggagagaca	6501	6520	1	3
SEQ ID NO: 3732	gtcttccgttctgtaatg	5801	5820	SEQ ID NO: 5073	ccatcagctctctcaagac	12975	12994	1	3
SEQ ID NO: 3733	atgggaaactcgtctctg	5859	5878	SEQ ID NO: 5074	cagataaaaaactcaccat	12213	12232	1	3
SEQ ID NO: 3734	ggagaacatactggcagc	5879	5898	SEQ ID NO: 5075	gctgtttgaagactctcc	1088	1107	1	3
SEQ ID NO: 3735	gttgaagcagaacctctg	5914	5933	SEQ ID NO: 5076	cagaattcataatcccaac	8274	8293	1	3
SEQ ID NO: 3736	gtctaggaaaagcatcagt	5983	6002	SEQ ID NO: 5077	actgaagatttttcagac	13612	13631	1	3
SEQ ID NO: 3737	agcatcagtgacgtcttg	5993	6012	SEQ ID NO: 5078	caagaacctgttagttgct	13351	13370	1	3
SEQ ID NO: 3738	ttgaacacaaagtcagtgc	6009	6028	SEQ ID NO: 5079	gcacatcaatattgatcaa	8418	8437	1	3
SEQ ID NO: 3739	gcagacaggcacctggaaa	6046	6065	SEQ ID NO: 5080	tttcagatggcattgtctgc	11610	11629	1	3
SEQ ID NO: 3740	gaaactcaagcccaattt	6061	6080	SEQ ID NO: 5081	aatcccatccagggttttc	8037	8056	1	3
SEQ ID NO: 3741	acaatgaatacagccagga	6084	6103	SEQ ID NO: 5082	tccttggctgtgctttgt	9682	9701	1	3
SEQ ID NO: 3742	ctggatgcttaacaact	6103	6122	SEQ ID NO: 5083	agtgaagttctccagcaag	8599	8618	1	3
SEQ ID NO: 3743	tggcggtggagctactgg	6132	6151	SEQ ID NO: 5084	ccagaattcataatcccaa	8273	8292	1	3
SEQ ID NO: 3744	cacttttactcagtgagcc	6198	6217	SEQ ID NO: 5085	ggctattgatgttagagtg	6988	7007	1	3
SEQ ID NO: 3745	tttagagatgagatgcc	6235	6254	SEQ ID NO: 5086	ggcatgatgtctatttaa	9177	9196	1	3
SEQ ID NO: 3746	gagaagccccaagaattta	6257	6276	SEQ ID NO: 5087	taagccattcagctctc	12970	12989	1	3
SEQ ID NO: 3747	caattgtgtctttgtaaa	6276	6295	SEQ ID NO: 5088	tttaaccagtcagatattg	10187	10206	1	3
SEQ ID NO: 3748	ttttgtaaagtatgataaa	6286	6305	SEQ ID NO: 5089	tttattgtctgaatccaaaa	13855	13874	1	3
SEQ ID NO: 3749	ttgtaaagtatgataaaa	6288	6307	SEQ ID NO: 5090	ttttgagagggaatcgacaa	6358	6377	1	3
SEQ ID NO: 3750	ttcactccattaacctccc	6315	6334	SEQ ID NO: 5091	gggaaaaaacaggcttgaa	9576	9595	1	3
SEQ ID NO: 3751	tttgagaccttgcaagaa	6337	6356	SEQ ID NO: 5092	ttctctctatgggaaaaaa	9566	9585	1	3
SEQ ID NO: 3752	accttgcaagaataatttg	6344	6363	SEQ ID NO: 5093	caaaagaagcccaagaggt	12948	12967	1	3
SEQ ID NO: 3753	tcaattatgatcaatttgt	6423	6442	SEQ ID NO: 5094	acaagcagattatgttga	11829	11848	1	3
SEQ ID NO: 3754	cagagcagccctgggaaaa	6451	6470	SEQ ID NO: 5095	ttttcagaccaactctctg	13622	13641	1	3
SEQ ID NO: 3755	cctgggaaaactcccacag	6460	6479	SEQ ID NO: 5096	ctgtctctgttcagccagg	7724	7743	1	3
SEQ ID NO: 3756	actcccacagcaagcta	6469	6488	SEQ ID NO: 5097	attacacttctttcagat	12869	12888	1	3
SEQ ID NO: 3757	aattcatcaattgggaga	6497	6516	SEQ ID NO: 5098	tctctctctcattggaat	10479	10498	1	3
SEQ ID NO: 3758	ttcaattgggagagacaag	6503	6522	SEQ ID NO: 5099	cttgagtgccagtttgaa	11808	11827	1	3
SEQ ID NO: 3759	aggagaaactgactgctct	6534	6553	SEQ ID NO: 5100	agagcttatgggatttct	11163	11182	1	3
SEQ ID NO: 3760	actgactgctctcacaata	6541	6560	SEQ ID NO: 5101	tttggcaagctatcacgt	8380	8399	1	3
SEQ ID NO: 3761	gactgctctcacaataaag	6544	6563	SEQ ID NO: 5102	clttgtgagttatcagtc	9695	9714	1	3
SEQ ID NO: 3762	cagacatatatgatacaat	6641	6660	SEQ ID NO: 5103	attggatatccaagatctg	1933	1952	1	3

SEQ ID NO: 3763	aatttgatcagtatattaa	6657	6876	SEQ ID NO: 5104	ttaaagaagaatctcaatt	13815	13834	1	3
SEQ ID NO: 3764	tatgattacatgattga	6683	6702	SEQ ID NO: 5105	tcaatgattatataccata	13128	13147	1	3
SEQ ID NO: 3765	tttgaataagctattgct	6697	6716	SEQ ID NO: 5106	agcacagaaaaaattcaaa	13864	13883	1	3
SEQ ID NO: 3766	ttgaaatagctattgcta	6698	6717	SEQ ID NO: 5107	tagcacagaaaaaattcaa	13863	13882	1	3
SEQ ID NO: 3767	aatagctattgctaatait	6703	6722	SEQ ID NO: 5108	aataaatggagctttatt	14084	14103	1	3
SEQ ID NO: 3768	attattgatgaaatcattg	6719	6738	SEQ ID NO: 5109	caataaccagaattcataat	8268	8287	1	3
SEQ ID NO: 3769	aaagtcctgatgagcacta	6747	6766	SEQ ID NO: 5110	tagtgattacacttcctt	12864	12883	1	3
SEQ ID NO: 3770	aagtcctgatgagcactat	6748	6767	SEQ ID NO: 5111	atagcaacactaaatactt	8769	8788	1	3
SEQ ID NO: 3771	ttgatgagcactatcatat	6753	6772	SEQ ID NO: 5112	atatccaagatgagatcaa	13101	13120	1	3
SEQ ID NO: 3772	taatttagtaaaaaaat	6777	6796	SEQ ID NO: 5113	attgagattccctccatta	11702	11721	1	3
SEQ ID NO: 3773	tttagtaaaaaaatcca	6780	6799	SEQ ID NO: 5114	tgagtgccagttgaaaa	11810	11829	1	3
SEQ ID NO: 3774	acatttgcttatgaaaat	6805	6824	SEQ ID NO: 5115	atttccaaagctggatgt	11175	11194	1	3
SEQ ID NO: 3775	atgattttaacaaaagtg	6824	6843	SEQ ID NO: 5116	cactgtccagttgtcaat	9871	9890	1	3
SEQ ID NO: 3776	attttaacaaaagtggaag	6828	6847	SEQ ID NO: 5117	cttcaaagacttaaaaaat	8014	8033	1	3
SEQ ID NO: 3777	aaatcagaatccagataca	6888	6907	SEQ ID NO: 5118	tgtaccataagccatattt	10088	10107	1	3
SEQ ID NO: 3778	gaatccagatacaagaaaa	6894	6913	SEQ ID NO: 5119	ttttctaaacttgaaattc	9065	9084	1	3
SEQ ID NO: 3779	taagagacacatacagaa	6924	6943	SEQ ID NO: 5120	ttcttaaacattcctttaa	9491	9510	1	3
SEQ ID NO: 3780	atccagcactagctggaa	6950	6969	SEQ ID NO: 5121	ttccaatttccctgggat	3688	3707	1	3
SEQ ID NO: 3781	tgagcatgtcaaacacttt	7060	7079	SEQ ID NO: 5122	aaagtgccacttttactca	6191	6210	1	3
SEQ ID NO: 3782	gagcatgtcaaacactttg	7061	7080	SEQ ID NO: 5123	caaatgacatgatgggctc	5334	5353	1	3
SEQ ID NO: 3783	aaacacttgttataaatc	7070	7089	SEQ ID NO: 5124	gattatatcccatatgttt	13133	13152	1	3
SEQ ID NO: 3784	tgagaaaatcaatgccttc	7111	7130	SEQ ID NO: 5125	gaaggaaaagcgacctca	12029	12048	1	3
SEQ ID NO: 3785	tatgaagttagaccaaaaa	7160	7179	SEQ ID NO: 5126	tttgaggagggtatgcata	10331	10350	1	3
SEQ ID NO: 3786	aagtagaccaacaaatcca	7164	7183	SEQ ID NO: 5127	tgagtagaatgacgactt	12156	12175	1	3
SEQ ID NO: 3787	aagtgaggagactatttc	7223	7242	SEQ ID NO: 5128	gaataccaatgctgaactt	10168	10187	1	3
SEQ ID NO: 3788	acaagttaagataaaagat	7264	7283	SEQ ID NO: 5129	atctaaattcagttctgtt	11334	11353	1	3
SEQ ID NO: 3789	aagataaaagattactttg	7271	7290	SEQ ID NO: 5130	caaaaatageagggaatctt	2077	2096	1	3
SEQ ID NO: 3790	gattactttgagaaattag	7280	7299	SEQ ID NO: 5131	ctaaactgaaattcaatc	9069	9088	1	3
SEQ ID NO: 3791	tgagaaaatagttggattt	7288	7307	SEQ ID NO: 5132	aaatccgtgaggtgactca	7443	7462	1	3
SEQ ID NO: 3792	aaattagttgattatttg	7292	7311	SEQ ID NO: 5133	caattttgagaatgaattt	10419	10438	1	3
SEQ ID NO: 3793	tgattattgatgatgct	7300	7319	SEQ ID NO: 5134	agcatgcctagtttctcca	9953	9972	1	3
SEQ ID NO: 3794	tcattgaagatgttaacaa	7353	7372	SEQ ID NO: 5135	ttgatagtaaaccaatga	7422	7441	1	3
SEQ ID NO: 3795	cattgaagatgttaacaaa	7354	7373	SEQ ID NO: 5136	ttgtgatgaaaccaatg	7421	7440	1	3
SEQ ID NO: 3796	attgaagatgttaacaaat	7355	7374	SEQ ID NO: 5137	atttaagatgatttcaat	10495	10514	1	3
SEQ ID NO: 3797	ttgaagatgttaacaaatt	7356	7375	SEQ ID NO: 5138	aatttaagatgatttcaa	10494	10513	1	3
SEQ ID NO: 3798	tgaagatgttaacaaattc	7357	7376	SEQ ID NO: 5139	gaatttaagatgatttca	10493	10512	1	3
SEQ ID NO: 3799	acatgtgataaagaaatt	7380	7399	SEQ ID NO: 5140	aattccctgaagttgatgt	11487	11506	1	3
SEQ ID NO: 3800	tttgattaccaccagtttg	7406	7425	SEQ ID NO: 5141	caaatgaaacatccccaaa	8791	8810	1	3
SEQ ID NO: 3801	caaaatccgtgaggtgact	7441	7460	SEQ ID NO: 5142	agtcacctaacagatttg	7972	7991	1	3
SEQ ID NO: 3802	aaaatccgtgaggtgactc	7442	7461	SEQ ID NO: 5143	gagtgaaatgcgtttttt	8638	8657	1	3
SEQ ID NO: 3803	aggtagctcagagactcaa	7452	7471	SEQ ID NO: 5144	ttgatgatattcgaacct	10731	10750	1	3
SEQ ID NO: 3804	gtgaaattcaggctctgga	7473	7492	SEQ ID NO: 5145	tccaatctcctctttcac	8409	8428	1	3
SEQ ID NO: 3805	gttcagtgatctggaaa	7547	7566	SEQ ID NO: 5146	ttcaagcaaatgcacaac	8540	8559	1	3
SEQ ID NO: 3806	ttaagttcagatcttttg	7616	7635	SEQ ID NO: 5147	ccaatgctgaacttttaa	10173	10192	1	3
SEQ ID NO: 3807	tgaaggccaattccgaga	7641	7660	SEQ ID NO: 5148	tcctcttctcatctca	10213	10232	1	3
SEQ ID NO: 3808	aatgtatcaaatggacatt	7684	7703	SEQ ID NO: 5149	aatgaagtcgggattcatt	11021	11040	1	3
SEQ ID NO: 3809	atlcagcagggaacttcaac	7700	7719	SEQ ID NO: 5150	gttgagaagccccaagaat	6254	6273	1	3
SEQ ID NO: 3810	acctgtctctgttcagcca	7722	7741	SEQ ID NO: 5151	tgcaagtaagtgtcaggt	9377	9396	1	3
SEQ ID NO: 3811	cctgtctctgttcagccag	7723	7742	SEQ ID NO: 5152	ctggacttctagtacagg	8810	8829	1	3
SEQ ID NO: 3812	ggtcagccagggttatagc	7732	7751	SEQ ID NO: 5153	gctaaaggagcagttgacc	10535	10554	1	3

SEQ ID NO: 3813	ccaggtttatagcacact	7738	7757	SEQ ID NO: 5154	aagtcgggattcattctgg	11025	11044	1	3
SEQ ID NO: 3814	gtttatagcacactgtca	7742	7761	SEQ ID NO: 5155	tgacctgtccattcaaac	13681	13700	1	3
SEQ ID NO: 3815	actgtcacctacattct	7753	7772	SEQ ID NO: 5156	agaaaaaggggattgaagt	10283	10302	1	3
SEQ ID NO: 3816	ctgatgggtgactctgc	7770	7789	SEQ ID NO: 5157	gcaagitaagaaaatcag	14026	14045	1	3
SEQ ID NO: 3817	atgaaagcattgtagagc	7847	7866	SEQ ID NO: 5158	gctcatctccttctcat	10208	10227	1	3
SEQ ID NO: 3818	tgaagcattgtagagca	7848	7867	SEQ ID NO: 5159	tgctcatctccttctca	10207	10226	1	3
SEQ ID NO: 3819	gggttcactgttctgaaa	7868	7887	SEQ ID NO: 5160	ttcaccatagaaggaccc	8959	8978	1	3
SEQ ID NO: 3820	tcaagaccatctctgggac	7887	7906	SEQ ID NO: 5161	gtcccoctaaccagattga	7973	7992	1	3
SEQ ID NO: 3821	ccttgggaccatgcctgcc	7897	7916	SEQ ID NO: 5162	ggcaccagggtctcggaagg	13978	13997	1	3
SEQ ID NO: 3822	ttcaggctcttcagaaagc	7929	7948	SEQ ID NO: 5163	gcttgaaggaaattctgaa	9588	9607	1	3
SEQ ID NO: 3823	ttcagataaactcaaaaga	8004	8023	SEQ ID NO: 5164	tctcataagttcaatgaa	13183	13202	1	3
SEQ ID NO: 3824	acttcaaaagacttaaaaa	8013	8032	SEQ ID NO: 5165	tttaacaaaagtggaggt	6829	6848	1	3
SEQ ID NO: 3825	atcccatccagggtttcca	8039	8058	SEQ ID NO: 5166	tggagaagcaaatctggat	9472	9491	1	3
SEQ ID NO: 3826	gaatttaccatcttaaca	8063	8082	SEQ ID NO: 5167	tgtgaagtgtctccattc	9889	9908	1	3
SEQ ID NO: 3827	cattcctcttcttaaat	8089	8108	SEQ ID NO: 5168	aatccaattttgagaatg	10414	10433	1	3
SEQ ID NO: 3828	ttagcagatgctgaacag	8145	8164	SEQ ID NO: 5169	ctgtgaaagatttatcaa	12932	12951	1	3
SEQ ID NO: 3829	aatcacctgccagacttc	8233	8252	SEQ ID NO: 5170	gaagttctcaattttgatt	8522	8541	1	3
SEQ ID NO: 3830	tgaccttcacataccagaa	8320	8339	SEQ ID NO: 5171	ttctctggaagagggaica	8884	8903	1	3
SEQ ID NO: 3831	ttcagacttcccacatct	8339	8358	SEQ ID NO: 5172	agattctcagatgaggga	8921	8940	1	3
SEQ ID NO: 3832	aagctatacagattctga	8387	8406	SEQ ID NO: 5173	tcagatggcattgctgctt	11612	11631	1	3
SEQ ID NO: 3833	attctgaaaatccaatctc	8399	8418	SEQ ID NO: 5174	gagataaccgtgcctgaat	11552	11571	1	3
SEQ ID NO: 3834	ttcacattagatgcaaat	8422	8441	SEQ ID NO: 5175	atttgaaaaaaacagaaa	9738	9757	1	3
SEQ ID NO: 3835	caaatgtcagatagggaa	8436	8455	SEQ ID NO: 5176	ttccatcacaaatccttg	9670	9689	1	3
SEQ ID NO: 3836	gagagtccaaattagaagt	8508	8527	SEQ ID NO: 5177	acttacttcccaactctc	13410	13429	1	3
SEQ ID NO: 3837	agagltccaaattagaagt	8509	8528	SEQ ID NO: 5178	aacttacttcccaactct	13409	13428	1	3
SEQ ID NO: 3838	tctcaattttgatttcaa	8527	8546	SEQ ID NO: 5179	ttagtccctttttgaga	11537	11556	1	3
SEQ ID NO: 3839	caattttgattttcaagca	8530	8549	SEQ ID NO: 5180	tgctgaatccaaaagattg	13660	13679	1	3
SEQ ID NO: 3840	aatgcacaactclcaaac	8549	8568	SEQ ID NO: 5181	ggtttatcaaggggcaatt	12460	12479	1	3
SEQ ID NO: 3841	agttctccagcaagtacct	8604	8623	SEQ ID NO: 5182	aggttccatctgtcaaaact	11388	11407	1	3
SEQ ID NO: 3842	agtacctgagaaacggagca	8616	8635	SEQ ID NO: 5183	tgctccaggagaacttact	13780	13799	1	3
SEQ ID NO: 3843	tcaaacacagtggaaggt	8678	8697	SEQ ID NO: 5184	aactctcaagtcaagttga	13422	13441	1	3
SEQ ID NO: 3844	acaatcagcttaccctgga	8751	8770	SEQ ID NO: 5185	tcattctgaatatattgt	13380	13399	1	3
SEQ ID NO: 3845	ctgtagatcaacactaat	8765	8784	SEQ ID NO: 5186	atttctgaacttccccag	12702	12721	1	3
SEQ ID NO: 3846	ctgacctgcgcaacgagat	8829	8848	SEQ ID NO: 5187	atctgatgaggaaactcag	12259	12278	1	3
SEQ ID NO: 3847	agatgagggaaacacatgaa	8929	8948	SEQ ID NO: 5188	ttcatgtccctagaaatct	10038	10057	1	3
SEQ ID NO: 3848	tcaacttttctaaactga	9060	9079	SEQ ID NO: 5189	tcaaggataacgtgttga	12618	12637	1	3
SEQ ID NO: 3849	ttctaaacttgaattcaa	9067	9086	SEQ ID NO: 5190	ttgatgatgctgtcaagaa	7308	7327	1	3
SEQ ID NO: 3850	gaaatcaatcacaagtcg	9077	9096	SEQ ID NO: 5191	cgacgaagaaaataatttc	13566	13585	1	3
SEQ ID NO: 3851	cactgtttggagaaggga	9141	9160	SEQ ID NO: 5192	ttccagaaagcagccagt	12506	12525	1	3
SEQ ID NO: 3852	actgtttggagaagggaag	9142	9161	SEQ ID NO: 5193	cttcccaagagaccagtl	2898	2917	1	3
SEQ ID NO: 3853	aattctctttctttcag	9221	9240	SEQ ID NO: 5194	ctgattactatgaaaaatt	13638	13657	1	3
SEQ ID NO: 3854	ttctttcagcccagccat	9230	9249	SEQ ID NO: 5195	atggaaaagggaagagaa	13494	13513	1	3
SEQ ID NO: 3855	tttgaagttcgtttcca	9283	9302	SEQ ID NO: 5196	tgggaagtgtcagtgcaaa	10380	10399	1	3
SEQ ID NO: 3856	cagggaagatagacttct	9312	9331	SEQ ID NO: 5197	aggaccttcaaatctctg	9848	9867	1	3
SEQ ID NO: 3857	ataagtacaacaaaattt	9405	9424	SEQ ID NO: 5198	aaatcaggatctgagttat	14038	14057	1	3
SEQ ID NO: 3858	acaacgagaacattatgga	9435	9454	SEQ ID NO: 5199	tccattctgaatatattgt	13380	13399	1	3
SEQ ID NO: 3859	aggaaataatggagaagca	9463	9482	SEQ ID NO: 5200	tgctggaaattgtcattct	11734	11753	1	3
SEQ ID NO: 3860	agcaaatctggtttctta	9478	9497	SEQ ID NO: 5201	taagtctctgtacctgt	11719	11738	1	3
SEQ ID NO: 3861	tccttaacaattctgaa	9502	9521	SEQ ID NO: 5202	ttcaaaacgagcttcagga	13206	13225	1	3
SEQ ID NO: 3862	tttaacaattctgaaatg	9505	9524	SEQ ID NO: 5203	catttgatttaagtgtaaa	9621	9640	1	3

SEQ ID NO: 3863	acacaataatcacaactcc	9534	9553	SEQ ID NO: 5204	ggagacagcatcttcgtgt	11211	11230	1	3
SEQ ID NO: 3864	aagatttctctctatggga	9561	9580	SEQ ID NO: 5205	ccccagaaaaacctcttct	3936	3955	1	3
SEQ ID NO: 3865	gaaaaaacaggcctgaagg	9578	9597	SEQ ID NO: 5206	ccctttacaattcatttc	13021	13040	1	3
SEQ ID NO: 3866	ttgaaggaattcttgaaaa	9590	9609	SEQ ID NO: 5207	tttgagaatgaattcaa	10422	10441	1	3
SEQ ID NO: 3867	tgaaggaattcttgaaaaac	9591	9610	SEQ ID NO: 5208	gttttggtgataaattca	11291	11310	1	3
SEQ ID NO: 3868	agctcagtataagaaaaac	9640	9659	SEQ ID NO: 5209	gtttgataagtacaagct	9805	9824	1	3
SEQ ID NO: 3869	tcaaatccttgacaggca	9720	9739	SEQ ID NO: 5210	tgccctgagcagaccattga	11688	11707	1	3
SEQ ID NO: 3870	atgaaacaaaaattaagtt	9789	9808	SEQ ID NO: 5211	aactttgactatgttcat	12762	12781	1	3
SEQ ID NO: 3871	aattcctggatacactgtt	9859	9878	SEQ ID NO: 5212	aacacatgaatcacaaatt	8938	8957	1	3
SEQ ID NO: 3872	ttccagttgtcaatgttga	9876	9895	SEQ ID NO: 5213	tcaaaacgagcttcaggaa	13207	13226	1	3
SEQ ID NO: 3873	aagtgtctccattcaccat	9894	9913	SEQ ID NO: 5214	atgggaagtataagaactt	4842	4861	1	3
SEQ ID NO: 3874	gtcagcatgcctagtttct	9950	9969	SEQ ID NO: 5215	agaaaaggcacacctgtac	11080	11099	1	3
SEQ ID NO: 3875	ctgccatgggcaatattac	10113	10132	SEQ ID NO: 5216	gtaagaaaatacagagcag	6440	6459	1	3
SEQ ID NO: 3876	tgaataccaatgtgaact	10167	10186	SEQ ID NO: 5217	agtgaaggagactattca	7224	7243	1	3
SEQ ID NO: 3877	tattgttgcctatctcctt	10201	10220	SEQ ID NO: 5218	agggaaacataaactaata	12889	12908	1	3
SEQ ID NO: 3878	tgtgtctcatctccttct	10204	10223	SEQ ID NO: 5219	agaagaaatctgcagaaca	12431	12450	1	3
SEQ ID NO: 3879	tctgtcattgatgcactgc	10232	10251	SEQ ID NO: 5220	gcagtagactataagcaga	13928	13947	1	3
SEQ ID NO: 3880	ccacagctctgtctctgag	10305	10324	SEQ ID NO: 5221	ctcagggagctgaagggtg	8195	8214	1	3
SEQ ID NO: 3881	atttgtggagggtagtcatt	10330	10349	SEQ ID NO: 5222	atgaagtagaccaacaaat	7161	7180	1	3
SEQ ID NO: 3882	atatggaagtgtcagtgcc	10377	10396	SEQ ID NO: 5223	gccacactccaacgcattat	10778	10797	1	3
SEQ ID NO: 3883	tggaaataccaagtcacaaa	10453	10472	SEQ ID NO: 5224	ttttacaattcattttcca	13023	13042	1	3
SEQ ID NO: 3884	aagtcaaaacctactgtct	10463	10482	SEQ ID NO: 5225	agacctagtgtattacatt	12859	12878	1	3
SEQ ID NO: 3885	actgtctcttctccatgg	10475	10494	SEQ ID NO: 5226	ccatgcgaagtcagccagct	10924	10943	1	3
SEQ ID NO: 3886	cttctccatggaatttaa	10482	10501	SEQ ID NO: 5227	ttaatcgagaggtatgaag	7148	7167	1	3
SEQ ID NO: 3887	attcttcaatgtctgactc	10512	10531	SEQ ID NO: 5228	gagttgaggggtccgggaat	12242	12261	1	3
SEQ ID NO: 3888	ttgaccacaagcttagctt	10548	10567	SEQ ID NO: 5231	aagcgacacctcaatatcaa	12036	12055	1	3
SEQ ID NO: 3889	cctcacctcttactttcc	10573	10592	SEQ ID NO: 5232	ggaactattgtctagttagg	10649	10668	1	3
SEQ ID NO: 3890	agctgcagggcacttccaa	10710	10729	SEQ ID NO: 5233	tgggaagaagaggcagct	12289	12308	1	3
SEQ ID NO: 3891	ttccaaaatgatgataatc	10723	10742	SEQ ID NO: 5234	gatatacactagggaggaa	12745	12764	1	3
SEQ ID NO: 3892	gagaacatacaagcaaaagc	10860	10879	SEQ ID NO: 5235	gctgtgttttgccagctctc	2487	2486	1	3
SEQ ID NO: 3893	atggcaaatgtcagctctt	10897	10916	SEQ ID NO: 5236	aagagggtatttaaagccat	12960	12979	1	3
SEQ ID NO: 3894	tggcaaatgtcagctcttg	10898	10917	SEQ ID NO: 5237	caagagggtatttaaagcca	12959	12978	1	3
SEQ ID NO: 3895	ttgtcagggtccatgcaag	10914	10933	SEQ ID NO: 5238	cttggggggaggaggaaaca	14066	14085	1	3
SEQ ID NO: 3896	tggtcagggtccatgcaagt	10915	10934	SEQ ID NO: 5239	acttggggggaggaggaaaca	14065	14084	1	3
SEQ ID NO: 3897	agttccttccatgatttcc	10940	10959	SEQ ID NO: 5240	ggaatctgatgaggaaact	12258	12275	1	3
SEQ ID NO: 3898	tgctaacactaagaaccag	10987	11006	SEQ ID NO: 5241	ctggatgtaaccaccagca	11186	11205	1	3
SEQ ID NO: 3899	actaagaaccagaagatca	10994	11013	SEQ ID NO: 5242	tgatcaagaacctgttagt	13347	13366	1	3
SEQ ID NO: 3900	ctaagaaccagaagatcag	10995	11014	SEQ ID NO: 5243	ctgatcaagaacctgttag	13346	13365	1	3
SEQ ID NO: 3901	cagaagatcagatgaaaaa	11003	11022	SEQ ID NO: 5244	ttttcagaccaactctctg	13622	13641	1	3
SEQ ID NO: 3902	aaaaatgaagtcggatttc	11018	11037	SEQ ID NO: 5245	gaatttgaaagttcgittt	9280	9299	1	3
SEQ ID NO: 3903	gattcattctgggtctttc	11032	11051	SEQ ID NO: 5246	gaaaacctatgacctaatc	13166	13185	1	3
SEQ ID NO: 3904	aagaaaaggcacaccttga	11079	11098	SEQ ID NO: 5247	tcaaaacctactgtctctt	10466	10485	1	3
SEQ ID NO: 3905	aaggacacctaaaggttct	11115	11134	SEQ ID NO: 5248	aggacaccaaataacctt	7572	7591	1	3
SEQ ID NO: 3906	ccagcattggttaggagaca	11199	11218	SEQ ID NO: 5249	tgtaacaagttaccactgg	12370	12389	1	3
SEQ ID NO: 3907	ctttgtgtacacacaaaac	11239	11258	SEQ ID NO: 5250	gtttttaattgttgaaag	13148	13167	1	3
SEQ ID NO: 3908	ccatccctglaaaagtitt	11277	11296	SEQ ID NO: 5251	aaaagggtcatggaaatgg	8893	8912	1	3
SEQ ID NO: 3909	tgatctaaattcagttctt	11332	11351	SEQ ID NO: 5252	aagatagtcagttctgatca	13334	13353	1	3
SEQ ID NO: 3910	aagaagctgagaacttcat	11432	11451	SEQ ID NO: 5253	atgagatcaacacaactct	13110	13129	1	3
SEQ ID NO: 3911	ttgccctcaacctaccaa	11453	11472	SEQ ID NO: 5254	ttggtacgagttactcaaa	12641	12660	1	3
SEQ ID NO: 3912	cttgattcccttttttgag	11536	11555	SEQ ID NO: 5255	ctcaattttgattttcaag	8528	8547	1	3

SEQ ID NO: 3913	ttcacgcttccaaaaagtg	11591 11610	SEQ ID NO: 5256	cactcattgattttctgaa	12693	12712	1	3
SEQ ID NO: 3914	tgtttcagatggcattgct	11608 11627	SEQ ID NO: 5257	agcagattatgtgaaaca	11833	11852	1	3
SEQ ID NO: 3915	aatgcagtagccaacaaga	11639 11658	SEQ ID NO: 5258	tcitttcagcccagccatt	9231	9250	1	3
SEQ ID NO: 3916	ctgagcagaccattgagat	11691 11710	SEQ ID NO: 5259	atctgatgaggaaactcag	12259	12278	1	3
SEQ ID NO: 3917	tgagcagaccattgagatt	11692 11711	SEQ ID NO: 5260	aatctgatgaggaaactca	12258	12277	1	3
SEQ ID NO: 3918	ttgagattccctccattaa	11703 11722	SEQ ID NO: 5261	ttaatcttcataagttcaa	13179	13198	1	3
SEQ ID NO: 3919	actggagtgccagtttga	11807 11826	SEQ ID NO: 5262	tcaattgggagagacaagt	6504	6523	1	3
SEQ ID NO: 3920	caaaattgaaggacttcag	12004 12023	SEQ ID NO: 5263	ctgagaacttcatttg	11438	11457	1	3
SEQ ID NO: 3921	agcccagcggtcaccgatc	12056 12075	SEQ ID NO: 5264	gatccaagtatagtggct	13286	13305	1	3
SEQ ID NO: 3922	cagcggtcaccgatccca	12060 12079	SEQ ID NO: 5265	tggaacctgcaccaaagctg	13960	13979	1	3
SEQ ID NO: 3923	ctccatctcgctaccaga	12074 12093	SEQ ID NO: 5266	ctgatatacatcacggag	13711	13730	1	3
SEQ ID NO: 3924	atgaggaaactcagatcaa	12264 12283	SEQ ID NO: 5267	ttgattggccaccatcat	11667	11686	1	3
SEQ ID NO: 3925	aggcagctctggcttgct	12300 12319	SEQ ID NO: 5268	agcaagtcttctggcct	3018	3037	1	3
SEQ ID NO: 3926	tgaaagacaacgtgcccaa	12327 12346	SEQ ID NO: 5269	ttgggagagacaagttca	6508	6527	1	3
SEQ ID NO: 3927	tatgattatgtcaacaagt	12362 12381	SEQ ID NO: 5270	actttgcactatgttata	12763	12782	1	3
SEQ ID NO: 3928	cattaggcaaatgatgat	12475 12494	SEQ ID NO: 5271	atcaacacaatcttcaatg	13115	13134	1	3
SEQ ID NO: 3929	ttgactcaggaaggccaag	12584 12603	SEQ ID NO: 5272	cttggtacgagtactcaa	12640	12659	1	3
SEQ ID NO: 3930	gaaacctgggatatacact	12736 12755	SEQ ID NO: 5273	agtgtattacacttcttct	12865	12884	1	3
SEQ ID NO: 3931	tcctttcgagtttaaggaaa	12877 12896	SEQ ID NO: 5274	tttctgccactgctcagga	13524	13543	1	3
SEQ ID NO: 3932	gccatcagctctcaaga	12974 12993	SEQ ID NO: 5275	tctccgttctgtaattgc	5802	5821	1	3
SEQ ID NO: 3933	gtgctacgtaatcttcagg	13001 13020	SEQ ID NO: 5276	cctgcaccaaaagctggcac	13964	13983	1	3
SEQ ID NO: 3934	agctgaaagagatgaaatt	13065 13084	SEQ ID NO: 5277	aatttatcaaaacgagct	13200	13219	1	3
SEQ ID NO: 3935	aatttactatcttattaa	13080 13099	SEQ ID NO: 5278	ttaaaagaaatcttcaatt	13815	13834	1	3
SEQ ID NO: 3936	ttttaaattgttgaaagaa	13150 13169	SEQ ID NO: 5279	ttctctctatgggaaaaaa	9566	9585	1	3
SEQ ID NO: 3937	taatcttcataagttcaat	13180 13199	SEQ ID NO: 5280	attgagattccctccatta	11702	11721	1	3
SEQ ID NO: 3938	atatttgatccaagtata	13279 13298	SEQ ID NO: 5281	tataagcagaagcacatat	13937	13956	1	3
SEQ ID NO: 3939	tgaaaatattgaacttga	13311 13330	SEQ ID NO: 5282	tcaaccttaagattttica	8295	8314	1	3
SEQ ID NO: 3940	caatttctgcacagaaata	13442 13461	SEQ ID NO: 5283	tattctcttttccaattg	13834	13853	1	3
SEQ ID NO: 3941	agaagattgcagagcttc	13509 13528	SEQ ID NO: 5284	gaaatcttcaatttatct	13821	13840	1	3
SEQ ID NO: 3942	gaagaaaataatttctgat	13570 13589	SEQ ID NO: 5285	alcagttcagataaacttc	7999	8018	1	3
SEQ ID NO: 3943	ttgacctgtccattcaaaa	13680 13699	SEQ ID NO: 5286	tttgagaatgaatttcaa	10422	10441	1	3
SEQ ID NO: 3944	tcaaaactaccacacattt	13693 13712	SEQ ID NO: 5287	aaattccttgacatgtga	7370	7389	1	3
SEQ ID NO: 3945	tttttaaaagaaatcttc	13811 13830	SEQ ID NO: 5288	gaagtgctcagtggaaaaa	10382	10401	1	3
SEQ ID NO: 3946	aggatctgagttattttgc	14043 14062	SEQ ID NO: 5289	gcaagggctcactgttct	7864	7883	1	3
SEQ ID NO: 3947	tttgctaaacttgggggag	14057 14076	SEQ ID NO: 5290	ctcccaggaccttcaaaa	9842	9861	1	3

Table 10. Selected palindromic sequences from human glucose-6-phosphatase

Source	Start Index	End Index	Match	Start Index	End Index	#	B
SEQ ID NO: 5291 tccatcttcaggaagctgt	222	241	SEQ ID NO: 5369 acagactcttcagatgga	1340	1359	1	6
SEQ ID NO: 5292 ccactctcaggaagctgtg	223	242	SEQ ID NO: 5370 cacagactcttcagatgg	1339	1358	1	6
SEQ ID NO: 5293 cctctggccatgccatggg	417	436	SEQ ID NO: 5371 cccattttgaggccagagg	1492	1511	1	6
SEQ ID NO: 5294 ctctggccatgccatgggc	418	437	SEQ ID NO: 5372 gccattttgaggccagag	1491	1510	1	6
SEQ ID NO: 5295 ttgaatgtcattttgtgt	521	540	SEQ ID NO: 5373 accatacattatcattcaa	2945	2964	1	6
SEQ ID NO: 5296 tcagtaatgggggaccagc	1886	1905	SEQ ID NO: 5374 gctggtctcgaactcctga	2731	2750	1	6
SEQ ID NO: 5297 tttactgtgcatacatgt	1956	1975	SEQ ID NO: 5375 acatctttgaaaagaaaaa	2983	3002	1	6
SEQ ID NO: 5298 tgagggtccaaggaaatga	50	69	SEQ ID NO: 5376 tcatgtctcagcctcctca	2620	2639	1	5
SEQ ID NO: 5299 gagggtccaaggaaatga	51	70	SEQ ID NO: 5377 ctcatgtctcagcctcctc	2619	2638	1	5
SEQ ID NO: 5300 gggaagataaagccgacc	487	506	SEQ ID NO: 5378 ggtcgctggtctattccc	1295	1314	1	5
SEQ ID NO: 5301 tttctcatcaagttgt	598	617	SEQ ID NO: 5379 aacatcttgaaaagaaaa	2982	3001	1	5
SEQ ID NO: 5302 cttcagccacatccacag	651	670	SEQ ID NO: 5380 ctgtggactctggagaaag	773	792	1	5
SEQ ID NO: 5303 tggactctggagaaagccc	776	795	SEQ ID NO: 5381 gggctggctcctcaactcca	884	903	1	5
SEQ ID NO: 5304 agcctctcaagaacctgg	848	867	SEQ ID NO: 5382 ccagattcttccactggct	2107	2126	1	5
SEQ ID NO: 5305 ggctggggctggctctca	878	897	SEQ ID NO: 5383 tgagccaccgaccggggcc	2801	2820	1	5
SEQ ID NO: 5306 gactcactcccactggaa	1439	1458	SEQ ID NO: 5384 tccaggtaggggcagctc	1676	1695	1	5
SEQ ID NO: 5307 agctaataagactattgag	1572	1591	SEQ ID NO: 5385 ctacgctcctcagtagct	2626	2645	1	5
SEQ ID NO: 5308 gctaataagactattgaga	1573	1592	SEQ ID NO: 5386 tctcagcctcctcagtagc	2625	2644	1	5
SEQ ID NO: 5309 ctaaatggcttaattata	1854	1873	SEQ ID NO: 5387 tataattttagaattttag	2683	2702	1	5
SEQ ID NO: 5310 ctgctttttttttttt	2509	2528	SEQ ID NO: 5388 gaaaaatataatgtgcag	2996	3015	1	5
SEQ ID NO: 5311 caatcaccaccaagcctgg	0	19	SEQ ID NO: 5389 ccagaatgggtccacattg	812	831	1	4
SEQ ID NO: 5312 agcctggaataactgcaag	12	31	SEQ ID NO: 5390 ctggatttctgaatggct	1987	2006	1	4
SEQ ID NO: 5313 gttccatcttcaggaagct	220	239	SEQ ID NO: 5391 agctcactcccactggaac	1440	1459	1	4
SEQ ID NO: 5314 tgggtgggttttgatactg	326	345	SEQ ID NO: 5392 cagtcctcccacccctacca	2425	2444	1	4
SEQ ID NO: 5315 acctgtgagactggaccag	392	411	SEQ ID NO: 5393 ctggagaaagcccagaggt	782	801	1	4
SEQ ID NO: 5316 gctgtttacagaaacttca	638	657	SEQ ID NO: 5394 tgaatggctctcgcagc	1474	1493	1	4
SEQ ID NO: 5317 acagcatctataatgccag	666	685	SEQ ID NO: 5395 ctgggtgtagacctcctgt	758	777	1	4
SEQ ID NO: 5318 ggggtgtagacctcctgtgg	760	779	SEQ ID NO: 5396 ccacattgacaccacacc	823	842	1	4
SEQ ID NO: 5319 ggtgttagacctcctgtgga	761	780	SEQ ID NO: 5397 tccacattgacaccacacc	822	841	1	4
SEQ ID NO: 5320 ggttagacctcctgtggac	762	781	SEQ ID NO: 5398 gtccacattgacaccacac	821	840	1	4
SEQ ID NO: 5321 gacctcctgtggactctgg	767	786	SEQ ID NO: 5399 ccagatattgcactaggct	2014	2033	1	4
SEQ ID NO: 5322 cctgggcacgctcttggc	862	881	SEQ ID NO: 5400 gccagctcacaagcccagg	1687	1706	1	4
SEQ ID NO: 5323 ctgggcacgctcttggc	863	882	SEQ ID NO: 5401 ggccagctcacaagcccag	1686	1705	1	4
SEQ ID NO: 5324 ctggtctctacgtctgt	1028	1047	SEQ ID NO: 5402 acaaaagcaagactccag	1663	1682	1	4
SEQ ID NO: 5325 agagtgcggtagtgccct	1056	1075	SEQ ID NO: 5403 agggccaggattcctctct	2229	2248	1	4
SEQ ID NO: 5326 tgggcactggatttggag	1217	1236	SEQ ID NO: 5404 ctcccactggaacagccca	1446	1465	1	4
SEQ ID NO: 5327 gaattaaatcacggatggc	1267	1286	SEQ ID NO: 5405 gccaaccaagagcacattc	2311	2330	1	4
SEQ ID NO: 5328 tgtgtcagaagttgggt	1598	1617	SEQ ID NO: 5406 aacctcctgtctcataaca	2967	2986	1	4
SEQ ID NO: 5329 aggagctctgaatcgata	1764	1783	SEQ ID NO: 5407 tatcacattacatcatcct	2063	2082	1	4
SEQ ID NO: 5330 taaatggcttaattatat	1855	1874	SEQ ID NO: 5408 atatatgtgcagtatttta	3003	3022	1	4
SEQ ID NO: 5331 aaaatgacaagggaggggc	2215	2234	SEQ ID NO: 5409 gccctcctgtcctgtttt	2817	2836	1	4
SEQ ID NO: 5332 ttaaggaaaagtcaacat	2330	2349	SEQ ID NO: 5410 atgtgcagtattttattaa	3007	3026	1	4
SEQ ID NO: 5333 acatcttctctcttttt	2345	2364	SEQ ID NO: 5411 aaaagaaaaatatatgt	2992	3011	1	4
SEQ ID NO: 5334 ttctacgtcctcttcccca	197	216	SEQ ID NO: 5412 tgggccagccgcacaagaa	1116	1135	1	3
SEQ ID NO: 5335 tgggtagctgtgattggag	257	276	SEQ ID NO: 5413 ctcccactggaacagccca	1446	1465	1	3

SEQ ID NO: 5336	gctgtgattggagactggc	263	282	SEQ ID NO: 5414	gccatgccatgggcacagc	423	442	1	3
SEQ ID NO: 5337	cactccgtgccctgata	358	377	SEQ ID NO: 5415	tatcaccaggctggagtg	2548	2567	1	3
SEQ ID NO: 5338	acatctactctttccatct	464	483	SEQ ID NO: 5416	agatgggatttcatcatgt	2705	2724	1	3
SEQ ID NO: 5339	ctactctttccatcttca	468	487	SEQ ID NO: 5417	tgaatactctcacaagtag	1419	1438	1	3
SEQ ID NO: 5340	agataaagccgacctacag	492	511	SEQ ID NO: 5418	ctgttttcaatctcatct	2828	2847	1	3
SEQ ID NO: 5341	tgtgcagctgaatgctgt	553	572	SEQ ID NO: 5419	acagaaactttcagccaca	644	663	1	3
SEQ ID NO: 5342	atgtctgtctgtcacgaat	564	583	SEQ ID NO: 5420	attcagggtatagctgacat	2038	2057	1	3
SEQ ID NO: 5343	ctgtcacgaatctaccttg	572	591	SEQ ID NO: 5421	caagggtgctaggattacag	2779	2798	1	3
SEQ ID NO: 5344	atcaagttgtgtcggagt	606	625	SEQ ID NO: 5422	actcctgacctcaagtgat	2742	2761	1	3
SEQ ID NO: 5345	cagaaactttcagccacat	645	664	SEQ ID NO: 5423	atgttcaattaggctctg	2185	2204	1	3
SEQ ID NO: 5346	actttcagccàcatccaca	650	669	SEQ ID NO: 5424	tgtggcggtatcatgcaagt	1818	1837	1	3
SEQ ID NO: 5347	atgccagcctcaagaaata	678	697	SEQ ID NO: 5425	tatttttttactgtgcat	1950	1969	1	3
SEQ ID NO: 5348	agaaatattttctattac	690	709	SEQ ID NO: 5426	gtaaatagactcctttct	2283	2302	1	3
SEQ ID NO: 5349	gaaatattttctattacc	691	710	SEQ ID NO: 5427	ggtaaatagactcctttc	2282	2301	1	3
SEQ ID NO: 5350	tgctgtcctcaaggactggg	744	763	SEQ ID NO: 5428	cccaagccaaccaagagca	2306	2325	1	3
SEQ ID NO: 5351	cctgtggactctggagaaa	772	791	SEQ ID NO: 5429	tttcatcatgttggccagg	2713	2732	1	3
SEQ ID NO: 5352	ggagaaagcccagaggtgg	784	803	SEQ ID NO: 5430	ccaccgcaccgggcccctcc	2805	2824	1	3
SEQ ID NO: 5353	tgaaaccccatcccaag	1004	1023	SEQ ID NO: 5431	cttgaattcctgggctcaa	2405	2424	1	3
SEQ ID NO: 5354	cagatggagggtgccatac	1351	1370	SEQ ID NO: 5432	gatatgcagagtaattctg	2847	2866	1	3
SEQ ID NO: 5355	ggagctcactcccactgga	1438	1457	SEQ ID NO: 5433	tccacctgccttggcctcc	2760	2779	1	3
SEQ ID NO: 5356	tggglaatgttttgaaa	1553	1572	SEQ ID NO: 5434	tttctctatcccaagccaa	2297	2316	1	3
SEQ ID NO: 5357	gaagttgggttcttctgga	1606	1625	SEQ ID NO: 5435	tccacccactggatcttc	2131	2150	1	3
SEQ ID NO: 5358	aaaagaaggctgcctaagg	1785	1804	SEQ ID NO: 5436	ccttgccctgttttcttt	2503	2522	1	3
SEQ ID NO: 5359	aaagaaggctgcctaagga	1786	1805	SEQ ID NO: 5437	tccttgccctgttttcttt	2502	2521	1	3
SEQ ID NO: 5360	aagaaggctgcctaaggag	1787	1806	SEQ ID NO: 5438	ctccttgccctgttttctt	2501	2520	1	3
SEQ ID NO: 5361	agaaggctgcctaaggagg	1788	1807	SEQ ID NO: 5439	cctccttgccctgttttct	2500	2519	1	3
SEQ ID NO: 5362	atttccttgatttctgaa	1982	2001	SEQ ID NO: 5440	ttcaattaggctctgaaat	2189	2208	1	3
SEQ ID NO: 5363	tccttataagcccagctct	2081	2100	SEQ ID NO: 5441	agagcacattcttaagga	2319	2338	1	3
SEQ ID NO: 5364	ataagcccagctctgctt	2086	2105	SEQ ID NO: 5442	aaagctgaagcctattat	2889	2908	1	3
SEQ ID NO: 5365	ggccaggattcctctctca	2231	2250	SEQ ID NO: 5443	tgagccaccgcaccgggcc	2801	2820	1	3
SEQ ID NO: 5366	gccaactcctccttgctg	2493	2512	SEQ ID NO: 5444	caggctggagtggagtggc	2555	2574	1	3
SEQ ID NO: 5367	ttttttcttttttgag	2519	2538	SEQ ID NO: 5445	ctcataacatctttgaaaa	2977	2996	1	3
SEQ ID NO: 5368	ccggcgtgcaccaccatgc	2652	2671	SEQ ID NO: 5446	gcatgagccaccgcaccgg	2798	2817	1	3

Table 11. Selected palindromic sequences from rat glucose-6-phosphatase

Source		Start Index	End Index	Match	Start Index	End Index	#	B
SEQ ID NO:	5447ctgactattacagcaacag	301	320	SEQ ID NO:	5471ctgtggctgaaactttcag	598	617	1 6
SEQ ID NO:	5448ctcttgggggtggggctgg	831	850	SEQ ID NO:	5472ccagcatgtaccgcaagag	859	878	1 6
SEQ ID NO:	5449tgcaaaaggagaaactgcgca	879	898	SEQ ID NO:	5473tgcgaccgtcccctttgca	1019	1038	1 6
SEQ ID NO:	5450cctcggggccatgccatggg	376	395	SEQ ID NO:	5474cccagtggtgggcccagagg	1171	1190	1 5
SEQ ID NO:	5451tgagcaaaaccatattgcaa	1478	1497	SEQ ID NO:	5475ttgcagagtgtgtcttcaa	2057	2076	1 5
SEQ ID NO:	5452cagcttcctgaggtaccaa	2	21	SEQ ID NO:	5476ttggtgtctgtgatcgctg	123	142	1 4
SEQ ID NO:	5453ggtaccaaggaggaaggat	13	32	SEQ ID NO:	5477atccagtcgactcgctacc	66	85	1 4
SEQ ID NO:	5454ctccacgactttgggatcc	51	70	SEQ ID NO:	5478ggatcgggaggagggggag	1448	1467	1 4
SEQ ID NO:	5455caggactggtttgtcttgg	108	127	SEQ ID NO:	5479ccaagcccgcactgtgcctg	2018	2037	1 4
SEQ ID NO:	5456cttctatgtcctctttccc	155	174	SEQ ID NO:	5480gggacagacacacaagaag	1076	1095	1 4
SEQ ID NO:	5457ttctatgtcctctttccca	156	175	SEQ ID NO:	5481tgggacagacacacaagaa	1075	1094	1 4
SEQ ID NO:	5458tggttccacattcaagaga	177	196	SEQ ID NO:	5482tctcaataatgatagacca	1549	1568	1 4
SEQ ID NO:	5459tgcctctgataaaacagtt	325	344	SEQ ID NO:	5483aactctgagatcttgggca	1868	1887	1 4
SEQ ID NO:	5460agcccggtcctcctgggacag	1064	1083	SEQ ID NO:	5484ctgtcctccagcctgggct	2034	2053	1 4
SEQ ID NO:	5461agtcctgacacaagtcag	1111	1130	SEQ ID NO:	5485ctgaatggaatgtgtgact	1659	1678	1 4
SEQ ID NO:	5462aaaaagggtgaatttttaa	1237	1256	SEQ ID NO:	5486tttattaaaacgacatttt	2201	2220	1 4
SEQ ID NO:	5463acactctcaataatgatag	1545	1564	SEQ ID NO:	5487ctatgaatgatgcctgtgt	2121	2140	1 4
SEQ ID NO:	5464aaagaatgaacgtgctcca	37	56	SEQ ID NO:	5488tggacctcctgtggacttt	724	743	1 3
SEQ ID NO:	5465cttgggatccagtcgact	59	78	SEQ ID NO:	5489agtcagcgccgtgcacaaag	1124	1143	1 3
SEQ ID NO:	5466gtgatcgctgacctcagga	132	151	SEQ ID NO:	5490tcctctctccaaagggtcac	1911	1930	1 3
SEQ ID NO:	5467ggaacgccttctatgtct	148	167	SEQ ID NO:	5491aggactcatcactgcttcc	1748	1767	1 3
SEQ ID NO:	5468gactgtgggcatcaatctc	194	213	SEQ ID NO:	5492gagactggaccaggaggatc	357	376	1 3
SEQ ID NO:	5469ggacactgactattacagc	296	315	SEQ ID NO:	5493gctgaacgtctgtctgtcc	518	537	1 3
SEQ ID NO:	5470aagcccccgctccagattg	966	985	SEQ ID NO:	5494caattgtttgctggtgctt	1833	1852	1 3

Table 12. Selected palindromic sequences from human B-catenin

Source	Start Index	End Index	Match	Start Index	End Index	#	B
SEQ ID NO: 5495agcagcttcagtcgccgccc	70	89	SEQ ID NO: 5542ggcgacatatgcagctgct	2152	2171	1	5
SEQ ID NO: 5496ccattctggtgccactacc	304	323	SEQ ID NO: 5543gggatggaccccatgatgg	2387	2406	1	5
SEQ ID NO: 5497tccttctctgagtggtaaa	328	347	SEQ ID NO: 5544ttattacatcaagaagga	985	1004	1	5
SEQ ID NO: 5498tctgagtggttaaaggcaat	334	353	SEQ ID NO: 5545attgtacgtaccatgcaga	791	810	1	5
SEQ ID NO: 5499cagaggggtacgagctgcta	473	492	SEQ ID NO: 5546tagctgcaggggtcctctg	2037	2056	1	5
SEQ ID NO: 5500ctaaatgacgaggaccagg	677	696	SEQ ID NO: 5547cctgtaaatcatcctttag	2539	2558	1	5
SEQ ID NO: 5501taaatgacgaggaccagggt	678	697	SEQ ID NO: 5548acctgtaaatcatccttta	2538	2557	1	5
SEQ ID NO: 5502glcctgtatgagtggaac	383	402	SEQ ID NO: 5549gttccgaatgtctgaggac	2176	2195	2	4
SEQ ID NO: 5503cccagcgccgtactgccat	1839	1858	SEQ ID NO: 5550atgggctgccagatctggg	2451	2470	2	4
SEQ ID NO: 5504tccccgtaggggtattgaa	143	162	SEQ ID NO: 5551ttacatcctagctcgga	1929	1948	1	4
SEQ ID NO: 5505gggtattgaagtatacca	151	170	SEQ ID NO: 5552tggttaagctcttacacc	1680	1699	1	4
SEQ ID NO: 5506gctgttagtcactggcagc	260	279	SEQ ID NO: 5553gctgctccagggtgacagc	2494	2513	1	4
SEQ ID NO: 5507gtcctgtatgagtggaac	383	402	SEQ ID NO: 5554gttcgccttcactatggac	1652	1671	1	4
SEQ ID NO: 5508tcctgtatgagtggaaca	384	403	SEQ ID NO: 5555gttccgaatgtctgaggga	2175	2194	1	4
SEQ ID NO: 5509gatgcaatgactgcagct	454	473	SEQ ID NO: 5556agctggcctggttgatac	2517	2536	1	4
SEQ ID NO: 5510gtccagcggttgctgaac	563	582	SEQ ID NO: 5557gttcgccttcactatggac	1652	1671	1	4
SEQ ID NO: 5511tatcaagatgatgcagaac	623	642	SEQ ID NO: 5558gttcgtgcacatcaggata	1820	1839	1	4
SEQ ID NO: 5512tatgtccatcagcttct	718	737	SEQ ID NO: 5559agaaagcaagctcatcata	1126	1145	1	4
SEQ ID NO: 5513ccctgggtgaaaatgcttg	915	934	SEQ ID NO: 5560ccaaagagttagctgcagg	2029	2048	1	4
SEQ ID NO: 5514agctttaggacttcacctg	1291	1310	SEQ ID NO: 5561cagggtgacagcaatcagct	2502	2521	1	4
SEQ ID NO: 5515ggaatcttcagatgctgc	1356	1375	SEQ ID NO: 5562gcagctgctgtttgttcc	2162	2181	1	4
SEQ ID NO: 5516tgtcttcgggctggtgac	1549	1568	SEQ ID NO: 5563gtcatctgaccagccgaca	1605	1624	1	4
SEQ ID NO: 5517cacagctcctctgacagag	2107	2126	SEQ ID NO: 5564ctctaggaatgaaggtgtg	2134	2153	1	4
SEQ ID NO: 5518ccagacagaaaagcggctg	245	264	SEQ ID NO: 5565cagctcgtgtaccgctgg	828	847	2	3
SEQ ID NO: 5519cagcagcgttggcccgcc	4	23	SEQ ID NO: 5566ggccaccaccctggtgctg	2420	2439	1	3
SEQ ID NO: 5520aggtctgaggagcagcttc	60	79	SEQ ID NO: 5567gaagaggatgtggatacct	359	378	1	3
SEQ ID NO: 5521actgttttgaatccagc	174	193	SEQ ID NO: 5568gctgatattgatggacagt	437	456	1	3
SEQ ID NO: 5522ctgatttgatggagtga	213	232	SEQ ID NO: 5569tccaggltgacagcaatcag	2500	2519	1	3
SEQ ID NO: 5523ccagacagaaaagcggctg	245	264	SEQ ID NO: 5570cagcaacagctctacctgg	275	294	1	3
SEQ ID NO: 5524acagctccttctctgagtg	323	342	SEQ ID NO: 5571cactgagcctgccatctgt	1579	1598	1	3
SEQ ID NO: 5525tggtatcctccaagtcct	369	388	SEQ ID NO: 5572aggactaaataccattcca	1972	1991	1	3
SEQ ID NO: 5526tcaagaacaagtagctgat	424	443	SEQ ID NO: 5573atcagctggcctggttga	2514	2533	1	3
SEQ ID NO: 5527agctcagaggggtacgagct	469	488	SEQ ID NO: 5574agctgggtgaatgcaagct	1276	1295	1	3
SEQ ID NO: 5528gcatgcagatcccattac	516	535	SEQ ID NO: 5575gtagaagctggtggaatgc	1271	1290	1	3
SEQ ID NO: 5529ccacacgtgcaatccctga	645	664	SEQ ID NO: 5576tcagatgatataaatgtgg	1430	1449	1	3
SEQ ID NO: 5530cacacgtgcaatccctgaa	646	665	SEQ ID NO: 5577ltcagatgatataaatgtg	1429	1448	1	3
SEQ ID NO: 5531ggaccttgcataaccttcc	846	865	SEQ ID NO: 5578gaaatcttgcccttgtcc	1743	1762	1	3
SEQ ID NO: 5532ctccacaacctttattac	974	993	SEQ ID NO: 5579gtaaatcatcctttaggag	2542	2561	1	3
SEQ ID NO: 5533cagagtgctgaaggtgcta	1222	1241	SEQ ID NO: 5580tagctgcaggggtcctctg	2037	2056	1	3
SEQ ID NO: 5534ggactctcaggaatcttcc	1347	1366	SEQ ID NO: 5581gaaatcttgcccttgtcc	1743	1762	1	3
SEQ ID NO: 5535tgatataaatgtggtcacc	1435	1454	SEQ ID NO: 5582ggtagacaggggaagacatca	1562	1581	1	3
SEQ ID NO: 5536cccagcgccgtacgtccat	1839	1858	SEQ ID NO: 5583atggccaggatgcctggg	2370	2389	1	3
SEQ ID NO: 5537gtccatgggtgggacacag	1852	1871	SEQ ID NO: 5584ctgtgaactgtctcaggac	2053	2072	1	3
SEQ ID NO: 5538ttgtaccggagcccttcac	1915	1934	SEQ ID NO: 5585gtgaactgtctcaggacaa	2055	2074	1	3
SEQ ID NO: 5539ttgttatcagaggactaaa	1962	1981	SEQ ID NO: 5586tttaggagtaacaatacaa	2553	2572	1	3

SEQ ID NO: 5540	gaagctattgaagctgagg	2084 2103	SEQ ID NO: 5587	cctctgacagagttacttc	2114 2133	1 3
SEQ ID NO: 5541	tcagaacagagccaatggc	2247 2266	SEQ ID NO: 5588	gccaccaccctgggtgctga	2421 2440	1 3

Table 13. Selected palindromic sequences from human hepatitis C virus (HCV)

	Source	Start Index	End Index		Match	Start Index	End Index	#	B
SEQ ID NO: 5589	cagcacctgggtgctgga	5314	5333	SEQ ID NO: 6135	taccatcaccagctgctg	6196	6215	1	9
SEQ ID NO: 5590	aactcgtccggatgcccg	1682	1701	SEQ ID NO: 6136	ccgggcagcgggtcgagtt	8202	8221	1	8
SEQ ID NO: 5591	cgctgctgggtagcgctca	1049	1068	SEQ ID NO: 6137	tgagagcgacgccgagcg	6151	6170	1	7
SEQ ID NO: 5592	ctccggatcccacaagccg	1352	1371	SEQ ID NO: 6138	cgcatgtggcccgagg	6053	6072	1	7
SEQ ID NO: 5593	tgtaacatcggtgggtcg	2048	2067	SEQ ID NO: 6139	cgaccctcccacattaca	6871	6890	1	7
SEQ ID NO: 5594	gtaacatcggtgggtcg	2049	2068	SEQ ID NO: 6140	ccgaccctcccacattac	6870	6889	1	7
SEQ ID NO: 5595	cagccaccaagcaggcgga	5556	5575	SEQ ID NO: 6141	tccggctggtcggtgctg	9254	9273	1	7
SEQ ID NO: 5596	ctcaccaccagaacaccc	5744	5763	SEQ ID NO: 6142	gggtgtgcacggtgtgag	6291	6310	1	7
SEQ ID NO: 5597	ccagcctaccatcaccca	6189	6208	SEQ ID NO: 6143	ggggcgctggtatcgctg	5832	5851	1	7
SEQ ID NO: 5598	ctacgcgtgttccggctc	6249	6268	SEQ ID NO: 6144	gagccgaaccggacgtag	6830	6849	1	7
SEQ ID NO: 5599	tacgcgtgttccggctc	6250	6269	SEQ ID NO: 6145	cgagccgaaccggacgta	6829	6848	1	7
SEQ ID NO: 5600	gagttcctggtaaagcct	8216	8235	SEQ ID NO: 6146	aggctatgactaggtactc	8634	8653	1	7
SEQ ID NO: 5601	atggcgggaactgggcta	1430	1449	SEQ ID NO: 6147	tagcgcatcttactccat	9019	9038	2	6
SEQ ID NO: 5602	aaccaaacgtaacaccaac	370	389	SEQ ID NO: 6148	gttgccgtaccttaggtt	4115	4134	1	6
SEQ ID NO: 5603	ggtggtcagatcgttggtg	419	438	SEQ ID NO: 6149	caccagcccgtcaccacc	5734	5753	1	6
SEQ ID NO: 5604	cctggccctctatggca	584	603	SEQ ID NO: 6150	tgccaacgtgggtacaagg	6374	6393	1	6
SEQ ID NO: 5605	tacccgggcacgcgtcag	1265	1284	SEQ ID NO: 6151	ctgacgactagctgcggtg	8465	8484	1	6
SEQ ID NO: 5606	gggcacgctgccgcctca	1508	1527	SEQ ID NO: 6152	tgagacgacgacggtgcc	4759	4778	1	6
SEQ ID NO: 5607	ctgcaatgactccctccag	1624	1643	SEQ ID NO: 6153	ctggtggccctcaatgcag	2594	2613	1	6
SEQ ID NO: 5608	aaccgatcgtcggcaac	1897	1916	SEQ ID NO: 6154	gttgccgtaccttaggtt	4115	4134	1	6
SEQ ID NO: 5609	gtgcggggccccccgtgt	2032	2051	SEQ ID NO: 6155	acaccacggggccccgcac	6537	6556	1	6
SEQ ID NO: 5610	atgtggggggcgtggagca	2238	2257	SEQ ID NO: 6156	tgctcaatgtcctacacat	7610	7629	1	6
SEQ ID NO: 5611	ggagagcgttgcaactgg	2288	2307	SEQ ID NO: 6157	ccaagctcaactcactcc	9207	9226	1	6
SEQ ID NO: 5612	cgctcgttgccggagcgca	2613	2632	SEQ ID NO: 6158	tgagagccgaaccggacg	6827	6846	1	6
SEQ ID NO: 5613	gtctggcattatgacctt	2817	2836	SEQ ID NO: 6159	aaggctaccttgacagac	7763	7782	1	6
SEQ ID NO: 5614	ctttgatatacacaact	2997	3016	SEQ ID NO: 6160	agttcgatgaaatggaaga	5454	5473	1	6
SEQ ID NO: 5615	ctctgattgccatactcg	3014	3033	SEQ ID NO: 6161	cgagcaattcaagcagaag	5518	5537	1	6
SEQ ID NO: 5616	ggcgctgtggggacatca	3314	3333	SEQ ID NO: 6162	tgatcacgcatgcggcg	7641	7660	1	6
SEQ ID NO: 5617	gggacatcatcctggcct	3324	3343	SEQ ID NO: 6163	aggcggtggtttgtccc	3915	3934	1	6
SEQ ID NO: 5618	gggcgtcttcgggcccgt	3874	3893	SEQ ID NO: 6164	agcggcacggcgaccgcc	7439	7458	1	6
SEQ ID NO: 5619	ggcgctctccgggcccgtg	3875	3894	SEQ ID NO: 6165	cagcggcacggcgaccgcc	7438	7457	1	6
SEQ ID NO: 5620	gcgtctccgggcccgtgt	3876	3895	SEQ ID NO: 6166	acagggtccctgatcacgc	7631	7650	1	6
SEQ ID NO: 5621	gtcccggtcttcacagac	3961	3980	SEQ ID NO: 6167	gtcttgaagaaccgggac	7252	7271	1	6
SEQ ID NO: 5622	catcaggactggggtagg	4174	4193	SEQ ID NO: 6168	ccttcccaagccgtgatg	8155	8174	1	6
SEQ ID NO: 5623	ccgacggtggtgtccgg	4245	4264	SEQ ID NO: 6169	ccgggggaacggccctcg	4853	4872	1	6
SEQ ID NO: 5624	ggggggaaggcacctatt	4501	4520	SEQ ID NO: 6170	aatgtgtgactggcccc	8334	8353	1	6
SEQ ID NO: 5625	ccgagcaattcaagcagaa	5517	5536	SEQ ID NO: 6171	ttctgattgccatactcg	3015	3034	1	6
SEQ ID NO: 5626	agatgaaggcaaggcgctc	7821	7840	SEQ ID NO: 6172	gacgacctgtcgttatct	8564	8583	1	6
SEQ ID NO: 5627	cccctaggggcgctgcca	767	786	SEQ ID NO: 6173	ggccggcgcccccgggg	3674	3693	3	5
SEQ ID NO: 5628	ctccggcctagtggggc	646	665	SEQ ID NO: 6174	gcccccttgagggggag	7519	7538	2	5
SEQ ID NO: 5629	ttccgctcgtcgggccc	750	769	SEQ ID NO: 6175	gggcaaaggacgtccggaa	7923	7942	2	5
SEQ ID NO: 5630	cccctaggggcgctgcca	767	786	SEQ ID NO: 6176	ggcgggggccactgggg	1383	1402	2	5
SEQ ID NO: 5631	gccccgcccgcgtcgaca	1222	1241	SEQ ID NO: 6177	gtcccaggggggaggggc	9147	9166	2	5

SEQ ID NO: 5632	aggacgaccgggtccttc	178	197	SEQ ID NO: 6178	gaaaaaggacggtgtcct	7341	7360	1	5
SEQ ID NO: 5633	ggacgaccgggtccttct	179	198	SEQ ID NO: 6179	agaaaaaggacggtgtcc	7340	7359	1	5
SEQ ID NO: 5634	aaaaccaaactaacacca	368	387	SEQ ID NO: 6180	gggttttttttttt	9443	9462	1	5
SEQ ID NO: 5635	caaccgcccacaggac	385	404	SEQ ID NO: 6181	gtcctgaaccgtctgtg	4100	4119	1	5
SEQ ID NO: 5636	cgggtgcagatcgttgt	418	437	SEQ ID NO: 6182	accatgagacgacgaccg	4754	4773	1	5
SEQ ID NO: 5637	acctgttgcgcgagggg	444	463	SEQ ID NO: 6183	ccccggccacgcgtcagg	1267	1286	1	5
SEQ ID NO: 5638	tgcgcgaggggcccg	450	469	SEQ ID NO: 6184	ctggcgcgctgacgggca	3164	3183	1	5
SEQ ID NO: 5639	gggccccagggtgggtg	460	479	SEQ ID NO: 6185	cacagcctgtctcgtgcc	9296	9315	1	5
SEQ ID NO: 5640	gttggggccccacggacc	657	676	SEQ ID NO: 6186	gggtgggtagccgccaac	5783	5802	1	5
SEQ ID NO: 5641	tggggccccacggacccc	658	677	SEQ ID NO: 6187	gggtgggttagccgcca	5782	5801	1	5
SEQ ID NO: 5642	tggggccccacggacccc	659	678	SEQ ID NO: 6188	gggggtgggttagccgcca	5781	5800	1	5
SEQ ID NO: 5643	cctcacatcgccctcgcc	715	734	SEQ ID NO: 6189	ggcggggcgacaatagagg	3774	3793	1	5
SEQ ID NO: 5644	cacatcgccctcgccgac	718	737	SEQ ID NO: 6190	gtcgtcggtgctgtgtg	6020	6039	1	5
SEQ ID NO: 5645	tccgctcgtggcgcccc	751	770	SEQ ID NO: 6191	ggggcaaaggacgtccgga	7922	7941	1	5
SEQ ID NO: 5646	ggcgctgccaggcgctgg	776	795	SEQ ID NO: 6192	ccaagccacagtgtcgcc	5110	5129	1	5
SEQ ID NO: 5647	ccatgtcacgaacgactgc	943	962	SEQ ID NO: 6193	gcagcaacacgtggcatgg	6498	6517	1	5
SEQ ID NO: 5648	gtgccctcggtcgggagg	1019	1038	SEQ ID NO: 6194	cctcacaacggggggcac	1495	1514	1	5
SEQ ID NO: 5649	tgcctgcgttcgggaggg	1020	1039	SEQ ID NO: 6195	ccctcacaacggggggca	1494	1513	1	5
SEQ ID NO: 5650	gcctgcgttcgggaggg	1021	1040	SEQ ID NO: 6196	accctcacaacggggggc	1493	1512	1	5
SEQ ID NO: 5651	aggaatgtccatcccca	1085	1104	SEQ ID NO: 6197	gggcatcgccacagtct	4323	4342	1	5
SEQ ID NO: 5652	tcccactacgacaatag	1098	1117	SEQ ID NO: 6198	cgatttccagatttgga	8092	8111	1	5
SEQ ID NO: 5653	atacgacaccagtcgatl	1112	1131	SEQ ID NO: 6199	aatcaatgctgtagcgat	4576	4595	1	5
SEQ ID NO: 5654	attgtcgttggggcggc	1128	1147	SEQ ID NO: 6200	gccgccactgcccgaat	9164	9183	1	5
SEQ ID NO: 5655	ccttctcgcccgccggca	1215	1234	SEQ ID NO: 6201	gccaacgtgggtlacaag	6374	6393	1	5
SEQ ID NO: 5656	accccgccacgcgtcagg	1266	1285	SEQ ID NO: 6202	cctgcccggttaccgggt	6340	6359	1	5
SEQ ID NO: 5657	gcctcgtagtgtcgcagt	1331	1350	SEQ ID NO: 6203	actgcgtcggtatgggc	6046	6065	1	5
SEQ ID NO: 5658	ggcgtctcagagaatccag	1558	1577	SEQ ID NO: 6204	ctggtatcgtggtgcggc	5838	5857	1	5
SEQ ID NO: 5659	ctgaactgcaatgactccc	1619	1638	SEQ ID NO: 6205	gggacagatcggagctcag	2313	2332	1	5
SEQ ID NO: 5660	agactgggttcttgcgc	1641	1660	SEQ ID NO: 6206	ggcgagcctacgagtct	8609	8628	1	5
SEQ ID NO: 5661	tgtccggtatcccgagc	1685	1704	SEQ ID NO: 6207	gtccggggcgcttacga	4257	4276	1	5
SEQ ID NO: 5662	ccagggtatgggtcctalc	1738	1757	SEQ ID NO: 6208	gataactcccctacctgg	5084	5103	1	5
SEQ ID NO: 5663	gacaaccgatcgtcggc	1894	1913	SEQ ID NO: 6209	gccgggttaccgggtgtc	6343	6362	1	5
SEQ ID NO: 5664	caagacgtgcccccccc	2026	2045	SEQ ID NO: 6210	gggtctccccctctgtg	6919	6938	1	5
SEQ ID NO: 5665	acgtgcggggccccccgt	2030	2049	SEQ ID NO: 6211	acgggcgccccattacgt	4202	4221	1	5
SEQ ID NO: 5666	ccggaagcaccggaggcc	2101	2120	SEQ ID NO: 6212	ggcgctgtatgacccgg	3886	3905	1	5
SEQ ID NO: 5667	aggccacgtactcaaatg	2115	2134	SEQ ID NO: 6213	cattatgtcaaatggcct	3137	3156	1	5
SEQ ID NO: 5668	gtatgtggggggtgga	2235	2254	SEQ ID NO: 6214	tcaagtggccatctaca	4011	4030	1	5
SEQ ID NO: 5669	gagtggcaggttctgcc	2354	2373	SEQ ID NO: 6215	aggcaggggtggcgactc	3400	3419	1	5
SEQ ID NO: 5670	tccttggcaatcaaatggg	2474	2493	SEQ ID NO: 6216	cccacctatgggcaaggga	8861	8880	1	5
SEQ ID NO: 5671	agcccaggccgaggccgc	2566	2585	SEQ ID NO: 6217	ggcgtccacagtcaaggct	7834	7853	1	5
SEQ ID NO: 5672	ggcgcatatgcttctat	2698	2717	SEQ ID NO: 6218	atagaagaagcctgccgc	7865	7884	1	5
SEQ ID NO: 5673	ggcgcatatgcttctatg	2699	2718	SEQ ID NO: 6219	catagaagaagcctgccgc	7864	7883	1	5
SEQ ID NO: 5674	cggcatatgcttctatgg	2700	2719	SEQ ID NO: 6220	ccatagaagaagcctgccg	7863	7882	1	5
SEQ ID NO: 5675	tgcatgtgtgggtcccc	2913	2932	SEQ ID NO: 6221	ggggggacggcatatgca	6402	6421	1	5
SEQ ID NO: 5676	ccccctcaacgtccgggg	2928	2947	SEQ ID NO: 6222	cccaalcgaacggggg	9376	9395	1	5
SEQ ID NO: 5677	ggcgagggtggcgactcc	3401	3420	SEQ ID NO: 6223	ggaggccgaagccagccc	8066	8085	1	5
SEQ ID NO: 5678	atgttgactgtctacat	3574	3593	SEQ ID NO: 6224	atgttaccgacctaacat	4158	4177	1	5
SEQ ID NO: 5679	gttgactgtctacatg	3575	3594	SEQ ID NO: 6225	catgttaccgacctaacat	4157	4176	1	5

SEQ ID NO: 5680	cggtccctgacacatgca	3695	3714	SEQ ID NO: 6226	gcacgatgctcgtgaacg	8543	8562	1	5
SEQ ID NO: 5681	acacatgcacctgtggca	3704	3723	SEQ ID NO: 6227	gccgcggttaccgggtg	6342	6361	1	5
SEQ ID NO: 5682	cacatgcacctgtggcag	3705	3724	SEQ ID NO: 6228	ctgccgcggttaccgggtg	6341	6360	1	5
SEQ ID NO: 5683	ggcatcgacacagtcctgg	4325	4344	SEQ ID NO: 6229	ccaggattgcccttgcc	4979	4998	1	5
SEQ ID NO: 5684	aagcggagacggctggagc	4347	4366	SEQ ID NO: 6230	gctccccccagcgctgctt	5804	5823	1	5
SEQ ID NO: 5685	ggagcgcggctgtcgtgc	4361	4380	SEQ ID NO: 6231	gcacggcgacgcgccctcc	7443	7462	1	5
SEQ ID NO: 5686	cgaagccatcaagggggga	4489	4508	SEQ ID NO: 6232	ccccccagcgctgctcg	5806	5825	1	5
SEQ ID NO: 5687	tggaagtgtctacacggc	5165	5184	SEQ ID NO: 6233	gccggattacaatctcca	7225	7244	1	5
SEQ ID NO: 5688	gggtgctggtaggcggag	5322	5341	SEQ ID NO: 6234	actcgcatccaccacc	8765	8784	1	5
SEQ ID NO: 5689	gtggtaggatcatctgt	5390	5409	SEQ ID NO: 6235	acaacatggtctacgccac	7713	7732	1	5
SEQ ID NO: 5690	cgccgagcaattcaagcag	5515	5534	SEQ ID NO: 6236	ctgcacgccttccccggcg	6550	6569	1	5
SEQ ID NO: 5691	tgagtgccaagtggcgagc	5592	5611	SEQ ID NO: 6237	gctcctcatcaggallcca	8175	8194	1	5
SEQ ID NO: 5692	ggcgagccttggagacct	5603	5622	SEQ ID NO: 6238	aggtgccctgatcacgcca	7633	7652	1	5
SEQ ID NO: 5693	ggccgctcaccaccagaa	5739	5758	SEQ ID NO: 6239	ttctggcgggctatggggc	5895	5914	1	5
SEQ ID NO: 5694	tgagtgaactcaagacctg	6306	6325	SEQ ID NO: 6240	caggctataaaatcgctca	8363	8382	1	5
SEQ ID NO: 5695	atgtcaaaaaacgggtccat	6456	6475	SEQ ID NO: 6241	atggtaccgacctaacat	4158	4177	1	5
SEQ ID NO: 5696	ccgaaaaacctgcagcaaca	6488	6507	SEQ ID NO: 6242	tggtcctcaatgtgtcg	8708	8727	1	5
SEQ ID NO: 5697	ggcgccaaactatccaag	6565	6584	SEQ ID NO: 6243	ctgaaagcctctgccgcc	8500	8519	1	5
SEQ ID NO: 5698	ggcctcctgagggcgaca	6967	6986	SEQ ID NO: 6244	tgctcctacttgaggggc	3814	3833	1	5
SEQ ID NO: 5699	caccgcgctggagtcggag	7078	7097	SEQ ID NO: 6245	ctccggtgtacacgggtg	7278	7297	1	5
SEQ ID NO: 5700	ggagggggatgagaatgaa	7138	7157	SEQ ID NO: 6246	ttcatgctgtgcctactcc	9326	9345	1	5
SEQ ID NO: 5701	gcggcgatacccatatggg	7202	7221	SEQ ID NO: 6247	cccagggggggaggggccgc	9150	9169	1	5
SEQ ID NO: 5702	tgccacctgtcaaggccc	7301	7320	SEQ ID NO: 6248	ggggccgaccttgcggcaa	9162	9181	1	5
SEQ ID NO: 5703	ccccccctgagggggagc	7520	7539	SEQ ID NO: 6249	gctccggcctagtggggg	645	664	1	5
SEQ ID NO: 5704	ctgctgctcaatgtctac	7606	7625	SEQ ID NO: 6250	gtaggactggcaggggcag	4809	4828	1	5
SEQ ID NO: 5705	catggacaggtgccctgat	7626	7645	SEQ ID NO: 6251	atcattgaacgactccatg	8996	9015	1	5
SEQ ID NO: 5706	atggacaggtgcctgatc	7627	7646	SEQ ID NO: 6252	gatcattgaacgactccat	8995	9014	1	5
SEQ ID NO: 5707	ggctatgactaggtactcc	8635	8654	SEQ ID NO: 6253	ggagcaactgaaaagcc	8920	8939	1	5
SEQ ID NO: 5708	caccatagatcactccct	27	46	SEQ ID NO: 6254	agggccttggcacatggtg	785	804	2	4
SEQ ID NO: 5709	agctgttcaccttctgcc	1206	1225	SEQ ID NO: 6255	ggcggtgctgacgactagct	8459	8478	2	4
SEQ ID NO: 5710	ctgcaatgactccctccag	1624	1643	SEQ ID NO: 6256	ctggtgcggctgttggcag	5847	5866	2	4
SEQ ID NO: 5711	atgtggggggcggtggagca	2238	2257	SEQ ID NO: 6257	tgctgcggcatcacaacat	7701	7720	2	4
SEQ ID NO: 5712	tggggacatcatcctgggc	3322	3341	SEQ ID NO: 6258	gcccacacgctcccccca	5795	5814	2	4
SEQ ID NO: 5713	gggacatcatcctgggcct	3324	3343	SEQ ID NO: 6259	aggcaggagataactccc	5076	5095	2	4
SEQ ID NO: 5714	gggagatactcctggggcc	3366	3385	SEQ ID NO: 6260	ggcccctgcacgcctccc	6545	6564	2	4
SEQ ID NO: 5715	atgttggaactgtctacat	3574	3593	SEQ ID NO: 6261	atggtctacggcacgacat	7718	7737	2	4
SEQ ID NO: 5716	ccagccttaccatcaccca	6189	6208	SEQ ID NO: 6262	tgggtacaaggagctctgg	6382	6401	2	4
SEQ ID NO: 5717	gccctccttgagggcgaca	6967	6986	SEQ ID NO: 6263	gtcccagggggggagggc	9147	9166	2	4
SEQ ID NO: 5718	ccagcccccgattgggggc	1	20	SEQ ID NO: 6264	gcccagggcgaggccctgg	550	569	1	4
SEQ ID NO: 5719	accatagatcactcccctg	28	47	SEQ ID NO: 6265	cagggccttggcacatggt	784	803	1	4
SEQ ID NO: 5720	atgagtgtcgtgcagcctc	95	114	SEQ ID NO: 6266	gaggcccgcatgccatcat	2946	2965	1	4
SEQ ID NO: 5721	gtgcagcctccaggacccc	104	123	SEQ ID NO: 6267	gggggacggcatcatgcac	6403	6422	1	4
SEQ ID NO: 5722	tgacgcctccaggaccccc	105	124	SEQ ID NO: 6268	ggggggacggcatcatgca	6402	6421	1	4
SEQ ID NO: 5723	ccaggacccccctccggg	113	132	SEQ ID NO: 6269	ccggctggttctgtctgg	9255	9274	1	4
SEQ ID NO: 5724	acccccctccgggagag	118	137	SEQ ID NO: 6270	ctctcatgccaacgtgggt	6368	6387	1	4
SEQ ID NO: 5725	ccccctccgggagagcca	121	140	SEQ ID NO: 6271	tggaatgagggcatgggg	598	617	1	4
SEQ ID NO: 5726	agactgtagccgagtagt	243	262	SEQ ID NO: 6272	actatgcggtccccggtct	3953	3972	1	4
SEQ ID NO: 5727	agccgagtagtgggtc	251	270	SEQ ID NO: 6273	gaccaggatctcgtcggt	3656	3675	1	4

SEQ ID NO: 5728	gggtgctgcgagtgcccg	299	318	SEQ ID NO: 6274	cggggccttggtgacacc	2139	2158	1	4
SEQ ID NO: 5729	gagtgagtgcccgagggtc	306	325	SEQ ID NO: 6275	gaccccggtgtaggtcgc	671	690	1	4
SEQ ID NO: 5730	accgtgcacatgagcacg	331	350	SEQ ID NO: 6276	cgtagcaatacctgacggt	2437	2456	1	4
SEQ ID NO: 5731	cccggtggtggtcagatc	412	431	SEQ ID NO: 6277	gatcatgcatactcccggt	997	1016	1	4
SEQ ID NO: 5732	gcccgcgaggggcccagg	451	470	SEQ ID NO: 6278	cctgcacgcctcccggtc	6549	6568	1	4
SEQ ID NO: 5733	accccggtggaaggcgacag	511	530	SEQ ID NO: 6279	ctgtatgcacccgggggt	3891	3910	1	4
SEQ ID NO: 5734	cccggtggaaggcgacagc	512	531	SEQ ID NO: 6280	gctgtatgcacccgggggt	3890	3909	1	4
SEQ ID NO: 5735	agcctatcccaaggctcgt	528	547	SEQ ID NO: 6281	cgaggcgagggcctgggt	553	572	1	4
SEQ ID NO: 5736	ctatcccaaggctcgcgt	531	550	SEQ ID NO: 6282	cggtctgctgtcccgatg	5418	5437	1	4
SEQ ID NO: 5737	tatcccaaggctcgcgt	532	551	SEQ ID NO: 6283	ccggtctgctgtcccgata	5417	5436	1	4
SEQ ID NO: 5738	cggtatctctggccctc	577	596	SEQ ID NO: 6284	gaggccgaagccagccgt	8067	8086	1	4
SEQ ID NO: 5739	gcatggggtgggcaggatg	609	628	SEQ ID NO: 6285	catcgataccctcacatgc	706	725	1	4
SEQ ID NO: 5740	tcctgtcaccgcggctc	630	649	SEQ ID NO: 6286	gagctgcaaagctccagga	8523	8542	1	4
SEQ ID NO: 5741	gggccccacggaccccggt	661	680	SEQ ID NO: 6287	ccggccgcatacgggccc	4064	4083	1	4
SEQ ID NO: 5742	ggccccacggaccccggtc	662	681	SEQ ID NO: 6288	gcccggccgcatacgggcc	4063	4082	1	4
SEQ ID NO: 5743	cggtcctgcgcgacctcatg	724	743	SEQ ID NO: 6289	catgaggatcatcgggccg	6472	6491	1	4
SEQ ID NO: 5744	ggcctcgcgcgacctcatg	725	744	SEQ ID NO: 6290	ccatgaggatcatcgggcc	6471	6490	1	4
SEQ ID NO: 5745	ggccccctagggggcgctg	764	783	SEQ ID NO: 6291	cagctccgaattgtcggtc	7414	7433	1	4
SEQ ID NO: 5746	ggcacatggtgtcggtg	792	811	SEQ ID NO: 6292	accacgcgtgcagggcca	5188	5207	1	4
SEQ ID NO: 5747	cttctcttggctctgctg	868	887	SEQ ID NO: 6293	cagcataggcttgggaag	5863	5882	1	4
SEQ ID NO: 5748	catgtcacgaacgactgct	944	963	SEQ ID NO: 6294	agcagtgctcacttccatg	6847	6866	1	4
SEQ ID NO: 5749	gaggcggtcggtgactgca	983	1002	SEQ ID NO: 6295	tgatggcattcacagcctc	5712	5731	1	4
SEQ ID NO: 5750	catccccactacgacaata	1096	1115	SEQ ID NO: 6296	tattaccgggtcttgatg	4592	4611	1	4
SEQ ID NO: 5751	gctgttcaccttctcgccc	1207	1226	SEQ ID NO: 6297	gggtgcgtgggaacagc	8793	8812	1	4
SEQ ID NO: 5752	gccccgcggcatgcgaca	1222	1241	SEQ ID NO: 6298	gtctctacttgaagggc	3814	3833	1	4
SEQ ID NO: 5753	ggcctgggacatgatgat	1293	1312	SEQ ID NO: 6299	atcaattgtctcccgcca	5981	6000	1	4
SEQ ID NO: 5754	cacaagcgtcatcgacat	1362	1381	SEQ ID NO: 6300	atgttgggactgggtgtg	6279	6298	1	4
SEQ ID NO: 5755	agccgtcatcgacatggtg	1366	1385	SEQ ID NO: 6301	caccaagcaggcggtggt	5560	5579	1	4
SEQ ID NO: 5756	gggtggcgggggcccactgg	1381	1400	SEQ ID NO: 6302	ccagggtcaggccccacc	5127	5146	1	4
SEQ ID NO: 5757	ggggggccactggggagtc	1387	1406	SEQ ID NO: 6303	gactagggtactccgcccc	8641	8660	1	4
SEQ ID NO: 5758	atggcggggaactgggcta	1430	1449	SEQ ID NO: 6304	tagcagtgctcacttccat	6846	6865	1	4
SEQ ID NO: 5759	tgattgtgatgctacttt	1454	1473	SEQ ID NO: 6305	aaagcaagctgccatcaa	7665	7684	1	4
SEQ ID NO: 5760	caacgggggggcacgtgc	1500	1519	SEQ ID NO: 6306	gcagaaggcgctcggttg	5530	5549	1	4
SEQ ID NO: 5761	acgtgcccgcctcaccag	1512	1531	SEQ ID NO: 6307	ctggaccggaggagcggt	2278	2297	1	4
SEQ ID NO: 5762	icagagaalccagcttata	1564	1583	SEQ ID NO: 6308	tatatcggggtcccctga	8393	8412	1	4
SEQ ID NO: 5763	accaatggcagttggcaca	1586	1605	SEQ ID NO: 6309	gtggctcggggccttggt	2132	2151	1	4
SEQ ID NO: 5764	ccaatggcagttggcacat	1587	1606	SEQ ID NO: 6310	atgtggctcggggccttg	2131	2150	1	4
SEQ ID NO: 5765	gtcctatcacttatgctga	1749	1768	SEQ ID NO: 6311	icaggactgggtaaggac	4176	4195	1	4
SEQ ID NO: 5766	ctgagcctacaaaagaccc	1764	1783	SEQ ID NO: 6312	gggtggcttcatgcctcag	9063	9082	1	4
SEQ ID NO: 5767	caggtgtgtgtccagtgt	1844	1863	SEQ ID NO: 6313	acactccagttactcctg	8817	8836	1	4
SEQ ID NO: 5768	gtgttcagtgattgct	1850	1869	SEQ ID NO: 6314	agcaggggcatcaaccaca	7949	7968	1	4
SEQ ID NO: 5769	gcttcacccaagtcctgt	1866	1885	SEQ ID NO: 6315	acagcagaggcggttaagc	6887	6906	1	4
SEQ ID NO: 5770	ctgtgtcgtgggacaaac	1881	1900	SEQ ID NO: 6316	gttgcaacttgagcagac	2295	2314	1	4
SEQ ID NO: 5771	gcccgcgcaaggcaactgg	1972	1991	SEQ ID NO: 6317	ccagttggacttatccggc	9241	9260	1	4
SEQ ID NO: 5772	ggcaactggttcggctgta	1982	2001	SEQ ID NO: 6318	tacacgggtgccattgcc	7287	7306	1	4
SEQ ID NO: 5773	gcaactggttcggctgtac	1983	2002	SEQ ID NO: 6319	gtacacgggtgccattgc	7286	7305	1	4
SEQ ID NO: 5774	cccggtgtaacatcggggg	2043	2062	SEQ ID NO: 6320	cccaatcgatgaacgggg	9376	9395	1	4

SEQ ID NO: 5775	ggactgcttccggaagcac	2092	2111	SEQ ID NO: 6321	gtgctggtaggcggagtc	5324	5343	1	4
SEQ ID NO: 5776	gactgcttccggaagcac	2093	2112	SEQ ID NO: 6322	gggtgctgtaggcggagtc	5323	5342	1	4
SEQ ID NO: 5777	tccggaagcaccgagggc	2100	2119	SEQ ID NO: 6323	gcctacgagcttcacgga	8616	8635	1	4
SEQ ID NO: 5778	actcaaaatgtggctcggg	2124	2143	SEQ ID NO: 6324	cccgggcagcgggtcgagt	8201	8220	1	4
SEQ ID NO: 5779	ggccttggttgacactag	2142	2161	SEQ ID NO: 6325	ctagccggccaaaaggcc	3611	3630	1	4
SEQ ID NO: 5780	aggagagcgttgcaacttg	2287	2306	SEQ ID NO: 6326	caagccgtgatgggtcct	8162	8181	1	4
SEQ ID NO: 5781	ggacagatcgagctcagc	2314	2333	SEQ ID NO: 6327	gctgggggtcattatgtcc	3128	3147	1	4
SEQ ID NO: 5782	cagatcgagctcagcccg	2317	2336	SEQ ID NO: 6328	cggtggccactgctctg	3837	3856	1	4
SEQ ID NO: 5783	ggagctcagcccgctgctg	2323	2342	SEQ ID NO: 6329	cagctgctgaagaggtccc	6206	6225	1	4
SEQ ID NO: 5784	caccctaccggctctgtcc	2383	2402	SEQ ID NO: 6330	ggactgggtgtgcacgggtg	6286	6305	1	4
SEQ ID NO: 5785	cggctctgtccactggctt	2391	2410	SEQ ID NO: 6331	aagcaggcggaggctgcgg	5564	5583	1	4
SEQ ID NO: 5786	ccatcagaacatcgtggac	2419	2438	SEQ ID NO: 6332	gtcccggtgagtcctatgg	3929	3948	1	4
SEQ ID NO: 5787	ggtcagcgggtgtctcctt	2460	2479	SEQ ID NO: 6333	aaggatgattctgatgacc	8875	8894	1	4
SEQ ID NO: 5788	ggcgccttagagaacctgg	2579	2598	SEQ ID NO: 6334	ccagttgacttatccggc	9241	9260	1	4
SEQ ID NO: 5789	gccttagagaacctggtgg	2582	2601	SEQ ID NO: 6335	ccaccaagcaggcggaggc	5559	5578	1	4
SEQ ID NO: 5790	ggcggagcgcacggcatcc	2621	2640	SEQ ID NO: 6336	ggattgggcccacgcccgc	3214	3233	1	4
SEQ ID NO: 5791	gctgcactgtcggaggcg	2786	2805	SEQ ID NO: 6337	cgccacgacatcccgcagc	7726	7745	1	4
SEQ ID NO: 5792	attatgacctgtcgcca	2824	2843	SEQ ID NO: 6338	tggaacagacgctcta	4647	4666	1	4
SEQ ID NO: 5793	tcgcatattacaaggtgt	2837	2856	SEQ ID NO: 6339	acacaatcttctggcga	3539	3558	1	4
SEQ ID NO: 5794	cgcatattacaaggtgt	2838	2857	SEQ ID NO: 6340	aacacaatcttctggcg	3538	3557	1	4
SEQ ID NO: 5795	gtccggggaggccgcgatg	2939	2958	SEQ ID NO: 6341	catcgccacagtcctggac	4327	4346	1	4
SEQ ID NO: 5796	tcacccactgcggattg	3201	3220	SEQ ID NO: 6342	caatttaccatgtgtga	8325	8344	1	4
SEQ ID NO: 5797	tgggcccacgcccgccta	3217	3236	SEQ ID NO: 6343	taggctaggggccgtccaa	5221	5240	1	4
SEQ ID NO: 5798	ctacgggacctgtcggtag	3233	3252	SEQ ID NO: 6344	ctactctactttctgtag	9338	9357	1	4
SEQ ID NO: 5799	cctgtcgtctctctgaca	3260	3279	SEQ ID NO: 6345	gtcctacacatggacagg	7617	7636	1	4
SEQ ID NO: 5800	ctgtcgtctctctgacat	3261	3280	SEQ ID NO: 6346	atgtcctacacatggacag	7616	7635	1	4
SEQ ID NO: 5801	cctggggggcagacaccgc	3297	3316	SEQ ID NO: 6347	gcggggtaggactggcagg	4804	4823	1	4
SEQ ID NO: 5802	ggggggcagacaccgcggcg	3301	3320	SEQ ID NO: 6348	cgcccaactcgtccccc	5794	5813	1	4
SEQ ID NO: 5803	ggcgtgtggggacatcatc	3316	3335	SEQ ID NO: 6349	gatgttattccggtgcgcc	3755	3774	1	4
SEQ ID NO: 5804	tggggccggccgatagct	3378	3397	SEQ ID NO: 6350	agacgacgaccgtgccca	4761	4780	1	4
SEQ ID NO: 5805	gaaccaggctcagggggag	3499	3518	SEQ ID NO: 6351	ctccacctatggcaagttc	4222	4241	1	4
SEQ ID NO: 5806	gagggggagggtcaagtgg	3509	3528	SEQ ID NO: 6352	ccacctgtcaaggcccctc	7304	7323	1	4
SEQ ID NO: 5807	aggcccaatcgcccagatg	3625	3644	SEQ ID NO: 6353	catcccgcagcggggcct	7734	7753	1	4
SEQ ID NO: 5808	ggcccaatcgcccagatgt	3626	3645	SEQ ID NO: 6354	acatcccgcagcggggcc	7733	7752	1	4
SEQ ID NO: 5809	caggatctcgtcggctggc	3659	3678	SEQ ID NO: 6355	gccaataggccatttctg	9410	9429	1	4
SEQ ID NO: 5810	aggatctcgtcggctggcc	3660	3679	SEQ ID NO: 6356	ggccaataggccatttct	9409	9428	1	4
SEQ ID NO: 5811	gccccccggggcggttcc	3682	3701	SEQ ID NO: 6357	ggaacctatccagcagggc	7938	7957	1	4
SEQ ID NO: 5812	gcacctgtggcagctcgga	3711	3730	SEQ ID NO: 6358	ccggtgttacacgggtgc	7279	7298	1	4
SEQ ID NO: 5813	ctgtggcagctcgacctt	3715	3734	SEQ ID NO: 6359	aaggcaaaggcgtccacag	7826	7845	1	4
SEQ ID NO: 5814	gccccggcacaatagagg	3775	3794	SEQ ID NO: 6360	ccctgcctgggaacccgc	5682	5701	1	4
SEQ ID NO: 5815	ggagctgtctctccccag	3792	3811	SEQ ID NO: 6361	ctggttgggtcacagctcc	6806	6825	1	4
SEQ ID NO: 5816	gagctgtctctccccagg	3793	3812	SEQ ID NO: 6362	cctggttgggtcacagctc	6805	6824	1	4
SEQ ID NO: 5817	actgaagggtctctcggg	3822	3841	SEQ ID NO: 6363	cccggtgttgagtcgaagt	5585	5604	1	4
SEQ ID NO: 5818	gtccccgttgagtcctg	3928	3947	SEQ ID NO: 6364	catgtgtctacgccacgaca	7717	7736	1	4
SEQ ID NO: 5819	gaactactatcggtccc	3947	3966	SEQ ID NO: 6365	gggaaggcacctcattttc	4504	4523	1	4
SEQ ID NO: 5820	aaactactatcggtccc	3948	3967	SEQ ID NO: 6366	ggggggcatalacaggttt	4828	4847	1	4
SEQ ID NO: 5821	ctccactggcagcggcaa	4032	4051	SEQ ID NO: 6367	ttgccaggaccatctggag	4993	5012	1	4
SEQ ID NO: 5822	ggcgtatattgctaaagca	4138	4157	SEQ ID NO: 6368	tgctgccaccgctacgcc	4377	4396	1	4

SEQ ID NO: 5823	gcgtatatgtctaaagcac	4139	4158	SEQ ID NO: 6369	gtgctcgccaccgctacgc	4376	4395	1	4
SEQ ID NO: 5824	gggggtaaggaccattacc	4183	4202	SEQ ID NO: 6370	ggtaacatgtctcccca	6119	6138	1	4
SEQ ID NO: 5825	accattaccacgggcgccc	4193	4212	SEQ ID NO: 6371	gggcgctggatcgctggt	5833	5852	1	4
SEQ ID NO: 5826	cgtactccacctatggcaa	4218	4237	SEQ ID NO: 6372	ttgccccaccagaatacg	8669	8688	1	4
SEQ ID NO: 5827	cagtcctggaccaagcgga	4335	4354	SEQ ID NO: 6373	tccgtgagccgcatgactg	9560	9579	1	4
SEQ ID NO: 5828	aggggggaaggcacctcat	4500	4519	SEQ ID NO: 6374	atgagcggcgaggcgccct	5948	5967	1	4
SEQ ID NO: 5829	cactccaagaagaagtgcg	4526	4545	SEQ ID NO: 6375	cgcatgactgcagagagtg	9569	9588	1	4
SEQ ID NO: 5830	atcaatgctgtagctatt	4577	4596	SEQ ID NO: 6376	aatacgacttgagtgat	8682	8701	1	4
SEQ ID NO: 5831	cataccgaccagcggagac	4618	4637	SEQ ID NO: 6377	gtctccccacgcactatg	6128	6147	1	4
SEQ ID NO: 5832	aggactggcaggggcaggg	4811	4830	SEQ ID NO: 6378	ccctgccatcctctcct	5992	6011	1	4
SEQ ID NO: 5833	gggaacggccctcgggcat	4857	4876	SEQ ID NO: 6379	atgctcaccgacctctcc	6863	6882	1	4
SEQ ID NO: 5834	cgggcacgtgtcgttctc	4869	4888	SEQ ID NO: 6380	gaggccgcaagccagcccg	8067	8086	1	4
SEQ ID NO: 5835	ggtagcagctcaccccg	4922	4941	SEQ ID NO: 6381	cggggacitgccccacca	8662	8681	1	4
SEQ ID NO: 5836	gggcttacctaatacacc	4962	4981	SEQ ID NO: 6382	gggtggctccatcttagccc	9518	9537	1	4
SEQ ID NO: 5837	ggcttacctaatacacca	4963	4982	SEQ ID NO: 6383	gggtggctccatcttagcc	9517	9536	1	4
SEQ ID NO: 5838	gagataactcccctacct	5082	5101	SEQ ID NO: 6384	aggttggccagggggctc	6908	6927	1	4
SEQ ID NO: 5839	cccacctccatcgtgggat	5140	5159	SEQ ID NO: 6385	atccaagtttggtatggg	7906	7925	1	4
SEQ ID NO: 5840	catggcatgcatgtcgcc	5278	5297	SEQ ID NO: 6386	ggcctctctgcagatcatg	9596	9615	1	4
SEQ ID NO: 5841	ggccgacctggaagtcgtc	5293	5312	SEQ ID NO: 6387	gacgccccacattcgcc	7885	7904	1	4
SEQ ID NO: 5842	gccgacctggaagtcgtca	5294	5313	SEQ ID NO: 6388	gacgccccacattcggc	7884	7903	1	4
SEQ ID NO: 5843	tggagtcgtcaccagcac	5301	5320	SEQ ID NO: 6389	gtgccatgtcagggtcca	6676	6695	1	4
SEQ ID NO: 5844	gcacctgggtgctgtagg	5316	5335	SEQ ID NO: 6390	cctacacatggacaggtgc	7620	7639	1	4
SEQ ID NO: 5845	ggttatcgtggtaggatc	5383	5402	SEQ ID NO: 6391	gatcatcgggccgaaacc	6478	6497	1	4
SEQ ID NO: 5846	cccgatagggaagtcctct	5429	5448	SEQ ID NO: 6392	agagcggctttatcggg	8383	8402	1	4
SEQ ID NO: 5847	tgaatggaagaatgcgcc	5461	5480	SEQ ID NO: 6393	ggcgcgctcgtggcctca	5924	5943	1	4
SEQ ID NO: 5848	ccaagtggcgagcttggga	5598	5617	SEQ ID NO: 6394	tcattgttagagcttgg	7240	7259	1	4
SEQ ID NO: 5849	tcacagcgggatacagt	5645	5664	SEQ ID NO: 6395	actgcacgatgctcgtgaa	8541	8560	1	4
SEQ ID NO: 5850	agcgggcttatccacctg	5668	5687	SEQ ID NO: 6396	caggggtggctggcgcgct	5913	5932	1	4
SEQ ID NO: 5851	ccagccgctcaccacca	5736	5755	SEQ ID NO: 6397	tgggcgctggatcgctgg	5832	5851	1	4
SEQ ID NO: 5852	gtggcgctggtatcgctg	5831	5850	SEQ ID NO: 6398	cagcagggccatcaaccac	7948	7967	1	4
SEQ ID NO: 5853	ggaaggtgctagtggacat	5877	5896	SEQ ID NO: 6399	atgtgtctccaccttcc	8142	8161	1	4
SEQ ID NO: 5854	ggctcatgagcggcgaggcg	5944	5963	SEQ ID NO: 6400	cgccccctcctgaccagacc	7453	7472	1	4
SEQ ID NO: 5855	catgtgggcccgggagagg	6056	6075	SEQ ID NO: 6401	ctccttgaggcgacatg	6969	6988	1	4
SEQ ID NO: 5856	atgtgggcccgggagagg	6057	6076	SEQ ID NO: 6402	ccctccttgaggcgacat	6968	6987	1	4
SEQ ID NO: 5857	ggggccgtgcagtggatga	6074	6093	SEQ ID NO: 6403	tcagtctcctatgcccc	7505	7524	1	4
SEQ ID NO: 5858	gcgttcgcttcgagggtga	6104	6123	SEQ ID NO: 6404	taccaccacgagcttacgc	2751	2770	1	4
SEQ ID NO: 5859	ggggtaacctgtctcccc	6117	6136	SEQ ID NO: 6405	gggggagccgggggacccc	7531	7550	1	4
SEQ ID NO: 5860	catcaccagctgtgaag	6199	6218	SEQ ID NO: 6406	cttcgagcggagggggatg	7130	7149	1	4
SEQ ID NO: 5861	aggactgtctacgccgtg	6240	6259	SEQ ID NO: 6407	cacggcgaccgccccctct	7444	7463	1	4
SEQ ID NO: 5862	tcaagacctggctccagt	6314	6333	SEQ ID NO: 6408	actgcacgatgctcgtgaa	8541	8560	1	4
SEQ ID NO: 5863	ctcctgccgcggtaccgg	6338	6357	SEQ ID NO: 6409	ccgggacgtgcttaaggag	7804	7823	1	4
SEQ ID NO: 5864	caccacgggcccctgcacg	6538	6557	SEQ ID NO: 6410	cgtggaggtcacgcgggtg	6613	6632	1	4
SEQ ID NO: 5865	ggaggtcacgcgggtgggg	6616	6635	SEQ ID NO: 6411	ccctccaataaccacctcc	7317	7336	1	4
SEQ ID NO: 5866	gaggtcacgcgggtggggg	6617	6636	SEQ ID NO: 6412	ccctcctgaccagacctc	7455	7474	1	4
SEQ ID NO: 5867	atgtcaggttccagctcct	6682	6701	SEQ ID NO: 6413	aggagatgggcggaaacat	7059	7078	1	4
SEQ ID NO: 5868	atgaaatatccatlgcggc	7152	7171	SEQ ID NO: 6414	gccgtgatgggtcctcat	8165	8184	1	4
SEQ ID NO: 5869	ctccattgttagagcttg	7239	7258	SEQ ID NO: 6415	caagtggcgagcttggag	5599	5618	1	4
SEQ ID NO: 5870	tgcccatggccacctgtca	7295	7314	SEQ ID NO: 6416	tgactaattcaaaagggca	8409	8428	1	4

SEQ ID NO: 5871	accacctccacggagaaaa	7327	7346	SEQ ID NO: 6417	tttttccctcttatggt	9502	9521	1	4
SEQ ID NO: 5872	ccacctccacggagaaaa	7328	7347	SEQ ID NO: 6418	ttttccctcttatggtg	9504	9523	1	4
SEQ ID NO: 5873	acctccacggagaaaaagg	7330	7349	SEQ ID NO: 6419	ccittgacagactgcaggt	7770	7789	1	4
SEQ ID NO: 5874	gggtgtcctgacggactcc	7351	7370	SEQ ID NO: 6420	ggagctcgctacaaaacc	7390	7409	1	4
SEQ ID NO: 5875	cctgaccagacctccgaca	7460	7479	SEQ ID NO: 8421	gtcctacacatggacagg	7617	7636	1	4
SEQ ID NO: 5876	agcaagctgccatcaacg	7667	7686	SEQ ID NO: 6422	cgttgagcaactcttgct	7686	7705	1	4
SEQ ID NO: 5877	ggatgaccattaccgggac	7792	7811	SEQ ID NO: 6423	gtcccagttgacttatcc	9238	9257	1	4
SEQ ID NO: 5878	ggcaagaatgagggttt	8028	8047	SEQ ID NO: 6424	aaaaagccctggattgcca	8931	8950	1	4
SEQ ID NO: 5879	ggcaagaatgagggtttc	8029	8048	SEQ ID NO: 6425	gaaaagccctggattgcc	8930	8949	1	4
SEQ ID NO: 5880	gggcagcgggtcgagtcc	8204	8223	SEQ ID NO: 6426	ggaagaaagcaagctgcc	7660	7679	1	4
SEQ ID NO: 5881	gactagctcggtaatacc	8470	8489	SEQ ID NO: 6427	ggtaccgcccttgcgagtc	9091	9110	1	4
SEQ ID NO: 5882	ctcgcatcccaccacccc	8766	8785	SEQ ID NO: 6428	gggtaccgcccttgcgag	9089	9108	1	4
SEQ ID NO: 5883	aggatgattctgatgacc	8876	8895	SEQ ID NO: 6429	gggtcagcgggtgtctct	2459	2478	1	4
SEQ ID NO: 5884	agccacttgacctactca	8976	8995	SEQ ID NO: 6430	tgagatcaatagggtggct	9052	9071	1	4
SEQ ID NO: 5885	gggtaccgcccttgcgagt	9090	9109	SEQ ID NO: 6431	actcgcatcccaccaccc	8765	8784	1	4
SEQ ID NO: 5886	ctgcaatgactccctccag	1624	1643	SEQ ID NO: 6432	ctggcgggctatggggcag	5897	5916	3	3
SEQ ID NO: 5887	ccagcccccgatgggggc	1	20	SEQ ID NO: 6433	gccactgggggagtcctgg	1391	1410	2	3
SEQ ID NO: 5888	aaggcgacagcctatcccc	520	539	SEQ ID NO: 6434	gggggtctccccctcctt	6918	6937	2	3
SEQ ID NO: 5889	ggccccacggacccccggc	662	681	SEQ ID NO: 6435	gccgcaaagctgtcaggcc	4553	4572	2	3
SEQ ID NO: 5890	gaggcggcggacttgatca	983	1002	SEQ ID NO: 6436	tgataacatcatgttctc	8697	8716	2	3
SEQ ID NO: 5891	ctgcaattgttgatctac	1249	1268	SEQ ID NO: 6437	gtaggcggagtcctcgag	5330	5349	2	3
SEQ ID NO: 5892	ctccagactgggtttctg	1637	1656	SEQ ID NO: 6438	caagtggcgagctttggag	5599	5618	2	3
SEQ ID NO: 5893	ctgtacctgctgcgcaggt	1830	1849	SEQ ID NO: 6439	acctcagatcattgaacga	8989	9008	2	3
SEQ ID NO: 5894	caagacgtgcggggccccc	2026	2045	SEQ ID NO: 6440	gggggaggggccgaccttg	9156	9175	2	3
SEQ ID NO: 5895	aatgctgcatgcaactgga	2264	2283	SEQ ID NO: 6441	tccaggccaataggccatt	9405	9424	2	3
SEQ ID NO: 5896	cacctaccggctctgtcc	2383	2402	SEQ ID NO: 6442	ggactacgtccctcgggtg	7267	7286	2	3
SEQ ID NO: 5897	cgccatattacaagggtgt	2838	2857	SEQ ID NO: 6443	aacagccaccaagcaggcg	5554	5573	2	3
SEQ ID NO: 5898	cgaagccatcaagggggga	4489	4508	SEQ ID NO: 6444	tccagatttgggagltcg	8097	8116	2	3
SEQ ID NO: 5899	ccagcccgctcaccaccca	5736	5755	SEQ ID NO: 6445	tgggtacaaggagctctgg	6382	6401	2	3
SEQ ID NO: 5900	ggctatgactaggtactcc	8635	8654	SEQ ID NO: 6446	ggagacatatacacagcc	9284	9303	2	3
SEQ ID NO: 5901	ctccaccatagatcactcc	24	43	SEQ ID NO: 6447	ggagacatcgggccaggag	9111	9130	1	3
SEQ ID NO: 5902	ccaccatagatcactccc	25	44	SEQ ID NO: 6448	gggagttcgatgaaatgga	5451	5470	1	3
SEQ ID NO: 5903	caccatagatcactccct	27	46	SEQ ID NO: 6449	aggggccccagggtgggtg	458	477	1	3
SEQ ID NO: 5904	tcactccctgtgagggaac	36	55	SEQ ID NO: 6450	gttctggaggacggcgltga	809	828	1	3
SEQ ID NO: 5905	cgttagtatgagtgctg	88	107	SEQ ID NO: 6451	cacgctgcacgggccaacg	5191	5210	1	3
SEQ ID NO: 5906	gtcgtgcagcctccagga	100	119	SEQ ID NO: 6452	tccgtgtgtcgtggggaca	1879	1898	1	3
SEQ ID NO: 5907	ccccccctccgggagagc	119	138	SEQ ID NO: 6453	gctccggcctagtgggg	645	664	1	3
SEQ ID NO: 5908	ggagagccatagtggctg	131	150	SEQ ID NO: 6454	cagatcattgaacgactcc	8993	9012	1	3
SEQ ID NO: 5909	gagccatagtgtctcg	134	153	SEQ ID NO: 6455	ccgctgctgggtagcgctc	1048	1067	1	3
SEQ ID NO: 5910	gtggtctgcgggaacgggtg	142	161	SEQ ID NO: 6456	caccatatagatgccac	5038	5057	1	3
SEQ ID NO: 5911	agtacaccggaattgccag	161	180	SEQ ID NO: 6457	ctggcgggccttgctact	1406	1425	1	3
SEQ ID NO: 5912	ggctcttcttgatcaac	188	207	SEQ ID NO: 6458	gttgagtgaactcaagacc	6304	6323	1	3
SEQ ID NO: 5913	ttcttgatcaaccgctc	194	213	SEQ ID NO: 6459	gagcggagggggatgagaa	7134	7153	1	3
SEQ ID NO: 5914	ctcaatgcctggagatttg	210	229	SEQ ID NO: 6460	caaagactccgacgtgag	7486	7505	1	3
SEQ ID NO: 5915	tgcttgagatttggcggt	215	234	SEQ ID NO: 6461	acgcgcccgccgaaggca	1967	1986	1	3
SEQ ID NO: 5916	gcctggagatttggcggtg	216	235	SEQ ID NO: 6462	cacgcgcccgccgaaggc	1966	1985	1	3
SEQ ID NO: 5917	gagatttggcggtgcccc	221	240	SEQ ID NO: 6463	ggggacaaccgatcgctc	1891	1910	1	3

SEQ ID NO: 5918	aaaggcctgtgtactgc	273	292	SEQ ID NO: 6464	gcagaagaaggtcacctt	7756	7775	1	3
SEQ ID NO: 5919	aaggcctgtgtactgcc	274	293	SEQ ID NO: 6465	ggcagaagaaggtcacctt	7755	7774	1	3
SEQ ID NO: 5920	gtgtactgcctgatagg	282	301	SEQ ID NO: 6466	ccctaccggctctgtccac	2385	2404	1	3
SEQ ID NO: 5921	cctgatagggtctgtcga	291	310	SEQ ID NO: 6467	tcgccggcccgagggcagg	544	563	1	3
SEQ ID NO: 5922	cgagtgccccgggaggtct	307	326	SEQ ID NO: 6468	agacgcagtgctgcgctcg	4780	4799	1	3
SEQ ID NO: 5923	gccccgggaggtctcgtag	312	331	SEQ ID NO: 6469	ctacctaggttttggggc	4122	4141	1	3
SEQ ID NO: 5924	ttacctgttgcgcgcagg	442	461	SEQ ID NO: 6470	cctgcgttcgggagggtaa	1023	1042	1	3
SEQ ID NO: 5925	tacctgttgcgcgcagg	443	462	SEQ ID NO: 6471	ccctgcgttcgggagggtta	1022	1041	1	3
SEQ ID NO: 5926	cctgttgcgcgcaggggc	445	464	SEQ ID NO: 6472	gccccgaagccagacagg	8348	8367	1	3
SEQ ID NO: 5927	ctgttgcgcgcaggggcc	446	465	SEQ ID NO: 6473	ggccccgaagccagacag	8347	8366	1	3
SEQ ID NO: 5928	tcagagcggtcgcaacccc	497	516	SEQ ID NO: 6474	ggggcaaggagctcgga	7922	7941	1	3
SEQ ID NO: 5929	ggtcgcaaccccggtgaag	504	523	SEQ ID NO: 6475	cttctcgacatggagacc	3268	3287	1	3
SEQ ID NO: 5930	gtcgcaaccccggtgaag	505	524	SEQ ID NO: 6476	ccttcaccattgagacgac	4749	4768	1	3
SEQ ID NO: 5931	aaggcgacagcctatcccc	520	539	SEQ ID NO: 6477	ggggcgctgcagggcctt	774	793	1	3
SEQ ID NO: 5932	cagcctatcccaaggctc	527	546	SEQ ID NO: 6478	gagcacaggcttaagtctg	2252	2271	1	3
SEQ ID NO: 5933	gaggcgaggcgctgggtc	554	573	SEQ ID NO: 6479	gagcgcttcacaggccctc	5020	5039	1	3
SEQ ID NO: 5934	caggcgctgggtcagccc	559	578	SEQ ID NO: 6480	gggcatcgccacagtctg	4324	4343	1	3
SEQ ID NO: 5935	gggcctgggtcagccgg	561	580	SEQ ID NO: 6481	cggccgcatacgccccc	4064	4083	1	3
SEQ ID NO: 5936	cctgggtcagccgggtta	564	583	SEQ ID NO: 6482	taccgacctaaccatcagg	4162	4181	1	3
SEQ ID NO: 5937	cccctctatggcaatgagg	590	609	SEQ ID NO: 6483	cctcgccgacctcatgggg	727	746	1	3
SEQ ID NO: 5938	gaggcgatgggtgggcag	605	624	SEQ ID NO: 6484	ctcggtatctgtttctc	1180	1199	1	3
SEQ ID NO: 5939	agggcatgggtgggcagg	606	625	SEQ ID NO: 6485	cctgctcttcaccacct	2370	2389	1	3
SEQ ID NO: 5940	aggatggctctgtcacc	622	641	SEQ ID NO: 6486	gggtcagcggtgtctcct	2459	2478	1	3
SEQ ID NO: 5941	gatggctcctgtcaccgc	624	643	SEQ ID NO: 6487	cgggggcgcttacgacatc	4261	4280	1	3
SEQ ID NO: 5942	gtcaccgcgggtcccg	633	652	SEQ ID NO: 6488	cgggggcggttccctgaca	3688	3707	1	3
SEQ ID NO: 5943	gtcaccgcgggtcccg	634	653	SEQ ID NO: 6489	cgggggcggttccctgac	3687	3706	1	3
SEQ ID NO: 5944	gcggctccggcctagtgtg	642	661	SEQ ID NO: 6490	caacgtccggggaggccgc	2935	2954	1	3
SEQ ID NO: 5945	ctccggcctagtgtgggc	646	665	SEQ ID NO: 6491	gccctgtcgaacactggag	4439	4458	1	3
SEQ ID NO: 5946	ataccctcacatgcggcct	711	730	SEQ ID NO: 6492	aggcaacattatcatgtat	8839	8858	1	3
SEQ ID NO: 5947	tccgctcgtcggcggccc	750	769	SEQ ID NO: 6493	gggcaagcacatgtggaa	5625	5644	1	3
SEQ ID NO: 5948	cccctaggggcgctgcca	767	786	SEQ ID NO: 6494	tgcaatgaggcgatgggg	598	617	1	3
SEQ ID NO: 5949	tgcaacagggaacctgccc	832	851	SEQ ID NO: 6495	gggctcattcgtcatgca	3092	3111	1	3
SEQ ID NO: 5950	gcgtaacgcgtccgggta	922	941	SEQ ID NO: 6496	taccaccagagcttacgc	2751	2770	1	3
SEQ ID NO: 5951	tcaagcattgtgttgagg	968	987	SEQ ID NO: 6497	cctctatgccccccctga	7512	7531	1	3
SEQ ID NO: 5952	cccacgctcgcggccagga	1070	1089	SEQ ID NO: 6498	tcctgtttaacatctggg	5763	5782	1	3
SEQ ID NO: 5953	cggccagggaatgtaccat	1080	1099	SEQ ID NO: 6499	atggcatgcatgtcgccg	5279	5298	1	3
SEQ ID NO: 5954	acgacaatacgcaccacg	1106	1125	SEQ ID NO: 6500	cgtggggacaaccgatcgt	1888	1907	1	3
SEQ ID NO: 5955	gggcggctgtctctgtc	1140	1159	SEQ ID NO: 6501	gagcaactgaaaaagccc	8921	8940	1	3
SEQ ID NO: 5956	cgtgggggacctctgcga	1168	1187	SEQ ID NO: 6502	tccgtgcggagcgcacg	2615	2634	1	3
SEQ ID NO: 5957	agctgttcacctctcgcc	1206	1225	SEQ ID NO: 6503	ggcgacaatagaggagct	3779	3798	1	3
SEQ ID NO: 5958	ctgttcacctctcgccc	1208	1227	SEQ ID NO: 6504	ggggagacataatcacag	9282	9301	1	3
SEQ ID NO: 5959	ctgcaattgttcgatctac	1249	1268	SEQ ID NO: 6505	gtaggactggcaggggcag	4809	4828	1	3
SEQ ID NO: 5960	attgttcgatctacccgg	1254	1273	SEQ ID NO: 6506	ccggcccaaaaggcccaat	3615	3634	1	3
SEQ ID NO: 5961	atctaccccgccacgcgt	1262	1281	SEQ ID NO: 6507	acgcatggaccgggagat	2766	2785	1	3
SEQ ID NO: 5962	cggccacgcgtcaggtcac	1270	1289	SEQ ID NO: 6508	gtgatgctacttttgccg	1460	1479	1	3
SEQ ID NO: 5963	cggcatggcgtgggacatg	1288	1307	SEQ ID NO: 6509	catggaaactactatgcgg	3943	3962	1	3
SEQ ID NO: 5964	cgcatgtactccgatccc	1344	1363	SEQ ID NO: 6510	gggaaccaggaggatgcg	8593	8612	1	3

SEQ ID NO: 5965	cccacaaagccgtcatcgac	1360	1379	SEQ ID NO: 6511	gtcgtcaccagcacctggg	5306	5325	1	3
SEQ ID NO: 5966	ctggggagtcctggcgggc	1396	1415	SEQ ID NO: 6512	gcccggagcgcatggccag	1695	1714	1	3
SEQ ID NO: 5967	ggcggggccttgctactat	1408	1427	SEQ ID NO: 6513	atagaagaagccigccgcc	7865	7884	1	3
SEQ ID NO: 5968	tttgcggcggtgacgggc	1472	1491	SEQ ID NO: 6514	gccccacattcgccaaa	7888	7907	1	3
SEQ ID NO: 5969	caccctcacaaaggggggg	1492	1511	SEQ ID NO: 6515	ccccaatctcgaggaggtg	4420	4439	1	3
SEQ ID NO: 5970	ggggggggcacgctgccgc	1504	1523	SEQ ID NO: 6516	gcggcacggcgaccgcccc	7440	7459	1	3
SEQ ID NO: 5971	ggggcacgctgccgcctc	1507	1526	SEQ ID NO: 6517	gaggggagctgtctcccc	3789	3808	1	3
SEQ ID NO: 5972	gcccgcctcaccagcgggt	1517	1536	SEQ ID NO: 6518	accctcacaaagggggggc	1493	1512	1	3
SEQ ID NO: 5973	atccagctataaacacca	1571	1590	SEQ ID NO: 6519	tggtatcgtgggtaggat	5382	5401	1	3
SEQ ID NO: 5974	ctccagactgggttcttg	1637	1656	SEQ ID NO: 6520	caagcggagacggctggag	4346	4365	1	3
SEQ ID NO: 5975	cccgaggcgcatggccagc	1696	1715	SEQ ID NO: 6521	gctgtggcgctctccggg	3869	3888	1	3
SEQ ID NO: 5976	ctgccgctcattgacaag	1714	1733	SEQ ID NO: 6522	ctgtgtacatcaaggcgag	2667	2686	1	3
SEQ ID NO: 5977	aagttcgaccaggatggg	1730	1749	SEQ ID NO: 6523	ccaaccagaatcagactt	8673	8692	1	3
SEQ ID NO: 5978	ggggctctatcactatgc	1746	1765	SEQ ID NO: 6524	gcatgtgtgggttcccccc	2914	2933	1	3
SEQ ID NO: 5979	ccagaggccttattgctgg	1786	1805	SEQ ID NO: 6525	ccaggatctcgtcggtgg	3658	3677	1	3
SEQ ID NO: 5980	cccacctaacaatgtgtt	1810	1829	SEQ ID NO: 6526	accaagatcatcacctggg	3284	3303	1	3
SEQ ID NO: 5981	tcgtacctgcgtcgagggt	1830	1849	SEQ ID NO: 6527	acctcaccattgagacga	4748	4767	1	3
SEQ ID NO: 5982	tgctgcagaggtgtgtgt	1837	1856	SEQ ID NO: 6528	accatgtctccccacgca	6123	6142	1	3
SEQ ID NO: 5983	tggggcaaacgcatcgtct	1890	1909	SEQ ID NO: 6529	agacgacgaccgtgcccc	4761	4780	1	3
SEQ ID NO: 5984	cagctgggggggagaacgat	1924	1943	SEQ ID NO: 6530	atcggagctcagcccgtg	2320	2339	1	3
SEQ ID NO: 5985	cgccgaaggcaactggtt	1974	1993	SEQ ID NO: 6531	aaccaggaggatgcggcg	8596	8615	1	3
SEQ ID NO: 5986	gcccgaaggcaactggttc	1975	1994	SEQ ID NO: 6532	gaaccaggaggatgcggc	8595	8614	1	3
SEQ ID NO: 5987	ctgtacatggatgaatagc	1996	2015	SEQ ID NO: 6533	gctataaaatcgtcacag	8366	8385	1	3
SEQ ID NO: 5988	gtacatggatgaatagca	1997	2016	SEQ ID NO: 6534	tgctgtcaatgtcclaca	7607	7626	1	3
SEQ ID NO: 5989	gttcaccaagacgtgcggg	2020	2039	SEQ ID NO: 6535	cccgtctaccaccagaac	5740	5759	1	3
SEQ ID NO: 5990	agacgtgcggggccccccc	2028	2047	SEQ ID NO: 6536	ggggagggtcaagtggtct	3512	3531	1	3
SEQ ID NO: 5991	ccccgtgttaacatcgggg	2042	2061	SEQ ID NO: 6537	ccccaatcgatgaacgggg	9376	9395	1	3
SEQ ID NO: 5992	taacaccttgacctgcccc	2071	2090	SEQ ID NO: 6538	ggggacgacctgtcgltta	8561	8580	1	3
SEQ ID NO: 5993	ggctctggcactaccctgt	2184	2203	SEQ ID NO: 6539	caggaggatgcggcgagcc	8800	8819	1	3
SEQ ID NO: 5994	tgactgtcaacttctcca	2201	2220	SEQ ID NO: 6540	tgatgggggtgcgggtgca	6717	6736	1	3
SEQ ID NO: 5995	caggcttaatgtgcatgc	2257	2276	SEQ ID NO: 6541	gcatcatgcacaccactg	6411	6430	1	3
SEQ ID NO: 5996	aatgtgtcatgcaactgga	2264	2283	SEQ ID NO: 6542	tccatggtcttagcgatt	9009	9028	1	3
SEQ ID NO: 5997	ctgcatgcaactggaccg	2268	2287	SEQ ID NO: 6543	cgggaccttgcgtagcag	3236	3255	1	3
SEQ ID NO: 5998	caactggacccgaggagag	2275	2294	SEQ ID NO: 6544	ctctacgggatgaggttg	6761	6780	1	3
SEQ ID NO: 5999	gacagggacagatcggagc	2309	2328	SEQ ID NO: 6545	gctctccccaggcctgtc	3799	3818	1	3
SEQ ID NO: 6000	gacagatcggagctcagcc	2315	2334	SEQ ID NO: 6546	ggctggagcgcggtgtgc	4357	4376	1	3
SEQ ID NO: 6001	acagatcggagctcagccc	2316	2335	SEQ ID NO: 6547	gggccaacgcccctgctgt	5201	5220	1	3
SEQ ID NO: 6002	actggctgatccacctcc	2402	2421	SEQ ID NO: 6548	ggagagggggcccgtgcagt	6068	6087	1	3
SEQ ID NO: 6003	ggcttgatccacctccatc	2405	2424	SEQ ID NO: 6549	gatgatgctgctgatagcc	2551	2570	1	3
SEQ ID NO: 6004	gtcagcgggtgtctcctt	2461	2480	SEQ ID NO: 6550	aaaggacggtgtctgac	7344	7363	1	3
SEQ ID NO: 6005	gagtatgtcgtgtgtctt	2492	2511	SEQ ID NO: 6551	aaagaccaagctcaaac	9202	9221	1	3
SEQ ID NO: 6006	gtgtgatgatgctgctgat	2547	2566	SEQ ID NO: 6552	atcactgatggcattcaca	5707	5726	1	3
SEQ ID NO: 6007	ccgaggccgcttagagaa	2574	2593	SEQ ID NO: 6553	ttctgattgccatactcgg	3015	3034	1	3
SEQ ID NO: 6008	agaacctgtgtggccctcaa	2589	2608	SEQ ID NO: 6554	ttgatatcaccaaactct	3000	3019	1	3
SEQ ID NO: 6009	tacatcaagggcaggctgg	2672	2691	SEQ ID NO: 6555	ccagatgtacactaatgta	3637	3656	1	3
SEQ ID NO: 6010	caagggcaggctgtccct	2677	2696	SEQ ID NO: 6556	aggggtaggcatclacttg	9355	9374	1	3
SEQ ID NO: 6011	gcatggccgctgtcctgc	2720	2739	SEQ ID NO: 6557	gcagtgtcacttccatgc	6848	6867	1	3

SEQ ID NO:	6012	catggccgctgctcctgct	2721	2740	SEQ ID NO:	6558	agcagtgctcacttccatg	6847	6866	1	3
SEQ ID NO:	6013	gccgctgctcctgctcctc	2725	2744	SEQ ID NO:	6559	gagggccgcccacttgcggc	9160	9179	1	3
SEQ ID NO:	6014	ggagatggctgcatcgtag	2779	2798	SEQ ID NO:	6560	gcacggcgaccgcccctcc	7443	7462	1	3
SEQ ID NO:	6015	atggctgcatcgtagcgag	2783	2802	SEQ ID NO:	6561	ctccaggccaataggccat	9404	9423	1	3
SEQ ID NO:	6016	ggcgggttttttgggtc	2801	2820	SEQ ID NO:	6562	gaccattaccacggcgcc	4192	4211	1	3
SEQ ID NO:	6017	cttatcaccagagctgag	2887	2906	SEQ ID NO:	6563	ctcacaggccgggacaaga	3482	3501	1	3
SEQ ID NO:	6018	gtgtgggttccccctca	2918	2937	SEQ ID NO:	6564	tgaggtcaccctcacacac	5242	5261	1	3
SEQ ID NO:	6019	ccccccctcaacgtccgg	2926	2945	SEQ ID NO:	6565	ccggctcgtggctgaggga	6261	6280	1	3
SEQ ID NO:	6020	ctcaacgtccggggaggcc	2933	2952	SEQ ID NO:	6566	ggcctgttactccatigag	8959	8978	1	3
SEQ ID NO:	6021	accaaactctgattgcca	3008	3027	SEQ ID NO:	6567	tggtctctacgatgtgt	8130	8149	1	3
SEQ ID NO:	6022	caaacitctgattgcata	3010	3029	SEQ ID NO:	6568	tatgacacccgctgtttg	8267	8286	1	3
SEQ ID NO:	6023	ggaccgctcatggtgctcc	3032	3051	SEQ ID NO:	6569	ggagatcctgcggaagtcc	7171	7190	1	3
SEQ ID NO:	6024	gaccgctcatggtgctcca	3033	3052	SEQ ID NO:	6570	tggaactactatgcggtc	3945	3964	1	3
SEQ ID NO:	6025	atgcatgtagtgcggaaa	3106	3125	SEQ ID NO:	6571	ttctgtagggttaggcat	9348	9367	1	3
SEQ ID NO:	6026	tatgtccaaatggccttc	3139	3158	SEQ ID NO:	6572	gaagccagacaggctataa	8354	8373	1	3
SEQ ID NO:	6027	ccaaatggcctcatgaga	3145	3164	SEQ ID NO:	6573	tctcagcgacgggtctgg	7552	7571	1	3
SEQ ID NO:	6028	ccttcatgagactggcgcc	3153	3172	SEQ ID NO:	6574	gcgctcgtggcctcaagg	5927	5946	1	3
SEQ ID NO:	6029	ccttgcggtagcagtgag	3241	3260	SEQ ID NO:	6575	ctccgcccgaaggggaagg	3349	3368	1	3
SEQ ID NO:	6030	gtcgtcttctctgacatg	3262	3281	SEQ ID NO:	6576	catggtctacgccacgaca	7717	7736	1	3
SEQ ID NO:	6031	tggggggcagacaccgagg	3299	3318	SEQ ID NO:	6577	ccgccttatcgtaaccaca	8083	8102	1	3
SEQ ID NO:	6032	ggggggcagacaccgaggc	3300	3319	SEQ ID NO:	6578	gccgcccactcgctcccc	5792	5811	1	3
SEQ ID NO:	6033	gtggggacatcatcctggg	3321	3340	SEQ ID NO:	6579	cccactacacgctccccc	4020	4039	1	3
SEQ ID NO:	6034	tggggacatcatcctgggc	3322	3341	SEQ ID NO:	6580	gccactacacgctcccca	4019	4038	1	3
SEQ ID NO:	6035	ggggacatcatcctgggcc	3323	3342	SEQ ID NO:	6581	ggccagggggtctcccccc	6913	6932	1	3
SEQ ID NO:	6036	acctgtctccgcccgaagg	3343	3362	SEQ ID NO:	6582	cccttgacagactgcaggt	7770	7789	1	3
SEQ ID NO:	6037	gtctccgcccgaaggga	3346	3365	SEQ ID NO:	6583	ccccgggtctcacagaca	3962	3981	1	3
SEQ ID NO:	6038	gggagatactcctggggcc	3366	3385	SEQ ID NO:	6584	ggccatctacacgctccc	4018	4037	1	3
SEQ ID NO:	6039	ctcccaacagaccggggc	3439	3458	SEQ ID NO:	6585	ggcccccttgagggggag	7519	7538	1	3
SEQ ID NO:	6040	ccaccgcaacacaaatctt	3530	3549	SEQ ID NO:	6586	aagaggctccaccagtga	6215	6234	1	3
SEQ ID NO:	6041	cacaatcttctggcgac	3540	3559	SEQ ID NO:	6587	gtcgtcggagctgtgtgt	6020	6039	1	3
SEQ ID NO:	6042	gggtggcggcgccccccg	3671	3690	SEQ ID NO:	6588	cggtgtgtgtgcaaacagcc	5542	5561	1	3
SEQ ID NO:	6043	ccccggggcgcgctccctg	3685	3704	SEQ ID NO:	6589	cagggttgtaactccgggg	4840	4859	1	3
SEQ ID NO:	6044	tccctgacaccatgcacct	3698	3717	SEQ ID NO:	6590	aggtcacgcggtggggga	6618	6637	1	3
SEQ ID NO:	6045	tccggtgcgcccggggg	3762	3781	SEQ ID NO:	6591	ccccgtgagtcacatgaa	3931	3950	1	3
SEQ ID NO:	6046	ctccccaggcctgtctcc	3802	3821	SEQ ID NO:	6592	ggagacatcgggcccaggag	9111	9130	1	3
SEQ ID NO:	6047	gggggtgcaaaggcggtg	3904	3923	SEQ ID NO:	6593	caccctgcctgggaacccc	5680	5699	1	3
SEQ ID NO:	6048	ttgtcccggttgagtcca	3926	3945	SEQ ID NO:	6594	tgagaccttctgggcaaa	5613	5632	1	3
SEQ ID NO:	6049	ccgtaccgcaaacattcca	3996	4015	SEQ ID NO:	6595	tgattgccaaatctacgg	8940	8959	1	3
SEQ ID NO:	6050	caagtggccatctacacg	4013	4032	SEQ ID NO:	6596	cgtgggttaggatcatctg	5389	5408	1	3
SEQ ID NO:	6051	cacgctcccactggcagcg	4028	4047	SEQ ID NO:	6597	cgctgcttcggcttcgtg	5815	5834	1	3
SEQ ID NO:	6052	ccgcatatgcggccaagg	4068	4087	SEQ ID NO:	6598	ccttcaaggctcatgacgg	5937	5956	1	3
SEQ ID NO:	6053	cgtatatgtctaaagcaca	4140	4159	SEQ ID NO:	6599	tggtgaagtgtctatacg	5163	5182	1	3
SEQ ID NO:	6054	gtatatgtctaaagcacat	4141	4160	SEQ ID NO:	6600	atgtggaagtgtctatac	5162	5181	1	3
SEQ ID NO:	6055	ggaccattaccacggcgcc	4191	4210	SEQ ID NO:	6601	gcgctgtcactcagggtcc	6167	6186	1	3
SEQ ID NO:	6056	ccccattacgtactccac	4209	4228	SEQ ID NO:	6602	gtggggccgggagaggggg	6059	6078	1	3
SEQ ID NO:	6057	agttcttgcgacgggtgg	4236	4255	SEQ ID NO:	6603	ccacagtcaaggctaact	7839	7858	1	3
SEQ ID NO:	6058	gagacggctggagcgggc	4352	4371	SEQ ID NO:	6604	gccgggggaccccgatctc	7537	7556	1	3

SEQ ID NO: 6059	caccgctacgcctccagga	4384	4403	SEQ ID NO: 6605	tcctacacatggacaggtg	7619	7638	1	3
SEQ ID NO: 6060	ggagagatcccctctac	4453	4472	SEQ ID NO: 6606	gtagcagtgctcactcca	6845	6864	1	3
SEQ ID NO: 6061	agccatcccatcgaagcc	4477	4496	SEQ ID NO: 6607	ggctggttcgttgctggct	9257	9276	1	3
SEQ ID NO: 6062	ccccatcgaagccatcaa	4482	4501	SEQ ID NO: 6608	ttgagggggagccggggga	7527	7546	1	3
SEQ ID NO: 6063	cccatcgaagccatcaag	4483	4502	SEQ ID NO: 6609	ctgagggggagccggggg	7526	7545	1	3
SEQ ID NO: 6064	ggcctcgaatcaatgctg	4568	4587	SEQ ID NO: 6610	cagctccgaatgtcggcc	7414	7433	1	3
SEQ ID NO: 6065	gtcgtcataccgaccagc	4612	4631	SEQ ID NO: 6611	gctgagggtgttgggac	6271	6290	1	3
SEQ ID NO: 6066	gtcataccgaccagcggag	4616	4635	SEQ ID NO: 6612	ctccattgagccactgac	8968	8987	1	3
SEQ ID NO: 6067	cgggtataccggtgactt	4668	4687	SEQ ID NO: 6613	aagtcgaagaagttcccg	7184	7203	1	3
SEQ ID NO: 6068	cttgattcagtgatcgac	4684	4703	SEQ ID NO: 6614	gtcaggttctgtgtaaaag	8213	8232	1	3
SEQ ID NO: 6069	acagtcgactcagcttgg	4724	4743	SEQ ID NO: 6615	ccaaatctacgggcctgt	8947	8966	1	3
SEQ ID NO: 6070	cttgagcccccacttcacc	4738	4757	SEQ ID NO: 6616	gggtgtgagtgactcaag	6301	6320	1	3
SEQ ID NO: 6071	gagacgacgaccgtgcccc	4760	4779	SEQ ID NO: 6617	ggggacaaccgatcgtctc	1891	1910	1	3
SEQ ID NO: 6072	ggggtaggactggcagggg	4806	4825	SEQ ID NO: 6618	cccccggggacttgcccc	8657	8676	1	3
SEQ ID NO: 6073	gggcatatacaggttcta	4831	4850	SEQ ID NO: 6619	tacacatggacaggtgccc	7622	7641	1	3
SEQ ID NO: 6074	gggggaacggcctcgggc	4855	4874	SEQ ID NO: 6620	gcccctgcacgccttcccc	6546	6565	1	3
SEQ ID NO: 6075	tgacgcggtgtgtcttgg	4906	4925	SEQ ID NO: 6621	ccaattgacaccaccgtca	8009	8028	1	3
SEQ ID NO: 6076	gacgcgggtgtgtcttgg	4907	4926	SEQ ID NO: 6622	accaattgacaccaccgtc	8008	8027	1	3
SEQ ID NO: 6077	tgcttggtacgagctcacc	4918	4937	SEQ ID NO: 6623	ggtgcgggtgttggcagca	5849	5868	1	3
SEQ ID NO: 6078	tgcccacttctgtccag	5050	5069	SEQ ID NO: 6624	ctgggcgcgtgacgggca	3164	3183	1	3
SEQ ID NO: 6079	gggtggcataccaagccaca	5101	5120	SEQ ID NO: 6625	gtgacaccaaltgacacc	8002	8021	1	3
SEQ ID NO: 6080	gggtcaggccccacctcc	5130	5149	SEQ ID NO: 6626	ggaggccgcaagccagccc	8066	8085	1	3
SEQ ID NO: 6081	ccatcgtgggatcaaatgt	5147	5166	SEQ ID NO: 6627	acattctggcgggctatgg	5892	5911	1	3
SEQ ID NO: 6082	catacggctaaaaccac	5175	5194	SEQ ID NO: 6628	gtggccttcaaggctatga	5933	5952	1	3
SEQ ID NO: 6083	tgctgtataggctaggggc	5214	5233	SEQ ID NO: 6629	gcccgaaccggacgtagca	6832	6851	1	3
SEQ ID NO: 6084	ccaaatacatcatggcatg	5268	5287	SEQ ID NO: 6630	catgcctcaggaaacttgg	9072	9091	1	3
SEQ ID NO: 6085	ggagtcctcgcagcttgg	5336	5355	SEQ ID NO: 6631	ccagctgtctgcgcctcc	6955	6974	1	3
SEQ ID NO: 6086	gcctgcacaacaggcagtg	5364	5383	SEQ ID NO: 6632	acactccaggccaataggc	9401	9420	1	3
SEQ ID NO: 6087	agccaccaagcaggcggag	5557	5576	SEQ ID NO: 6633	ctccagitaactctggct	8820	8839	1	3
SEQ ID NO: 6088	catgtggaatttcatcagc	5635	5654	SEQ ID NO: 6634	gctgcgcctacacaacatg	7702	7721	1	3
SEQ ID NO: 6089	ctctatcaccagccgcctc	5728	5747	SEQ ID NO: 6635	gagccgcatgactgcagag	9565	9584	1	3
SEQ ID NO: 6090	cccagaacacctcctgtt	5751	5770	SEQ ID NO: 6636	aacatcttgggggggtggg	5771	5790	1	3
SEQ ID NO: 6091	ctcctgtttaacatcttgg	5762	5781	SEQ ID NO: 6637	ccaatcgatgaacggggag	9378	9397	1	3
SEQ ID NO: 6092	ttgggggggtgggtagccg	5777	5796	SEQ ID NO: 6638	cggcgccaactattccaa	6584	6583	1	3
SEQ ID NO: 6093	tgcttcggcttctgtgggc	5818	5837	SEQ ID NO: 6639	gcccgaaccggacgtagca	6832	6851	1	3
SEQ ID NO: 6094	tcgtgggcgctgtatcgc	5829	5848	SEQ ID NO: 6640	gcgagcggcgtgtgtacga	8453	8472	1	3
SEQ ID NO: 6095	cgctgtgtcggctgttggc	5845	5864	SEQ ID NO: 6641	gccacgacatccgcagcg	7727	7746	1	3
SEQ ID NO: 6096	cggtgtgtggcagcatagg	5853	5872	SEQ ID NO: 6642	cctagactcttgcagccg	7111	7130	1	3
SEQ ID NO: 6097	ggggcaggggtgtgtggcg	5909	5928	SEQ ID NO: 6643	cgcccaactcgtcccccc	5794	5813	1	3
SEQ ID NO: 6098	ctggcgcgctgtgtgcctt	5922	5941	SEQ ID NO: 6644	aaggaggccgcaagccag	8063	8082	1	3
SEQ ID NO: 6099	tgccgcgctgtgtgccttc	5923	5942	SEQ ID NO: 6645	gaaggaggccgcaagcca	8062	8081	1	3
SEQ ID NO: 6100	gagcggcgaggcgcctct	5950	5969	SEQ ID NO: 6646	agagcgtcgtgtgtgtc	7596	7615	1	3
SEQ ID NO: 6101	tgggccggggagagggggc	6060	6079	SEQ ID NO: 6647	gcccattacacgtccca	4019	4038	1	3
SEQ ID NO: 6102	cggtgatagcgttgcctt	6095	6114	SEQ ID NO: 6648	aagcaggcggaggctgcg	5564	5583	1	3
SEQ ID NO: 6103	gtgcctgagagcgacgcgcg	6146	6165	SEQ ID NO: 6649	cgccgcgcgacagcggcac	7428	7447	1	3
SEQ ID NO: 6104	atgaggactgttctacgcc	6237	6256	SEQ ID NO: 6650	ggcggggggacggcatcat	6399	6418	1	3
SEQ ID NO: 6105	gtccaagctcctgcgcgg	6331	6350	SEQ ID NO: 6651	ccgctcgtgtggaggac	7969	7988	1	3

SEQ ID NO: 6106	acagatcgccggacatgtc	6442	6461	SEQ ID NO: 6652	gacatatatcacagcctgt	9287	9306	1	3
SEQ ID NO: 6107	acgtggcatggaacattcc	6506	6525	SEQ ID NO: 6653	ggaagaacccggactacgt	7257	7276	1	3
SEQ ID NO: 6108	gggccccctgcacgccttcc	6544	6563	SEQ ID NO: 6654	ggaagaagcaagctgccc	7660	7679	1	3
SEQ ID NO: 6109	agtccccatgtcaggttcc	6675	6694	SEQ ID NO: 6655	ggaacagctagacacact	8803	8822	1	3
SEQ ID NO: 6110	tgcctcatgtcaggttccag	6677	6696	SEQ ID NO: 6656	ctggcgcgctgacgggca	3164	3183	1	3
SEQ ID NO: 6111	cagctcctgagttttcac	6693	6712	SEQ ID NO: 6657	gtgagagcgtcgtctgtg	7593	7612	1	3
SEQ ID NO: 6112	tcacggagggtgatgggt	6708	6727	SEQ ID NO: 6658	acccttcccaagccgtga	8153	8172	1	3
SEQ ID NO: 6113	cacggagggtgatgggtg	6709	6728	SEQ ID NO: 6659	cacccttcccaagccgtg	8152	8171	1	3
SEQ ID NO: 6114	gacccctcccacattacag	6872	6891	SEQ ID NO: 6660	ctgtttgactcaacggtc	8278	8297	1	3
SEQ ID NO: 6115	ttggccagggtctcccc	6911	6930	SEQ ID NO: 6661	gggggtgggtagccgcccc	5782	5801	1	3
SEQ ID NO: 6116	ccttgagggcgacatgcac	6972	6991	SEQ ID NO: 6662	gtgcttaaggagatgaagg	7811	7830	1	3
SEQ ID NO: 6117	ggagatggcggaacatc	7060	7079	SEQ ID NO: 6663	gatgaccatttctctcc	8887	8906	1	3
SEQ ID NO: 6118	gagatggcggaacatca	7061	7080	SEQ ID NO: 6664	tgatgaccatttctctc	8886	8905	1	3
SEQ ID NO: 6119	ctagactctttcagccgc	7112	7131	SEQ ID NO: 6665	gcggcgtgctgacgactag	8457	8476	1	3
SEQ ID NO: 6120	tagactctttcagccgct	7113	7132	SEQ ID NO: 6666	agcgacgggtcttggtcta	7556	7575	1	3
SEQ ID NO: 6121	agaatgaaatattcattgc	7149	7168	SEQ ID NO: 6667	gcaaagaatgaggtttct	8030	8049	1	3
SEQ ID NO: 6122	ttcgggcgagatcctgcg	7164	7183	SEQ ID NO: 6668	cgacgatgatctggcaa	8730	8749	1	3
SEQ ID NO: 6123	agcgaggaggctggtgaga	7580	7599	SEQ ID NO: 6669	tctcgtgcccgaccccgct	9305	9324	1	3
SEQ ID NO: 6124	tgagagcgtcgtctgctgc	7594	7613	SEQ ID NO: 6670	gcagtaagaccaagctca	9197	9216	1	3
SEQ ID NO: 6125	gtcgtctgctgctcaatgt	7601	7620	SEQ ID NO: 6671	acatggtctacgccacgac	7716	7735	1	3
SEQ ID NO: 6126	tcgcctatcacaacatggt	7704	7723	SEQ ID NO: 6672	accatgtctccccacgca	6123	6142	1	3
SEQ ID NO: 6127	cagaagaaggtcaccttg	7757	7776	SEQ ID NO: 6673	caaagaatgaggtttctg	8031	8050	1	3
SEQ ID NO: 6128	ccitggatgaccattaccgg	7789	7808	SEQ ID NO: 6674	ccggaacctatccagcagg	7936	7955	1	3
SEQ ID NO: 6129	ggacgtgcttaaggagatg	7807	7826	SEQ ID NO: 6675	catcgggccaggagcgtcc	9116	9135	1	3
SEQ ID NO: 6130	aaagaatgaggtttctgc	8032	8051	SEQ ID NO: 6676	gcagaagaaggtcacctt	7756	7775	1	3
SEQ ID NO: 6131	agttcgtgtatcgagaag	8110	8129	SEQ ID NO: 6677	cttcgtgctcaggaaact	9069	9088	1	3
SEQ ID NO: 6132	ggctataaaatcgctcaca	8365	8384	SEQ ID NO: 6678	tgtgaaaggtccgtgagcc	9551	9570	1	3
SEQ ID NO: 6133	tctccatccttctagctc	8900	8919	SEQ ID NO: 6679	gagcggaggggatgagaa	7134	7153	1	3
SEQ ID NO: 6134	gtctcgtgcccgaacccg	9303	9322	SEQ ID NO: 6680	cggggcggttccctgaca	3688	3707	1	3

Table 14. Sequences from human hepatitis C virus (HCV) (Direct Match Type)

	Source	Start Index	End Index		Match	Start Index	End Index	Match #
SEQ ID NO: 6755	ttttttttttttttt	9446	9465	SEQ ID NO:6758	ttttttttttttttt	9466	9485	2
SEQ ID NO: 6756	ttttttttttttttt	9446	9465	SEQ ID NO:6759	ttttttttttttttt	9465	9484	1
SEQ ID NO: 6757	ttttttttttttttt	9447	9466	SEQ ID NO:6760	ttttttttttttttt	9466	9485	1

5 Table 15. Sequences of Exemplary Gene Targets

gi|4502152|ref|NM_000384.1| Homo sapiens apolipoprotein B (including Ag(x) antigen) (APOB), mRNA

ATTCCCACCGGGACCTGCGGGGCTGAGTGCCCTTCTCGGTTGCTGCCGCTGAGGAGCCCCGCCAGCCAGC
 CAGGGCCGCGAGGCCGAGGCCAGGCCGAGCCGAGCCGCCCCACCGCAGCTGGCGATGGACCCGCCG
 10 AGGCCGCGCTGCTGGCGCTGCTGGCGCTGCCGCTGCTGCTGCTGCTGCTGGCGGGCGCCAGGGCCG
 AAGAGGAAATGCTGGAATGTACGCTGGTCTGTCCAAAGATGCGACCCGATTCAAGCACTCCGGAA
 GTACACATACTATGAGGCTGAGAGTTCCAGTGGAGTCCCTGGGACTGCTGATTCAAGAAGTGCCACC
 AGGATCAACTGCAAGGTTGAGCTGGAGGTTCCCGAGCTCTGCAGCTTCATCCTGAAGACCAGCCAGTGCA
 CCCTGAAAGAGGTGTATGGCTTCAACCTGAGGGCAAAGCCTTGCTGAAGAAAACCAAGAACTCTGAGGA
 15 GTTTGCTGCAGCCATGTCCAGGTATGAGCTCAAGCTGGCCATTCCAGAAGGGAAGCAGGTTTCTCTTAC
 CCGGAGAAAGATGAACCTACTTACATCCTGAACATCAAGAGGGGCATCATTTCTGCCCTCCTGGTTCCCC
 CAGAGACAGAAGAAGCCAAGCAAGTGTGTTTCTGGATACCGTGTATGGAAGTCTCCACTCACTTTAC
 CGTCAAGACGAGGAAGGGCAATGTGGCAACAGAAATATCCACTGAAAGAGACCTGGGGCAGTGTGATCGC
 TTCAAGCCCATCCGCACAGGCATCAGCCCACTTGCTCTCATCAAAGGCATGACCCGCCCTTGTCAACTC
 20 TGATCAGCAGCAGCCAGTCTGTCTAGTACACACTGGACGCTAAGAGGAAGCATGTGGCAGAAGCCATCTG
 CAAGGAGCAACACCTCTTCTGCTTTCTCTTACAAATAAGTATGGGATGGTAGCACAAGTGACACAG
 ACTTTGAACTTGAAGACACACCAAGATGAGCTCAAGCTGGCCCTTCTTTGGTGAAGGTACTAAGAAGATGGGCC
 TCGCATTTGAGAGCACCAATCCACATCACCTCCAAAGCAGGCCGAAGCTGTTTTGAAGACTCTCCAGGA
 ACTGAAAAAATAACCATCTCTGAGCAAAATATCCAGAGAGCTAATCTCTTCAATAAGCTGGTTACTGAG
 25 CTGAGAGGCCCTCAGTGATGAAGCAGTACATCTCTTGCCACAGCTGATTGAGGTGTCCAGCCCCATCA
 CTTTACAAGCCTTGTTTCAAGTGTGGACAGCCTCAGTCTCCACTCACATCCTCCAGTGGCTGAAACGTGT
 GCATGCCAACCCCTTCTGATAGATGTGGTCACCTACCTGGTGGCCCTGATCCCCGAGCCCTCAGCACAG
 CAGCTGCGAGAGATCTTCAACATGGCGAGGGATCAGCGCAGCCGAGCCACCTTGATGCGCTGAGCCAG
 CGGTCAACAACATATCATAAGACAAACCCTACAGGGACCCAGGAGCTGCTGGACATTGCTAATTACCTGAT
 30 GGAACAGATTCAAGATGACTGCACCTGGGGATGAAGATTACCTATTTGATTCTGCGGGTCATTGGAAAT
 ATGGGCCAAACCATGGAGCAGTTAACTCCAGAATCAAGTCTTCAATCCTCAAATGTGTCCAAAGTACAA
 AGCCATCACTGATGATCCAGAAAGCTGCCATCCAGGCTCTGCGGAAAATGGAGCCTAAAGACAAGGACCA
 GGAGGTTCTTCTTACAGACTTCTCTTGATGATGCTTCTCCGGGAGATAAGCGACTGGCTGCCTATCTTATG
 TTGATGAGGAGTCTTACAGGCAGATATTAACAAAATTGTCCAAATCTTACCATGGGAACAGAATGAGC
 35 AAGTGAAGAACTTTGTGGCTTCCCATATTGCCAATATCTTGAAGTCAAGAAATTGGATATCCAAGATCT
 GAAAAAGTTAGTGAAGAAGCTCTGAAAGAATCTCAACTTCCAAGTGTATGGACTTCAGAAAATTCTCT
 CGGAACATCAACTCTACAAATCTGTTCTCTTCCATCACTTGACCCAGCCTCAGCCAAAATAGAAGGGA
 ATCTTATATTTGATCCAAATAACTACCTTCTTAAAGAAAGCATGCTGAAACTACCTCACTGCCTTTGG
 ATTTGCTTCAGCTGACCTCATCGAGATTGGCTTGGAAAGGAAAAGGCTTTGAGCCAACATTGGAAGCTCTT
 40 TTTGGGAAGCAAGGATTTTCCAGACAGTGTCAACAAAGCTTTGTACTGGGTTAATGGTCAAGTTCCTG
 ATGGTGTCTCTAAGGCTCTAGTGGACCACTTTGGCTATACCAAAGATGATAAACATGAGCAGGATATGGT
 AAATGGAATAATGCTCAGTGTGAGAAGCTGATTAAGATTGAAATCCAAAGAAGTCCCGGAAGCCAGA
 GCCTACCTCCGCATCTTGGGAGAGGAGCTTGGTTTTGCGAGTCTCCATGACCTCCAGCTCCTGGGAAAGC
 TGCTTCTGATGGGTGCCCGCACTCTGCAGGGGATCCCCCAGATGATTGGAGAGGTGATCAGGAAGGGCTC
 45 AAAGAATGACTTTTTTCTTCACTACATCTTATGAGAAATGCCTTTGAACTCCCACTGGAGCTGGATTA

CAGTTGCAAATATCTTCATCTGAGTTCATTTGCTCCCGGAGCCAAAGGCTGGAGTAAAACTGGAAGTAGCCA
ACATGCAGGCTGAACCTGGTGGCAAAACCCCTCCGTGTCTGTGGAGTTTGTGACAAATATGGGCATCATCAT
TCCGGACTTCGCTAGGAGTGGGGTCCAGATGAACACCAACTTCTTCCACGAGTCGGGTCTGGAGGCTCAT
5 GTTGGCCCTAAAAGCTGGGAAGCTGAAGTTTATCATTCTTCCCCAAAGAGACCAGTCAAGCTGCTCAGTG
GAGGCAACACATTACATTTGGTCTCTACACCAAAACGGAGGTGATCCCACCTCTCATTGAGAACAGGCA
GTCTTGGTCAAGCTTTGCAAGCAAGTCTTTCTGGCCTGAATTACTGCACCTCAGGCGCTTACTCCAACGCC
AGTCCACAGACTCCGCCCTCTACTATCCGCTGACCGGGACACCAGATTAGAGCTGGAAGTGGGCTTA
CAGGAGAGATTGAGCAGTATTCTGTACGCGCAACCAATGAGCTCCAGAGAGAGGACAGAGCCTTGGTGA
10 TACCCTGAAGTTTGTAACTCAAGCAGAAGGTGCGAAGCAGACTGAGGCTACCATGACATTCAAATATAAT
CGGCAGAGTATGACCTTGTCCAGTGAAGTCCAAATTCCGGATTTTGATGTTGACCTCGGAACAATCCTCA
GAGTTAATGATGAATCTACTGAGGGCAAAACGCTTTACAGACTCACCTGGACATTCAGAACAGAAAAT
TACTGAGGTGCGCCCTCATGGGCCACCTAAGTTGTGACACAAGGAAGAAAGAAAATCAAGGGTGTATT
TCCATACCCCGTTTGCAAGCAGAAGCCAGAAGTGAGATCCTCGCCCACTGGTCGCTGCCAACTGCTTC
TCCAAATGGACTCATCTGCTACAGCTTATGGCTCCACAGTTTCCAAGAGGGTGGCATGGCATTGATGA
15 AGAGAAGATTGAATTTGAATGGAACACAGGCACCAATGTAGATACCAAAAAATGACTTCCAATTTCCCT
GTGGATCTCTCCGATTATCCTAAGAGCTTGCATATGTATGCTAATAGACTCCTGGATCAGAGTCCCTG
AAACAGACATGACTTTCCGGCACGTGGGTTCCAAATTAATAGTTGCAATGAGCTCATGGCTTCAGAGGC
ATCTGGGAGTCTTCCCTTATACCCAGACTTTGCAAGACCACCTCAATAGCCTGAAGGAGTTCAACCTCCAG
AACATGGGATTGCCAGACTTCCACATCCCAGAAAACCTCTTCTTAAAAAGCGATGGCCGGGTCAAATATA
20 CCTTGAACAAGAACAGTTTGAAAATTGAGATTCTTGGCTTTTGGTGGCAAATCCTCCAGAGATCTAAA
GATGTTAGAGACTGTTAGGACACCAGCCCTCCACTCAAGTCTGTGGGATTCCATCTGCCATCTCGAGAG
TTCCAAGTCCCTACTTTTACCATTCCCAAGTTGTATCAACTGCAAGTGCCTCTCCTGGGTGTTCTAGACC
TCTCCACGAATGTCTACAGCAACTTGTACAAGTGGTCCGCTCTACAGTGGTGGCAACACCAGCACAGA
CCATTTTCAAGCTTCCGGCTCGTTACCACATGAAGGCTGACTCTGTGGTTGACCTGCTTCTTACAATGTG
25 CAAGGATCTGGAGAAACAACATATGACCACAAGATACGTTCACTATCATGTGATGGGTCTCTACGCC
ACAAATTTCTAGATTGCAATATCAAAATTCAGTCATGTAGAAAACCTTGGAACAACCCAGTCTCAAAGG
TTTACTAATATTCGATGCATCTAGTTCTTGGGGACCAAGATGTCTGCTTCAGTTTCAATTTGGACTCCAAA
AAGAAACAGCATTTGTTTGTCAAAGAAGTCAAGATTGATGGGCAGTTCAGAGTCTCTTCCCTCTATGCTA
AAGGCACATATGGCCTGTCTTGTGAGAGGGATCTTAACACTGGCCGGCTCAATGGAGAGTCCAACCTGAG
30 GTTTAACTCCTCTACCTCCAAGGCACCAACCAGATAACAGGAAGATATGAAGATGGAACCCCTCTCCCTC
ACCTCCACCTCTGATCTGCAAAGTGGCATCATTAATAAATACTGCTTCCCTAAAGTATGAGAACTACGAGC
TGACTTTTAAATCTGACACCAATGGGAAGTATAAGAACTTTGCCACTTCTAACAAGATGGATATGACCTT
CTCTAAGCAAAATGCACTGCTGCGTTCTGAATATCAGGCTGATTACGAGTCATTGAGGTTCTTCAGCCTG
CTTTCTGGATCACTAAATTTCCATGGTCTTGAGTTAAATGCTGACATCTTAGGCACTGACAAAATTAATA
35 GTGGTGTCTACAAGGCGACACTAAGGATTGGCCAAAGATGGAATATCTACCAGTGCAACGACCAACTTGAA
GTGATGCTCTCTGGTGTCTGGAGATGAGCTGAATGCAGAGCTTGGCCTCTCTGGGGCATCTATGAAATTA
ACAACAAATGGCCGCTTCAGGGAACACAATGCAAAATTCAGTCTGGATGGGAAAGCCGCCCTCACAGAGC
TATCACTGGGAAGTGCTTATCAGGCCATGATTCTGGGTGTGACAGCAAAAACATTTTCAACTTCAAGGT
CAGTCAAGAAGGACTTAAGCTCTCAATGACATGATGGGCTCATATGCTGAAATGAAATTTGACCACACA
40 AACAGTCTGAACATTGCAGGCTTATCACTGGACTTCTTCAAAACTTGACAACATTTACAGCTCTGACA
AGTTTTATAAGCAAACCTGTTAATTACAGCTACAGCCCTATTCTCTGGTAACTACTTTAAACAGTGACCT
GAAATACAATGCTCTGGATCTCACCACAATGGGAAACTACGGCTAGAACCCTGAAGCTGCATGTGGCT
GGTAACCTAAAAGGAGCCTACCAAAATAATGAAATAAAACACATCTATGCCATCTCTTCTGCTGCCTTAT
CAGCAAGCTATAAAGCAGACACTGTTGCTAAGGTTCAAGGTGTGGAGTTTAGCCATCGGCTCAACACAGA
45 CATCGCTGGGCTGGCTTCAGCCATTGACATGAGCACAACTATAATTCAGACTCACTGCATTTAGCAAT
GTCTTCCGTTCTGTAATGGCCCCGTTTACCATGACCATCGATGCACATACAAATGGCAATGGGAAACTCG
CTCTCTGGGGAGAACATACTGGGCAGCTGTATAGCAATTCCTGTTGAAAGCAGAACCTCTGGCATTAC
TTTCTCTCATGATTACAAAGGCTCCACAAGTCATCATCTCGTGTCTAGGAAAAGCATCAGTGCAGCTCTT
GAACACAAAGTCAGTGCCTGCTTACTCCAGCTGAGCAGACAGGCACCTGGAAACTCAAGACCAATTTA
50 ACAACAATGAATACAGCCAGGACTTGGATGCTTACAACACTAAAGATAAAATTTGGCGTGGAGCTTACTGG
ACGAACTCTGGCTGACCTAACTCTACTAGACTCCCCAATTAAGTGCCACTTTTACTCAGTGAGCCCATC
AATATCATTGATGCTTTAGAGATGAGAGATGCCGTTGAGAAGCCCCAAGAATTTACAATTTGTGCTTTTG
TAAAGTATGATAAAAACCAAGATGTTCACTCCATTAACTCCCATTTTTTGGAGCCTTGCAAGAATATTT
TGAGAGGAATCGACAAACCATATAGTTGTAGTGAAAACGTACAGAGAAACCTGAAGCACATCAATATT
55 GATCAATTTGTAAGAAAATACAGAGCAGCCTGGGAAAACCTCCACAGCAAGCTAATGATTATCTGAATT
CATTCAAATGGGAGAGACAAGTTTACATGCCAAGGAGAACTGACTGCTCTCACAAAAAGTATAGAAT
TACAGAAAATGATATACAAATTCGATTAGATGATGCCAAATCACTTTAATGAAAACCTATCTCACTG

CAGACATATATGATACAATTTGATCAGTATATTAAAGATAGTTATGATTTACATGATTTGAAAATAGCTA
TTGCTAATATTATTGATGAAATCATTGAAAAATTAAGTCTTGATGAGCACTATCATATCCGTGTAAA
TTTAGTAAAAACAATCCATGATCTACATTTGTTTATTGAAAATATTGATTTTAACAAAAGTGAAGTAGT
ACTGCATCCTGGATTCAAAATGTGGATACTAAGTACCAAATCAGAATCCAGATACAAGAAAACTGCAGC
5 AGCTTAAGAGACACATACAGAATATAGACATCCAGCACCTAGCTGGAAAGTTAAACAACACATTGAGGC
TATTGATGTTAGAGTGCTTTTAGATCAATTGGGAACATAATTTCAATTGAAAGAATAAATGATGTTCTT
GAGCATGTCAAACACTTTGTTATAAATCTTATTGGGGATTTTGAAGTAGCTGAGAAAATCAATGCCTTCA
GAGCCAAAGTCCATGAGTTAATCGAGAGGTATGAAGTAGACCAACAAATCCAGGTTTTAATGGATAAATT
AGTAGAGTTGACCCACCAATACAAGTTGAAGGAGACTATTGAGAAGCTAAGCAATGTCCTACAACAAGTT
10 AAGATAAAAGATTACTTTGAGAAATTGGTTGGATTTATTGATGATGCTGTGAAGAAGCTTAATGAATTAT
CTTTTAAACATTTCATTGAAGATGTTAACAATTCCTTGACATGTTGATAAAGAAATTAAGTCATTTGA
TTACCACCAGTTTGTAGATGAAACCAATGACAAAATCCGTGAGGTGACTCAGAGACTCAATGGTGAAATT
CAGGCTCTGGAACCTACCACAAAAGCTGAAGCATTAAACTGTTTTTAGAGGAAACCAAGGCCACAGTTG
CAGTGTATCTGGAAAGCCTACAGGACACCAAAATAACCTTAATCATCAATTGGTTACAGGAGCTTTAAG
15 TTCAGCATCTTTGGCTCACATGAAGGCCAAATCCGAGAGACTCTAGAAGATACACGAGACCGAATGTAT
CAAATGGACATTGAGCAGGAACCTCAACGATACCTGTCTCTGGTAGGCCAGGTTTATAGCACACTTGTCA
CCTACATTTCTGATTGGTGGACTCTTGCTGCTAAGAACCTTACTGACTTTGCAGAGCAATATCTATCCA
AGATTGGGCTAAACGTATGAAAGCATTGGTAGAGCAAGGGTTCACTGTTCTGAAATCAAGACCATCCTT
GGGACCATTGCCTGCCTTTGAAGTCAGTCTTCAGGCTCTTCAGAAAGCTACCTTCAGACACCTGATTTTA
20 TAGTCCCCCTAACAGATTTGAGGATTCATCAGTTGAGATAAACTTCAAGACTTAAAAATATAAAAT
CCCATTGAGGTTTCCACACAGAATTTACCATCTTAAACACCTTCCACATTCCTTCTCTTTACGAGTGAC
TTTGTGAAATGAAAGTAAAGATCATCAGAACCATTGACCAGATGCAGAACAGTGAGCTGCAGTGCCCG
TTCCAGATATATATCTCAGGGATCTGAAGGTGGAGGACATTCTCTAGCGAGAATCACCTGCCAGACTT
CCGTTTACCAGAAATCGCAATTCCAGAATTCATAATCCCAACTCTCAACCTTAATGATTTTCAAGTTCCT
25 GACCTTCACATACCAGAATTCCAGCTTCCCCACATCTCACACACAATTGAAGTACCTACTTTTGGCAAGC
TATACAGTATTCTGAAAATCCAATCTCCTCTTTTCACATTAGATGCAATGCTGACATAGGGAATGGAAC
CACCTCAGCAAAACGAAGCAGGTATCGCAGCTTCCATCACTGCCAAAGGAGAGTCCAAATTAGAAGTTCTC
AATTTTGATTTTCAAGCAAAATGCACAACCTCTCAAACCTAAGATTAAATCCGCTGGCTCTGAAGGAGT
TGAAGTTCTCCAGCAAGTACCTGAGAACGGAGCATGGGAGTGAAATGCTGTTTTTTGGAATGCTATTGA
30 GGGAAAATCAACACAGTGGCAAGTTTACACACAGAAAAAATACACTGGAGCTTAGTAATGGAGTGATT
GTCAAGATAAACAATCAGCTTACCCTGGATAGCAACACTAAATACTTCCACAAATTGAACATCCCCAAC
TGGACTTCTCTAGTCAGGCTGACCTGCGCAACGAGATCAAGACACTGTTGAAAGCTGGCCACATAGCATG
GACTTCTTCTGAAAAAGGGTCATGGAATGGGCCCTGCCCCAGATTCTCAGATGAGGGAACACATGAATCA
CAAATTAGTTTACCATAGAAGGACCCCTCACTTCTTGGACTGTCCAATAAGATCAATAGCAAAACAC
35 TAAGAGTAAACCAAACTTGGTTTATGAATCTGGCTCCCTCAACTTTTCTAAACTTGAATTCGAATCACA
AGTCGATTCCAGCATGTGGGCCACAGTGTTCTAACTGCTAAAGGCATGGCACTGTTTGGAGAAGGGAAG
GCAGAGTTTACTGGGAGGCATGATGCTCATTTAAATGGAAGGTTATTGGAAGTTTGAATAATCTCTTT
TCTTTTCAGCCCAGCCATTTGAGATCAGGGCATCCACAAACAATGAAGGGAATTTGAAAGTTCGTTTTCC
ATTAAGGTTAACAGGGAAGATAGACTTCTGAATAACTATGCACTGTTTCTGAGTCCCAGTGCCAGCAA
40 GCAAGTTGGCAAGTAAGTGCTAGGTTCAATCAGTATAAGTACAACCAAAATTTCTCTGCTGGAACAAACG
AGAACATTATGGAGGCCATGTAGGAATAAATGGAGAGCAAAATCTGGATTTCTTAAACATTCTTTAAC
AATTCCTGAAATGCGTCTACCTTACACAATAATCACAACTCCTCCACTGAAAGATTTCTCTCTATGGGAA
AAAACAGGCTTGAAGGAATTCTTGAACACGACAAAGCAATCATTTGATTTAAGTGAAAAGCTCAGTATA
AGAAAAACAACACAGGCATTCCATCACAATCCTTTGGCTGTGCTTTGTGAGTTTATCAGTCAGAGCAT
45 CAAATCCTTTGACAGGCATTTTGAAGGAAACAGAAACAATGCATTAGATTTTGTACCAAAATCCTATAAT
GAAACAAAATTAAGTTTGATAAGTACAAAGCTGAAAAATCTCACGACGAGCTCCCCAGGACCTTTCAA
TTCTTGATACACTGTTCCAGTTGTCAATGTTGAAGTGCTCTCCATTACCATAGAGATGTCGGCATTCGG
CTATGTGTTCCCAAGCAGTCAGCATGCCTAGTTTCTCCATCCTAGGTTCTGACGTCGCTGCTTCA
TACACATTAATCTGCCATCATTAGAGCTGCCAGTCTTCATGTCCCTAGAAATCTCAAGCTTTCTCTTC
50 CACATTTCAAGGAATGTGTACCATAAGCCATATTTTATCTGCCATGGGCAATATTACCTATGATTT
CTCCTTTAAATCAAGTGTCATCACTGAATACCAATGCTGAACCTTTTAACAGTCAGATATTGTTGCT
CATCTCCTTTCTCATCTTCATCTGTATTGATGCACTGCAGTACAAATTAGAGGGCACCACAAGATTGA
CAAGAAAAGGGGATTGAAGTTAGCCACAGCTCTGTCTCTGAGCAACAAATTTGTGGAGGGTAGTCATAA
CAGTACTGTGAGCTTAACACGAAAAATATGGAAGTGTCAGTGGCAAAACCAAGGAGGAAATTTCA
55 ATTTGAGAATGAATTTCAAGCAAGAACTTAATGGAAATACCAAGTCAAAACCTACTGTCTCTCTCCA
TGAATTTAAGTATGATTTCAATCTTCAATGCTGTACTCTACCGCTAAAGGAGCAGTTGACCACAAGCT
TAGCTTGAAAGCCTCACCTCTTACTTTCCATTGAGTCATCTACCAAGGAGATGTCAAGGGTTCGGTT

CTTTCTCGGGAATATTTCAGGAACATTGCTAGTGAGGCCAACACTTACTTGAATTCCTCAAGAGCACACGGT
CTTCAGTGAAGCTGCAGGGCACTTCCAAAATTGATGATATCTGGAACCTTGAAGTAAAAGAAAATTTTGC
TGGAGAAGCCACACTCCAACGCATATATTTCCCTCTGGGAGCACAGTACGAAAACCCTTACAGCTAGAG
GGCCTCTTTTTCACCAACGGAGAACATACAAGCAAAGCCACCTTGGAACTCTCTCCATGGCAAATGTCAG
5 CTCTTGTTCAGGTCCATGCAAGTCAGCCCAGTTCCCTCCATGATTCCCTGACCTTGGCCAGGAAGTGGC
CCTGAATGCTAACACTAAGAACAGAGATCAGATGGAAAAATGAAGTCCGGATTCAATCTCTGGGTCTTTC
CAGAGCCAGGTTCGAGCTTTCCAATGACCAAGAAAAGGCACACCTTGACATTGCAGGATCCTTAGAAGGAC
ACCTAAGGTTCCCTCAAAAATATCATCTTACCAGTCTATGACAAGAGCTTATGGGATTTCTTAAAGCTGGA
TGTAACCCACAGCATTGGTAGGAGACAGCATCTCTGTTTCAACTGCCTTTGTGTACACCAAAAACCC
10 AATGGCTATTCAATCTCCATCCCTGTAAAAGTTTGGCTGATAAATTCATTACTCTGGGCTGAAACTAA
ATGATCTAAATTCAGTTCTTGTGATGCCTACGTTCCATGTCCCATTTACAGATCTTCAGGTTCCATCGTG
CAAACCTTGAATTCAGAGAAATACAAATCTATAAGAAGCTGAGAACTTCATCATTTGCCCTCAACCTACCA
ACACTCCCCGAGGTAAAATTCCTGAAGTTGATGTGTTAACAAAATATTCTCAACCAGAAGACTCCTTGA
TTCCCTTTTTTGAGATAACCGTGCCTGAATCTCAGTTAACTGTGTCCAGTTACAGCTTCCAAAAGTGT
15 TTCAGATGGCATTGCTGCTTGGATCTAAATGCAGTAGCCAACAAGATCGCAGACTTTGAGTTGCCACC
ATCATCGTGCCTGAGCAGACCATTTGAGATTCCCTCCATTAAGTTCTCTGTACCTGCTGGAATTGTCATTCT
CTTCCCTTTCAAGCACTGACTGCACGCTTTGAGGTAGACTCTCCCGTGATAATGCCACTTGGAGTGCCAG
TTTGAAAAACAAAGCAGATTATGTTGAAACAGTCTGGATTCCACATGCAGCTCAACCGTACAGTTCCCTA
GAATATGAACTAAATGTTTTGGGAACACACAAAATCGAAGATGGTACGTTAGCCTTAAGACTAAAGGAA
20 CACTTGCACACCGTGACTTCAGTGCAGAATATGAAGAAGATGGCAAATTTGAAGGACTTCAGGAATGGGA
AGGAAAAGCGCACCTCAATATCAAAGCCAGCGTTCACCGATCTCCATCTGCGCTACCAGAAAGACAAG
AAAGGCATCTCCACCTCAGCAGCCTCCCCAGCGTAGGCACCGTGGGCATGGATATGGATGAAGATGACG
ACTTTTTCTAAATGGAATTTCTACTACAGCCCTCAGTCTCTCCAGATAAAAACTCACCATTGTCAAAAC
TGAGTTGAGGGTCCGGGAATCTGATGAGGAACTCAGATCAAAGTTAATTGGGAAGAAGAGGCAGCTTCT
25 GGCTTGCTAACCTCTCTGAAAGACAACGTGCCAAGGCCACAGGGGTCTTTATGATTATGTCAACAAGT
ACCCTGGGAACACACAGGGCTCACCTGAGAGAAGTGTCTTCAAAGCTGAGAAGAAATCTGCAGAACAA
TGCTGAGTGGGTTTTATCAAGGGGCCATTAGGCAAATTGATGATATCGACGTGAGGTTCCAGAAAGCAGCC
AGTGGCACCACTGGGACCTACCAAGAGTGGAGGACAAGGCCCAGAATCTGTACCAGGAACTGTTGACTC
AGGAAGGCCAAGCAGTTTCCAGGGACTCAAGGATAACGTGTTGATGGCTTGGTACGAGTTACTCAAAA
30 ATTCATATGAAAGTCAAGCATCTGATTGACTCAGTCAATGATTTTCTGAACCTCCAGATTCCAGTTT
CCGGGGAACCTGGGATATACACTAGGGAGGAACCTTGCACATATGTTTATAAGGGAGGTAGGGACGGTAC
TGTCCAGGTATATTGAAAGTCCATAATGGTTCAGAAATACTGTTTTCTATTTCCAAGACCTAGTGAT
TACACTTCCTTTTCGAGTTAAGGAAACATAAACTAATAGATGTAATCTCGATGTATAGGGAACTGTTGAAA
GATTTATCAAAAGAAGCCCAAGAGGTATTTAAAGCCATTCACTCTCTCAAGACCACAGAGGTGCTACGTA
35 ATCTTCAGGACCTTTTACAATTCATTTTCCAATTAATAGAAGATAACATTAACAGCTGAAAGAGATGAA
ATTTACTTATCTTATTAATTATATCCAAGATGAGATCAACACAATCTTCAATGATTATATCCCATATGTT
TTTAAATTTGTTGAAAGAAAACCTATGCCTTAATCTTCATAAGTTCAATGAATTTATTCAAAACGAGCTTC
AGGAAGCTTCTCAAGAGTTACAGCAGATCCATCAATACATTATGGCCCTTCGTGAAGAATATTTTGATCC
AAGTATAGTTGGCTGGACAGTGAAATATTATGAACCTGAAGAAAAGATAGTCAGTCTGATCAAGAACCTG
40 TTAGTTGCTCTTAAGGACTTCCATTCTGAATATATTGTGTCAGTGCCTCTAATTTACTTCCCAACTCTCAA
GTCAAGTTGAGCAATTTCTGCACAGAAATATTTCAGGAATATCTTAGCATCCTTACCAGTCCAGATGGAAA
AGGGAAGAGAAGATTGCAGAGCTTTCTGCCACTGCTCAGGAAATAATTAAGGCCAGGCCATTGCGACG
AAGAAAATAATTTCTGATTACCACAGCAGTTTAGATATAAACTGCAAGATTTTTCAGACCAACTCTCTG
ATTACTATGAAAAATTTATTGCTGAATCCAAAAGATTGATTGACCTGTCCATTCAAAACTACCACACATT
45 TCTGATATACATCACGGAGTTACTGAAAAAGCTGCAATCAACCACAGTCATGAACCCCTACATGAAGCTT
GCTCCAGGAGAACTTACTATCATCTCTAATTTTTTAAAGAAATCTTCATTTATTTCTTTTCCAATT
GAACTTTCACATAGCACAGAAAAATTCAACTGCCTATATTGATAAAACCATACAGTGAGCCAGCCTTG
CAGTAGGCAGTAGACTATAAGCAGAAGCACATATGAACCTGGACCTGCACCAAGCTGGCACCAGGGCTCG
GAAGTCTCTGAACCTCAGAAGGATGGCATTTTTTGCAAGTTAAAGAAAATCAGGATCTGAGTTATTTTGC
50 TAACTTGGGGGAGGAGGAACAAATAAATGAGTCTTTATTGTGTATCATA (SEQ ID NO:6681)

>gi|4557442|ref|NM_000078.1| Homo sapiens cholesteryl ester transfer
protein, plasma (CETP), mRNA
GTGAATCTCTGGGGCCAGGAAGACCCTGCTGCCCAGGAAGAGCCTCATGTTCCGTGGGGGCTGGGCGGACA
55 TACATATACGGGCTCCAGGCTGAACGGCTCGGGCCACTTACACACCACTGCCTGATAACCATGCTGCTG
CCACAGTCTGACCTGGCCCTGCTGGGCAATGCCATGCCCTGCTCCAAAGGCACCTCGCACGAGGCAGG

CATCGTGTGCCGCATCACCAAGCCTGCCCTCCTGGTGTGAACCACGAGACTGCCAAGGTGATCCAGACC
GCCTTCCAGCGAGCCAGCTACCCAGATATCACGGGCGAGAAGGCCATGATGCTCCTTGGCCAAAGTCAAGT
ATGGGTTGCACAACATCCAGATCAGCCACTTGTCCATCGCCAGCAGCCAGGTGGAGCTGGTGGGAAGCCAA
GTCCATTGATGTCTCCATTGAGAAGCTGTCTGTGGTCTTCAAGGGGACCCCTGAAGTATGGCTACACCACT
5 GCCTGGTGGCTGGGTATTGATCAGTCCATTGACTTCGAGATCGACTCTGCCATTGACCTCCAGATCAACA
CACAGCTGACCTGTGACTCTGGTAGAGTGGGACCGATGCCCCCTGACTGCTACCTGTCTTTCCATAAGCT
GCTCCTGCATCTCCAGGGGAGCGAGAGCCTGGGTGGATCAAGCAGCTGTTCACAAATTTTCATCTCCTTC
ACCCTGAAGCTGGTCTGAAGGGACAGATCTGCAAAGAGATCAACGTCTCTAACATCATGGCCGATT
TTGTCCAGACAAGGGCTGCCAGCATCCTTTTCAGATGGAGACATTGGGGTGGACATTTCCCTGACAGGTGA
10 TTCCGTCATCACAGCTCCTACCTGGAGTCCCATCACAAAGGGTCATTTTCATCTACAAGAATGTCTCAGAG
GACCTCCCCCTCCCCACCTTCTCGCCACACTGCTGGGGGACTCCCGCATGCTGTACTTCTGGTTCTCTG
AGCGAGTCTTCCACTCGCTGGCCAAGGTAGCTTTCCAGGATGGCCGCTCATGCTCAGCCTGATGGGAGA
CGAGTTCAAGGCAGTGTGGAGACCTGGGGCTTCAACACCAACCAGGAAATCTTCCAAGAGGTTGTGGC
GGCTTCCCCAGCCAGGCCAAAGTACCGTCCACTGCCTCAAGATGCCAAGATCTCCTGCCAAACAAGG
15 GAGTCGTGGTCAATTTCTCAGTGATGGTGAAATTCCTCTTTCCACGCCAGACCAGCAACATTTCTGTAGC
TTACACATTTGAAGAGGATATCGTGACTACCGTCCAGGCCTCCTATTCTAAGAAAAGCTCTTCTTAAGC
CTCTTGGATTTCCAGATTACACCAAGACTGTTTTCCAACCTTGACTGAGAGCAGCTCCGAGTCCATCCAGA
GCTTCTGCAGTCAATGATCACCGCTGTGGGCATCCCTGAGGTCTGTCTCGGCTCGAGGTAGTGTTTAC
AGCCCTCATGAACAGCAAAGGCGTGAGCCTCTTCGACATCATCAACCCTGAGATTATCACTCGAGATGGC
20 TTCTGTCTGTGCAGATGGACTTTGGCTTCCCTGAGCACCTGCTGGTGGATTTCCTCCAGAGCTTGAGCT
AGAAGTCTCCAAGGAGTGGGATGGGGCTTGTAGCAGAGGCAAGCACCAGGCTCACAGCTGGAACCTT
GGTGTCTCCTCCAGCGTGGTGAAGTTGGGTAGGAGTACGGAGATGGAGATTGGCTCCCACTCCTCCC
TATCCTAAAGGCCACTGGCATTAAAGTGTGTATCCAAG (SEQ ID NO: 6682)

25

>gi|414668|emb|X75500.1|HSMTP H.sapiens mRNA for microsomal triglyceride
transfer protein

TGCAGTTGAGGATTGCTGGTCAATATGATTCTTCTTGCTGTGCTTTTTCTCTGCTTCATTTCCCTCATATT
CAGCTTCTGTTAAAGGTCACACAACCTGGTCTCTCATTAAATAATGACCGGCTGTACAAGCTCACGTAATC
30 CACTGAAGTTCTTCTTGATCGGGGCAAAGGAAAAGTGCAGACAGCGTGGGCTACCGCATTTCTCCAAAC
GTGGATGTGGCCTTACTATGGAGGAATCCTGATGGTGTATGATGACCAGTTGATCCAAATAACGATGAAGG
ATGTAAATGTTGAAATGTGAATCAGCAGAGAGGAGAGAAGAGCATCTTCAAAGGAAAAGCCCATCTAA
AATAATGGGAAAAGGAAAAGTGGAAAGCTCTGCAAAGACCTACGCTCCTTCATCTAATCCATGGAAAGGTC
AAAGAGTTCTACTCATATCAAAATGAGGCACTGGCCATAGAAAATATCAAGAGAGGTCTGGCTAGCCTAT
35 TTCAGACACAGTTAAGCTCTGGAACCACCAATGAGGTAGATATCTCTGGAATTTGTAAGTGAACCTACCA
GGCTCATCAAGACAAGTGATCAAAATTAAGGCCTTGGATTTCATGCAAAATAGCGAGGTCTGGATTTACG
ACCCCAATCAGGTCTTGGGTGTGAGTTCAAAAGCTACATCTGTACCACCTATAAGATAGAAGACAGCT
TTGTTATAGCTGTGCTTGTGAAGAAACACACAATTTTGGACTGAATTTCTTACAAACCATTAAAGGGGAA
AATAGTATCGAAGCAGAAATTAGAGCTGAAGACAACCGAAGCAGGCCCAAGATTGATGTCTGGAAAGCAG
40 GTGCAGCCATAATCAAAGCAGTTGATTCAAAGTACACGGCCATTCCCATTTGTTGGGCGAGGTCTTCCAGA
GCCACTGTAAAGGATGTCTTCTCTCTCGGAGCTCTGGCGGTCCACCAGGAAATACCTGCAGCCTGACAA
CCTTTCCAAGGCTGAGGCTGTGAGAACTTCTTGGCCTTCATTGAGCACCTCAGGACTGCGAAGAAAGAA
GAGATCCTTCAAATACTAAAGATGGAATAAGGAAGTATTACCTCAGCTGGTGGATGCTGTACCTCTG
CTCAGACCTCAGACTCATAGAACCCATTTTGGACTTTTGGATTTCAAAAGTGACAGCAGCATTTATCCT
45 CCAGGAGAGGTTTCTCTATGCCTGTGGATTGTCTTCTCATCCCAATGAAGAACTCCTGAGAGCCCTCATT
AGTAAGTTCAAAGGTTCTATTGGTAGCAGTGACATCAGAGAACTGTTATGATCATCACTGGGACACTTG
TCAGAAAGTTGTGTGAGAAATGAAGGCTGCAAACTCAAAGCAGTAGTGGAAGCTAAGAAGTTAATCCTGGG
AGGACTTGAAAAGCAGAGAAAAAGAGGACACCAGGATGTATCTGCTGGCTTTGAAGAATGCCCTGCTT
CCAGAAGGCATCCCAAGTCTTCTGAAGTATGAGAAGCAGGAGAAGGGCCCATCAGCCACCTGGCTACCA
50 CTGCTCTCCAGAGATATGATCTCCTTTTATAAAGTATGAGGTGAAGAAGACCTTAAACAGAAATATACCA
CCAAAACCGTAAAGTTTCATGAAAAGACTGTGCGCACTGTGCGAGCTGCTATCATTTTAAATAACAATCCA
TCCTACATGGACGTCAAGAACATCCTGCTGTCTATTGGGGAGCTTCCCAAGAAATGAATAAATACATGC
TCGCCATTGTTCAAGACATCCTACGTTTTGAAATGCCTGCAAGCAAATGTCCGTCGAGTTCTGAAGGA
AATGGTCTGCTCACAATTATGACCGTTTTCTCCAGGAGTGGATCTTCTTCTGCCTACACTGGCTACATAGAA
55 CGTAGTCCCGCTTCGGCATCTACTTACAGCCTAGACATTTCTACTCGGGTTCTGGCATTCTAAGGAGAA

GTAACTGAACATCTTTCAGTACATTGGGAAGGCTGGTCTTCACGGTAGCCAGGTGGTTATTGAAGCCCA
 AGGACTGGAAGCCTTAATCGCAGCCACCCTGACGAGGGGAGGAGAACCCTTGACTCCTATGCTGGTATG
 TCAGCCATCCTCTTTGATGTTTCAGCTCAGACCTGTCACCTTTTTCAACGGATACAGTGATTGATGTCCA
 AAATGCTGTCAGCATCTGGCGACCCTATCAGTGTGGTGAAAGGACTTATTCTGCTAATAGATCATTCTCA
 5 GGAACCTTCAGTTACAATCTGGACTAAAAGCCAATATAGAGGTCCAGGGTGGTCTAGCTATTGATATTTCA
 GGTGCAATGGAGTTTAGCTTGTGGTATCGTGAGTCTAAAACCCGAGTGAAAAATAGGGTGACTGTGGTAA
 TAACCACTGACATCACAGTGGACTCCTCTTTTGTGAAAGCTGGCCTGGAACCAAGTACAGAAACAGAAGC
 AGGCTTGGAGTTTATCTCCACAGTGCAGTTTTCTCAGTACCCATTCTTAGTTTGCATGCAGATGGACAAG
 GATGAAGCTCCATTAGGCAATTTGAGAAAAAGTACGAAAGGCTGTCCACAGGCAGAGGTTATGTCTCTC
 10 AGAAAAAGAAAAGAAAGCGTATTAGCAGGATGTGAATCCCGCTCCATCAAGAGAACTCAGAGATGTGCAA
 AGTGGTGTGTTGCCCCCTCAGCCGGATAGTACTTCCAGCGGATGGTTTTGAACTGACCTGTGATATTTAC
 TTGAATTTGTCTCCCCGAAAGGGACACAATGTGGCATGACTAAGTACTTGCTCTCTGAGAGCACAGCGTT
 TACATATTTACCTGTATTTAAGATTTTTGTAAAAAGCTACAAAAAAGTGCAGTTTGATCAAATTTGGGTA
 TATGCAGTATGCTACCCACAGCGTCATTTGAATCATCATGTGACGCTTTCAACAACGTTCTTAGTTTAC
 15 TTATACCTCTCTCAAATCTCATTGGGTACAGTGCAGATAGTTATTCTCTAAGAGGAACTGTTTGTGTT
 AAAAAACAAAATAAAAAACAAACCACACAGGAGAACCCTAATTTTGTTCACAAATTTTGTATCAATGTA
 TATGAAGCTCTTGATAGGACTTCTTAAGCATGACGGGAAAACCAACACGTTCCCTAATCAGGAAAAAA
 AAAAAAAAAAAAAAGTAAGACACAAACAAACCATTTTTTCTCTTTTTTGGAGTTGGGGGCCAGGGAG
 AAGGGACAAGGCTTTTAAAGACTTGTTAGCCAACTCAAGAATTAATATTTATGTCTCTGTTATGTGTA
 20 GTTTTAAGCCTTAAGGTAGAAGGCACATAGAAATAACATC (SEQ ID NO: 6683)

>gi|1217638|emb|X91148.1|HSMTP H.sapiens mRNA for microsomal triglyceride
 transfer protein
 TGCAGTTGAGGATTGCTGGTCAATATGATTCTTCTTGCTGTGCTTTTTCTCTGCTTCATTTCCCTCATATT
 25 CAGCTTCTGTTAAAGGTCACACAAGTGGTCTCTCATTAAATAATGACCGGCTGTACAAGCTCAGTACTC
 CACTGAAGTTCTTCTTGATCGGGGCAAGGAAAAGTGCAGACAGCGTGGGCTACCGCATTTCTCCCAAC
 GTGGATGTGGCCTTACTATGGAGGAATCCTGATGGTGATGATGACCAAGTTGATCCAAATAACGATGAAGG
 ATGTAAATGTTGAAATGTGAATCAGCAGAGAGGAGAGAAGAGCATCTTCAAAGGAAAAAGCCCATCTAA
 AATAATGGGAAAGGAAAAGTGAAGCTCTGCAAAGACCTACGCTCCTTCATCTAATCCATGGAAAGGTC
 30 AAAGAGTTCTACTCATATCAAATGAGGCAAGTGGCCATAGAAAATATCAAGAGAGGTCTGGCTAGCCTAT
 TTCAGACACAGTTAAGCTCTGGAACCACCAATGAGGTAGATATCTCTGGAATTTGTAAAGTGACCTACCA
 GGCTCATCAAGACAAAGTGATCAAATTAAGGCCTTGGATTTCATGCAAAATAGCGAGGTCTGGATTTACG
 ACCCCAAATCAGGTCTTGGGTGTGAGTTCAAAGCTACATCTGTCAACACCTATAAGATAGAAGACAGCT
 TTGTTATAGCTTGCTTGCTGAAGAAACACACAATTTGGACTGAATTTCTTACAAACCATGAGGGGAA
 35 AATAGTATCGAAGCAGAAATTAGAGCTGAAGACAACCGAAGCAGGCCCCAAGATTGATGTCTGGAAGCAG
 GCTGCAGCCATAATCAAAGCAGTTGATTCAAAGTACACGGCCATTCCCATTTGTGGGCAGGTCTTCCAGA
 GCCACTGTAAAGGATGTCTTCTCTCTCGGAGCTCTGGCGGTCCACCAGGAAATACCTGCAGCCTGACAA
 CCTTCCAAGGCTGAGGCTGTGAGAACTTCTGTCCTTCAATTCAGCACCTCAGGACTGCGAAGAAAGAA
 GAGATCCTTCAAATACTAAAGATGGAATAAGGAAGTATTACCTCAGCTGGTGGATGCTGTACCTCTG
 40 CTCAGACCTCAGACTCATTAGAAGCCATTTTGGACTTTTGGATTTCAAAGTGACAGCAGCATTTATCCT
 CCAGGAGAGGTTTCTCTATGCTGTGGATTTGCTTCTCATCCCAATGAAGAAGTCTGAGAGCCCTCAT
 AGTAAGTTCAAAGGTTCTATTGGTAGCAGTGACATCAGAGAACTGTTATGATCATCACTGGGACACTTG
 TCAGAAAGTTGTGTGAGAAATGAAGGCTGCAAACTCAAAGCAGTAGTGGAAGCTAAGAAGTTAATCTGGG
 AGGACTTGAAAAAGCAGAGAAAAAGAGGACACCAGGATGTATCTGCTGGCTTTGAAGAATGCCCTGCTT
 45 CCAGAAGGCATCCCAAGTCTTCTGAAGTATGCAGAAGCAGGAGAAGGGCCCATCAGCCACCTGGCTACCA
 CTGCTCTCCAGAGATATGATGCTCCCTTTCATAACTGATGAGGTGAAGAAGACCTTAAACAGAATATACC
 ACCAAAACCGTAAAGTTTCATGAAAAGACTGTGCGCACTGCTGCAGCTGCTATCATTTTAAATAACAATCC
 ATCCTACATGGAGCTCAAGAACATCCTGCTGCTATTGGGGAGCTTCCCAAGAAATGAATAAATACATG
 CTCGCCATTGTTCAAGACATCCTACGTTTTGAAATGCCTGCAAGCAAAATTTGTCGTCGAGTTCTGAAGG
 50 AAATGGTGCCTCACAATTATGACCGTTTCTCCAGGAGTGGATCTTCTTCTGCCTACACTGGCTACATAGA
 ACGTAGTCCCCGTTCCGGCATCTACTACAGCCTAGACATTCTCTACTCGGGTTCTGGCATTCTAAGGAGA
 AGTAACCTGAACATCTTTCAGTACATTGGGAAGGCTGGTCTTCACGGTAGCCAGGTGGTTATTGAAGCCC
 AAGGACTGGAAGCCTTAATCGCAGCCACCCTGACGAGGGGGAGGAGAACCCTTGACTCCTATGCTGGTAT
 GTCAGCCATCCTCTTTGATGTTTCAGCTCAGACCTGTCACCTTTTCAACGGATACAGTGATTTGATGTCC
 55 AAAATGCTGTGAGCATCTGGCGACCCTATCAGTGTGGTGAAAGGACTTATTCTGCTAATAGATCATTCTC
 AGGAACTTCAGTTACAATCTGGACTAAAAGCCAATATAGAGGTCCAGGGTGGTCTAGCTATTGATATTTT

AGGTGCAATGGAGTTTATGCTTGTGGTATCGTGAGTCTAAAAACCGAGTGAAAAATAGGGTGACTGTGGTA
ATAACCACTGACATCACAGTGGACTCCTCTTTGTGAAAGCTGGCCTGGAAACCAGTACAGAAACAGAAG
CAGGCTTGGAGTTTATCTCCACAGTGCAGTTTCTCAGTACCCATTCTTAGTTTGCATGCAGATGGACAA
GGATGAAGCTCCATTTCAGGCAATTTGAGAAAAAGTACGAAAGGCTGTCCACAGGCAGAGGTTATGTCTCT
5 CAGAAAAAGAAAAGAAAGCGTATTAGCAGGATGTGAATCCCCGCTCCATCAAGAGAACTCAGAGATGTGCA
AAGTGGTGTGTTGCCCCCTCAGCCGGATAGTACTTCCAGCGGATGGTTTTGAACTGACCTGTGATATTTTA
CTTGAATTTGTCTCCCCGAAAGGGACACAATGTGGCATGACTAAGTACTTGCTCTCTGAGAGCACAGCGT
TTACATATTTACCTGTATTTAAGATTTTTGTAAAAAGCTACAAAAAACTGCAGTTTGATCAAATTTGGGT
ATATGCAGTATGCTACCCACAGCGTCATTTGAATCATCATGTGACGCTTTCACAAACGTTCTTAGTTTA
10 CTTATACCTCTCTCAAATCTCATTTGGTACAGTCAGAATAGTTATTCTCTAAGAGGAACTAGTGTTTGT
TAAAAACAAAAATAAAACAAAACCACACAGGAGAACCCAATTTTGTTCACAAATTTTGTATCAATGT
ATATGAAGCTCTTGATAGGACTTCCTTAAGCATGACGGGAAAACCAAACACGTTCCCTAATCAGGAAAAA
AAAAAAAAGAAAAGTAAGACACAAACCAACCATTTTTCTCTTTTTTGGAGTTGGGGGCCAGGG
AGAAGGGACAAGGCTTTTAAAGACTTGTAGCTCAACTTCAAGAATTAATATTTATGTCTCTGTTATTGT
15 TAGTTTTAAGCCTTAAGGTAGAAGGCACATAGAAATAACATCTCATCTTCTGCTGACCATTTTAGTGAG
GTTGTTCCAAAGAGCATTCAGGTCTCTACCTCCAGCCCTGCAAAAATATTGGACCTAGCACAGAGGAATC
AGGAAAATTAATTTAGAACTCCATTTGATTTTTCTTTTGTGTGTCTTTTTTGGAGCTGTAATATGGT
ACACTGTCTCTAAGGACATCCTCATTTTATCTACCTTTTTGGGGGTGAGAGCTCTAGTTCAATTAAC
GTACTCTGCACAATAGCTAGGATGACTAAGAGAACATTGCTTCAAGAACTGGTGGATTGGATTCCAA
20 AATATGAAATAAGGAGAAAAATGTTTTATTGTATGAATTAAGATCCATGTTGAACATTTGCAATA
TTTATTAATAAACAGATGTGGTGATAAACCAAAACAAATGACAGGTGCTTATTTCCACTAAACACAGA
CACATGAAATGAAAGTTTAGCTAGCCCACTATTTGTTGTAAATTGAAAACGAAGTGTGATAAAATAAATA
TGTAAGAAATCAAAAAAAAAAAAAAAAAAAAAA (SEQ ID NO: 6684)

25 >gi|21361125|ref|NM_001467.2| Homo sapiens glucose-6-phosphatase,
transport (glucose-6-phosphate) protein 1 (G6PT1), mRNA
GGCACGAGGGGCCACCGAGGCGCTGTCCCTGACCACCAGCAGAGACCCCTTCTATCGCGCCAGTCCTG
TGGTCTCCGCACCTCTCCAGCTCCTGCACCCCGGCCCGTGGTTCCAGCCGCACAGTAGCGTGTCTCT
30 TGGTAGCGTGAGGCCACCGGGGCTGAGCAGGTGCCACGAGCCCGCCCTCTTCGCCGCCCGCCGCTC
TCCTCCTCTCCCGCCCGCCGCTGGCCCTCCCTACAGGCTGAGCCTCTGGCTGCCAGAAGCGCGGGC
CTCCGGGAGAATACGTGCGGTGCGCCGCTCCGCGTGCAGCTACGCCTTCTGCTCCAGTTGCTTTCCCAAT
TGAGCGGAAAAGCCGGGCGATGTTGCCGGGCGCTGGGCGGGACGGTTGTGCCCTGCAGCCCGAAGCCCG
CCGGGGCACCTTCCCGCCACGAGCTGCCAGTCCCTCTGCTTGCAGGCCCTGCCAACGTCCACAGGAC
35 ACTGGGTCCCCTTGGAGCCTCCCCAGGCTTAATGATTGTCCAGAAGGCGGCTATAAAGGGAGCCTGGGAG
GCTGGGTGGAGGAGGAGCAGAAAAACCAACTCAGCAGATCTGGGAACGTGTGAGAGCGGCAAGCAGGA
ACTTGGTCAGAGGCTGTGCGTCTTGGCTGGTAGGGCTGCTCTTTTCTACCATGGCAGCCAGGCTAT
GGCTATTATCGCACTGTGATCTTCTCAGCCATGTTTGGGGGCTACAGCCTGTATTACTTCAATCGCAAGA
CCTTCTCCTTTGTATGCCATCATTTGGTGAAGAGATCCCTTTGGACAAGGATGATTTGGGGTTCATCAC
40 CAGCAGCCAGTCGGCAGCTTATGCTATCAGCAAGTTTGTAGTGGGTGCTGTCTGACCAGATGAGTGCT
CGCTGGCTCTTCTCTTCTGGGCTGCTCCTGGTGGCCTGGTCAACATATTCTTTGCCTGGAGCTCCACAG
TACCTGTCTTTGCTGCCCTCTGGTTCCTTAATGGCCTGGCCAGGGGCTGGGCTGGCCCCATGTGGGAA
GGTCTGCGGAAGTGGTTTGAGCCATCTCAGTTTGGCACTTGGTGGGCCATCCTGTCAACCAGCATGAAC
CTGGCTGGAGGGCTGGGCCCTATCCTGGCAACCATCCTTGGCCAGAGCTACAGCTGGCGCAGCACGCTGG
45 CCTATCTGGGGCACTGTGTGTGGTTGTCTCCTTCTCTGCTCCTGCTCATCCACAATGAACCTGCTGA
TGTTGGACTCCGCAACCTGGACCCCATGCCCTCTGAGGGCAAGAAGGGCTCCTTGAAGGAGGAGAGCACC
CTGCAGGAGCTGCTGTGTCCCCTTACCTGTGGGTGCTCTCACTGGTTACCTTGTGGTGTGTTGGAGTAA
AGACCTGCTGTACTGACTGGGGCCAGTTCTTCCTTATCCAGGAGAAAGGACAGTCAGCCCTTGTAGGTAG
CTCCTACATGAGTGCCCTGGAAGTTGGGGGCTTGTAGGCAGCATCGCAGCTGGCTACCTGTGACACCGG
50 GCCATGGCAAAGGCGGGACTGTCCAACACGGAACCCCTGCCATGGCCTGTTGCTGTTTATGATGGCTG
GCATGACAGTGTCCCATGTACCTCTTCCGGTAACAGTGACAGTGACTCCCCAAGCTCTGGATCCTGGT
ATTGGGAGCTGTATTGGTTTCTCCTCGTATGGCCCCATTGCCCTGTTTGGAGTCATAGCCAACGAGAGT
GCCCCCTCCAACCTTGTGTGGCACCTCCACGCCATTGTGGGACTCATGGCCAATGTGGGCGGCTTTCTGG
CTGGGCTGCCCTTTCAGACCATTGCCAAGCACTACAGTTGGAGCACAGCCTTCTGGGTGGCTGAAGTGAT
55 TTGTGCGGCCAGCACGCTGCCTTCTTCTCTACGAAACATCCGCACCAAGATGGGCGGAGTGTCCAA

AAGGCTGAGTGAAGAGAGTCCAGGTTCCGGAGCACCATCCACGGTGGCCTTCCCCCTGCACGCTCTGCG
GGGAGAAAAGAGGGGCTGCCTGGCTAGCCCTGAACCTTTCACTTTCCATTTCTGCGCCTTTTCTGTCA
CCCGGGTGGCGCTGGAAGTTATCAGTGGCTAGTGAGGTCCCAGCTCCCTGATCCTATGCTCTATTTAAAA
GATAACCTTTGGCCTTAGACTCCGTAGCTCCTATTTCTGCCTTCAGACAAACAGGAACTTCTGCAGT
5 CAGGAAGGCTCCTGTACCCTTCTCTTTTCTAGGCCCTGTCTGCCCGCATCCTACCCCATCCACCT
GAAGTGAGGCTATCCCTGCAGCTGCAGGGCCTAATGACCCTTGACTTCTGCTGGGTCTAAGTCTCTC
AGCAGTGGGTGACTGCTGTTGCCAATACCTCAGACTCCAGGGAAGAGAGGAGGCCATCATTCTCACTGT
ACCACTAGGCGCAGTTGGATATAGGTGGGAAGAAAGGTGACTTGTATAGAAGATTAAGTCTAGATTTG
ATACTGAAAAAAAAAAAAAAAAAAAAAAAAAAAAA (SEQ ID NO: 6685)
10

gi|4503130|ref|NM_001904.1| Homo sapiens catenin (cadherin-associated
protein), beta 1, 88kDa (CTNNB1), mRNA
AAGCCTCTCGGTCTGTGGCAGCAGCGTTGGCCCGCCCCGGGAGCGGAGAGCGAGGGGAGGCGGAGACGG
15 AGGAAGGTCTGAGGAGCAGCTTCAGTCCCCGCCGAGCCGCCACCGCAGGTCGAGGACGGTCGGACTCCCG
CGGCGGGAGGAGCCTGTTCCCTGAGGGTATTTGAAGTATACCATACAACCTGTTTTGAAAATCCAGCGTG
GACAATGGCTACTCAAGCTGATTTGATGGAGTTGGACATGGCCATGGAACCAGACAGAAAAGCGGCTGTT
AGTCAGTGGCAGCAACAGCTTACCTGGACTTGGAATCCATTCTGGTGGCACTACCACAGCTCCTTCTC
TGAGTGGTAAAGGCAATCCTGAGGAAGAGGATGTGGATACCTCCCAAGTCCTGTATGAGTGGGAACAGGG
20 ATTTTCTCAGTCTTCACTCAAGAACAAGTAGCTGATATTGATGGACAGTATGCAATGACTCGAGCTCAG
AGGGTACGAGCTGCTATGTTCCCTGAGACATTAGATGAGGGCATGCAGATCCCATCTACACAGTTTGATG
CTGCTCATCCCACTAATGTCCAGCGTTTGGCTGAACCATCACAGATGCTGAAACATGCAGTTGTAACTT
GATTAACATCAAGATGATGCAGAACTTGCCACACGTGCAATCCCTGAACTGACAAAAGTCTAAATGAC
GAGGACCGAGGTGGTGGTTAAAGGCTGCAGTTATGGTCCATCAGCTTCTAAAAAGGAAGCTTCCAGAC
25 ACGCTATCATGCGTTCTCCTCAGATGGTGTCTGCTATTGTACGTACCATGCAGAATACAAATGATGTAGA
AACAGCTCGTTGTACCGCTGGGACCTTGCATAACCTTTCCCATCATCGTGAGGGCTTACTGGCCATCTTT
AAGTCTGGAGGCATTCTGCCCTGGTGAATGCTTGGTTCCACAGTGGATTCTGTGTTGTTTATGCCA
TTACAACCTCTCCACAACCTTTTATTACATCAAGAAGGAGCTAAATGGCAGTGCCTTTAGCTGGTGGGCT
GCAGAAAATGGTTGCCCTTGCTCAACAAAACAAATGTTAAATCTTGGCTATTACGACAGACTGCCTTCAA
30 ATTTAGCTTATGGCAACCAAGAAAGCAAGCTCATCATACTGGCTAGTGGTGGACCCCAAGCTTTAGTAA
ATATAATGAGGACCTATACTTACGAAAACCTACTGTGGACCACAAGCAGAGTGCAGAGGTGCTATCTGT
CTGCTCTAGTAATAAGCCGCTATTGTAGAAGCTGGTGGAAATGCAAGCTTTAGGACTTCACTGCAGAT
CCAAGTCAACGTCTTGTTCAGAACTGTCTTTGGACTCTCAGGAATCTTTCAGATGCTGCAACTAACAGG
AAGGGATGGAAGGTCTCCTTGGGACTCTTGTTCAGCTTCTGGGTTTCAGATGATATAAATGTGGTCACTG
35 TGCAGCTGGAATCTTTCTAACCTCACTTGCAATAATTATAAGAACAAGATGATGCTGCCAAGTGGGT
GGTATAGAGGCTCTTGTGCGTACTGTCTTCCGGCTGGTGACAGGGAAGACATCACTGAGCCTGCCATCT
GTGCTCTTCGTATCTGACCAGCCGACACCAAGAAGCAGAGATGGCCAGAATGCAGTTTCGCTTCACTA
TGGACTACCAGTTGTGGTTAAGCTCTTACACCCACCATCCCACTGGCCTCTGATAAAGGCTACTGTTGGA
• TTGATTCGAAATCTTGCCCTTTGTCCCGCAATCATGCACCTTTGCGTGAGCAGGGTGCCATTCCACGAC
40 TAGTTCACTTGTCTTGTTCGTGCACATCAGGATACCCAGCGCGGTACGTCCATGGGTGGGACACAGCAGCA
ATTTGTGGAGGGGTCCGATGGAAGAAATAGTTGAAGGTTGTACCGGAGCCCTTCACATCCTAGCTCGG
GATGTTTCAACCGAATTTGTTATCAGAGGACTAAATACCATTCCATTGTTTGTGCAGCTGCTTTATTCTC
CCATTGAAAACATCCAAGAGTAGCTGCAGGGGTCTCTGTGAACTTGCTCAGGACAAGGAAGCTGCAGA
AGCTATTGAAGCTGAGGGAGCCACAGCTCTCTGACAGAGTTACTTCACTCTAGGAATGAAGGTGTGGCG
45 ACATATGCAGCTGCTGTTTGTTCGAATGTCTGAGGACAAGCCACAAGATTACAAGAAACGGCTTTCAG
TTGAGCTGACCAGCTCTCTCTCAGAACAGAGCCAATGGCTTGAATGAGACTGCTGATCTTGGACTTGA
TATTGGTGCCAGGGAGAACCCCTTGGATATCGCCAGGATGATCCTAGCTATCGTTCTTTTCACTCTGGT
GGATATGGCCAGGATGCCTTGGGTATGGACCCATGATGGAACATGAGATGGGTGGCCACCACCTGGTG
CTGACTATCCAGTTGATGGGCTGCCAGATCTGGGGCATGCCAGGACCTCATGGATGGGCTGCCTCCAGG
50 TGACAGCAATCAGCTGGCCTGGTTTGATACTGACCTGTAAATCATCCTTTAGCTGTATTGTCTGAACTTG
CATGTGATTGGCTGTAGAGTTGCTGAGAGGGCTCGAGGGGTGGGCTGGTATCTCAGAAAGTGCCTGAC
ACACTAACCAAGCTGAGTTTCTATGGGAACAATTGAAGTAACTTTTTTGTCTGGTCTTTTGGTTCGA
GGAGTAAACAATACAAATGGATTTTGGGAGTGACTCAAGAAGTGAAGAATGCACAAGAATGGATCACAAGA
TGGAAATTTAGCAACCCTAGCCTTGCTTGTAAATTTTTTTTTTTTTTTTTTTTAAAGATATCTGTAATG
55 GTACTGACTTTGCTTGTCTTGAAGTAGCTTTTTTTTTTTTTTTTTTTTTTTTTTTCAGTAACGTGTT

- TTTAAGTCTCTCGTAGTGTAAAGTTATAGTGAATACTGCTACAGCAATTTCTAATTTTAAAGAATTGAGT
AATGGTGTAGAACACTAATTAATTCATAATCACTCTAATTAATGTAACTCTGAATAAAGTGTAAACAATTG
TGTAGCCTTTTTGTATAAAATAGACAAATAGAAAATGGTCCAATTAGTTTCCTTTTTAATATGCTTAAAA
TAAGCAGGTGGATCTATTTTCATGTTTTTGATCAAAAATATTTGGGATATGTATGGGTAGGGTAAATCAG
5 TAAGAGGTGTTATTTGGAACTTGTGTTTGGACAGTTTACCAGTTGCCTTTTATCCCAAAGTTGTTGTAACTGCTGTGATACGATGCTTCAAGAGAAAATGCGGTTATAAAAAATGGTTTCAAGATTAAACTTTTAATTCATT
(SEQ ID NO:6686)
- 10 gi|18104977|ref|NM_002827.2| Homo sapiens protein tyrosine phosphatase, non-receptor type 1 (PTPN1), mRNA
GTGATGCGTAGTTCCGGCTGCCGGTTGACATGAAGAAGCAGCAGCGGCTAGGGCGCGGCTAGCTGCAGGG
GTCGGGGATTGCAGCGGGCTCGGGCTAAGAGCGCGACGCGGCTAGAGCGGCAGACGGCGCAGTGGGC
CGAGAAGGAGGCGCAGCAGCGGCCCTGGCCGTCATGGAGATGGAAAAGGAGTTCGAGCAGATCGACAAG
15 TCCGGGAGCTGGGCGGCCATTTACCAGGATATCCGACATGAAGCCAGTGACTTCCCATGTAGAGTGGCCA
AGCTTCCTAAGAACAAAACCGAAATAGGTACAGAGACGTCAGTCCCTTTGACCATAGTCGGATTAACT
ACATCAAGAAGATAATGACTATATCAACGCTAGTTTGATAAAAAATGGAAGAAGCCCAAAGGAGTTACATT
CTTACCCAGGGCCCTTTGCCTAACACATGCGGTCACTTTTGGGAGATGGTGTGGGAGCAGAAAAGCAGGG
GTGTCGTCATGCTCAACAGAGTGATGGAGAAAGGTTTCGTTAAAATGCGCACAAATACTGGCCACAAAAGA
20 AGAAAAAGAGATGATCTTTGAAGACACAAATTTGAAATTAACATTGATCTCTGAAGATATCAAGTCATAT
TATACAGTGCGACAGCTAGAATTGGAAAACCTTACAACCCAAGAACTCGAGAGATCTTACATTTCCACT
ATACCACATGGCCTGACTTTGGAGTCCCTGAATCACCAGCCTCATTCTTGAACCTTTCTTTTCAAAGTCCG
AGAGTCAGGGTCACTCAGCCCGGAGCAGGGCCCGTTGTGGTGCACTGCAGTGCAGGCATCGGCAGGTCT
GGAACCTTCTGCTGGCTGATACCTGCCCTTGTCTGATGGACAAGAGGAAAGACCTTCTTCCGTTGATA
25 TCAAGAAAAGTGCTGTTAGAAATGAGGAAGTTTCGGATGGGGCTGATCCAGACAGCCGACAGCTGCGCTT
CTCCTACCTGGCTGTGATCGAAGGTGCCAAATTCATCATGGGGGACTCTTCCGTGCAGGATCAGTGGAAAG
GAGCTTTCCACAGGACCTGGAGCCCCACCCGAGCATATCCCCCACCTCCCCGGCCACCCAAACGAA
TCCTGGAGCCACACAATGGGAAATGCAGGAGTTCTTCCCAAATCACCAGTGGGTGAAGGAAGAGACCCA
GGAGGATAAAGACTGCCCCATCAAGGAAGAAAAGGAAGCCCTTAAATGCCGCACCCCTACGGCATCGAA
30 AGCATGAGTCAAGACACTGAAGTTAGAAGTCGGGTGCTGGGGGGAAGTCTTCGAGGTGCCAGGCTGCCCT
CCCCAGCAAGGGGAGCCGTCAGTCCCCGAGAAGGACGAGGACCATGCAGTACTGAGTTACTGGAAGCCCTT
CCTGGTCAACATGTGCTGGCTACGGTCTCACGGCCGGCGCTTACCTCTGCTACAGGTTCTGTTCAAC
AGCAACACATAGCCTGACCCTCCTCCACTCCACCTCCACCCACTGTCCGCTCTGCCCGCAGAGGCCACG
CCCGACTAGCAGGCATGCCGCGTAGGTAAGGGCCGCGGACCGCGTAGAGAGCCGGGCCCCGGACGGAC
35 GTTGGTTCTGCACTAAAACCCATCTTCCCGGATGTGTGTCTACCCCTCATCTTTTACTTTTTGCCCC
TTCCACTTTGAGTACCAAATCCACAAGCCATTTTTTGGAGAGAGTGAAAGAGAGTACCATGCTGGCGGCG
CAGAGGGAAGGGGCTACACCCGCTTTGGGGCTCGCCCCACCCAGGGCTCCCTCCTGGAGCATCCCAGGC
GGCGGCACGCCAACAGCCCCCCCCCTTGAATCTGCAGGGAGCAACTCTCCACTCCATATTTATTTAAACA
ATTTTTTCCCCAAAGGCATCCATAGTGCAGTACATTTTCTTGAACCAATAATGTATTAAATTTTTTGA
40 TGTCAGCCTTGTCATCAAGGGCTTTATCAAAAAGTACAATAATAATCCTCAGGTAGTACTGGGAATGGAA
GGCTTTGCCATGGGCTGCTGCGTCAGACCAGTACTGGGAAGGAGGACGGTTGTAAGCAGTTGTTATTTA
GTGATATTGTGGGTAACTGAGAAGATAGAACAATGCTATAATATATAATGAACACGTGGGTATTTAATA
AGAAACATGATGTGAGATTACTTTGTCCCGCTTATCTCCTCCCTGTTATCTGCTAGATCTAGTTCTCAA
TCACTGCTCCCCGCTGTGATTAGAAATGCATGTAAGGTCTTCTTGTGTCTGATGAAAAATATGTGCTTG
45 AAATGAGAAACTTTGATCTCTGCTTACTAATGTGCCCCATGTCCAAGTCCAACCTGCCTGTGCATGACCT
GATCATTACATGGCTGTGGTTCCCTAAGCCTGTTGCTGAAGTCATTGTGCTCAGCAATAGGGTGCAGTTT
TCCAGGAATAGGCATTTGCCTAATTCCTGGCATGACACTCTAGTGACTTCTGGTGAGGCCAGCCTGTC
CTGGTACAGCAGGCTTGTGCTGTAACCTCAGACATTCCAAGGTATGGGAAGCCATATTCACACCTCACGC
TCTGGACATGATTTAGGGAAGCAGGGACACCCCCCGCCCCACCTTTGGGATCAGCCTCCGCCATTCCA
50 AGTCAACACTCTTCTTGAGCAGACCGTGATTTGGAAGAGAGGCACCTGCTGGAAACCACACTTCTTGAAA
CAGCCTGGGTGACGGTCTTTAGGCAGCCTGCCGCGCTCTGTGCCGGTTCACCTTGCCGAGAGAGGCG
CGTGTGCCCCACCTCAAAACCTGTGGGCGCTGATGGTGTCTCAGACTCTTCTGCAAAGGGAAGTGAAG
ACCTCCACATTAAGTGGCTTTTTAACATGAAAAACACGGCAGCTGTAGCTCCCGAGTACTCTTTGCCA
GCATTTTACATTTTGCCTTTCTCGTGGTAGAAGCCAGTACAGAGAAATCTGTGGTGGGAACATTTCGAG
55 GTGTACCCTGCAGAGCTATGGTGAGGTGTGGATAAGGCTTAGGTGCCAGGCTGTAAGCATTCTGAGCTG

GGCTTGGTTGTTTTAAGTCCTGTATATGTATGTAGTAGTTTGGGTGTGTATATATAGTAGCATTTCAAAA
TGGACGTACTGGTTTAACCTCCTATCCTTGGAGAGCAGCTGGCTCTCCACCTTGTACACATTATGTTAG
AGAGGTAGCGAGCTGCTCTGCTATATGCCTTAAGCCAATATTTACTCATCAGGTCAATTATTTTTTACAAT
GGCCATGGAATAAACCATTTTTTACAAAA (SEQ ID NO:6687)

5

gi|12831192|gb|AF333324.1| Hepatitis C virus type 1b polyprotein mRNA,
complete cds
GCCAGCCCCGATTGGGGGCGACACTCCACCATAGATCACTCCCCTGTGAGGAAGTACTGTCTTCACGCA
10 GAAAGCGTCTAGCCATGGCGTTAGTATGATGTCGTCAGCCTCCAGGACCCCCCTCCGGGAGAGCCA
TAGTGGTCTGCGGAACCGGTGAGTACACCGGAATTGCCAGGACGCCGGGTCCCTTTCTGGATCAACCCG
CTCAATGCCTGGAGATTGGGCGTGCCCCGCGAGACTGCTAGCCGAGTAGTGTGGGTGCGGAAAGGCC
TTGTGGTACTGCCTGATAGGGTGTTCGAGTGTCCCGGGAGGTCTCGTAGACCGTGCATCATGAGCACA
AATCCTAAACCTCAAAGAAAAACCAACGTAAACCAACCGCCGCCACAGGACGTTAAGTTCCTCCGGGCG
15 GTGGTCAGATCGTTGGTGGAGTTTACCTGTTCGCGCGCAGGGGCCCCAGGTTGGGTGTGCGCGCGACTAG
GAAGACTTCCGAGCGGTGCAACCTCGTGGAGGGCGACAACCTATCCCCAAGGCTCGCCGGCCCCGAGGGT
AGGACCTGGGCTCAGCCCGGTACCCTTGGCCCTCTATGGCAACGAGGGTATGGGGTGGGCAGGATGGC
TCCTGTCACCCCGTGGCTCTCGGCCCTAGTTGGGGCCCCACAGACCCCCGCGTAGGTGCGTAATTTGGG
TAAGGTCATCGATACCCTTACATGCGGCTTCGCGGACCTCATGGGGTACATTCCGCTTGTGCGCGCCCC
20 CTAGGAGCGCTGCCAGGGCCCTGGCGCATGGCGTCCGGGTTCTGGAGGACGGCGTGAACATGCAACAG
GGAATCTGCCCGGTTGCTCTTTCTCTATCTTCTCTAGCTTTGCTGTCTTGTGTTGACCATCCCAGCTTC
CGCTTACGAGGTGCGCAACGTGTCCGGGATATACCATGTACGAAACGACTGCTCCAACCAAGTATTGTG
TATGAGGCAGCGGACATGATCATGCACACCCCCGGGTGCGTGCCCTGCGTCCGGGAGAGTAATTTCTCCC
GTTGCTGGGTAGCGCTCACTCCACGCTCGCGGCCAGGAACAGCAGCATCCCCACCAGACAATACGACG
25 CCACGTCGATTGTCTCGTTGGGGCGGCTGCTCTCTGTTCCGCTATGTACGTTGGGGATCTCTGCGGATCC
GTTTTTCTCGTCTCCAGCTGTTCACCTTCTACCTCGCCGGTATGAGACGGTACAAGATTGCAATTGCT
CAATCTATCCCGGCCACGTATCAGGTCACCGCATGGCTTGGGATATGATGATGAAGTGGTCACCTACAAC
GGCCCTAGTGGTATCGCAGCTACTCCGGATCCCAAGCCGTCGTGGACATGGTGGCGGGGGCCACTGG
GGTGTCCTAGCGGGCCTTGCTACTATTCCATGGTGGGGAAGTGGGCTAAGGCTTGATTGTGATGCTAC
30 TCTTTGCTGGCGTTGACGGGCACACCCAGTGACAGGGGGAAGGGTAGCCTCCAGCACCCAGAGCCTCGT
GTCTGGCTCTCACAAGGGCCATCTCAGAAAATCCAACCTCGTGAACACCAACGGCAGCTGGCAGATCAAC
AGGACCGCTCTGAATTGCAATGACTCCCTCCAAACTGGGTTCAATGCTGCGCTGTTCTACGCACACAGGT
TCAACGCGTCCGGATGTCCAGAGCGCATGGCCAGCTGCCGCCCATCGACAAGTTCGCTCAGGGGTGGGG
TCCCATCACTCACGTTGTGCCTAACATCTCGGACCAGAGGCCTTATTGCTGGCACTATGCACCCCAACCG
35 TGCGGTATTGTACCGCGCTCGCAGGTGTGTGGCCAGTGTATTGCTTACCCCGAGTCCTGTTGTGGTGG
GGACGACCGACCGTTCCGGAGTCCCCACGTATAGCTGGGGGGAGAATGAGACAGACGTGCTGCTACTCAA
CAACACGGGCGCGCCGCAAGGCAACTGGTTCGGCTGTACATGGATGAATAGCACCGGGTTCACCAAGACG
TGCGGGGGCCCCCGTGAACATCGGGGGGGTTGGCAACAACACCTTGATTGCCCCACGGATTGCTTCC
GAAAGCACCCCGAGGCCACTTACACCAATGCGGCTCGGGTCCCTTGGTTGACACCTAGGTGCTTAGTTGA
40 CTACCCATACAGACTTTGGCACTACCCCTGCATATCAATTTTACCATCTTCAAGGTGAGGATGTACGTG
GGGGCGTGGAGCACAGGCTCAACGCCGCGTGCAATTGGACCCGAGGAGAGCGCTGTGACCTGGAGGACA
GGGATAGATCAGAGCTTAGCCCGCTGCTATTGTCTACAACGAGTGGCAGGTACTGCCCTGTTCTTTTAC
CACCCTACCGGCTCTGTCCACTGGATTGATCCACCTCCATCAGAATATCGTGGACGTGCAATACCTGTAC
GGTGTAGGGTCAGTGGTGTCTCCGTCGTAATCAAATGGGAGTATGTTCTGCTGCTCTTCTCTCTCTGG
45 CGGACGCGCGCTCTGTGCTGCTTGTGGATGATGCTGCTGATAGCCAGGCTGAGGCCACCTTAGAGAA
CCTGGTGGTCTCAATGCGGCGTCTGTGGCCGAGCGCATGGCCCTTCTCTCTCTCTCTCTCTCTCTGCTG
GCCGCTGGTACATCAAAGGCAGGCTGGTCCCTGGGGCGGCATATGCTCTCTATGGCGTATGGCCGTTGC
TCCTGCTCTTGTGCTGGCTTTACCACCAGAGCTTATGCCATGGACCGAGAGATGGCTGCATCGTGGGAGG
CGCGGTTTTTGTAGGCTGGTACTCTTGACCTTGTACCATATAAGGTGTTCTCTGCTAGGCTCATA
50 TGGTGGTTACAATATTTTATCACCAGGGCCGAGGCGCACTTGCAAGTGTGGGTCCCCCTCTTAATGTTT
GGGAGGCGCGATGCCATCATCTCTTACATGCGCGTCCATCCAGAGCTAATCTTTGACATCACCAA
ACTCTGCTCGCCATCTCGGTCCGCTCATGGTGTCTCCAGCTGGCATAACCAGAGTGGCGTACTTCGTG
CGCGCTCAAGGGCTCATTCATGCATGCATGTTAGTGGGAAGGTGCGTGGGGTCAATTATGTCCAAATGG
CCTTCATGAAGCTGGGCGCGTGACAGGCAGTACATTTACAACCATCTTACCCCGCTACGGGATTGGGC
55 CCACGCGGGCCTACGAGACCTTGGGTGGCAGTGGAGCCGTCGTCTTCTCCGACATGGAGACCAAGATC

ATCACCTGGGGAGCAGACACCGCGGGCGTGTGGGGACATCATCTTGGGTCTGCCCGTCTCCGCCCGAAGGG
GAAAGGAGATACTCCTGGGCCCGGCCGATAGTCTTGAAGGGCGGGGTGGCGACTCCTCGCGCCCATCAC
GGCCTACTCCCAACAGACGCGGGGCTACTTGGTTGCATCATCACTAGCCTTACAGGCCGGGACAAGAAC
CAGGTCGAGGGAGAGGTTTACGGTGGTTTCCACCGCAACACAATCCTTCTGGCGACCTGCGTCAACGGCG
5 TGTGTTGGACCGTTTACCATGGTGTGGCTCAAAGACCTTAGCCGGCCCAAGGGGCCAATCACCCAGAT
GTACACTAATGTGGACCAGGACCTCGTCGGCTGGCAGGCGCCCCCGGGCGCGTTCCCTTACACCATGC
ACCTGTGGCAGCTCAGACCTTTACTTGGTCACGAGACATGCTGACGTATTCCGGTGGCGCCGGCGGGCG
ACAGTAGGGGGAGCCTGCTCTCCCCAGGCCTGTCTCTACTTGAAGGGCTCTTCGGGTGGTCCACTGCT
CTGCCCTTCGGGGCAGCTGTGGGCATCTTCCGGGCTGCCGTATGCACCGGGGGGTGCGAAGGCGGTG
10 GACTTTGTGCCCGTAGAGTCCATGGAACTACTATGCGGTCTCCGGTCTTACGGACAACCTATCCCCC
CGGCCGTACCGCAGTCATTTCAAGTGGCCACCTACACGCTCCACTGGCAGCGGCAAGAGTACTAAAGT
GCCGGCTGCATATGCAGCCCAAGGGTACAAGGTGCTGCTCTCAATCCGTCCGTTGCCGTACCTTAGGG
TTTGGGGCGTATATGTCTAAGGCACACGGTATTGACCCCAACATCAGAACTGGGGTAAGGACCATTACCA
CAGGCGCCCCCGTACATACTCTACCTATGGCAAGTTTCTTGCCGATGGTGGTTGCTCTGGGGGCGCTTA
15 TGACATCATAATATGTGATGAGTGCCATTCAACTGACTCGACTACAATCTTGGGCATCGGCACAGTCTTG
GACCAAGCGGAGACGGCTGGAGCGCGGCTTGTCTGCTCGCCACCGCTACGCTCCGGGATCGGTCACCG
TGCCACACCCAAACATCGAGGAGGTGGCCCTGTCTAATACTGGAGAGATCCCCCTTCTATGGCAAAGCCAT
CCCCATTGAAGCCATCAGGGGGGGAAGGCATCTCATTTTCTGTATTCCAAGAAGAAGTGGCAGGAGCTC
GCCGCAAAGCTGTCAGGCCTCGGAATCAACGCTGTGGCGTATTACCGGGGGCTCGATGTGTCCGTCATAC
20 CAACTATCGGAGACGTCGTTGTCTGTGCAACAGACGCTCTGATGACGGGCTATACGGGCGACTTTGACTC
AGTGATCGACTGTAACACATGTGTCAACCAGACAGTCGACTTCAGCTTGGATCCACCTTACCATTGAG
ACGACGACCGTGCCCTCAAGACGCACTGTCTGCGCTCGCAGCGGGGGTAGGACTGGCAGGGGTAGGAGAG
GCATCTACAGGTTTGTGACTCCGGGAGAACGGCCCTCGGCATGTTGCAATTCCTCGGTCTGTGTGAGTG
CTATGACGCGGGCTGTGCTTGGTACGAGCTCACCCCCCGGAGACCTCGGTTAGGTTGCGGGCTACCTG
25 AACACACCAGGGTTGCCCGTTTGGCAGGACCACCTGGAGTTCTGGGAGAGTGTCTTACAGGCCTCACCC
ACATAGATGCACACTTCTTGTCCCAGACCAAGCAGGCAGGAGACAACCTCCCTACCTGGTAGCATACCA
AGCCACGGTGTGCGCCAGGGCTCAGGCCCCACCTCCATCATGGGATCAAATGTGGAAGTGTCTCATACGG
CTGAAACCTACGCTGCACGGGCCAACACCCCTTGCTGTACAGGCTGGGAGCCGTCCAAAATGAGGTACCC
TCACCCACCCATAACCAAATACATCATGGCATGTCGCTGACCTGGAGGTGCTCACTAGCACCTG
30 GGTGTGGTGGGCGGAGTCTTGGGAGACTTGGCCGCTATGCGCTGACAACAGGCAGTGTGGTCACTGTG
GGTAGGATTATCTTGTCCGGGAGGCGGCTATTGTTCCCGACAGGGAGCTTCTTACCAGGAGTTCGATG
AAATGGAAGAGTGGCCACGCACCTCCCTTACATTGAGCAGGGAATGCAGCTCGCCGAGCAGTTCAAGCA
GAAAGCGCTCGGGTTACTGCAAACAGCCACCAACAAGCGGAGGCTGCTGCTCCCGTGGTGGAGTCCAAG
TGCGGAGCCCTTGAGACATTCTGGGCGAAGCAGATGTGGAATTTTCATCAGCGGGATACAGTACTTAGCAG
35 GCTTATCCACTCTGCCTGGGAACCCGCAATAGCATCATTGATGGCATTACAGCCTCTATCACCAGCCC
GCTCACCACCCAAAGTACCCTCCTGTTTAACATCTTGGGGGGGTGGGTGGCTGCCAACTCGCCCCCCCC
AGCGCCGCTTCCGCTTTCGTGGGCGCGGCATCGCCGCTGCGGCTGTTGGCAGCATAGGCCTTGGGAAG
TGCTTGTGGACATTCTGGCGGGTTATGGAGCAGGAGTGGCCGGCGGCTCGTGGCCTTTAAGGTGATGAG
CGGCGAGATGCCCTCTACCGAGGACCTGGTCAATCTACTTCTGCCATCCTCTCTCCTGGCGCCCTGGTC
40 GTCGGGGTCTGTGTGTGCAAGTACTGCGTCCGACGTCGGGTCGGGAGAGGGGCTGTGCACTGGATGA
ACCGGCTGATAGCGTTGCGCTCGCGGGGTAATCACGTTTCCCCACGCACATGTGCTGAGAGCGACGC
CGCAGCGCGTGTACTCAGATCCTCTCCAGCCTTACCATCACTCAGCTGCTGAAAAGGCTCCACCAGTGG
ATTAATGAGGACTGCTCCACACCGTGTTCGGCTCGTGGCTAAGGGATGTTTGGGACTGGATATGCACGG
TGTTGACTGACTTCAAGACCTGGCTCCAGTCCAAGCTCCTGCCGAGCTACCGGGAGTCCCTTTTCTC
45 GTGCCAACCGGGGTACAAGGGAGTCTGGCGGGGAGACGGCATCATGCAAACCACCTGCCATGTGGAGCA
CAGATCACCGGACATGTCAAAAACGGTTCATGAGGATCGTCGGGCCTAAGACCTGCAGCAACACGTGGC
ATGGAACATTCCCCATCAACGCATACACCAGGGGCCCTGCACACCCTCTCCAGCGCCAAACTATTCTAG
GGCGCTGTGGCGGGTGGCCGCTGAGGAGTACGTGGAGGTCACGCGGGTGGGGGATTCCACTACGTGACG
GGCATGACCACTGACAACGTAAAGTGCCCATGCCAGGTTCCGGCTCCTGAATTTCTCGGAGGTGGACG
50 GAGTGGCGGTGTCACAGGTACGCTCCGGCTGCAGGCCTCTCCTACGGGAGGAGTTACATTCAGGTCCG
GCTCAACCAATACCTGGTTGGGTACAGCTACCATGCGAGCCCGAACCAGGATGTAGCAGTGCTCACTTCC
ATGCTCACCGACCCCTCCACATCACAGCAGAAACGGCTAAGCGTAGGTTGGCCAGGGGGTCTCCCCCT
CCTTGGCCAGCTCTTACGTAGCCAGTTGTCTGCGCCTTCTTGAAGGCGACATGCACTACCCACCATGT
CTCTCGGACGCTGACCTCATCGAGGCCAACCCTCTGTGGCGGAGGAGATGGGCGGGAACATCACCCGC
55 GTGGAGTCGGAGAACAAGTGGTAGTCTGGACTCTTTCGACCCGCTTCGAGCGGAGGAGGATGAGAGGG
AAGTATCCGTTCCGGCGGAGATCCTGCGGAAATCCAAGAAGTCCCCGCAGCGATGCCATCTGGGCGCG
CCGGATTACAACCCCTCCACTGTTAGAGTCTTGAAGGACCCGGACTACGTCCCTCCGGTGGTGCACGGG

TGCCCGTTGCCACCTATCAAGGCCCTCCAATACCACCTCCACGGAGAAAGAGGACGGTTGTCCTAACAG
AGTCCTCCGTGTCTTCTGCCTTAGCGGAGCTCGCTACTAAGACCTTCGGCAGCTCCGAATCATCGCCGT
CGACAGCGGCACGGCGACCGCCCTTCTGACCAGGCTCCGACGACGGTGACAAAGGATCCGACGTTGAG
TCGTACTCTCCATGCCCCCTTGAGGGGGAACCGGGGACCCGATCTCAGTGACGGGTCTTGGTCTA
5 CCGTGAGCGAGGAAGCTAGTGAGGATGTCTGTCTGCTCAATGTCTACACATGGACAGGCGCCTTGAT
CACGCCATGCGCTGCGGAGGAAAGCAAGCTGCCCATCAACGCGTTGAGCAACTCTTTGCTGCGCCACCAT
AACATGGTTTATGCCACAACATCTCGCAGCGCAGGCTGCGGCAGAAGAAGGTCACCTTTGACAGACTGC
AAGTCCTGGACACCACTACCGGGACGTGCTCAAGGAGATGAAGGCGAAGGCGTCCACAGTTAAGGCTAA
ACTCCTATCCGTAGAGGAAGCCTGCAAGCTGACGCCCCACATTCGGCCAAATCCAAGTTTGGCTATGGG
10 GCAAAGGACGTCCGGAACCTATCCAGCAAGGCCGTTAACCACATCCACTCCGTGTGGAAGGACTTGCTGG
AAGACACTGTGACACCAATGACACCACCATCATGGCAAAAAATGAGGTTTTCTGTGTCCAACCAGAGAA
AGGAGGCCGTAAAGCCAGCCCGCCTTATCGTATTCAGATCTGGGAGTCCGTGTATGCGAGAAGATGGCC
CTCTATGATGTGGTCTCCACCCCTTCTCAGGTCGTGATGGGCTCCTCATACGGATTCCAGTACTCTCCTG
GGCAGCGAGTCCAGTTCTTGGTGAATACCTGGAAATCAAAGAAAAACCCATGGGCTTTTCATATGACAC
15 TCGTGTTCGACTCAACGGTCACCGAGAAGACATCCGTGTTGAGGAGTCAATTTACCAATGTTGTGAC
TTGGCCCCGAAGCCAGACAGGCCATAAAATCGCTCACAGAGCGGCTTTATATCGGGGCTCCTCTGACTA
ATTCAAAGGGCAGAACTGCGGTTATCGCCGGTGCCGCGAGCGGCGTGCTGACGACTAGCTGCGGTAA
CACCTCACATGTTACTTGAAGGCCTCTGCAGCCTGTGAGCTGCGAAGCTCCAGGACTGCACGATGCTC
GTGAACGGAGACGACCTTGTCTTATCTGTGAAAGCGCGGGAACCCAAGAGGACGCGGCGAGCCTACGAG
20 TCTTACCGGAGGCTATGACTAGGTACTCTGCCCCCCCCGGGACCCGCCCAACCAGAATACGACTTGGA
GCTGATAACATCATGTTCTTCCAATGTGTCTGCTCGCCACGATGCATCAGGCAAAAGGGTGACTACCTC
ACCGCTGATCCACACCCCTCGCAGCGGGGAGACATATATCACAGCCTGTCTCGTGCCCGACCCCGCT
GGCTAGGCAACATTATCATGTATGCGCCCACTTTGTGGGCAAGGATGATTCTGATGACTCACTTCTTCTC
CATCTTCTAGCACAGGAGCAACTTGAAGAGCCCTGGACTGCCAGATCTACGGGGCTGTACTCCATT
25 GAGCCACTTGACCTACCTCAGATCATTGAAGACTCCATGGCCTTAGCGCATTTTCACTCCATAGTTACT
CTCCAGGTGAGATCAATAGGGTGGCTTCATGCCTCAGGAACTTGGGGTACCACCTTGCGAGTCTGGAG
ACATCGGGCCAGGAGCGTCCGCGCTAGGCTACTGTCCAGGGGGGAGGGCCGCCACTTGTGGCAAGTAC
CTCTCAACTGGGCACTGAAGACCAACTCAAACCTCACTCCAATCCCGGCTGCGTCCCAGCTGGACTGT
CCGGCTGGTTCTGTTGCTTACAGCGGGGAGACATATATCACAGCCTGTCTCGTGCCCGACCCCGCTG
30 GTTCATGCTGTGCCTACTCCTACTTTCTGTAGGGGTAGGCATCTACCTGCTCCCCAACCGATGAACGGG
AGCTAAACACTCCAGGCCAATAGGCCATTTCTGTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTCT
TTTCTTCTTTTTTCCCTTTTCTTTCTTCTTCTTAAATGGTGGCTCCATCTTAGCCCTAGTCACGGCTA
GCTGTGAAAGGTCCGTGAGCCGCATGACTGCAGAGAGTGTGATACTGGCCTCTCTGCAGATCATGT
(SEQ ID NO: 6688)

35

gi|306286|gb|M96362.1|HPCUNKCDS Hepatitis C virus mRNA, complete cds
TGCCAGCCCCGATTGGGGGCGACACTCCACCATAGATCACTCCCCTGTGAGGAACTACTGTCTTCACGC
AGAAAGCGTCTAGCCATGGCGTTAGTATGAGTGTCTGTCAGCCTCCAGGACCCCCCTCCCGGGAGAGCC
ATAGTGGTCTGCGGAACCGGTGAGTACACCGGAATTGCCAGGACGACCGGGTCCCTTTCTTGGATCAACCC
40 GCTCAATGCCTGGAGATTGGGGCTGCCCCCGGAGACTGCTAGCCGAGTAGTGTGGGTGCGGAAAGGC
CTTGTGGTACTGCCGTGATAGGGTGCTTGCGAGTGCCCCGGGAGGTCTCGTAGACCGTGCACCATGAGCAC
GAATCCTAAACCTCAAAGAAAAACCAACGTAACACCAACCGCGCCACAGGATATTAAGTTCCCGGGC
GGTGGTCAGATCGTTGGTGGAGTTTACTTGTGCGCGCAGGGGCCCCAGGTTGGGTGTGCGCGGACTA
GGAAGACTTCCGAGCGGTGCAACCTCGTGAAGGCGACAGCCTATCCCCAAGGCTCGCCGGCCGAGGG
45 CAGGGCCTGGGCTCAGCCCGGTACCCTTGGCCCCCTCTATGGCAATGAGGGCTTGGGGTGGGCAGGATGG
CTCCTGTACCCCCGCGGCTCCCGGCCTAGTTGGGGCCCCACGGACCCCGGCGTAAGTCGCGTAATTTGG
GTAAGGTCACTGCACACCTCACATGCGGCTCGCCGACCTCATGGGGTACATTCCGCTCGTCGGCGCCCC
CCTAGGGGGCGTTGCCAGGGCCCTGGCACATGGTGTCCGGGTGCTGGAGGACGGCGTGAACATATGCAACA
GGGAATCTGCCCGGTGCTCTTTCTCTATCTTCTCTTGGCTCTGCTGTCTTGTGTTGACACCCAGTTT
50 CCGCTTATGAAGTGCCTAACGCGTCCGGGATGTACCATGTACGAACGACTGCTCCAACCTCAAGCATGT
GTATGAGGCAGCGGACATGATCATGCACACTCCCGGGTGCCTGCCCTGCGTTCCGGAGGACAACCTCC
CGTTGCTGGGTGGCATTACTCCACGCTCGCGGCCAGGAATGCCAGCGTCCCCACTACGACATTGCGAC
GCCATGTGCACTTGCTCGTTGGGGTAGCTGCTTCTGTTCGCTATGTACGTGGGGGACCTCTGCGGATC
TGTTTTCTTGTTCAGCTGTTACCTTTTTCGCTCGCGGCATGAGACGGTACAGGACTGCAACTGC
55 TCAATCTATCCCGGCCGCTATCAGGTACCGCATGGCCTGGGATATGATGTAAGTGGTGGCTACAA
CAGCCCTAGTGGTATCGCAGCTACTCCGGATCCCAAGCTGTCTGGACATGGTGACAGGGTCCCACTG

GGGAATCCTGGCGGGCCTTGCCCTACTATTCCATGGTGGGGAACCTGGGCTAAGGTCTTAATTGCGATGCTA
CTCTTTGCCGGCGTTGACGGAACCAACCCACGTGACAGGGGGGCGCAAGGTCGGGCGCTAGCTCGCTAA
CGTCCCTCTTTAGCCCTGGGCGCGTTTACGACCTCCAGCTCATAAACACCAACGGCAGCTGGCATATCAA
CAGGACCGCCCTGAGCTGCAATGACTCCCTCAACACTGGGTTTGTGCGCGCTGTTCTACAAATACAGG
5 TTCAACGCGTCCGGGTGCCCGGAGCGCTTGGCCACGTGCCGCCCCATTGATACATTGCGCGAGGGGTGGG
GTCCCATCACTTACACTGAGCCTCATGATTTGGATCAGAGGCCCTATTGCTGGCACTACGCGCCTCAACC
GTGTGGTATTGTGCCACGTTGCAGGTGTGTGGCCAGTATACTGCTTCACCCGAGTCTGTTGCCGTG
GGGACTACCGATCGTTTCGGTGCCCCCTACATACAGATGGGGGGCAAATGAGACGGACGTGCTGCTCCTTA
ACAAAGCCGGGCGCGCAAGGCAACTGGTTCGGCTGTACATGGATGAATGGCACTGGGTTTACCAAGAC
10 ATGTGGGGGCCCCCGGTGTAACATCGGGGGGGTCGGCAACAATACCTTGACCTGCCCCACGGACTGCTTC
CGAAAGCACCCCGGGGCCACTTACACCAATGCGGTTTCGGGGCCTTGGTTAACACCCAGGTGCTTAGTCG
ACTACCCGTACAGGCTCTGGCATTACCCCTGCACTGTCAACTTTACCATCTTTAAGGTTAGGATGTACGT
GGGGGCGCGGAGCACAGGCTCGACGCCGATGCAACTGGACTCGGGGAGAGCGTTGTGACCTGGAGGAC
AGGGATAGGTGAGAGCTTAGCCCGCTGCTGCTGTCTACAACAGAGTGGCAGGTACTGCCCTGTTCCCTTCA
15 CAACCTACCGGCTCTGTCCACTGGTTTGATTCTCATCTCCATCAGAACATCGTGGACATAACAATACCTGTA
CGGTATAGGGTCGGCGGTTGTCTCCTTTGGGATCAAATGGGAGTATATTGTGCTGCTCTTCCTTCTTCTG
GCGGACGCGCGCGTCTGCGCTTGTGTTGATGATGCTGCTGGTAGCGCAAGCCGAGGCGCCTTAGAGA
ACCTGGTGGTCTCAATGCAGCGTCCGTGGCGGAGCGCATGGCATTCTTTCCTTCATTGTGTTCTTCTG
TGCTGCTGTTGATACATCAAGGGCAGGCTGGTTCGGGAGCGGCATACGCCCTCTATGGCGTATGGCGCTG
20 CTTCTGCTTCTGCTGGCGTTACCACCACGGCGTACGCCATGGACCGGGAGATGGCCGCATCGTGGCGAG
GCGCGGTTTTTGTAGGTCTGGTACTCTTGACCTTGTCAACACACTATAAAGTGTTCCTTGCCAGGTTTCAT
ATGGTGGCTACAATATCTCATCACCAGAACCGAAGCGCATCTGCAAGTGTGGTCCCCCTCTCAACGTT
CGGGGGGTGCGCATGCCATCATCTCCTCCTCATGCGTGGTCCACCCAGAGCTAATCTTTGACATACAA
AATATTTGCTCGCCATATTGCGCCGCTCATGGTGTCTCCAGGCCGGCATAACTAGAGTGCCGTACTTCGT
25 GCGCGCACAAAGGGCTCATTGCTGCATGCATGTTGGCGCGGAAAGTCTGCGGGGGTCAATACGTCCAAATG
GTCCTCATGAAGCTGGCCGCACTAGCAGGTACGTACGTTTATGACCATCTTACTCCACTGCGAGATTGGG
CTCACACGGGCTTACGAGACCTTGCAAGTGGCAGTAGAGCCCGTTGTCTTCTGACATGGAGACCAAGT
CATCACTGGGGGGCAGACACCGCGCGTGCGGGGACATCATCTTGGCCCTGCTTCCGCCCCGAAGG
GGGAAGGAGATACTTCTGGGACCGGCCGATAGTCTTGAAGGACAGGGGTGGCGACTCCTTGCGCCCATCA
30 CGGCCTACTCCCAACAAACGCGAGGCCCTGTTGGTTCATCATCACTAGCCTTACAGGCCGGGACAAGAA
CCAGGTTGAGGGGGAGGTTCAAGTGGTTTCCACCGCAACACAATCTTTCCTGGCGACCTGCATCAATGGC
GTGTGTTGGACTGTCTTCCACGGCGCCGGCTCAAAGACCTAGCCGGCCCAAGGGTCCAATCACCCAAA
TGTACACCAATGTAGACCAGGACCTTGTGGCTGGCCGGCACCCTGCGGGCGGTTCCCTGACACCATG
CACTTGCGGCTCCTCGGACCTTTACCTGGTCACGAGACATGCTGATGTCAATCCGGTGCGCCGGCGGGGT
35 GACGGTAGGGGGAGCCTACTCCCCCAGGCGCTGTCTCCTACTTGAAGGGCTCCTCGGGTGGTCCACTGC
TCTGCCCTTCCGGGACGCTGTGCGCATACTTCCGGCTGCTGTATGCACCCGGGGGGTGGCATGGCGGT
GGAATTCATACCCGTTGAGTCTATGGAAACTACTATGCGGTCTCCGGTCTTACGGACAATCCGTCTCCC
CCGGCTGTACCGCAGACATTCCAAGTGGCCCACTTACACGCTCCCACCGGCAGCGGCAAGAGCACTAGGG
TGCCGGCTGCATATGCAGCCCAAGGGTACAAGGTGCTCGTCTAAATCCGTCCGTGCGCGCCACCTTGGG
40 TTTTGGGGCGTATATGTCCAAGGCACATGGTATCGACCCCAACCTTAGAAGTGGGGTAAGGACCATCACC
ACAGGTGCCCCATACATACTCCACCTATGGCAAGTTCCTTGCCGACGGTGGCGGCTCCGGGGGCGCCT
ATGACATCATAATGTGTGATGAGTGCCACTCAACTGACTCGACTACCATTTATGGCATCGGCACAGTCCCT
GGACCAAGCGGAGACGGCTGGAGCGCGGCTCGTGGTGTCTTCCACCGCTACGCTCCGGGATCGGTACCC
GTGCCACACCTCAATATCGAGGAGGTGGCCCTGTCTAATACTGGAGAGATCCCTTCTACGGCAAGCCA
45 TTCCCATCGAGGCTATCAAGGGGGGAAGGCATCTCATTTTCTGCCATTCCAAGAAGAAGTGTGACGAAC
CGCCGCAAAGCTGTGAGGCTCGGACTCAATGCCGTAGCGTATTACCGGGGTCTGACGTGTCCGTATA
CCGACCAGCGGAGACGTTGTTGTGCTGGCGACGGACGCTAATGACGGGCTTACCGGCGACTTGGACT
CAGTGATCGACTGTAATACGTGTGTACCCAGACAGTCGATTTAGCTTGGACCCACCTTCACCATTTGA
GACGACGACCGTGCCCCAAGACGAGTGTGCGCTCGCAGAGGCGAGGACGAGTGGTAGGGGACGGCT
50 GGCATATACAGGTTTGTGACTCCAGGAGAAGGCCCTCGGGCATGTTTCGATTCTTCGGTCTGTGTGAGT
GTTATGACGCGGGTGTGCGTGGTACGAACTACGCCCGCTGAGACCTCGGTTAGGTTGCGGGCGTACCT
AAACACACCAGGGTTGCCCGTCTGCCAGGACCATCTGGAGTTCTCGGAGGGTGTCTTACAGGCCTCACC
CACATAGATGCCACTTCTTATCCCAGACTAAACAGGCAGGAGAGAACTCCCTACTTGGTAGCATACC
AGGCTACAGTGTGCGCCAGGGCTCAAGCCCCACCTCCATCGTGGGATGAAATGTGGAGGTGTCTCATACG
55 GCTGAAACCTACGCTGCACGGGCCAACACCCCTGCTGTATAGGTTAGGAGCCGTCCAAATGAGGTACCC
CTCACACACCCATAACCAAAATTCATCATGACATGTATGCGGCTGACCTGGAGGTGCTCACCAGCACCT
GGGTGCTGGTAGGGGAGTCTCGCAGCTCTGGCCGCTACTGCTGACAAACAGGCAGCGTGGTCATTGT

GGGCAGGATCATCTGTCCGGGAAGCCGGCTATCATCCCCGATAGGGAAGTTCTCTACCAGGAGTTCGAC
GAGATGGAGGAGTGTGCCTCACACCTCCCTTACTTCGAACAGGGAATGCAGCTCGCCGAGCAATTCAAAC
AGAAGGCGCTCGGGTTGTGCAAACAGCCACCAAGCAGGCGGAGGCTGCTGCTCCCGTGGTGGAGTCCAA
GTGGCGAGCCCTTGAGACCTTCTGGGCGAAGCACATGTGGAACCTTCATTAGTGGGATACAGTACTTGGCA
5 GGCTTGTCCACTCTGCCTGGGAACCCCGCAATACGATACCCGATGGCATTACAGCCTCCATACCAGCC
CGCTCACCACCCAGCATACCTCTTGTTTTAACATCTTGGGGGGATGGGTGGCTGCCAACTCGCCCCCCC
CAGCGCTGCCTCAGCTTTCGTGGGCGCCGGCATCGCTGGAGCCGCTGTTGGCACGATAGGCCTTGGGAAG
GTGCTTGTGGACATTCTGGCAGGTTATGGAGCAGGGGTGGCGGGCGCACTTGTGGCCTTTAAGATCATGA
10 GCGGCGAGATGCCTTCAGCCGAGGACATGTCACTTACTCCCTGCCATCCTTCTCCCGTGCCTGGT
CGTCGGGATTGTGTGTGACGAATACTGCGTCGGCATGTGGGCCAGGGGAAGGGGCTGTGCAGTGGATG
AACC GGCTGATAGCGTTGCGCTCGCGGGGTAAACACGTCTCCCCAGGCACTATGTGCCAGAGAGCGAGC
CTGCAGCGCGTGTACCCAGATCCTTTCCAGCCTCACCATCACTCAGCTGTTGAAGAGACTCCACCAGTG
GATTAATGAGGACTGCTTACGCCATGCTCCAGCTCGTGGCTAAGGGAGATTTGGGACTGGATCTGCACG
GTGTTGACTGACTTCAAGACCTGGCTCCAGTCCAAGCTCCTGCCGCGATTACCGGGAGTCCCTTTTTTCT
15 CATGCCAACGCGGGTATAAGGGAGTCTGGCGGGGGACGGCATCATGCACACCACCTGCCATGCGGAGC
ACAGATCACC GGACACGTCAAAAACGGTTCCATGAGGATCGTTGGGCCTAAAACCTGCAGCAACACGTGG
TACGGGACATTCCCCATCAACGCGTACACCACGGGCCCCTGACACACCTCCCCGGCGCCAAACTATTCCA
AGGCATTGTGGAGAGTGGCCGCTGAGGAGTACGTGGAGGTACGCGGGTGGGAGATTTTCACTACGTGAC
GGGCATGACCACTGACAACGTGAAGTGTCCATGCCAGGTTCCGGCCCCCGAATTCTTCACGGAGGTGGAT
20 GGAGTGC GGTTGCACAGGTACGCTCCGGCTGCAGACCTCTCTACGGGAGGAGGTGCTATTCCAGGTG
GGCTCCACCACTACCTGGTTCGGGTACAGCTCCCATGCGAGCCCGAACCGGATGTAGCAGTGTCTCACTTC
CATGCTCACTGACCCCTCCACATTACAGCAGAGACGGCTAAGCGTAGGCTGGCCAGGGGGTCTCCCCC
TCCTTGCCAGCTCTTCAGCTAGCCAGTTGTCTGCGCCTTCCTTGAAGGCGACATGCACATCCCATG
ACTCCCCGGACGCTGACCTCATTGAGGCCAACCTCTTGTGGCGCAAGAGATGGGCGGGAACATCACCCG
25 CGTGGAGTCAGAGAATAAGGTGGTAATCCTGGACTCTTTCGACCCGCTCCGAGCGGAGGATGATGAGGGG
GAAATATCCGTTCCGGCGGAGATCCTGCGGAAATCCAGGAAATTCCCCCAGCGCTGCCCATATGGGCGC
CGCCGGATTACAACCTCCGCTGCTAGAGTCTTGAAGGACCCGGACTACGTTCTCCGGTGGTACACGG
GTGCCCGTTGGCGCCACCAAGGCCCTCCAATACCACCTCCACGGAGGAAGAGGACGGTTGTCTGACA
30 TCGACAGCGGTACGGCGACCGCCCTCTGACCAAGCCTCCGGTGACGGCGACAGAGAGTCCGACGTTGA
GTCGTTCTCTCCATGCCCCCCTTGAGGGAGAGCGGGGGACCCGATCTCAGCGACGGATCTTGGTCC
ACCGTGAGCGAGGAGGCTAGTGAGGACGTGCTGCTGTTGATGTCTTACATGACAGGGCGCCCTGA
TCACGCCATGCGCTGCGGAGGAAAGCAAGTTGCCCATCAACCGTTGAGCAATTCTTTGCTACGTACCA
CAACATGGTCTATGCTACAACATCCCGCAGCGCAGGCCTGCGGCAGAGAAGGTCACCTTTGACAGACTG
35 CAAGTCTTGGACGACCACTACCGGGACGTGCTTAAGGAGATGAAGGCGAAGGCGTCCACAGTTAAGGCTA
AATTCATCTGTAGAGAAGCCTGCAAACTGACGCCCCACATTTCGGCCAAATCCAAATTTGGCTACGG
GGCGAAGGACGTCCGGAGCCTATCCAGCAGGGCGTTACCCACATCCGCTCCGTGTGGAAGGACCTGCTG
GAAGACACTGAAACACCAATTAGCACTACCATCATGGCAAAAAATGAGGTTTTCTGTGTCCACCAGAGA
AGGGAGGCCGCAAGCCAGCTCGCCTTATCGTGTTCAGATCTGGGAGTTCTGTATGCGAGAAGATGGC
40 CTTTATGACGTGGTCTCCACCCTTCTCAGCGCGTGATGGCTCCTCATACGGATTCCAGTACTCTCCT
AAGCAGCGGGTCGAGTTCTTGGTGAATACCTGGAAATCAAAGAAATGCCCATGGGGCTTCTCATATGACA
CCCGCTGTTTTGACTCAACGGTCACTGAGAATGACATCCGTGTTGAGGAGTCAATTTACCAATGTTGTGA
CTTGGCCCCCGAAGCCAACTGGCCATAAAGTCTGCTACAGAGCGGCTCTATATCGGGGGTCCCTGACT
AATTCAAAAGGGCAGAACTGCGGTTACCGCGGTTGCCGCGGAGCGGCGTGTGACGACTAGCTGCGGTA
45 ATACCTCACAATGTTACCTGAAAGCCACTGCGGCCTGTGAGCTGCGAAGCTCCGGGACTGCACGATGCT
CGTGAACGGAGACGACCTTGTGTTATCTGTGAAAGCGCGGAACCAAGAGGATGCGGCGAGCCTACGA
GTCTTCACGGAGGCTATGACTAGGTACTCTGCCCCCCTGGGGACCCGCTCAACCGGAATACGACTTGG
AGTTGATAACATCATGTTCTCCAATGTGTCGGTTCGCACACGATGCATCTGGTAAAAGGGTGTACTACCT
CACCCGTGACCCTACCACCCCCCTTGCACGGGCTGCGTGGGAGACAGCTAGACACACTCCAGTCAACTCC
50 TGGCTAGGCAACATCATGATGATGCGCCACCTTATGGGCAAGGATGATTCTGATGACTCATTTCTTCT
CCATCCTTCTAGCTCAGGAGCAACTTGA AAAAACCTAGATTGTGATGATCTACGGGGCCTGTACTCCAT
TGAACCACTTGATCTACCTCAGATCATTGAGCGACTCCATGGTCTTAGCGCATTTTCACTCCATAGTTAC
TCTCCAGGCGAGATCAATAGGGTGGCTTCATGCCTCAGAAAACCTTGGGGTACCACCTTGCAGCGCTGGA
GACATCGGGCCAGAAGTGTCCGCGCTAAGCTACTGTCCAGGGGGGGAGGGCGCCACTTGTGGCAAGTA
55 CCTCTTCAACTGGGCGGTGAGGACCAAGCTCAAACCTCACTCCAATCCCAGCCGCTCCCGGTTGGACTGT
TCCGGCTGGTTGCTGCTGGTTACAGCGGGGAGACATATATCACAGCCTGTCTCGTGCCCGACCCGCTG
GGTTCATGTTGTGCCTACTCTACTTTCCGTGGGGGTAGGCATCTACCTGCTCCCCAACCGATGAATGGG

GAGCTAAACACTCCAGGCCAATAGGCCGTTTCTC (SEQ ID NO: 6689)

gi|329739|gb|L02836.1|HPCCGENOM Hepatitis C China virus complete genome

5 ATTGGGGGGCGACACTCCACCATAGATCACTCCCCTGTGAGGAAGTACTGTCTTCACGCAGAAAGCGTCTA
GCCATGGCGTTAGTATGAGTGTGTCGAGCCTCCAGGACCCCCCTCCCGGGAGAGCCATAGTGGTCTGC
GGAACCGGTGAGTACACCGGAATTGCCAGGACGACCGGGTCCTTTCTTGGATCAACCCGCTCAATGCCTG
GAGATTTGGGCGTGCCCCCGGAGACTGCTAGCCGAGTAGTGTGGGTGCGGAAAGGCCCTGTGGTACTG
10 CTTGATAGGGTGCTTGCAGAGTGCCCCGGGAGGTCTCGTAGACCGTGACCATGAGCAGGAATCCTAAACC
TCAAAGAAAAACCAACGTAACACCAACCGCCGCCACAGGACGTCAAGTTCCCGGGCGGTGGTCAGATC
GTTGGTGGAGTTTACCTGTTGCCGCGCAGGGGCCCCAGGTTGGGTGTGCGCGCGACTAGGAAGACTTCCG
AGCGGTGCGCAACCTCGTGGAAGGCGACAACCTATCCCCAAGGCTCGCCGACCCGAGGGCAGGACCTGGGC
TCAGCCCGGTATCCTTGGCCCCCTCTATGGCAATGAGGGCTTTGGGTGGGCAGGATGGCTCCTGTACCC
CGCGGCTCCCGGCCTAGTTGGGGCCCCACGGACCCCCGGCGTAGGTGCGGTAATTTGGGTAAAGGTCATCG
15 ATACCCTCACATGCGGCTTCGCGACCTCATGGGGTACATTCCGCTCGTCGGCGCCCCCTTGGGGGGCGC
TGCCAGGGGCCCTGGCACATGGTGTCCGGGTTCTGGAGGACGGCGTGAACATATGCAACAGGAATTTGCC
GGTTGCTCTTTCTCTATCTTCTTTAGCCTTGCTATCCTGTTTGACCACCCAGCTTCCGCTTACGAAG
TGCGTAACGTGTCCGGGATATACCATGTACGAACGACTGCTCCAACCTCAAGCATTGTGTATGAGGCAGC
GGACCTGATCATGCATACCCCTGGGTGCGTGCCCTGCGTTCCGGGAAGGCAACTCCTCCCGTTGCTGGGTA
20 GCGCTCACTCCACGCTCGCGGCCAGGAACGCCACGATCCCCACTGCGACAGTACGACGGCATGTGATC
TGCTCGTTGGGGCGGCTGCTTTCTTCCGCCATGTACGTGGGGGATCTCTGCGGATCTGTTTTCTTTGT
CTCTCAGCTGTTACCTTCTCGCTCGCCGSTATGAGACAATAACAGGACTGCAATTGCTCAATCTCCC
GGCCACGCTAACAGGTACCGCATGGCTTGGGATATGATGATGAACGTGCTGCGCTACAACAGCTCTAGTGG
TGTCGAGTTACTCCGGATCCCTCAAGCCGTATGGACATGGTGGTGGGGGCCACTGGGGAGTCTGGC
25 GGGCCTTGCCCTACTATGCCATGGTGGGGAATTGGGCTAAGGTTTTGATTGTGATGCTACTCTTCGCCGGC
GTTGATGGGGATACCTACGCGTCTGGGGGGGCGCAGGGCCGCTCCACCCTCGGGTTACGTCCTCTTTA
CACCTGGGGCTCTCAGAAGATCCAGCTTATAAATACCAATGGTAGCTGGCATATCAACAGGACTGCCCT
GAACTGCAATGACTCCCTCAATACTGGGTTTCTTGCCGCGCTGTTCTATACACACAGGTTCAACGCGTCC
GGATGCGCAGAGCGCATGGCCAGCTGCCGCCCATTTGATACATTCGATCAGGGCTGGGGCCCCCATCACTT
30 ATACTGAGCTGATAGCTCGGACCAGAGGCCTTATTTGCTGGCACTACGCGCTCGAAAGTCCGGCATCGT
ACCTGCGTCCGAGGTGTGCGGTCCAGTGTATTGTTTACCCCAAGCCCTGTCGTGCTGGGGACGACCGAT
CGTTTCCGTGTCCCCACATATAGCTGGGGGGAGAATGAGACAGACGTGCTGCTCCTCAACAACACGCGGC
CGCCGCAAGGCAACTGGTTTGGCTGTACATGGATGAATGGCACTGGGTTCACCAAGACGTGCGGGGGGCC
TCCGTGTAACATCGGGGGGGTCCGCAACAACACTTTGACTTGCCCCACGGATTGCTTTCGGAAGCACCCC
35 GAGGCTACGTATACAAGGTGTGGTTCCGGGGCCTTGGCTGACACCTAGGTGCTTAGTTGACTACCCATACA
GGCTCTGGCACTACCCCTGCACTGTCAACTTTGCCATCTTCAAAGTTAGGATGTATGTGGGGGGCGTGGA
GCACAGGCTCGATGCTGCTGCACTGCAACTGGAAGCTCGAGGAGAGCGCTGTAAGTTGGAGGACAGGGATAGATCA
GAACTCAGCCCGCTGCTACTGTCTACAACAGAGTGGCAGATACTACCTGCGCCTTACCACCCTACCGG
CTCTGTCCACTGGTTTAATCCATCTCCATCAGAACATCGTGGACGTGCAATACCTGTACGGTATAGGGTC
40 AGCGGTTGCCTCCTTTGCAATTAAATGGGAGTATGCTTGTGCTTTTCTTCTACTAGCAGACGCGCGC
GTATGTGCCTGCTTGTGGATGATGCTGCTGATAGCCCAGGCCGAGGCCGCTTAGAGAACCCTGGTGGTCC
TCAATGCGGCGTCCGTGGCCGACGCGCATGGCATCCTCTCCTTCTTGTGTTCTTTGTGCCGCTGGTA
CATTAAAGGGCAGGCTGGTCCCCGGGCGAGCATACGCTTCTACGGCGTGTGGCCGCTGCTCCTGCTCCTG
CTGACATTACCACCACGAGCTTACGCCATGGACCGGGAGATGGCTGCACTGCTGCGGAGGCGCGGTTTTG
45 TAGGTCTGGTATTCTGACTTTGTCAACATACTACAAGGTGTTCTCGCTAGGCTCATATGGTGGTTGCA
ATACTTCTCACCATAGCCGAGGCGACCTGCAAGTGTGGATCCCCCTCTCAACATTCGAGGGGGCCGC
GATGCCATCATCCTCCTCACGTGTCAATCCACCCAGAGTCAATCTTTGACATCACCAACTCCTGCTCG
CCACGCTCGGTCCGCTCCTGGTGCTTCAGGCTGGCATAACTAGAGTGCCGTACTTTGTGCGCGCTCATGG
GCTCATTGCGCGTGCATGCTATTGCGGAAAGTTGCTGGGGGTCATTATGTCCAAATGGCCTTCATGAAG
50 CTGGGCGCACTGACAGGTACGTACGTCTATAACCATCTTACTCCGCTGCAGTATTGGCCACGCGCGGTT
TACGAGAACTCGCGGTGGCAGTAGAGCCCGTCATCTTCTGACATGGAGACCAAGATTATCACCTGGGG
GGCAGACACTGCAGCGTGTGGAGACATCATTTGGGTTTACCCGCTCTCCGCCGAAGGGGAAAGGAGATA
CTCCTGGGGCCGCGCATAGTCTTGAAGGGCAGGGGTGGCGACTCCTTGGCCCCATCACGGCTACTCCC
AACAGACGCGGGGCTTACTTGGTTGCATCATCACTAGCCTCACAGGCCGAGACAAGAACCAGGTGAGGG
55 GGAGGTTCAAGTGGTCTCCACCGCAACAATCTTCTGCGACCTGCATCAACGGTGTGTGTTGGACT

GTCTATCATGGCGCCGGCTCAAAAACCTTAGCCGGCCCCAAAGGGCCCAATCACCCAAATGTACACCAATG
TAGACCAGGACCTCGTCGGCTGGCACCGGCCCGGGGCGCGTTCCCTAACACCATGCACCTGCGGCAG
CTCGGACCTTTACTTGGTCACGAGACATGCTGATGTCATTCCGGTGCGCCGTCGAGGCGACAGTAGGGGG
AGTTTACTCTCCCCAGGCCGTCTCTCTACCTGAAGGGCTCGTCGGGGGGGGCCACTGCTCTGCCCTTCG
5 GGCACGTTGCAGGCATCTTCCGGGTGCTGTGTGCACCCGGGGGGTTCGGAAGGCGGTGGATTTTATACC
CGTTGAGACCATGGAACCTACCATGCGGTCCCCGGTCTTCACGGACAACATCATCCCTCTGCGGTACCG
CAGACATTCCAAGTGGCCCATCTACACGCTCCCACTGGCAGCGGCAAAAGCACCAGGTGCCGGCTGCAT
ATGCAGCCCAAGGGTACAAGGTACTTGTCTTGAACCCGTCTGTTGCCGCCACTTTAGGTTTTGGGGCGTA
TATGTCTAAGGCACATGGTGTGACCCCAACATTAGAACC GGGAAGGACCATCACACGGGCGCCCCC
10 ATCATACTCTACCTATGGCAAGTTCCTTGTGATGGTGGTTGCTCTGGGGGTGCCTATGACATTATAA
TATGTGATGAGTGCCATTCAACTGACTCGACTACCATCTTGGGCATCGGCACGGTCTTGACCAAGCGGA
GACGGCTGGAGCGCGGCTTGTGCTGCTCGCCACCGCTACGCCTCCGGGATCGGTACCGGTGCCACATCCA
AACATCGAGGAGGTGGCCCTGTCCAATACTGGAGAGATCCCTTCTATGGTAAAGCCATCCCCATCGAAG
CCATCAGGGGGGAAGGCATCTCATTTTCTGCGACTCAAGAAGAAGTGTGACGAGCTTGCTGCAAGCT
15 ATCATCGCTCGGGCTCAACGCTGTGGCGTACTACCGGGGGCTTGATGTGTCCGTCAACCATCTAGCGGA
GACGTCGTGTGCTGGCAACGGACGCTCTAATGACGGGCTTTACGGGCGACTTTGACTCAGTGATCGACT
GTAACACATGTGTTACCCAAACAGTCGATTTCAGCTTGACCCACCTTCACCATCGAGACAACGACCGT
GCCCCAGACCGGGTGTGCGCTCGCAGCGCGGAGGTAGGACTGGCAGGGGTAGGGAAGGCATCTACAGG
TTTGTACTCCAGGAGAACGGCCCTCGGGCATGTTCGACTCCTCAGTCTGTGTGAGTGCTATGACGCGG
20 GCTGTGCTTGGTACGAGCTACGCGCGCTGAGACCACGGTTAGGTTGCGGGCTTACCTAAATACACCAGG
GTTGCCCGTCTGCCAGGACCATCTGGAGTTCTGGGAGGGCGTCTTACAGGTCTCACCCATATAGACGCT
CACTTTCTGTCCCAGACCAAGCAAGCAGGAGACAACCTCCCTACCTGGTAGCATACCAAGCTACAGTGT
GTGCCAAGGCTCAGGCCCCACCTCCATCGTGGGATCAAATGTGGAAGTGCCTCACACGGCTAAAGCCTAC
GCTGCAGGACCAACACCCCTGCTGTATAGGCTAGGAGCCGTCCAAAATGAGGTCACCCCTCACACACCCC
25 ATAATAATACATCATGACATGTCATGTGCGCTGACCTGGAGGTCTGTCACAGCACCTGGGTGCTGGTGG
GCGGAGTCTTGCAGCTCTGGCCGCGTATTGCTGACAACGGGCGACGCTGGTCAATTGTGGGTAGGATTGT
CTTGTCCGGAAGTCCGGCTATTGTTCTGACAGGGAAGTTCTTTACCAAGACTTCGACGAGATGGAAGAG
TGTGCCCTCACACCTCCCTTACATCGAACAGGGAATGCAGCTCGCCGAGCAGTTCAAGCAGAAGCGCTCG
GGTGTGTGCAACAGCCACCAAGCAAGCGGAGGCTGCTGCTCCCGTGGTGGAGTCCAAGTGGCGAGCCCT
30 CGAGACATTTGGGAAAAACACATGTGGAATTCATCAGCGGGATACAGTACTTAGCAGGCTTATCCACT
CTGCCCTGGGAACCCCGCAATGGCATCACTGATGGCATTACAGCTTCTATCACCAGCCCGCTCACTACCC
AACACACCCCTCCTGTTTAAACATCTTGGGTGGATGGGTGGCTGCCCAACTCGCTCCCCCAGCGCCGCTTC
GGCCTTTGTGGGCGCGGCATTGCCGGTGGGCTGTTGGCAGCATAGGCCTTGGGAAGGTGCTTGTGGAC
ATCCTGGCGGGTTATGGGGCGGGGTGGCTGGCGCACTCGTGGCCTTTAAGGTCATGAGTGGCGAAATGC
35 CCTCCACTGAGGACCTGGTTAATTTACTCCCTGCCATCCTCTCTCTGGTGCCCTAGTCGTGGGGTCTGT
GTGCGCAGCAATACTGCGCGGACACGTGGGCGCGGAGAGGGGCTGTGCAGTGGATGAACGGGCTGATA
GCGTTGCTTTCGCGGGTAACCATGTCTCCCCACGCACTATGTGCTGAAAGTGACGCGCAGCGCGTG
TTACCCAGATCCTCTCCAGCCTTACCATCACTCAGCTGCTGAAAAGACTTCACCACTGGATTAATGAGGA
CTGTTCCACACCATGCTCCGGCTCGTGGCTTAAGGGATGTTTGGGATTGGATATGCACGGGTGTTGACCGAT
40 TTCAAGACCTGGCTCCAGTCCAAGCTCCTGCCGCGGTGGCCGGAGTCCCTTTCTCTCATGCCAACCGG
GGTACAAGGGAGTCTGGCGGGGGACGGTATTATGCAAACCACTGTCCATGTGGAGCACAGATTACTGG
ACATGTCAAAAACGGTTCCATGAGAATCGTTGGGCCCTAAGACTTGTAAGCAACACGTGGCATGGAACATTC
CCCATCAACGCGTACACCAGGGCCCTGCACACCTCCCCGCGCGCAACTATTCCAGGGCGCTGTGGC
GGGTGGCTCCTGAGGAGTACGTGGAGGTTACGCGGTGGGGGATTTCCACTACGTACGGGCATGACCAC
45 CGACAACGTGAAATGCCATGCCAAGTCCCGGCCCTGAATTTTCACGAGGTGGATGGAGTACGGCTG
CACAGGTACGCTCCGGCTGCAAACCTCTCTACGGGAGGAGTCTGTGTTCCAGGTCCGGGCTCAACCAAT
ACCTGGTTGGATCACAGCTCCCATGCGAGCCCGAGCCGGACGTAACAGTGCTCACTTCCATGCTTACCGA
CCCCCTCCCATCACAGCAGAGACGGCCAAGCTAGGCTGGCAGGGGGTCTCCCCCTCCTTGGCCAGC
TCTTCAGCTAGCCAATTGTCTGCGCCTTCTTTGAAGGCGACATGTACTACCCATCATGACTCCCCGACG
50 CCGACCTCATTGAGGCCAACCTCCTGTGGCGGCAGGAGATGGGCGGAAACATCACCCGTGTGGAGTCAGA
AAATAAGGTAGTGATCTGGACTCTTTGACCCGCTTCGGGCGGAGGAGGACGAGAGGGAAGTATCCGTT
GCGGCGGAGATCCTGCGGAAATCCAGGAAGTTCCTCAGCGCTGCCCATATGGGCACGCCAGACTACA
ACCTCCACTGCTAGAGTCTTGAAGGACCCAGATTATGTCCCTCCGGTGGTACACGGGTGCCGCTTGGC
CCCTACCAAGGCCCCCTCAGTACCACCTCCACGGAGAAAAGGACGGTCGTCTAACAGAGTCATCCGTG
55 TCTTCTGCCTTGGCGGAGCTCGCTACTTAAGACCTTCGGCAGCTCTGAATCGTCGGCCGTCGACAGCGGCA
CGGCGACTGCCCTCCTGACGAGGCCTCCGGCGCGCGACAAAGGATCCGACGTTGAGTCGTACTCTC
CATGCCCCCCTTGGGAGAGCCGGGGGACCCGACCTCAGCGACGGGTCTGGTCTACCGTGAGTGAG

347

TCAACTCTTCGGGGCGTCTGAGAGGATGGCTAGTTGTGCGCCTCTTACCGCCTTCGACCAAGGGTGGGG
GCCCATCACTTACGGGGGAAAGCTAGTAACGACCAGCGGCGTATTGCTGGCACTATGCCCCACGCCCC
TGCGGTATCGTGCCGGCGAAAGAGGTTTTCGGGCCTGTATACTGTTTACACCCAGTCCCCTGGTAGTGG
GGACGACGGACAAGTACGGCGTTCTACCTACACATGGGGCGAGAATGAGACGGATGTAAGTCTCTTAA
5 CAACTCTAGGCCGCCAATAGGGAATTGGTTGCGGTGTACGTGGATGAATCCACTGGTTTCACCAAGACG
TGCGGGGCTCCTGCCTGTAACGTGCGCGGGAGCGAGACCAACCCCTGTGCTGCCCCACAGATTGCTTCC
GCAGACATCCGGACGCAACATACGCTAAGTGGCGCTCTGGCCCTTGGCTTAACCCCTCGATGCATGGTGG
CTACCCCTTACAGGCTCTGGCACTATCCCTGCACAGTCAATTACACCATATTCAAGATCAGGATGTTCTGTG
GGCGGGATTGAGCACAGGCTCACCGCCGCGTGAACCTGGACGCGGGGAGAGCGCTGCGGACTTGGACGACA
10 GGGATCGTGCCGAGTTGAGCCCGCTGTTGCTGTCCACCACGCAATGGCAGGTCTCCCCTGCTCATTAC
AACGCTGCCCCGCCCTGTCAACTGGCCTAATACATCTCCACCAGAACATCGTGGACGTGCAGTACCTCTAC
GGGTTGAGCTCGGTAGTTACATCCTGGGCCATAAGGTGGGAGTATGTGCTGCTCCTTTTCTTGTGTTAG
CAGATGCCCCGATTTGTGCTGCTTTGGATGATGCTTCTCATATCCCAGGTAGAGGCGGCGCTGGAGAA
CCTGATAGTCTCAACGCTGCTTCCCTGGCTGGGACACACGGCATCGTCCCTTTCTTCATCTTTTTTGT
15 GCAGCCTGGTATCTGAAAGGCAAGTGGGCCCCCTGGACTCGTCTACTCCGTCTACGGAATGTGGCCGCTGC
TCCTGCTTCTCCTGGCGTTGCCCCAACGGCGTACGCCCTTGGATCAGGAGTTGGCCGCGTCTGTGGGGC
CGTGGTCTTCATCAGCCTAGCGGTACTTACCCTGTGCGCGTACTACAAACAGTACATGGCCCCGCGGCATC
TGGTGGCTGCAGTACATGCTGACCAGAGCGGAGGCGCTCCTGCACGTCTGGGTCCCCCTCGCTCAACGCCC
GGGGAGGGCGTGATGGTGCCATACTGCTCATGTGTGTGCTCCACCCGCACTTGTCTTTGACATCACAA
20 AATCATGCTGGCCATTCTCGGGCCCCCTGTGGATCTTGCAGGCCAGTCTGCTCAGGGTGCCGTACTTCGTG
CGCGCCACGGTCTCATTAGGCTCTGCTGCTGGTGCGCAAAACAGCGGGCGGTCACTATGTGCAGATGG
CTCTGTTGAAGCTGGGGCACTTACTGGCACTTACATTTACAACCACCTTTCCCACTCCAAGACTGGGC
TCATGGCAGCTTGGCTGATCTAGCGGTGGCCACCGAGCCCGTATCTTCTCCCGATGGAGATCAAGACT
ATCACCTGGGGGGCAGACACCGCGGCTGTGGAGACATCATCAACGGGCTGCCTGTTTCTGCTCGGAGGG
25 GGAGAGAGGTGTTGTTGGGACCAGCCGATGCCCTGACTGACAAGGGATGGAGGCTTTTAGCCCCATCAC
AGCTTACGCCCCAACAGACAGAGGTCTCTTGGGCTGTATTGTACACGCTCACCGGTGCGGACAAAAAT
CAAGTGGAGGGGGAAATCCAGATTGTGTCTACCGCAACCCAGACGTTCTTGGCCACTTGCATCAACGGAG
CTTGCTGGACTGTTTATCATGGGGCCGGATCGAGGACCATCGCTTCGGCGTCCGGTCTGTGGTCCGGAT
GTACACCAATGTGGACAGGATTGTTGGTGGGCTGGCCAGCGCTCAGGGAGCGCGCTCCCTGACGCCGTGC
30 ACGTGGGTGCTCGGATCTGTACTTGGTACAGGACGCGGATGTCATCCAGTGGCGCGTGCAGGCG
ATAACAGGGGAAGCTTGCTTTCTCCCGGCCCATCTCATACCTAAAAGGATCCTCGGGAGGCCCTCTGCT
CTGCCCCATGGGACATGTGCGGGCATTTTTAGGGCCGCGGTGTGCACCCGTGGGGTTGCAAAGGCGGTG
GACTTTGTGCGCGTTGAGTCTTAGAGACCACCATGAGGTCCCAAGTGTCTACTGACAATTCCAGCCCTC
CAACAGTGCCCCAGAGTTACCAGGTGGCACATCTACATGCACCCACTGGGAGTGGCAAGAGCACGAAGGT
35 GCCGGCCGCTTACGCAGCTCAAGGGTACAAGGTACTTGTGCTGAACCCGTCTGTTGCTGCCACCTTAGGG
TTCGGTGTCTTATGTCAAAGGCCCATGGGATTGACCCAAACGTACAGGACCGCGGTGAGGACCATTACCA
CAGGCTCCCCCATACCTACTCCACCTACGGGAAATTTTTGGCTGATGGCGGATGCCAGGAGTGGCTA
CGACATCATAATATGTACGAATGTCACTCAGTGGACGCCACCTCGATTCTGGGCATAGGGACCGTCTTG
GACCAAGCGGAGACGGCGGGGTTAGGCTCACTGTCTTGGCACCGCTACACCACCTGGCTTGGTCACCG
40 TGCCACATTCCAACATCGAGGAAGTTGCATGTCCGCTGACGGGGAGAAACCATTTATGGTAAGGCCAT
CCCCCTAAACTACATCAAGGGGGGAGGCATCTCATTTTCTGTCAATTCCAAGAAGAGTGCGACGAGCTC
GCTGCAAAGCTGGTCCGTCTGGGCGTCAACGCGGTGGCCTTTTACCGTGGCCTCGACGTATCTGTCAATC
CAACTACAGGAGACGTCTGTTGTTGAGCGACCGACCTTGATGACTGGCTTCACCGCGATTTCGACTC
TGTGATAGACTGCAACACCTGTGTGCTCCAGACAGTCACTTCAGCCTAGACCCATATATTCTCTATTGAG
45 ACTTCCACCGTGCCCCAGGACGCGGTGTCCGCTCCCAACGGAGGGGTAGGACCGGTGAGGGAAGCATG
GTATTTACAGATATGTGTACCCGGGGAGCGCGCTCTGGCATGTTGCACTCCGTGGTCTCTGTGAGTG
CTATGACGCGGGTTGTGCTTGGTACGAGCTTACACCGCCGAGACCACAGTCAGGCTACGGGCATACCTT
AACACCCCAGGATTGCCCGTGTGCCAGGACCACTTGGAGTTCTGGGAGAGTGTCTTACCGGCCTCACCC
ACATAGATGCCCACTTCTGTCCCAGACGAAACAGAGTGGGGAGAACTTCCCTACCTAGTCGCATACCA
50 AGCCACCGTGTGCGCTAGAGCTAGAGCTCCTCCCCGTGATGGGACCAATGTGGAAGTGCCTGATACGG
CTCAAGCCCACCTCACTGGGGCTACCCCATTAATAACAGACTGGGTAGTGTACAGAATGAGATCACCT
TAACACACCCAATACCCAATACATCATGGCTTGCATGTGCGCGGACCTGGAGGTGCTCACTAGCACGTG
GGTGTGGTGGGCGGCTCTAGCCGCTTTGGCCGCTTACTGCCTGTCCACAGGACGCGTGGTCATAGTG
GGCAGGATAATCCTAGGTGGGAAGCCGGCAGTCATACCTGACAGGGAGGTTCTCTACCGAGAGTTTGTATG
55 AGATGGAGGAGTGCGCCGCCACGTCCTTACCTCGAGCAGGGGATGCATTTGGCTGGACAGTTCAAGCA
GAAAGCTCTCGGTTGCTCCAGACAGCATCAAGCAAGCGGAGACGATCACTCCCACTGTCCGCACCAAC
TGGCAGAACTCGAGTCCTTCTGGGCTAAGCACATGTGGAACCTTCGTTAGCGGGATACAATACCTGGCGG

GCCTGTCAACGCTGCCCGGAACCCGCTATAGCGTCGCTGATGTCGTTTACGGCCGCGGTGACGAGTCC
ACTAACCCAGCAAAACCTCTTCTTTAACATCTTAGGGGGGTGGGTGGCGGCCAGCTTGCTTCCCA
GCTGCCGCTACTGCTTTTGTGGTGCTGGTATTACTGGCGCGTGTGGCAGTGTGGGCTAGGGAAGG
TCCTAGTGACATTATTGCTGGCTACGGGGCTGGTGTGGCGGGGGCCCTCGTGGCTTTCAAATCATGAG
5 CGGGGAGACCCACCAGGATCTAGTCAACCTTCTGCCTGCCATCCTATCGCCAGGAGCTCTCGTT
GTCGGCGTGGTGTGCGCAGCAATACTACGCCGGCACGTGGGCCCTGGCGAGGGCGCCGTGCAGTGGATGA
ACCGGCTGATAGCGTTTGTCTCTCGGGTAACACGTCTCCCTACACACTACGTGCCGGAGAGCGACGC
GTCGGCTCGTGTACACAAATTCTCACCAGCCTCACTGTTACTCAGCTTCTGAAAAGGCTCCACGTGTGG
ATAAGCTCGGATTGCATCGCCCCCTCTAGTTCTTGGCTTAAAGATGCTCTGGGACTGGATATCCGAGG
10 TGCTGAGCGACTTCAAGAATTGGCTGAAGGCCAACTTGTACCACAACCTGCCCGGATCCCATTCGTATC
CTGCCAACGCGGGTACCGTGGGGTCTGGCGGGGCGAGGGCATCGTGCACACTCGTTGCCCGTGTGGGGCC
AATATAACTGGACATGTCAAGAACGGTTCGATGAGAATCGTGGGCGCTAAGACTGCAGCAACACCTGGC
GTGGGTCTGTTCCCATTAACGCTTACACTACAGGCGCGTGCACGCCCTCCCGCGCGCCGAACATATAGCTT
CGCGCTATGGAGGGTGTCTGCAGAGGAGTATGTGGAGGTAAGGCGGCTGGGGGACTTCCATTACGTCACG
15 GGGGTGACCACTGATAAACTCAAGTGTCCATGCCAGTCCCCTCACCCGAGTTCTTACAGAGGTGGACG
GGGTGCGCCTGCATAGGTACGCCCCCTCTGCAAAACCCCTGCTGCGAGAAGAGGTGACGTTTAGCATCGG
GCTCAATGAATACTTGGTGGGGTCCCAGTTGCCCTGCGAGCCCGAGCCAGACGTAGCTGTACTGACATCA
ATGCTTACAGACCCCTCCACATCACTGCAGAGACGGCAGCGCTAGGCTGAAGCGGGGTCTCCCCCT
CCCTGGCCAGCTCTTCCGCCAGCCAGCTGTCCGCGCGTCACTGAAGGCAACATGCACCACTCACACGA
20 CTCTCCAGACGCTGACCTCATAGAAGCCACCTCCTGTGGAGACAGGAGATGGGGGGAACATCACTAGG
GTGGAGTCGGAGAACAAGATTGTCTGTTCTGGATTCTTTCGACCCGCTCGTAGCGGAGGAGGATGATCGGG
AGATCTCTATTCCAGCTGAGATTCTGCGGAAGTTCAAGCAGTTTCTTCCGCTATGCCCATATGGGCACG
GCCAGATTATAATCTCCCTTGTGGAACCGTGGAAAGCGCCGAGTATGAGCCACCTTAGTCCAGGG
TGCCCCCTACCACCTCCCAAGCCAACCTCCGGTGCCGCCACCCCGGAGAAAGAGGACGGTGGTGTGGACG
25 AGTCTACAGTATCATCTGCTCTGGCTGAGCTTGCCACTAAGACCTTCGGCAGCTCTACAACCTCAGGCGT
GACAAGTGGTGAAGCGACTGAATCGTCCCGCGCGCCCTCCTGCGGCGGTGAGCTGGACTCCGAAGCTGAA
TCTTACTCCTCCATGCCCCCTCTCGAGGGGGAGCCGGGGGACCCCGATCTCAGCGACGGGTCTTGTCTA
CCGTGAGCAGTGATGGTGGCAGGAAGACGTTGTGTGCTGCTCGATGTCTTACTCGTGGACGGGCGCTTT
AATCACGCCCTGTGCCTCAGAGGAAGCCAAGCTCCCTATCAACGCATTGAGCAACTCGCTGCTGCGCCAC
30 TACAACCTTGGTGTATTCCACCACCTCTCGCAGCGCTGGCCAGAGACAGAAAAAGTCACATTTGACAGAG
TGCAAGTCTTGACGACCATTAACGGGACGTGCTCAAGGAGGCTAAGGCCAAGGCATCCACGGTGAAGGC
TAGACTGCTATCCGTTGAGGAAGCGTGTAGCCTGACGCCCCACACTCCGCCAGATCAAATTTGGCTAT
GGGGCAAGGATGTCCGAAGCCATTCCAGTAAGGCTATACGCCACATCAACTCCGTGTGGCAGGACCTTC
TGGAGACAATAACAACCCATAGACACTACCATCATGGCAAAGAATGAGGTCTTCTGTGTGAAGCCCGA
35 AAAGGGGGGCGCAAGCCCGCTCGTCTTATCGTGTACCCCGACCTGGGAGTGCAGCTATGCGAGAAGAGG
GCTTTGTATGACGTAGTCAAACAGCTCCCATTGCCGTGATGGGAGCCTCCTACGGGTTCCAGTACTCAC
CAGCGCAGCGGGTCACTTCTGCTTAAAGCGTGGAATCTAAGAAAGTCCCATGGGGTTTTCTTATGA
CACCCGTTGCTTTGACTCAACAGTCACTGAGGCTGATATCCGTACGGAGGAAGACCTCTACCAATCTTGT
GACCTGGCCCCCTGAGGCTCGCATAGCCATAAGGTCCCTCACAGAGAGGCTTTACATCGGGGGCCCACTCA
40 CCAATTCTAAGGGACAAACTGCGGCTATCGGCGATGCCGCGCAAGCGGCGTGTGACCACTAGCTCGG
TAACACCATAACCTGCTTCTCAAAGCCAGTGCAGCCTGTGAGCTGCGAAGCTCCAGGACTGCACCATG
CTCGTGTGCGGCGACGACCTCGTCTTATCTGTGAGAGCGCCGGTGTCCAGGAGGACGCTGCGAGCCTGA
GAGCCTTCACGGAGGCTATGACCAGGTACTCGCCCCCGGGAGACCCGCTCAACCAGAATACGACTT
GGAGCTTATAACATCCTGCTCCTCCAATGTGTGCGTGCAGCGGACGGCGCTGGCAAAGGGTCTATTAT
45 CTGACCCGTGACCTGAGACTCCCCTCGCGGTGCGGCTTGGGAGACAGCAAGACACACTCCAGTGAAC
CCTGGCTAGGCAACATCATCATGTTTGGCCCCACTCTGTGGGTACGGATGGTCTCATGACCCATTTTTT
CTCCATACTCATAGCTCAGGAGCACCTTGAAAGGCTCTAGATTGTGAAATCTATGGAGCCGTACACTCC
GTCCAAACCGTTGGACTTACCTGAAATCATCCAAAGACTCCACAGCCTCAGCGCGTTTTCTGCTCCACAGTT
ACTCTCCAGGTGAAATCAATAGGGTGGCTGCATGCCTCAGGAAGCTTGGGGTTCCGCCCTTGCAGCTTG
50 GAGACACCGGGCCGGAGCGTTCGCGCCCACTCCTATCCAGGGGGGAAAGCCGCTATATGCGGTAAG
TACCTCTTCAACTGGGCGGTGAAAACCAAACTCAAACCTCACTCCATTACCGTCCATGCTCTCAGTTGGACT
TGTCAACTGGTTCACGGGCGGTACAGCGGGGAGACATTTATCACAGCGTGTCTCATGCCCGGCCCG
TTTGTCTCTGCTGCTACTCTTCTCAGTAGGGGTAGGCATCTATCTCTTCCCAACCGATAGACG
GNTGGGCAACCACTCCGGGTCTTTAGGCCCTATTTAAACACTCCAGGCCCTTAGGCCCGT
55 (SEQ ID NO: 6691)

gi|23510419|ref|NM_000043.3| Homo sapiens tumor necrosis factor receptor
superfamily, member 6 (TNFRSF6), transcript variant 1, mRNA
CCTACCCGCGCGCAGGCCAAGTTGCTGAATCAATGGAGCCCTCCCCAACCCGGGCGTTCCCCAGCGAGGC
TTCCTTCCCATCCTCCTGACCACCGGGGCTTTTCGTGAGCTCGTCTCTGATCTCGCGCAAGAGTGACACA
5 CAGGTGTTCAAAGACGCTTCTGGGGAGTGAGGGAAGCGGTTTACGAGTGACTTGGCTGGAGCCTCAGGGG
CGGGCACTGGCAGCGAACACACCCTGAGGCCAGCCCTGGCTGCCAGGCGGAGCTGCCTCTTCTCCCGCG
GGTTGGTGGACCCGCTCAGTACGGAGTTGGGGAAGCTCTTTCACCTCGGAGGATTGCTCAACAACCATGC
TGGGCATCTGGACCCTCCTACCTCTGGTCTTACGCTCTGTTGCTAGATTATCGTCCAAAAGTGTTAATGC
CCAAGTGACTGACATCAACTCCAAGGGATTGGAATTGAGGAAGACTGTTACTACAGTTGAGACTCAGAAC
10 TTGGAAGGCCTGCATCATGATGGCCAATTCTGCCATAAGCCCTGTCTCCAGGTGAAAGGAAAGCTAGGG
ACTGCACAGTCAATGGGGATGAACCAGACTGCGTGCCCTGCCAAGAAGGGAAGGAGTACACAGACAAAGC
CCATTTTTCTCCAAATGCAGAAGATGTAGATTGTGTGATGAAGGACATGGCTTAGAAGTGGAATAAAC
TGCACCCGGACCCAGAATACCAAGTGCAGATGTAAACCAAACCTTTTTTGTAACTCTACTGTATGTGAAC
ACTGTGACCCTTGACCAATGTGAACATGGAATCATCAAGGAATGCACACTCACCAGCAACACCATGTG
15 CAAAGAGGAAGGATCCAGATCTAACTTGGGGTGGCTTTGTCTTCTCTTTTGCCAATTCCACTAATTGTT
TGGGTGAAGAGAAAGGAAGTACAGAAAACATGCAGAAAGCACAGAAAGGAAACCAAGTTCTCATGAAT
CTCCAACCTTAAATCCTGAACAGTGGCAATAAATTTATCTGATGTTGACTTGAGTAAATATATCACCAC
TATTGCTGGAGTCATGACACTAAGTCAAGTTAAAGCCTTTGTTGAAAGAATGGTGTCAATGAAGCCAAA
ATAGATGAGATCAAGAATGACATGTCCAAGACACAGCAGAACAGAAAGTTCAACTGCTTCGTAATTGGC
20 ATCAACTTCATGGAAAGAAAGAGCGTATGACACATTGATTAAGATCTCAAAAAAGCCAATCTTTGTAC
TCTTGCAGAGAAAATTGAGACTATCATCCTCAAGGACATTACTAGTGACTCAGAAAATTCAAACTTCAGA
AATGAAATCCAAAGCTTGGTCTAGAGTGAAAACACAAATTCAGTTCTGAGTATATGCAATTAGTGTTT
GAAAAGATTCTTAATAGCTGGCTGTAAATACTGCTTGGTTTTTTACTGGGTACATTTTATCATTTATTAG
CGCTGAAGAGCCAACATATTTGTAGATTTTTAATATCTCATGATTCTGCCTCCAAGGATGTTTAAATCT
25 AGTTGGGAAAACAACTTCATCAAGAGTAAATGCAGTGGCATGCTAAGTACCCAAATAGGAGTGATGCA
GAGGATGAAAGATTAAGATTATGCTCTGGCATCTAACATATGATTCTGTAGTATGAATGTAATCAGTGTA
TGTTAGTACAAATGTCTATCCACAGGCTAACCCCACTCTATGAATCAATAGAAGAAGCTATGACCTTTTG
CTGAAATATCAGTTACTGAACAGGCGAGGCCACTTTGCCTCTAAATTACCTCTGATAATTCTAGAGTTTT
ACCATATTCTAACTTTGTTTATAACTCTGAGAAGATCATATTTATGTAAGTATATGTATTTGAGTGC
30 AGAATTTAAATAAGGCTCTACCTCAAAGACCTTGGCACAGTTTATTGGTGTATATTATACAATATTTCA
ATTGTGAATTCACATAGAAAACATTAAATTATAATGTTTGAATATTATATATGTGTATGCATTTTACTGG
CTCAAACTACCTACTTCTTTCTCAGGCATCAAAGCATTTTGAGCAGGAGAGTATTACTAGAGCTTTGTC
CACCTCTCCATTTTGGCCTTGGTGTCTATCTTAATGGCCTAATGCACCCCAACATGGAAATATCACC
AAAAATACTTAATAGTCCACCAAAAGGCAAGACTGCCCTTAGAAATCTAGCCTGGTTTGGAGATACTAA
35 CTGCTCTCAGAGAAAGTAGCTTTGTGACATGTCATGAACCCATGTTTGCATCAAGATGATAAAATAGA
TTCTTATTTTCCCCCACCCTGAAATGTTTCAATAATGTCCCATGTAAACCTGCTACAAATGGCAGCT
TATACATAGCAATGGTAAATCATCATCTGGATTTAGGAATTGCTCTTGTATACCCCAAGTTCTAAG
ATTTAAGATTCTCCTTACTACTATCCTACGTTTAAATATCTTTGAAAGTTGTATTAAATGTGAATTTTA
AGAAATAATATTTATATTTCTGTAAATGTAACCTGTGAAGATAGTTATAAAGTGAAGCAGATACCTGGAA
40 CCACCTAAAGAACTTCCATTTATGGAGATTTTTTTGCCCCCTGTGTTTGGGAATTATAAAATATAGGTAA
AAGTACGTAATTAATAATGTTTTTGGTAAAAAAGAGAGAGAGAGAGAGAGAGAGAGAGAGAGAGAGAGAG
AA
(SEQ ID NO: 6692)

45 gi|35910|emb|X12387.1|HSRCYP3 Human mRNA for cytochrome P-450 (cyp3 locus)
GAATTTCCCAAGAGCAACACAGAGCTGAAAGGAAGACTCAGAGGAGAGAGATAAGTAAGGAAAGTAGTGA
TGGCTCTCATCCAGACTTGGCCATGGAACCTGGCTTCTCCTGGCTGTCAGCCTGGTGTCTCTCTATCT
ATATGGAACCCATTACATGGACTTTTTAAGAAGCTTGGAAATCCAGGGCCACACCTCTGCCTTTTTTG
GGAAATATTTTGTCTACCATAAGGGCTTTTGTATGTTTGACATGGAATGTCATAAAAAGTATGGAAAG
50 TGTGGGCTTTTATGATGGTCAACAGCCTGTGCTGGCTATCACAGATCCTGACATGATCAAAACAGTGCT
AGTGAAAGAAATGTTATCTGTCTTACAAACCGGAGGCCTTTGGTCCAGTGGGATTTATGAAAAGTGCC
ATCTCTATAGCTGAGGATGAAGAATGGAAGAGATTACGATCATTGCTGTCTCCAACTTACCAGTGGA
AACTCAAGGAGATGGTCCCTATCATTGCCAGTATGGAGATGTGTTGGTGAGAAATCTGAGGCGGGAAGC
AGAGACAGGCAAGCCTGTACCTTGAAGACGCTTTTGGGGCTACAGCATGGATGTGATCACTAGCACA
55 TCATTTGGAGTGAACATCGACTCTCTCAACAATCCACAAGACCCCTTTGTGGAAACACCAAGAAGCTTT

TAAGATTTGATTTTTTGGATCCATTCTTTCTCTCAATAACAGTCTTTCCATTCTCATCCCAATTCTTGA
AGTATTAAATATCTGTGTGTTTCCAAGAGAAGTTACAAATTTTTTAAGAAAATCTGTAAAAAGGATGAAA
GAAAGTCGCCCTCGAAGATACACAAAAGCACCAGTGGATTTCCTTCAGCTGATGATTGACTCTCAGAATT
5 CAAAAGAACTGAGTCCACAAAGCTCTGTCCGATCTGGAGCTCGTGGCCCAATCAATTATCTTTATTTT
TGCTGGCTATGAAACCACGAGCAGTGTCTCTCTCATTATGTATGAACTGGCCACTCACCCGTATGTC
CAGCAGAACTGCAGGAGGAAATTGATGCAGTTTTACCCAATAAGGCACCACCCACCTATGATACTGTGC
TACAGATGGAGTATCTTGACATGGTGGTGAATGAAACGCTCAGATTATTTCCAATTGCTATGAGACTTGA
GAGGGTCTGCAAAAAAGATGTTGAGATCAATGGGATGTTTCATTCCCAAGGGTGGGTGGTGTATGCCA
AGCTATGCTCTTCACCGTGACCCAAAGTACTGGACAGAGCCTGAGAAGTCTCTCCCTGAAAGATTGAGCA
10 AGAAGAACAAGGACAACATAGATCCTTACATATACACACCCTTTGGAAGTGGACCCAGAACTGCATTGG
CATGAGGTTTTGCTCTCATGAACATGAACTTGCTCTAATCAGAGTCTTTCAGAACTTCTCCTTCAAACCT
TGTAAGAAACACAGATCCCCCTGAAATTAAGCTTAGGAGGACTTCTTCAACCAGAAAAACCCGTGTGTC
TAAAGGTTGAGTCAAGGGATGGCACCCTAAGTGGAGCCTGAATTTTCTAAGGACTTCTGCTTTGCTCTT
CAAGAAATCTGTGCCTGAGAACACCAGAGACCTCAAATTACTTTGTGAATAGAAGTCTGAAATGAAGATG
15 GGCTTCATCCAATGGACTGCATAATAACCGGGGATTCTGTACATGCATTGAGCTCTCTCATTGTCTGTG
TAGAGTGTTATACTTGGGAATATAAAGGAGGTGACCAATCAGTGTGAGGAGGTAGATTGGCTCCTCTG
CTTCTCACGGGACTATTTCCACCACCCCGAGTTAGCACCATTAAGTCTCTCTGAGCTCTGATAAGAGAAT
CAACATTTCTCAATAATTTCTCCACAAATTATTAATGAAAATAAGAATTATTTTGATGGCTCTAACAA
GACATTTATATCAGATGTTTTCTCTGGAGTATTCTATAGTTTTATGTTAAATCAATAAAGACCACTTTAC
20 AAAAGTATTATCAGATGCTTTCTGCACATTAAAGGAGAATCTATAGAAGTGAATGAGAACCAACAAGTAA
ATATTTTGGTCATTGTAATCACTGTTGGCGTGGGGCCTTGTGAGAACTAGAATTTGATTATTAACATA
GGTGAAAGTTAATCCACTGTGACTTTGCCCATTTGTTTAGAAAGAATATTCATAGTTTAATTATGCCTTTT
TTGATCAGGCACATGGCTCACGCCTGTAATCCTAGCAGTTTGGGAGGCTGAGCCGGGTGGATCGCCTGAG
GTCAGGAGTTCAAGACAAGCCTGGCCTACATGGTGAAACCCCATCTCTACTAAAAATACACAAATTAGCT
25 AGGCATGGTGGACTCGCCTGTAATCTCACTACACAGGAGGCTGAGGCAGGAGAATCACTTGAACCTGGGA
GGCGGATGTTGAAGTGAGCTGAGATTGCACCACTGCCTCCAGTCTGGGTGAGAGTGAGACTCAGTCTTA
AAAAAATATGCCTTTTTGAAGCACGTACATTTTGTAAACAAGAACTGAAGCTCTTATTATATTATTAGTT
TTGATTTAATGTTTTTTCAGCCCATCTCCTTTTATATTTCTGGGAGACAGAAAACATGTTTCCCTACACCTC
TTGCTTCCATCTCTCAACACCACTGCTCTGATGCAATGAACACTTAATAAAAAACAGTCGATTGGTCAA
30 AAAAAAAAAAAAAAAAAAAAAAAGAATTC (SEQ ID NO: 6693)

gi|339549|gb|M19154.1|HUMTGFB2A Human transforming growth factor-beta-2
mRNA, complete cds
35 GCCCTCCCGTCAGTTCGCCAGCTGCCAGCCCCGGGACCTTTTCATCTCTTCCCTTTTGGCCGGAGGAGC
CGAGTTCAGATCCGCCACTCCGCACCCGAGACTGACACACTGAACTCCACTTCTCCTCTTAAATTTATT
TCTACTTAATAGCCACTCGTCTCTTTTTTCCCCATCTCATTGCTCCAAGAAATTTTTTCTTACTCG
CCAAAGTTGAGGTTCCCTCTGCCCGTCCCGTATTAATATTTCACCTTTTGGAACTACTGGCCTTTTCTTT
TTAAAGGAATTCAAGCAGGATACGTTTTTCTGTTGGGCATTGACTAGATTGTTTGCAAAAGTTTCGCATC
40 AAAAAACAACAACAACAAAAACCAAACTCTCCTTGATCTATACTTTGAGAATTGTTGATTTCTTTTT
TTTATTCTGACTTTTAAAAACAACCTTTTTTTTCCACTTTTTTAAAAAATGCACTACTGTGTGCTGAGCGC
TTTTCTGATCCTGCATCTGGTCACGGTCGCGCTCAGCCTGTCTACCTGCAGCACACTCGATATGGACCAG
TTCATGCGCAAGAGGATCGAGGCGATCCGCGGGCAGATCCTGAGCAAGCTGAAGCTCACCAGTCCCCAG
AAGACTATCCTGAGCCCGAGGAAGTCCCCCGGAGGTGATTCCATCTACAACAGCACCAGGGACTTGCT
45 CCAGGAGAAGGCGAGCCGGAGGGCGGCCCTGCGAGCGCGAGAGGAGCGACGAAGAGTACTACGCCAAG
GAGGTTTACAAAATAGACATGCCGCCCTTCTTCCCTCCGAACTGTCTGCCAGTTGTTACAACACCCCT
CTGGCTCAGTGGGAGCTTGTGCTCCAGACAGTCCCAGGTGCTCTGTGGGTACCTTGATGCCATCCCGCC
CACTTTCTACAGACCTACTTCAGAATTGTTGATTTGACGCTCAGCAATGGAGAAGAATGCTTCCAAAT
TTGGTGAAAGCAGAGTTCAGAGTCTTTCGTTTGCAGAACCCAAAAGCCAGAGTGCTGAACAACGGATTG
50 AGCTATATCAGATTCTCAAGTCCAAAGATTAAATCTCTCAACCCAGCGCTACATCGACAGCAAAGTTGT
GAAAACAAGAGCAGAAGGCGAATGGCTCTCCTTCGATGTAAGTCTGATGCTGTTTCAATGAGCTTCCACAT
AAAGACAGGAACCTGGGATTTAAATAAGCTTACACTGTCCTGCTGCACTTTTGTACCATTAATTAAT
ACATCATCCCAATAAAAGTGAAGAAGTGAAGCAAGATTGTCAGGTATTGATGGCACCTCCACATATAC
CAGTGGTGATCAGAAAATATAAAGTCCACTAGGAAAAAACAGTGGGAAGACCCACATCTCCTGCTA
55 ATGTTATTGCCCTCTACAGACTTGAGTCAACAGACCAACCGGCGGAAGAAGCGTGCTTTGGATGCGG

CCTATTGCTTTAGAAATGTGCAGGATAATTGCTGCCTACGTCCACTTTACATTGATTTCAAGAGGGATCT
 AGGGTGGAAATGGATACACGAACCCAAAGGTACAATGCCAATTCTGTGCTGGAGCATGCCCGTATTTA
 TGGAGTTCAGACACTCAGCACAGCAGGGTCTGAGCTTATATAATACCATAAATCCAGAAGCATCTGCTT
 CTCCTTGCTGCGTGTCCCAAGATTTAGAACCTCTAACCATCTCTACTACATTGGCAAAACACCCAAGAT
 5 TGAACAGCTTTCTAATATGATTGTAAAGTCTTGCAAATGCAGCTAAAATCTTGGAAAAGTGGCAAGACC
 AAAATGACAATGATGATGATAATGATGATGACGACGACAACGATGATGCTTGTAAACAAGAAAACATAAGA
 GAGCCTTGGTTCATCAGTGTTAAAAAATTTTGAAGGCGGTACTAGTTCAGACACTTTGGAAGTTTGT
 GTTCTGTTTGTAAACTGGCATCTGACACAAAAAAGTTGAAGGCCTTATTCTACATTTACCTACTTT
 GTAAGTGAGAGAGACAGAAGCAAATTTTTTTTAAAGAAAAAATAAACACTGGAAGAATTTATTAGTGT
 10 TAATTATGTGAACAACGACAACAACAACAACAACAACAGGAAAATCCCATTAAGTGGAGTTGCTGT
 ACGTACCGTTCCTATCCCGCGCTCACTTGATTTTTCTGTATTGCTATGCAATAGGCACCCTTCCCATT
 TTAATCTTAGAGTTAACAGTGAGTTATTATTGTGTGTACTATATAATGAACGTTTCATTGCCCTTGA
 AATAAAACAGGTGTATAAAGTGGAGACCAATACTTTGCCAGAACTCATGGATGGCTTAAGGAACCTG
 AACTCAAACGAGCCAGAAAAAAGAGGTCAATTAATGGGATGAAAACCAAGTGAGTTATTATATGACC
 15 GAGAAAGTCTGACATTAAAGATAAAGACCTGAAAAACACATGTATGTATCAGCTGCCTAAGGAAGCTTCT
 GTAAGGTCCAAAACTAAAAAGACTGTTAATAAAAGAACTTTCAGTCAG (SEQ ID NO: 6694)

gi|186624|gb|J04111.1|HUMJUNA Human c-jun proto oncogene (JUN), complete
 cds, clone hCJ-1
 20 CCCGGGGAGGGGACCGGGGAACAGAGGGCCGAGAGGCGTGCAGGGGGAGGGTAGGAGAAAGAAGGG
 CCCGACTGTAGGAGGGCAGCGGAGCATTACCTCATCCCGTGAGCCTCCGCGGGCCAGAGAAGAATCTTC
 TAGGGTGGAGTCTCCATGGTGACGGGCGGGCCCGCCCCCTGAGAGCGACGCGAGCCAATGGGAAGGCC
 TGGGGTGACATCATGGGCTATTTTAGGGTGTGACTGGTAGCAGATAAGTGTGAGCTCGGGCTGGATAA
 25 GGGCTCAGAGTTGGCAGCGAGCGAGCGCGGCTGAGCAGCGGGGAGTGGAGGTGCGCGGAGTCAGGCGAGC
 AGACAGACACAGCCAGCCAGCCAGGTGCGCAGTATAGTCCGAACTGCAAATCTTATTTCTTTTACCTT
 CTCTCTAACTGCCCAGAGCTAGCGCCTGTGGCTCCCGGGCTGGTGGTTCCGGAGTGTCCAGAGAGCCTTG
 TCTCCAGCCGGCCCCGGGAGGAGAGCCCTGCTGCCAGGCGCTGTTGACAGCGCGGAAAGCAGCGGTAC
 CCCACGCGCCCCGCGGGGACGTGCGCGAGCGGCTGCAGCAGCAAGAATTTCCCGCGGGGAGGACCG
 30 GAGACAAGTGGCAGAGTCCCGGAGCGAATTTTGCAAGCCTTCTGCGTCTTAGGCTTCTCCACGGCGG
 TAAAGACCAGAAGGCGGCGAGAGCCACGCAAGAGAAGAAGGAGCTGCGCTCAGCTTCGCTCGCACCCTG
 TGTGAACCTTGGGCGAGCGGAGCGCGGCTGCCGGCGCCCTCCCTTAGCAGCGGAGGAGGGGACA
 AGTCGTGCGAGTCCGGGCGGCCAAGACCCGCGCGCGGCCACTGCAGGGTCCGCACTGATCCGCTCC
 GCGGGGAGAGCCGCTGCTCTGGGAAGTGAGTTCGCTGCGGACTCCGAGGAACCGCTGCGCCGAAGAGC
 35 GCTCAGTGAGTGACCGGACTTTTCAAAGCCGGGTAGCGCGCGGAGTCGACAAGTAAGAGTGCAGGAGG
 CATCTTAATTAACCTGCGCTCCCTGGAGCGAGCTGGTGAGGAGGGCGCAGCGGGGACGACAGCCAGCGG
 GTGCGTGCGCTCTTAGAGAACTTTCCCTGTCAAAGGCTCCGGGGGCGCGGGTGTCCCCGCTTGCCAG
 AGCCCTGTTGCGGCCCCGAACTTGTGCGCGCAGCCAACTAACCTCACGTGAAGTGACGGAGCTGTCT
 ATGACTGCAAAGATGGAACGACCTTCTATGACGATGCCCTCAACGCCTCGTTCTCCCGTCCGAGAGCG
 40 GACCTTATGGCTACAGTAACCCCAAGATCCTGAAACAGAGCATGACCCTGAACCTGGCCGACCCAGTGGG
 GAGCCTGAAGCCGACCTCCGCGCAAGAACTCGGACCTCCTACCTCGCCGACGTGGGGCTGCTCAAG
 CTGGGCTCGCCGAGCTGGAGCGCTGATAATCCAGTCCAGCAACGGGCACATCACCACCACGCCGACCC
 CCACCCAGTTCCTGTGCCCAAGAACGTGACAGATGAGCAGGAGGGGTTCCGCCAGGGCTTCGTGCGCGC
 CCTGGCCGAACCTGCACAGCCAGAACACGCTGCCAGCGTCACGTGCGCGCGCAGCCGGTCAACGGGGCA
 45 GGCATGGTGGCTCCCGCGGTAGCCTCGGTGGCAGGGGCGAGCGGCGAGCGGGCTTACGCGCCAGCCTGC
 ACAGCGAGCCGCGGTCTACGCAAACTCAGCAACTTCAACCCAGGCGCGCTGAGCAGCGCGCGGGGCG
 GCGCTCCTACGGCGCGGCGGCTGGCCTTTCCCGCGCAACCCAGCAGCAGCAGCAGCGCGCGCACCCAC
 CTGCCCCAGCAGATGCCGTGACGACCCGCGGCTGCAGGCCCTGAAGGAGGAGCCTCAGACAGTGGCCG
 AGATGCCCGCGGAGACACCGCCCTGTCCCCATCGACATGGAGTCCAGGAGCGGATCAAGGCGGAGAG
 50 GAAGCGCATGAGGAACCGCATCGCTGCCTCCAAGTGCCGAAAAGGAAGCTGGAGAGAATCGCCCGGCTG
 GAGGAAAAAGTGAACCTTGAAAGCTCAGAACTCGGAGCTGGCGTCCACGGCCAACATGCTCAGGGAAC
 AGGTGGCACAGCTTAAACAGAAAGTCAAGAACCGTTAACAGTGGGTGCCAACTCATGCTAACGCAGCA
 GTTGCAAAACATTTTGAAGAGAGACCGTGGGGGCTGAGGGGCAACGAAGAAAAAATAACACAGAGAGA
 CAGACTTGAGAACTTGACAAGTTGCGACGGAGAGAAAAAGAGTGTCCGAGAACTAAAGCCAAGGGTAT
 55 CCAAGTTGGAAGTGGTTCGGTCTGACGGCGCCCCAGTGTGCACGAGTGGGAAGGACTTGGTTCGCGCCCT

- CCCTTGGCGTGGAGCCAGGGAGCGGCCGCTGCGGGCTGCCCGCTTTGCGGACGGGCTGTCCCCGCGCG
AACGGAACGTTGGACTTTCGTTAACATTGACCAAGAACTGCATGGACCTAACATTGATCTCATTAGTA
TTAAAGGGGGAGGGGGAGGGGTTACAACTGCAATAGAGACTGTAGATTGCTTCTGTAGTACTCCTTA
AGAACACAAAGCGGGGGAGGGTTGGGGAGGGGCGGAGGAGGGAGGTTGTGAGAGCGAGGCTGAGCCT
5 ACAGATGAACCTTTCTGGCCTGCTTTCGTTAACTGTGTATGTACATATATATATTTTTTAATTTGATTA
AAGCTGATTACTGTCAATAAACAGCTTCATGCCTTTGTAAGTTATTTCTGTTTGTGTTGGGTATCC
TGCCCACTGTTGTTGTAATAAGAGATTGGAGCACTCTGAGTTTACCATTGTATAAAGATATATAAT
TTTTTATGTTTTGTTTCTGAAAATTCAGAAAGGATATTTAAGAAAATACAATAAACTATTGGAAAGTA
CTCCCCTAACCTCTTTCTGCATCATCTGTAGATCCTAGTCTATCTAGGTGGAGTTGAAAGAGTTAAGAA
10 TGCTCGATAAAATCACTCTCAGTGCTTCTTACTATTAAGCAGTAAAACTGTTCTCTATTAGACTTAGAA
ATAAATGTACCTGATGTACCTGATGCTATGTGAGGCTTCATACTCCACGCTCCCCCAGCGTATCTATATG
GAATTGCTTACCAAAGGCTAGTGCGATGTTTCAGGAGGCTGGAGGAAGGGGGGTTGCAGTGGAGAGGGAC
AGCCCACTGAGAACTCAAACATTTCAAAGTTTGATTGCATCAAGTGGCATGTGCTGTGACCAATTATAA
TGTTAGAAATTTACAATAGGTGCTTATTCTCAAAGCAGGAATTGGTGGCAGATTTTACAAAAGATGTAT
15 CCTTCCAATTTGGAACTTCTCTTTGCAATTCCTAGATAAAAAGATGGCCTTTGTCTTATGAATATTTA
TAACAGCATTTCTGTCAATAAATGTATTCAAATACCAATAACAGATCTGAATTGCTTCCCTTTACTAC
TTTTTTGTTCCCAAGTTATATACTGAAGTTTTTATTTTTAGTTGCTGAGGTT (SEQ ID NO:6695)
- 20 gi|179982|gb|M57729.1|HUMCCC5 Human complement component C5 mRNA, complete
cds
CTACCTCCAACCATGGGCGCTTTTGGGAATACTTTGTTTTTTAATCTTCCTGGGGAAAACCTGGGGACAGG
AGCAAACATATGTCATTTCAAGCAACAAAATATTCGTTGGAGCATCTGAAAATATTGTGATTCAAGT
TTATGGATACACTGAGCAATTTGATGCAACAATCTCTATTAAAAGTTATCCTGATAAAAAATTTAGTTAC
25 TCCTCAGGCCATGTTCAATTTATCCTCAGAGAATAAATTCAAAACTCTGCAATCTTAACAATACAACCAA
AACAATTGCCTGGAGGACAAAACCCAGTTTCTTATGTGATTTGGAAGTTGTATCAAAGCATTTTTCAAA
ATCAAAAAGAATGCCAATAACCTATGACAATGGATTTCTCTTCATTCATACAGACAAACCTGTTTATACT
CCAGACCAGTCAGTAAAGTTAGAGTTTATTCGTTGAATGACGACTTGAAGCCAGCCAAAAGAGAACTG
TCTTAACCTTCATAGATCCTGAAGGATCAGAAGTTGACATGGTAGAAGAAATGATCATATTGGAATTAT
30 CTCTTTTCTGACTTCAAGATTCCGTCTAATCCTAGATATGGTATGTGGACGATCAAGGCTAAATATAAA
GAGGACTTTTCAACAACCTGGAACCGCATATTTTGAAGTTAAGAATATGCTTGCCACATTTTCTGTCT
CAATCGAGCCAGAATATAATTTCAATGGTTACAAGAATTTAAGAATTTTGAATTTACTATAAAAGCAAG
ATATTTTATAATAAAGTAGTCACTGAGGCTGACGTTTATATCACATTTGGAATAAGAGAAGACTTAAAA
GATGATCAAAAAGAAATGATGCAACAGCAATGCAAAACACAATGTTGATAAATGGAATTGCTCAAGTCA
35 CATTTGATTCTGAAACAGCAGTCAAAGAACTGTCTACTACAGTTTAGAAGATTTAAACAACAAGTACCT
TTATATTGCTGTAAACAGTCATAGAGTCTACAGGTGGATTTTCTGAAGAGGCAGAAATACCTGGCATCAA
TATGTCCTCTCTCCCTACAACTGAATTTGGTTGCTACTCTCTTTTCTGAAGCCTGGGATTCATATC
CCATCAAGGTGCAGGTTAAAGATTGCTTGACCAAGTTGGTAGGAGGAGTCCCAGTAATACTGAATGCACA
AACAATTGATGTAAACCAAGAGACATCTGACTTGGATCCAAGCAAAAGTGTAAACAGCTGTTGATGATGGA
40 GTAGCTTCCTTTGTGCTTAATCTCCCATCTGGAGTGACGGTGCTGGAGTTTAAATGTCAAACTGATGCTC
CAGATCTTCCAGAAGAAATCAGGCCAGGGAAGGTTACCGAGCAATAGCATACTCATCTCTCAGCCAAAG
TTACCTTTATATTGATTGGACTGATAACCAATAAGGCTTTGCTAGTGGGAGAACATCTGAATATTATTGTT
ACCCCCAAAAGCCCATATATTGACAAAATAACTCACTATAATTACTTGATTTTATCCAAGGGCAAATTA
TCCATTTTGGCAGAGGGAGAAATTTTCAGATGCATCTTATCAAAGTATAAACATTCAGTAACACAGAA
45 CATGGTTCTTTCATCCCGACTTCTGGTCTATATATCGTCACAGGAGAACAGACAGCAGAATTAGTGTCT
GATTCAGTCTGGTTAAATATTGAAGAAAAATGTGGCAACCAGCTCCAGGTTCTCTGTCTCTGATGCAG
ATGCATATTCTCAGGCCAACTGTGTCTCTTAATATGGCAACTGGAATGGATTCTTGGGTGGCATTAGC
AGCAGTGGACAGTGTGTGATGGAGTCCAAAGAGGAGCCAAAAGCCCTTGGAAAGAGTATTTCAATTC
TTAGAGAAGAGTGATCTGGGCTGTGGGGCAGGTGGTGGCCTCAACAATGCCAATGTGTTCCACCTAGCTG
50 GACTTACCTTCTCTCAATGCAATGCAGATGACTCCCAAGAAAATGATGAACCTGTAAAGAAATTTCT
CAGGCCAAGAAGACGCTGCAAAAGAAATAGTGTCTAAATATAAACATTCAGTAGTGAAG
AAATGTTGTTACGATGGAGCCTGCTTAATATGATGAAACCTGTGAGCAGCGAGCTGCACGGATTAGTT
TAGGGCCAAGATGCATCAAAGCTTTCACTGAATGTTGTGTCGTCGCAAGCCAGCTCCGTGCTAATATCTC
TCATAAAGACATGCAATTGGGAAGGCTACACATGAAGACCCTGTACCAGTAAGCAAGCCAGAAATTCGG
55 AGTTATTTTCCAGAAAGCTGGTTGTGGGAAGTTCATCTTGTTCCTCAGAAAGAAACAGTTGCAGTTTGCC

TACCTGATTCTCTAACCACCTGGGAAATTCAAGGCATTGGCATTTCAAACACTGGTATATGTGTTGCTGA
TACTGTCAAGGCAAAGGTGTTCAAAGATGTCTTCCTGGAAATGAATATACCATATTCTGTTGTACGAGGA
GAACAGATCCAATTGAAAGGAAGTGTCTTACAACATATAGGACTTCTGGGATGCAGTTCTGTGTTAAATGT
CTGCTGTGGAGGGAATCTGCACCTCGGAAAGCCCAGTCATTGATCATCAGGGCACAAGTCTCCAAATG
5 TGTGCGCCAGAAAGTAGAGGGCTCCTCCAGTCACTTGGTGACATTCACTGTGCTTCCTCTGGAAATTGGC
CTTCACAACATCAATTTTTCACTGGAGACTTGGTTTGGAAAAGAAATCTTAGTAAAAACATTACGAGTGG
TGCCAGAAGGTGTCAAAGGGAAAGCTATTCTGGTGTACTTTGGATCCTAGGGGTATTTATGGTACCAT
TAGCAGACGAAAGGAGTTCCCATACAGGATACCCTTAGATTGGTCCCCAAAACAGAAATCAAAGGATT
TTGAGTGTAAAAGGACTGCTTGTAGGTGAGATCTTGTCTGCAAGTTCTAAGTCAGGAAGGCCTCAATATCC
10 TAACCCACCTCCCCAAAGGGAGTGCAGAGGCGGAGCTGATGAGCGTTGTCCCAGTATTCTATGTTTTTCA
CTACCTGGAAACAGGAAATCATTGGAACATTTTTATTCTGACCCATTAATTGAAAAGCAGAACTGAAG
AAAAAATTAAAGAAGGGATGTTGAGCATTATGTCCTACAGAAATGCTGACTACTCTTACAGTGTGTGGA
AGGTGGAAGTGTAGCACTTGGTTAACAGCTTTTGCTTTAAGAGTACTTGGACAAGTAAATAAATACGT
AGAGCAGAACCAAAATTCATTTGTAATTCTTTATTGTGGCTAGTTGAGAATTATCAATTAGATAATGGA
15 TCTTTCAAGGAAAATTCACAGTATCAACCAATAAAATTACAGGGTACCTTGCTGTGAAGCCCCGAGAGA
ACAGCTTATATCTTACAGCCTTTACTGTGATTGGAATTAGAAAGGCTTTTCGATATATGCCCCCTGGTGAA
AATCGACACAGCTCTAATTAAAGCTGACAACCTTTCTGCTTGAAAATACACTGCCAGCCCAGAGCACCTTT
ACATTGGCCATTTCTGCGTATGCTCTTTCCCTGGGAGATAAACTCACCCACAGTTTCGTTCAATTGTTT
CAGCTTTGAAGAGAGAAGCTTTGGTTAAAGGTAATCCACCCATTTATCGTTTTTGGAAAGACAATCTTCA
20 GCATAAAGACAGCTCTGTACCTAACACTGGTACGGCAGCTATGGTAGAACAACATGCCTATGCTTTACTC
ACCACTCTGAAGTGAAGATATAAATTATGTTAACCAGTCATCAAATGGCTATCAGAAGAGCAGAGGT
ATGGAGGTGGCTTTTATTCAACCCAGGACACCATCAATGCCATTGAGGGCCTGACGGAATATTCACTCCT
GGTTAAACAACATCCGCTTGAGTATGGACATCGATGTTTCTTACAAGCATAAAGGTGCCTTACATAATTAT
AAAATGACAGACAAGAATTTCTTGGGAGGCCAGTAGAGGTGCTTCTCAATGATGACCTCATTGTGAGTA
25 CAGGATTTGGCAGTGGCTTGGCTACAGTACATGTAACAACGTAGTTTACAAAACAGTACCTCTGAGGA
AGTTTGACGCTTTTATTGAAAATCGATACCTAGGATATTGAAGCATCCCACTACAGAGGCTACGGAAC
TCTGATTACAAACGCATAGTAGCATGTGCCAGCTACAAGCCAGCAGGGAAGAATCATCATCTGGATCCT
CTCATGCGGTGATGGACATCTCCTTGCCCTACTGGAATCAGTGCAAATGAAGAAGACTTAAAGCCCTTGT
GGAAGGGGTGGATCACTATTCACTGATTACCAAATCAAAGATGGACATGTTATTCTGCAACTGAATTG
30 ATTCCTCCAGTGATTTCTTTGTGTACGATTCGGATATTGAACTCTTTGAAAGTTGGGTTTCTCAGTC
CTGCCACTTTACAGTTTACGAATACCACAGACCAGATAAACAGTGTACCATGTTTTATAGCACTTCCAA
TATCAAAATTCAGAAAGTCTGTGAAGGAGCCGCTGCAAGTGTGTAGAAGCTGATTGTGGGCAAATGCAG
GAAGAATTGGATCTGACAATCTCTGCAGAGACAAGAAAACAACAGCATGTAAACCAGAGATTGCATATG
CTTATAAAGTTAGCATCACATCCATCACTGTAGAAAATGTTTTGTCAAGTACAAGGCAACCTTCTGGA
35 TATCTACAAAACCTGGGGAAGCTGTTGCTGAGAAAGACTCTGAGATTACCTTCATTAAAAAGGTAACCTGT
ACTAACGCTGAGCTGGTAAAAGAGACAGTACTTAATTATGGGTAAAGAAGCCCTCCAGATAAAATACA
ATTTCAAGTTTACAGTACATCTACCCTTTAGATTTCCTTGACCTGGATTGAATACTGGCCTAGAGACACAAC
ATGTTTCATCGTGTCAAGCATTTTTAGCTAATTTAGATGAATTTGCCGAAGATATCTTTTTAAATGGATGC
TAAATTCCTGAAGTTTCACTGCATACAGTTTGCACCTTATGGACTCCTGTTGTTGAAGTTCGTTTTTTTG
40 TTTTCTCTTTTTTTTAAACATTCATAGCTGGTCTTATTTGTAAGCTCACTTTACTTAGAATTAGTGGCA
CTTGCTTTTATTAGAGAATGATTTCAAATGCTGTAACCTTTCTGAAATAACATGGCCTTGGAGGGCATGAA
GACAGATACTCCTCCAAGGTTATTGGACACCGGAAACAATAAATTGGAACACCTCCTCAAACCTACCACT
CAGGAATGTTTGGCTGGGGCCGGAAGAACAGTCCATTGAAAGGGAGTATTACAAAACATGACCTTTGCTT
GAAAGAAAATACCAAGGAACAGGAACTGATCATTAAGCCTGAGTTTGCTTTC (SEQ ID NO:6696)
45

gi|189944|gb|L05144.1|HUMPHOCAR Homo sapiens (clone lamda-hPEC-3)
phosphoenolpyruvate carboxykinase (PCK1) mRNA, complete cds
TGGGAACACAACTTGTGCGGGGAAGAGCCCGGAAAGAACTGTGGATCTCCCTTCGAGATCATCCAA
50 AGAGAAGAAAGGTGACCTCACATTCTGTCGCCCTTAGCAGCACTCTGCAGAAATGCCTCCTCAGCTGCAAA
ACGGCCTGAACCTCTCGGCCAAAGTTGTCCAGGGAAGCCTGGACAGCCTGCCCCAGGCAGTGAGGGAGTT
TCTCGAGAATAACGCTGAGCTGTGTACGCTGATCACATCCACATCTGTGACGGCTCTGAGGAGGAGAAT
GGGCGGCTTCTGGGCCAGATGGAGGAAGAGGCATCCTCAGGCGGCTGAAGAAGTATGACAATGATGCTGGT
TGGCTCTCACTGACCCAGGGATGTGGCCAGGATCGAAAGCAAGACGGTTATCGTCACCCAAGAGCAAG
55 AGACACAGTGGCCATCCCCAAAACAGGCCTCAGCCAGCTCGGTGCTGGATGTGAGGAGGATTTTGAG

- AAAGCGTTCAATGCCAGGTTCCAGGGTGCATGAAAGGTGCGACCATGTACGTATCCCATTCAGCATGG
GGCCGCTGGGCTCACCTCTGTGGAAGATCGGCATCGAGCTGACGGATTGCCCCACGTGGTGGCCAGCAT
GCGGATCATGACGCGGATGGGCACGCCCCGCTGGAAGCACTGGGCGATGGGGAGTTTGTCAAATGCCTC
CATTCTGTGGGGTGGCCTCTGCCTTTACAAAAGCCTTTGGTCAACAACCTGGCCCTGCAACCCGGAGCTGA
5 CGCTCATCGCCACCTGCTGACCGCAGAGAGATCATCTCCTTTGGCAGTGGGTACGGCGGGAACCTCGCT
GCTCGGGAAGAAGTGCTTTGCTCTCAGGATGGCCAGCCGGCTGGCAGAGGAGGAAGGGTGGCTGGCAGAG
CACATGCTGATTCTGGGTATAACCAACCCTGAGGGTGAGAAGAAGTACCTGGCGGCCGCATTTCCAGCG
CCTGCGGGAAGACCAACCTGGCCATGATGAACCCAGCCTCCCCGGGTGGAAGGTTGAGTGCCTCGGGGA
TGACATTGCCCTGGATGAAGTTTGACGCACAGGTCATTTAAGGGCCATCAACCCAGAAAATGGCTTTTTTC
10 GGTGTCGCTCCTGGGACTTCAGTGAAGACCAACCCCAATGCCATCAAGACCATCCAGAAGAACAATCT
TTACCAATGTGGCCGAGACCAGCGACGGGGCGCTTTACTGGGAAGGCATTGATGAGCCGCTAGCTTCAGG
CGTCACCATCACGTCCTGGAAGAATAAGGAGTGGAGCTCAGAGGATGGGGAACCTTGTGCCACCCCAAC
TCGAGGTTCTGCACCCCTGCCAGCCAGTGGCCCATCATTTGATGCTGCCTGGGAGTCTCCGGAAGGTGTTT
CCATTGAAGGCATTATCTTTGGAGGCCGTAGACCTGCTGGTGTCCCTCTAGTCTATGAAGCTCTCAGCTG
15 GCAACATGGAGTCTTTGTGGGGCGGCCATGAGATCAGAGGCCACAGCGGCTGCAGAACATAAAGGCAAA
ATCATCATGCATGACCCCTTTGCCATGCGGCCCTTCTTTGGCTACAACCTCGGCAAAATACCTGGCCCACT
GGCTTAGCATGGCCAGCACCCAGCAGCCAACTGCCCAAGATCTTCCATGTCAACTGGTTCCGGAAGGA
CAAGGAAGGCAAATTCCTCTGGCCAGGCTTTGGAGAGAACTCCAGGGTGTGGAGTGGATGTTCAACCGG
ATCGATGGAAAAGCCAGCACCAACGTCACGCCCATAGGCTACATCCCCAAGGAGGATGCCCTGAACCTGA
20 AAGGCTGGGGCACATCAACATGATGGAGCTTTTCAGCATCTCCAAGGAATTCTGGGACAAGGAGGTGGA
AGACATCGAGAAGTATCTGGTGGATCAAGTCAATGCCAGCTCCCTGTGAAATCGAGAGAGAGATCCTT
GCCTTGAAGCAAGAATAAGCCAGATGTAATCAGGCCCTGAGAATAAGCCAGATGTAATCAGGGCCTGAG
TGCTTTACCTTTAAATCATTAATTAATAATCCATAAGGTGCAGTAGGAGCAAGAGAGGGCAAGTGTTC
CAAATTGACGCCACCTAATAATCATCACACACCGGGAGCAGATCTGAAGGCACACTTTGATTTTTTTAA
25 GGATAAGAACCACAGAACTGGGTAGTAGCTAATGAAATTGAGAAGGGAATCTAGCATGCCTCCAAA
AATTACATCCAATGCATACTTTGTTCAAATTTAAGGTTACTCAGGCATTGATCTTTTCAGTGTTTTTTC
ACTTAGCTATGTGGATTAGCTAGAATGCACACCAAAAAGATACTTGAGCTGTATATATATATGTGTGTGT
GTGTGTGTGTGTGTGTGTGTGTGCATGTATGTGCACATGTGTCTGTGTGATATTTGGTATGTGTATTTGT
ATGTACTGTTATTCAAAATATATTTAATACCTTTGGAAAATCTTGGGCAAGATGACCTACTACTTTTCTT
30 TGAAAAAAGTTGCTTTGTTATTAATATTGTGCTTAAATTTATTTTATACACCATTTGTTCTTACTTCTTA
CATAATTGCAATATTTCCCTTACTACTTCTTGAAAAAATTAGAAAATGAAGTTTATAGAAAAG
(SEQ ID NO: 6697)
- 35 gi|6679892|ref|NM_008061.1| Mus musculus glucose-6-phosphatase, catalytic
(G6pc), mRNA
AGCAGAGGGATCGGGGCCAACCGGGCTTGGACTCACTGCACGGGCTCTGCTGGCAGCTTCCTGAGGTACC
AAGGAGGAAGGATGGAGGAAGGAATGAACATTCTCCATGACTTTGGGATCCAGTGCAGTCTGCTATCTCC
AAGTGAATTACCAAGACTCCCAGGACTGGTTCATCCTTGTGTCTGTGATTGCTGACCTGAGGAACGCCTT
40 CTATGTCTCTTTCCCATCTGGTTCCATCTTAAAGAGACTGTGGGCATCAATCTCCTCTGGGTGGCAGTG
GTCGGAGACTGGTTCAACCTCGTCTTCAAGTGGATTCTGTTTGGACAACGCCGTATTGGTGGGTCTTGG
ACACCGACTACTACAGCAACAGCTCCGTGCCTATAATAAAGCAGTTCCCTGTCACCTGTGAGACCGGACC
AGGAAGTCCCTCTGGCCATGCCATGGGCGCAGCAGGTGTATACTATGTTATGGTCACTTCTACTCTTGCT
ATCTTTGAGGAAAGAAAAAGCCAACGTATGGATTCCGGTGTGTAACGTATCTTGTGGTGGGATTCT
45 GGGCTGTGCAGTGAACGTCTGTCTGTCCGGATCTACCTTGCTGCTCACTTTCCCCACAGGTCGTGGC
TGGAGTCTTGTGAGGCAATGCTGTGGCTGAACTTTAGCCACATCCGGGGCATCTACAATGCCAGCCTC
CGGAAGTATTGTCTCATCACCATCTTCTGTTTGGTTTCGCGCTTGGATTCTACCTGCTACTAAAAGGGC
TAGGGGTGGACCTCCTGTGGACTTTGGAGAAAGCCAAGAGATGGTGTGAGCGGCCAGAATGGGTCCACCT
TGACACTACACCTTTGCCAGCCTCTTCAAAAACCTGGGAACCTCTTGGGGTTGGGGCTGGCCCTCAAC
50 TCCAGCATGTACCGGAAGAGCTGCAAGGGAGAACTCAGCAAGTCGTTCCCATTCGCTTCCGCTGCATTG
TGGCTTCTTGGTCTCTGCTATCTTTGACTCTCTGAAGCCCCATCCAGGTTGAGTTGATCTTCTA
CATCTTCTTTCTGCAAGAGCGCAACAGTTCCTTTGCATCTGTCTAGTCTTATCCATACTGCCCTAGCC
CGGATCTGGGACAGACACACAAGAAGCTTTGTGAAGGCATGCAAGAGTCTTTGGTATTAAAGTCAACCG
CCATGCAAAGGACTAGGAACAATAAGCCTCTGAAACCCATTGTGAGGCCAGAGGTGTTGACATCGGCC
55 CTGGTAGCCCTGTCTTCTTGTCTATCTTAACCAAAAGGTGAATTTTTACAAAGCTTACAGGGCTGTTTG

AGGAAAGTGTGAATGCTGGAACTGAGTCATTCTGGATGGTTCCCTGAAGATTGCTTACCAGCCTCCTG
TCAGATACAGAAGAGCAAGCCCAGGCTAGAGATCCCAACTGAGAATGCTCTTGCGGTGCAGAATCTTCCG
GCTGGGAAAAGGAAAAGAGCACCATGCATTTGCCAGGAAGAGAAAGGATCGGGAGGAGGAGAGTGT
TTTATGTATCGAGCAAACCAGATGCAATCTATGTCTAACCGGCTTCAGTTGTGTCTGCGTCTTTAGATAC
5 GACACACTCAATAATAATAATAGACCAACTAGTSTAATGAGTAGCCAGTTAAAGGCGATTAAATTCTGCTT
CCAGATAGTCTCCACTGTACATAAAAGTCACACTGTGTGCTTGCATTCCTGTATGGTAGTGGTGAAGTGT
TCTCACACCACCTTCTCTATCACGTACAGTTTTCTCTCTCCTCAGCCTATGTCTGCATTCCTCCAGAAATTC
TCCATTGTTCCCTGGCCCTGCTGCTGGACCTGCTGTGTCTGGTAGGCAACTGTTTGTGGTGTCTTTTG
TAGGGTTAAGTTAAACTCTGAGATCTTGGGCAAAATGGCAAGGAGACCCAGGATTCTTCTCCAAAGGT
10 CACTCCGATGTTATTTTTGATTCTTGGGGCAGAAATATGACTCCTTTCCCTAGCCCAAGCCAGCCAAGAG
CTCTCATTCTTAGAAGAAAAGGCAGCCCTTGGTGCCTGTCTCTCCTGCTCGGCTGATTTGCAGAGTACT
TCTTCAAAAAGAAAAAATGGTAAAGCTATTTATTAATAATTCTTTGTTTTTGTCTACAAATGATGCATA
TATTTTCACCACACCAAGCACTTTGTTTTCTAATATCTTTGATAAGAAAACATACATGTGCAGTATTTTAT
TAAAGCAACATTTTATTTA (SEQ ID NO: 6698)

15

gi|7110682|ref|NM_011044.1| Mus musculus phosphoenolpyruvate carboxykinase
1, cytosolic (Pck1), mRNA

20 ACAGTTGGCCTTCCCTCTGGGAACACACCCTCGGTCAACAGGGGAAATCCGGCAAGGCGCTCAGCGATCT
CTGATCCAGACCTTCCAAAAGGAAGAAAGGTGGCACCAGAGTTCTGCCTCTCTCCACACCATTGCAATT
ATGCCCTCCTCAGCTGCATAACGGTCTGGACTTCTCTGCCAAGGTTATCCAGGGCAGCCTCGACAGCCTGC
CCCAGGCAGTGAGGAAGTTTCGTGGAAGGCAATGCTCAGCTGTGCCAGCCGGAGTATATCCACATCTGCGA
TGGCTCCGAGGAGGAGTACGGGCAGTTGCTGGCCACATGCAGGAGGAGGGTGTATCCGCAAGCTGAAG
AAATATGACAACCTGTTGGCTGGCTCTCACTGACCCTCGAGATGTGGCCAGGATCGAAAGCAAGACAGTCA
25 TCATACCCCAAGAGCAGAGAGACACAGTGCCTATCCCCAAAACCTGGCCTCAGCCAGCTGGGCCGCTGGAT
GTCCGAAGAGGACTTTGAGAAAGCATTCAACGCCAGGTTCCAGGGTGCATGAAAGGCCCGCACCATTGAT
GTCATCCCATTCAGCATGGGGCCACTGGGCTCGCCGCTGGCCAAGATTGGTATTGAACTGACAGACTCGC
CCTATGTGGTGGCCAGCATGCGGATCATGACTCGGATGGGCATATCTGTGCTGGAGGCCCTGGGAGATGG
GGAGTTTCATCAAGTGCCTGCCTCTGTGGGGTGCCTCTCCCCTTAAAAAAGCCTTTGGTCAACAACCTGG
30 GCCTGCAACCCTGAGCTGACCCTGATCGCCACCTCCCGGACCGCAGAGAGATCATCTCCTTTGGAAGCG
GATATGGTGGGAACCTACTACTCGGGAAGAAATGCTTTGCGTTGCGGATCGCCAGCCGCTCTGGCTAAGGA
GGAAGGGTGGCTGGCGGAGCATATGCTGATCCTGGGCATAACTAACCCGAAGGCAAGAAGAAATACCTG
GCCGCAGCCTTCCCTAGTGCCTGTGGGAAGACTTAACCTTGGCCATGATGAACCCAGCCTGCCCGGTGGA
AGGTGCAATGTGTGGGCGATGACATTGCCTGGATGAAGTTTGATGCCCAAGGCAACTTAAGGGCTATCAA
35 CCCAGAAAACGGGTTTTTTGGAGTTGCTCCTGGCACCTCAGTGAAGACAAATCCAATGCCATTAAACC
ATCCAGAAAAACACCATCTTCACCAACGTGGCCGAGACTAGCGATGGGGGTGTTTACTGGGAAGGCATCG
ATGAGCCGCTGGCCCCGGGAGTCACCATCACCTCCTGGAAGAACAAGGAGTGGAGACCCGAGGACGCGGA
ACCATGTGCCCATCCCAACTCGAGATTCTGCACCCTGCCAGCCAGTGCCCCATTATTGACCCTGCCTGG
GAATCTCCAGAAGGAGTACCCATTGAGGGTATCATCTTTGGTGGCCGTAGACCTGAAGGTGTCCCCCTTG
40 TCTATGAAGCCCTCAGCTGGCAGCATGGGGGTGTTTGTAGGAGCAGCCATGAGATCTGAGGCCACAGCTGC
TGCAGAACACAAGGGCAAGATCATCATGCACGACCCCTTTGCCATGCGACCCCTTCTTCGGCTACAACTTC
GGCAAATACCTGGCCCACTGGCTGAGCATGGCCACCGCCAGCAGCCAAGTTGCCAAGATCTTCCATG
TCAACTGGTTCGGAAGGACAAAGATGGCAAGTTCCTCTGGCCAGGCTTTGGCGAGAATCCCGGGTGT
GGAGTGGATGTTCCGGGCGATTGAAGGGGAAGACAGCGCAAGCTCACGCCCATCGGCTACATCCCTAAG
45 GAAAACGCCTTGAACCTGAAAGGCTGGGGGGCTCAACGTGGAGGAGCTGTTTGGGATCTCTAAGGAGT
TCTGGGAGAAGGAGGTGGAGGAGATCGACAGGTATCTGGAGGACCAGGTCAACACCGACCTCCCTTACGA
AATTGAGAGGGAGCTCCGAGCCCTGAAACAGAGAATCAGCCAGATGTAAATCCCAATGGGGGCGTCTCGA
GAGTACCCCTTCCCACTCACAGCATCGCTGAGATCTAGGAGAAAGCCAGCCTGCTCCAGCTTTGAGATA
GCGGCACAATCGTGAGTAGATCAGAAAAGCACCTTTAATAGTCAGTTGAGTAGCACAGAGAACAGGCTA
50 GGGGCAAAATAAGATTGGGAGGGGAAATCACCGCATAGTCTCTGAAGTTTGCATTTGACACCAATGGGGGT
TTTGGTTCCACTTCAAGGTCACTCAGGAATCCAGTTCTTCACGTTAGCTGTAGCAGTTAGCTAAAATGCA
CAGAAAACATACTTGAGCTGTATATATGTGTGTGAACGTGTCTGTGTGTGAGCATGTGTGTGTGTGTG
TGT
AACCTTTGGGGAAAAATCTTGGGCAAATTTGTAGCTGTAACCTAGAGAGTCATGTTGCTTTGTGTGTGT
55 TGTATGTTAAATTATTTTTATACACCGCCCTTACCTTTCTTTACATAATTGAAATTGGTATCCGGACCA

CTTCTTGGGAAAAAAATTACAAATAAA

(SEQ ID NO: 6699)

Example 6 siRNAs decrease mRNA levels *in vivo*

Male CMV-Luc mice (8-10 weeks old) from Xenogen (Cranbury, NJ) were administered cholesterol conjugated siRNA (see Table 16).

5 Table 16. Solutions administered to mice

Group	n	Injection Mix
1	7	Buffer (PBS [pH 7.4])
2	8	Cholesterol conjugated siRNA (ALN-3001)

Table 17. Test iRNA agents targeting Luciferase

siRNA	Sequence
ALN-1070	5'-GAA CUG UGU GUG AGA GGU CCU-3' (SEQ ID NO: 6700) 3'-CG CUU GAC ACA CAC UCU CCA GGA-5' (SEQ ID NO: 6701)
ALN-1000	5'-GAA CUG UGU GUG AGA GGU CCU-GS-3' (SEQ ID NO: 6702) 3'-CG CUU GAC ACA CAC UCU CCA GGA-5' (SEQ ID NO: 6703)
ALN-3000	5'-GAA CUG UGU GUG AGA GGU CCU-3' (SEQ ID NO: 6704) 3'-Cs ¹ Gs ¹ CUU GAC ACA CAC UCU CCA GGA-5' (SEQ ID NO: 6705)
ALN-3001	5'-GAA CUG UGU GUG AGA GGU CCU-cho1. ² -3' (SEQ ID NO: 6706) 3'-Cs ¹ Gs ¹ CUU GAC ACA CAC UCU CCA GGA-5' (SEQ ID NO: 6707)

- 10 ¹ 2' O-Me group is attached to the nucleotide and the nucleotides have phosphorothioate linkages (indicated by "s")
² cholesterol is conjugated to the antisense strand via the linker: U-pyrroline carrier-C(O)-(CH₂)₅-NHC(O)-cholesterol (via cholesterol C-3 hydroxyl).

Animals were injected (tail vein) with a volume of 200-250 µl test solution containing
 15 buffer or an siRNA solution. Group 1 received buffer and group 2 received cholesterol conjugated siRNA (ALN-3001) at a dose of 50 mg/kg body weight. Twenty-two hours after injection, animals were sacrificed and livers collected. Organs were snap frozen on dry ice, then pulverized in a mortar and pestle.

For Luciferase mRNA analysis (by the QuantiGene Assay (Genospectra, Inc.;
 20 Fremont, CA)), approximately 10 mg of tissue powder was resuspended in tissue lysis buffer, and processed according to the manufacturer's protocol. Samples of the lysate were hybridized with probes specific for Luciferase or GAPDH (designed using ProbeDesigner software (Genospectra, Inc., Fremont, CA) in triplicate, and processed for luminometric analysis. Values for Luciferase were normalized to GAPDH. Mean values were plotted with
 25 error bars corresponding to the standard deviation of the Luciferase measurements.

Results indicated that the level of luciferase RNA in animals injected with cholesterol conjugated siRNA was reduced by about 70% as compared to animals injected with buffer (see FIGs 6A and 6b).

5 *In Vitro Activity*

HeLa cells expressing luciferase were transfected with each of the siRNAs listed in Table 17. ALN-1000 siRNAs were most effective at decreasing luciferase mRNA levels (~0.6 nM siRNA decreased mRNA levels to about ~65% the original expression level, and 1.0 nM siRNA decreased levels to about ~20% the original expression level); ALN-3001
10 siRNAs were least effective (~0.6 nM siRNA had a negligible mRNA levels, and 1.0 nM siRNA decreased levels to about ~40% the original expression level).

Pharmacokinetics/Biodistribution

Pharmacokinetic analyses were performed in mice and rats. Test siRNA molecules
15 were radioactively labeled with ^{33}P on the antisense strand by splint ligation. Labeled siRNAs (50mg/kg) were administered by tail vein injection, and plasma levels of siRNA were measured periodically over 24 hrs by scintillation counting. Cholesterol conjugated siRNA (ALN-3001) was discovered to circulate in mouse plasma for a longer period time than unconjugated siRNA (ALN-3000) (FIG. 7). RNAse protection assays indicated that
20 cholesterol-conjugated siRNA (ALN-3001) was detectable in mouse plasma 12 hours after injection, whereas unconjugated siRNA (ALN-3000) was not detectable in mouse plasma within two hours following injection. Similar results were observed in rats.

Mouse liver was harvested at varying time points (ranging from 0.08-24 hours) following injection with siRNA, and siRNA localized to the liver was quantified. Over the
25 time period tested, the amount of cholesterol-conjugated siRNA (ALN-3001) detected in the liver ranged from 14.3-3.55 percent of the total dose administered to the mouse. The amount of unconjugated siRNA (ALN-3000) detected in the liver was lower, ranging from 3.91-1.75 percent of the total dose administered.

Detection of siRNA in Different Tissues

Various tissues and organs (fat, heart, kidney, liver, and spleen) were harvested from two CMV-Luc mice 22 hours following injection with 50 mg/kg ALN-3001. The antisense strand of the siRNA was detected by RNase protection assay. The liver contained the greatest concentration of siRNA (~8-10 µg siRNA/g tissue); the spleen, heart and kidney contained lesser amounts of siRNA (~2-7 µg siRNA/g tissue); and fat tissue contained the least amount of siRNA (<~1 µg siRNA/g tissue).

Glucose-6-phosphatase siRNA detection by RNase Protection Assay

Balbc mice were injected with U/U, 3'C/U, or 3' C/3' C siRNA (4 mg/kg) targeting glucose-6-phosphatase (G6Pase) (see Table 18). Administration was by hydrodynamic tail vein injection (hd) or non-hydrodynamic tail vein injection (iv), and siRNA was subsequently detected in the liver by RNase protection assay.

Table 18. Test iRNA agents targeting glucose-6-phosphatase

siRNA	Description
U/U	No cholesterol; dinucleotide 3' overhangs on sense and antisense strands
3'C/U	dinucleotide 3' overhangs on sense and antisense strands; cholesterol conjugated to 3' end of sense strand (mono-conjugate)
3'C/3'C	dinucleotide 3' overhangs on sense and antisense strands; cholesterol conjugated to 3' end of both sense and antisense strands (bis-conjugate)

Unconjugated siRNA (U/U) delivered by hd was detected by 15 min. post-injection (the earliest determined time-point) and was still detectable in the liver 18 hours post-injection.

Delivery by normal iv administration resulted in the greatest concentration of 3'C/3'C siRNA (the bis-cholesterol-conjugate) in the liver 1 hour post injection (as compared to the mono-cholesterol-conjugate 3'C/3'U siRNA). At 18 hours post injection, 3'C/3'C siRNAs and 3'C/U siRNA were still detectable in the liver with the bis-conjugate at higher levels compared to the mono-conjugate.

While this invention has been particularly shown and described with reference to preferred embodiments thereof, it will be understood by those skilled in the art that various

changes in form and details may be made therein without departing from the scope of the invention encompassed by the appended claims.

WHAT IS CLAIMED IS:

1. An iRNA agent comprising a sense sequence and an antisense sequence, wherein
5 the sense sequence has one or more asymmetrical 2'-O alkyl modifications and the antisense
sequence has one or more asymmetrical phosphorothioate modifications, and the antisense
sequence targets a human gene sequence.
2. The iRNA agent of claim 1, wherein at least one of said 2'-O-alkyl modifications
10 is a 2'-OMe modification.
3. The iRNA agent of claim 1, wherein the sense sequence has at least 2
asymmetrical 2'-O alkyl modifications.
- 15 4. The iRNA agent of claim 1, wherein the sense has at least 4 asymmetrical 2'-O
alkyl modifications.
5. The iRNA agent of claim 4, wherein the asymmetrical modifications are 2'-OMe
modifications.
20
6. The iRNA agent of claim 1, wherein the sense sequence has at least 6
asymmetrical 2'-O alkyl modifications.
7. The iRNA agent of claim 6, wherein the asymmetrical modifications are 2'-OMe
25 modifications.
8. The iRNA agent of claim 1, wherein the sense sequence has at least 8
asymmetrical 2'-O alkyl modifications.
- 30 9. The iRNA agent of claim 8, wherein the asymmetrical modifications are 2'-OMe
modifications.

10. The iRNA agent of claim 1, wherein all of the subunits of the sense sequence have an asymmetrical 2'-O alkyl modification.

5 11. The iRNA agent of claim 10, wherein the asymmetrical modifications are 2'-OMe modifications.

12. The iRNA agent of claim 1, wherein the antisense sequence has at least 2 asymmetrical phosphorothioate modifications.

10

13. The iRNA agent of claim 1, wherein the antisense sequence has at least 4 asymmetrical phosphorothioate modifications.

14. The iRNA agent of claim 1, wherein the antisense sequence has at least 6
15 asymmetrical phosphorothioate modifications.

15. The iRNA agent of claim 1, wherein the antisense sequence has at least 8 asymmetrical phosphorothioate modifications.

20 16. The iRNA agent of claim 1, wherein all of the subunits of the sense sequence have an asymmetrical phosphorothioate modification.

17. The iRNA agent of claim 1, wherein the sense and antisense sequences are on different RNA strands.

25

18. The iRNA agent of claim 1, wherein the sense and antisense sequences are on the same RNA strand.

19. The iRNA agent of claim 1, wherein the sense and antisense sequences are fully
30 complementary to each other.

20. The iRNA agent of claim 1, further comprising a cholesterol moiety.

21. The iRNA agent of claim 20, wherein said cholesterol moiety is coupled to a sense strand.

5

22. The iRNA agent of claim 20, further comprising a second cholesterol moiety.

23. The iRNA agent of claim 22, wherein said second cholesterol moiety is coupled to a sense strand.

10

24. The iRNA agent of claim 1, wherein said human gene is an oncogene.

25. The iRNA agent of claim 1, wherein said human gene is the apoB-100 gene.

15

26. The iRNA agent of claim 1, wherein said human gene is the glucose-6-phosphatase gene.

27. The iRNA agent of claim 1, wherein the said human gene is the beta catenin gene.

20

28. The iRNA agent of claim 1, wherein the iRNA agent is at least 21 nucleotides in length, and the duplex region of the iRNA is about 19 nucleotides in length.

29. The iRNA agent of claim 1, having a duplex region of about 19 subunits in length and one or two 3' overhangs of about 2 subunits in length.

25

30. A pharmaceutical preparation comprising the iRNA agent of claim 1.

31. A method for reducing apoB-100 levels in a subject comprising administering to a subject an iRNA agent comprising a sense strand sequence and an antisense sequence, wherein the sense sequence has at least 4 asymmetrical 2'-O alkyl modifications and the

30

antisense sequence has at least 4 asymmetrical phosphorothioate modifications, and the antisense sequence targets apoB-100.

32. The method of claim 31, wherein the subject is suffering from a disorder
5 characterized by elevated or otherwise unwanted expression of apoB-100, elevated or otherwise unwanted levels of cholesterol, and/or dysregulation of lipid metabolism.

33. The method of claim 32, wherein said disorder is chosen from the group of
HDL/LDL cholesterol imbalance; dyslipidemias; hypercholesterolemia; statin-resistant
10 hypercholesterolemia; coronary artery disease (CAD) coronary heart disease (CHD)
atherosclerosis

34. A method for reducing glucose-6-phosphatase levels in a subject comprising
administering to a subject an iRNA agent comprising a sense strand sequence and an
15 antisense sequence, wherein the sense sequence has at least 4 asymmetrical 2'-O alkyl
modifications and the antisense sequence has at least 4 asymmetrical phosphorothioate
modifications, and the antisense sequence targets glucose-6-phosphatase.

35. The method of claim 34, wherein the iRNA agent is administered to a subject to
20 inhibit hepatic glucose production, or for the treatment of a glucose-metabolism-related
disorder.

36. The method of claim 35, wherein said disorder is diabetes.

25 37. The method of claim 35, wherein said disorder is type-2 diabetes.

38. A method of making an iRNA agent, the method comprising:
providing a sense strand sequence having at least 4 asymmetrical 2'-O alkyl
modifications and an antisense sequence having at least 4 asymmetrical phosphorothioate
30 modifications, and allowing the sense and antisense strand to hybridize.

39. A method of stabilizing an iRNA agent, comprising selecting a sequence with activity, and introducing one or more asymmetrical modification in said sequence, wherein said modification decreases nuclease sensitivity while not decreasing activity.




Figure 1




Figure 2

3/10




Figure 3

4/10




FIG. 4




FIG. 5




FIG. 5 (Cont'd)




FIG. 5 (Cont'd)




FIG. 5 (Cont'd)

9/10




Figure 6A




Figure 6B

10/10




Figure 7

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
23 September 2004 (23.09.2004)

PCT

(10) International Publication Number
WO 2004/080406 A3

(51) International Patent Classification⁷: **A61K 48/00**,
C07H 21/04, C12Q 1/68

(US). BUMCROT, David [US/US]; 30 Leicester Road,
Belmont, MA 02478 (US).

(21) International Application Number:
PCT/US2004/007070

(74) Agent: MYERS, Louis; Fish & Richardson P.C., 225
Franklin Street, Boston, MA 02110-2804 (US).

(22) International Filing Date: 8 March 2004 (08.03.2004)

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
ZW.

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

60/452,682	7 March 2003 (07.03.2003)	US
60/454,265	12 March 2003 (12.03.2003)	US
60/454,962	13 March 2003 (13.03.2003)	US
60/455,050	13 March 2003 (13.03.2003)	US
60/462,894	14 April 2003 (14.04.2003)	US
60/463,772	17 April 2003 (17.04.2003)	US
60/465,665	25 April 2003 (25.04.2003)	US
60/465,802	25 April 2003 (25.04.2003)	US
60/469,612	9 May 2003 (09.05.2003)	US
60/493,986	8 August 2003 (08.08.2003)	US
60/494,597	11 August 2003 (11.08.2003)	US
60/506,341	26 September 2003 (26.09.2003)	US
60/510,246	9 October 2003 (09.10.2003)	US
60/510,318	10 October 2003 (10.10.2003)	US
60/518,453	7 November 2003 (07.11.2003)	US

(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), Euro-
pean (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR,
GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK,
TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW,
ML, MR, NE, SN, TD, TG).

Published:

— with international search report
— before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments

(71) Applicant (for all designated States except US): ALNY-
LAM PHARMACEUTICALS [US/US]; 790 Memorial
Drive., Suite 202, Cambridge, MA 02139 (US).

(88) Date of publication of the international search report:
6 October 2005

(72) Inventors; and

(75) Inventors/Applicants (for US only): MANOHARAN,
Muthiah [US/US]; 25 Circle Drive, Weston, MA 02493

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: THERAPEUTIC COMPOSITIONS

(57) Abstract: Therapeutic sRNA agents and methods of making and using are enclosed.

WO 2004/080406 A3

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US04/0707.

A. CLASSIFICATION OF SUBJECT MATTER IPC(7) : A61K 48/00; C07H 21/04; C12Q 1/68 US CL : 514/44; 536/24.5; 435/6 According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) U.S. : 514/44; 536/24.5; 435/6 Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) EAST, STN: siRNA, RNA interference, phosphorothioate, 2'O-alkyl, 2' O-Methyl, ApoB100, glucose 6-phosphate		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	PARRISH, S. et al. Functional Anatomy of a dsRNA Trigger: Differential Requirement for the Two Trigger Strands in RNA Interference. Molecular Cell. November 2000, vol 6, pages 1077-1087, especially figures 5 and 6.	1-30, 38, 39
Y	ELBASHIR, S. et al. Functional Anatomy of siRNAs for mediating efficient RNAi in Drosophila melanogaster embryo lysate. The EMBO Journal. 2001, vol. 20, pages 6877-6888, see entire document.	1-30, 38, 39
Y	US 20020037555 A1 (Chen) 28 March 2002 (28.03.2002), see page 8, paragraph 77.	34-37
Y	HAMMOND et al. Post-Transcriptional Gene Silencing by Double-Stranded RNA Nature Reviews Genetics February 2001, Vol. 2, pages 110-119, see entire document	34-37
<input type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.		
* Special categories of cited documents:		
"A"	document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"B"	earlier application or patent published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"L"	document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"O"	document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same patent family
"P"	document published prior to the international filing date but later than the priority date claimed	
Date of the actual completion of the international search 27 May 2005 (27.05.2005)		Date of mailing of the international search report 09 AUG 2005
Name and mailing address of the ISA/US Mail Stop PCT, Attn: ISA/US Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450 Facsimile No. (703) 305-3230		Authorized officer Tracy Vivlemore <i>Valerie Bell-Harris</i> Telephone No (571) 272-1600